



math

Contents

Introduction	3
1 Inputting math	5
2 Definitions	9
3 Vertical spacing	11
4 Framing	29
5 Numbering	41
6 Combining formulas	45
7 Features	47
8 Alignments and such	55
9 Suboptimal	61
10 Tricks	63

Introduction

This manual is not a systematic discussion about math in `ConTeXt` but more a collection of wrap-ups. The file also serves as testcase. The content can change over time and can also serve as a trigger for discussions on the mailing list. Content gets added sort of random. Suggestions are welcome.

We discuss high level as well as low level commands. Some of the low level commands (primitives) are wrapped in high level commands but you can of course always revert to bare `TeX`.

I won't go into much detail about typesetting beautiful math, for that I refer to the `TeXbook`.¹

Hans Hagen
Hasselt NL

¹ The most beautiful math is not typeset by `TeX` anyway: just search on YouTube for “Mathematics” by Hollie McNish, the Metropole Orkest (conducted by Jules Buckley) and Martin Pyper.

1 Inputting math

1.1 Collapsing

When in text mode you enter a combination of combining accent and character, a composed character is assumed and often you then get one shape in your document. A similar feature is available in math mode. After some discussion and analysis of the potential clashes and confusion (thanks to Aditya Mahajan) we settled on a combination of methods: so called math lists entries that we entered in the character database and/or so called special sequences that are part of UNICODE. In the next tables we use `ml` for math list and `sp` for specials. Collapsing mode 1 only uses the specials, while 2 first checks the specials and then the math lists, and 3 does the reverse.

In the database you can find this (a few fields have been omitted):

```
[0x2260] = {
  adobename    = "notequal",
  category     = "sm",
  description   = "NOT EQUAL TO",
  mathlist     = { 0x2F, 0x3D },
  mathspec     = {
    {
      class = "relation",
      name  = "neq",
    },
    {
      class = "relation",
      name  = "ne",
    },
  },
  specials     = { "char", 0x3D, 0x338 },
  unicodeslot  = 0x2260,
}
```

and

```
[0x2261] = {
  adobename      = "equivalence",
  category       = "sm",
  description    = "IDENTICAL TO",
  mathclass      = "relation",
  mathextensible = "h",
  mathname       = "equiv",
  mathlist       = { 0x3D, 0x3D },
  unicodeslot    = 0x2261,
}
```

Here are a few examples:

	0	1 (sp)	2 (sp ml)	3 (ml sp)
$\$==$$	$==$	$==$	$==$	\equiv
$\$/=$$	$/=$	$/=$	\neq	\neq
$\$>=$$	$>=$	$>=$	\geq	\geq

A complete list of collapses can be generated after loading one of the tracing modules:

`\usemodule[math-ligatures]`

This provides the command:

`\showmathligatures`

which gives:

ml U+02016		U+0007C U+0007C	—		\Vert \Arrowvert \lVert \rVert
					\doubleverticalbar
sp U+02026	...	U+0002E U+0002E U+0002E	\ldots \dots
sp U+02033	"	U+02032 U+02032		"	\doubleprime
sp U+02034	'''	U+02032 U+02032 U+02032		'''	\tripleprime
sp U+02036	"	U+02035 U+02035		"	\reverseddoubleprime
sp U+02037	'''	U+02035 U+02035 U+02035		'''	\reversedtripleprime
sp U+02057	''''	U+02032 U+02032 U+02032 U+02032		''''	\quadrupleprime
ml U+02190	←	U+0003C U+02212	<-	←	\leftarrow \gets \underleftarrow
					\overleftarrow
ml U+02192	→	U+02212 U+0003E	->	→	\rightarrow \to \underrightarrow
					\overrightarrow
ml U+02194	↔	U+0003C U+02212 U+0003E	<->	↔	\leftrightarrow
sp U+0219A	↔	U+02190 U+00338	↔	↔	\nleftarrow
sp U+0219B	↔	U+02192 U+00338	↔	↔	\nrightarrow
sp U+021AE	↔	U+02194 U+00338	↔	↔	\nleftrightarrow
sp U+021CD	↔	U+021D0 U+00338	↔	↔	\nLeftarrow
sp U+021CE	↔	U+021D4 U+00338	↔	↔	\nLeftrightarrow
sp U+021CF	↔	U+021D2 U+00338	↔	↔	\nRightarrow
ml U+021D0	⇐	U+0003C U+0003D U+0003D	<==	⇐	\Leftarrow
ml U+021D2	⇒	U+0003D U+0003D U+0003E	==>	⇒	\Rightarrow \imply
ml U+021D4	⇔	U+0003C U+0003D U+0003D U+0003E	<==>	⇔	\Leftrightarrow
sp U+02204	∄	U+02203 U+00338		∄	\nexists
sp U+02209	∉	U+02208 U+00338		∉	\notin \nin
sp U+0220C	⊄	U+0220B U+00338		⊄	\nni \nowns
sp U+02224	∤	U+02223 U+00338		∤	\ndivides \nmid
sp U+02226	∥	U+02225 U+00338		∥	\nparallel
sp U+0222C	∫	U+0222B U+0222B		∫	\iint \iintop
sp U+0222D	∫	U+0222B U+0222B U+0222B		∫	\iiint \iiintop
sp U+0222F	∫	U+0222E U+0222E		∫	\oiint
sp U+02230	∫	U+0222E U+0222E U+0222E		∫	\oiint
ml U+02237	::	U+0003A U+0003A	::	::	\squaredots
ml U+02239	∴	U+02212 U+0003A	∴	∴	\minuscolon
sp U+02241	≈	U+0223C U+00338	≈	≈	\nsim
sp U+02244	≇	U+02243 U+00338	≇	≇	\nsimeq
sp U+02247	≉	U+02245 U+00338	≉	≉	\approxnEq
sp U+02249	≈	U+02248 U+00338	≈	≈	\napprox
ml U+02254	∴	U+0003A U+0003D	∴	∴	\colonequals
ml U+02255	∴	U+0003D U+0003A	∴	∴	\equalscolon
sp U+02260	≠	U+0003D U+00338	≠	≠	\neq \ne
ml U+02260	≠	U+0002F U+0003D	/=	≠	\neq \ne
ml U+02261	≡	U+0003D U+0003D	==	≡	\equiv
sp U+02262	≠	U+02261 U+00338	≠	≠	\nequiv
ml U+02262	≠	U+0002F U+0003D U+0003D	/==	≠	\nequiv
ml U+02264	≤	U+0003C U+0003D	<=	≤	\leq \le
ml U+02265	≥	U+0003E U+0003D	>=	≥	\geq \ge
ml U+0226A	≪	U+0003C U+0003C	<<	≪	\ll

m1	U+0226B	»	U+0003E U+0003E	>>	»	\gg
sp	U+0226D	✱	U+0224D U+00338		✱	\nasymp
m1	U+0226D	✱	U+0002F U+0224D	/	✱	\nasymp
sp	U+0226E	✱	U+0003C U+00338	<	✱	\nless
m1	U+0226E	✱	U+0002F U+0003C	/<	✱	\nless
sp	U+0226F	✱	U+0003E U+00338	>	✱	\ngtr
m1	U+0226F	✱	U+0002F U+0003E	/>	✱	\ngtr
sp	U+02270	✱	U+02264 U+00338		✱	\nleq
m1	U+02270	✱	U+0002F U+0003C U+0003D	/<=	✱	\nleq
sp	U+02271	✱	U+02265 U+00338		✱	\ngeq
m1	U+02271	✱	U+0002F U+0003E U+0003D	/>=	✱	\ngeq
sp	U+02274	✱	U+02272 U+00338		✱	\nlesssim
sp	U+02275	✱	U+02273 U+00338		✱	\ngtrsim
sp	U+02278	✱	U+02276 U+00338		✱	\nlessgtr
sp	U+02279	✱	U+02277 U+00338		✱	\ngtrless
sp	U+02280	✱	U+0227A U+00338		✱	\nprec
sp	U+02281	✱	U+0227B U+00338		✱	\nsucc
sp	U+02284	⊂	U+02282 U+00338		⊂	\nsubset
sp	U+02285	⊃	U+02283 U+00338		⊃	\nsupset
sp	U+02288	⊆	U+02286 U+00338		⊆	\nsubseteq
sp	U+02289	⊇	U+02287 U+00338		⊇	\nsupseteq
sp	U+022AC	⋈	U+022A2 U+00338		⋈	\nvdash
sp	U+022AD	⋈	U+022A8 U+00338		⋈	\nvDash
sp	U+022AE	⋈	U+022A9 U+00338		⋈	\nVdash
sp	U+022AF	⋈	U+022AB U+00338		⋈	\nVDash
m1	U+022D8	≪≪	U+0003C U+0003C U+0003C	<<<	≪≪	\lll \llless
m1	U+022D9	≫≫	U+0003E U+0003E U+0003E	>>>	≫≫	\ggg \gggtr
m1	U+022DC	≲	U+0003D U+0003C	=<	≲	\eqless
m1	U+022DD	≳	U+0003D U+0003E	=>	≳	\eqgtr
sp	U+022E0	⋈	U+0227C U+00338		⋈	\npreccurlyeq
sp	U+022E1	⋈	U+0227D U+00338		⋈	\nsucccurlyeq
sp	U+022E2	⊆	U+02291 U+00338		⊆	\nsqsubseteq
sp	U+022E3	⊇	U+02292 U+00338		⊇	\nsqsupseteq
sp	U+022EA	⋈	U+022B2 U+00338		⋈	\ntriangleright
sp	U+022EB	⋈	U+022B3 U+00338		⋈	\ntriangleleft
sp	U+022EC	⋈	U+022B4 U+00338		⋈	\ntrianglelefteq
sp	U+022ED	⋈	U+022B5 U+00338		⋈	\ntrianglerighteq
m1	U+027F5	←	U+0003C U+02212 U+02212	<--	←	\longleftarrow
m1	U+027F6	→	U+02212 U+02212 U+0003E	-->	→	\longrightarrow
m1	U+027F7	↔	U+0003C U+02212 U+02212 U+0003E	<-->	↔	\longleftrightarrow
m1	U+027F8	⇐	U+0003C U+0003D U+0003D U+0003D	<==	⇐	\Longleftarrow
m1	U+027F9	⇒	U+0003D U+0003D U+0003D U+0003E	==>	⇒	\Longrightarrow
m1	U+027FA	⇔	U+0003C U+0003D U+0003D U+0003D U+0003E	<==>	⇔	\Longleftrightarrow
m1	U+02980		U+0007C U+0007C U+0007C			\tripleverticalbar
sp	U+02A0C	∫∫∫∫	U+0222B U+0222B U+0222B U+0222B		∫∫∫∫	\iiiint \iiintop
sp	U+02A74	?	U+0003A U+0003A U+0003D	::=		\coloncolonequals
sp	U+02A75	=	U+0003D U+0003D	==	≡	\eqeq
sp	U+02A76	= =	U+0003D U+0003D U+0003D	===	= = =	\eqeqeq
m1	U+02A8B	≍	U+0003C U+0003D U+0003E	<=>	≍	\lesseqqgtr
m1	U+02A8C	≍	U+0003E U+0003D U+0003C	>=<	≍	\gtreqqless

2 Definitions

2.1 Special stackers

There are many math symbols but never enough. Here is an example of how you can roll out your own. We start out with nothing:

```
\definemathstackers
[nosymbol]
[voffset=\zeropoint,
 hoffset=\zeropoint,
 mathclass=ord,
 toffset=\zeropoint,
 middlecommand=,
 color=maincolor]
```

You can now use this class of stackers:

```
\startformula
\mathover [nosymbol] {"2217} {A}
\mathover [nosymbol] {"2218} {A}
\mathover [nosymbol] {"2219} {A}
\stopformula
```

This looks like this:

* ○ ●
AAA

But we want proper math, which means an italic nucleus, a properly placed accent, a shift of that accent matching the slope or the nucleus, so we actually need:

```
\definemathstackers
[mysymbol]
[voffset=-.30\mathexheight,
 hoffset=\zeropoint,
 mathclass=ord,
 toffset=.4\mathemwidth,
 middlecommand=\mathematics,
 color=maincolor]
```

We show both over and under variants:

```
\startformula
\mathover [mysymbol] {"2217} {A}
\mathover [mysymbol] {"2218} {A}
\mathover [mysymbol] {"2219} {A}
\mathunder [mysymbol] {"2217} {A}
\mathunder [mysymbol] {"2218} {A}
\mathunder [mysymbol] {"2219} {A}
```

```
\mathdouble[mysymbol]{"2217"}{"2217"}{A}
\mathdouble[mysymbol]{"2218"}{"2218"}{A}
\mathdouble[mysymbol]{"2219"}{"2219"}{A}
\stopformula
```

So this time we get:




We can now redefine the ‘interiorset’ symbol to use 0x2217 instead of 0x2218:

```
\definemathover[mysymbol][interiorset] ["2217"]

\startformula
    \interiorset{A}^{\interiorset{A}^{\interiorset{A}}}
\stopformula
```

Of course normally you will not use color:

$$A \rightarrow A^* \rightarrow A^{**} \rightarrow A^{***}$$

3 Vertical spacing

The low level way to input inline math in \TeX is

```
$ e = mc^2 $
```

while display math can be entered like:

```
$$ e = mc^2 $$
```

The inline method is still valid, but for display math the `$$` method should not be used. This has to do with the fact that we want to control spacing in a consistent way. In \ConTeXt the vertical spacing model is rather stable although in \MkIV the implementation is quite different. It has always been a challenge to let this mechanism work well with space round display formulas. This has to do with the fact that (in the kind of documents that we have to produce) interaction with already present spacing is somewhat tricky.

Of course much can be achieved in \TeX but in \ConTeXt we need to have control over the many mechanisms that can interact. Given the way \TeX handles space around display math there is no real robust solution possible that gives visually consistent space in all cases so that is why we basically disable the existing spacing model. Disabling is easier in \LuaTeX and recent versions of \MkIV have been adapted to that.

In pure \TeX what happens is this:

```
$$ x $$
```





A horizontal box (visualized by the thin rule on its baseline) get added which triggers a `baselineskip`. Then the formula is put below it. We can get rid of that box with `\noindent`:

```
\noindent $$ x $$
```



In addition (not shown here) vertical space is added before and after the formula and left- and rightskip on the edges. In fact typesetting display math goes like this:

- typeset the formula using display mode and wrap it in a box
- add an equation number, if possible in the same line, otherwise on a line below
- in the process center the formula using the available display width and required display indentation
- add vertical space above and below (depending also in displays being short in relation to the previous line)
- at the same time also add penalties that determine the break across pages

Apart from the spacing around the formula and the equation number, typesetting is not different from:

```
\hbox {$ \displaystyle x $}
```

So this is what we will use by default in `CONTEX` in order to better control spacing as spacing around math is a sensitive issue. Because math itself can have a narrow band, for instance a lone x , or relative much depth, as with y , or both depth and height as in $(1,2)$ and $x^2 + y_2$ and because a preceding line can have no or little depth and a following line little height, the visual appearance can become inconsistent. The default approach is to force consistent spacing, but when needed we can implement variants.

Spacing around display math is set up with `\setupformulas`:

```
\setupformulas
  [spacebefore=big,
   spaceafter=big]
```

When the whitespace is larger that setting wins because as usual the larger of blanks or whitespace wins.


In figures 3.1, figures 3.2 and 3.3 we see how things interact. We show lines with and without maximum line height and depth (enforced by struts) alongside.


Because we want to have control over the placement of the formula number but also want to be able to align the formula with the left or right edge of the text area, we don't use the native display handler by default. We still have a way to force this, but this is only for testing purposes. By default a formula is placed centered relative to the current text, including left and right margins.

```
\fakewords{20}{40}
```


```
\startitemize
  \startitem
    \fakewords{20}{40}
    \placeformula
      \startformula
        \fakeformula
      \stopformula
  \stopitem
  \startitem
    \fakewords{20}{40}
  \stopitem
\stopitemize
```

```
\fakewords{20}{40}\epar
```







natural + none + ws none



strut + none + ws none




natural + medium + ws none




strut + medium + ws none


Figure 3.1 No whitespace.




natural + none + ws big



strut + none + ws big




natural + medium + ws big




strut + medium + ws big


Figure 3.3 Whitespace larger than display spacing.




natural + none + ws medium



strut + none + ws medium



natural + medium + ws medium



strut + medium + ws medium

Figure 3.2 Whitespace the same as display spacing.

- $$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.1)$$

- $$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

In the next examples we explicitly align formulas to the left (`flushleft`), center (`middle`) and right (`flushright`):

```
\setupformulas[align=flushleft]
\startformula\fakeformula\stopformula
\setupformulas[align=middle]
\startformula\fakeformula\stopformula
\setupformulas[align=flushright]
\startformula\fakeformula\stopformula
```

The three cases show up as:

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

You can also set a left and/or right margin:

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1$$

With formula numbers these formulas look as follows:

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.2)$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.3)$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.4)$$

and the same with margins:

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.5)$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.6)$$

$$\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = 1 \quad (3.7)$$

When the margin option is set to standard or yes the current indentation (when set) or left skip is added to the left side.

```
\setupformulas[align=flushleft]
\startformula \fakeformula \stopformula
\placeformula \startformula \fakeformula \stopformula
```

$$\blacksquare + \blacksquare + \blacksquare = \blacksquare$$

$$\blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare = \blacksquare \quad (3.8)$$

```
\setupformulas[align=flushleft,margin=standard]
\startformula \fakeformula \stopformula
\placeformula \startformula \fakeformula \stopformula
```

$$\blacksquare + \blacksquare + \blacksquare = \blacksquare$$

$$\blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare = \blacksquare \quad (3.9)$$

The distance between the formula and the number is only applied when the formula is left or right aligned.

```
\setupformulas[align=flushright,distance=0pt]
\startformula \fakeformula \stopformula
\placeformula \startformula \fakeformula \stopformula
```

$$\blacksquare + \blacksquare + \blacksquare + \blacksquare = \blacksquare$$

$$\blacksquare + \blacksquare + \blacksquare + \blacksquare = \blacksquare \quad (3.10)$$

```
\setupformulas[align=flushright,distance=2em]
\startformula \fakeformula \stopformula
\placeformula \startformula \fakeformula \stopformula
```

$$\blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare + \blacksquare = \blacksquare$$

$$\blacksquare + \blacksquare + \blacksquare = \blacksquare \quad (3.11)$$

3.1 Scripts

Spacing is a trade off because there is no way to predict all usage. Of course a font can be very detailed in where italic correction is to be applied and how advanced stepwise kerns are used, but not many fonts have extensive information. Here are some differences in rendering. In OPENTYPE the super- and subscript of an integral are moved right and left half of the italic correction.

$$F_j = \int_a^b \quad F_j = \int_a^b \quad F_j = \int_a^b \quad F_j = \int_a^b \quad F_j = \int_a^b \quad F_j = \int_a^b$$

Latin Pagella DejaVu Cam- Lucida Xits
Mod- bria OT
ern

3.2 Bad fonts

There might be fonts out there where the italic correction is supposed to be added to the width of a glyph. In that case the following trick can be tried:

```
\definefontfeature[mathextra][italicwidths=yes] % fix latin modern
```

in which case the following might look better:

```
\left|V\right| = \left|W\right|
```

Of course better is to fix the font.

3.3 Multiline

Inline formulas can span lines but display math normally sits on one line unless one uses alignment mechanisms. Take this:

```
\startformula
  x\dorecurse{30}{ + #1x^{#1x}} = 10
\stopformula
```

$$x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} +$$

You can set `split` to `yes` using `\setupformula` and get the following:

$$x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x} + 21x^{21x} + 22x^{22x} + 23x^{23x} + 24x^{24x} + 25x^{25x} + 26x^{26x} + 27x^{27x} + 28x^{28x} + 29x^{29x} + 30x^{30x} = 10$$

Maybe nicer is to also set `align` to `flushleft`:

$$x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x} + 21x^{21x} + 22x^{22x} + 23x^{23x} + 24x^{24x} + 25x^{25x} + 26x^{26x} + 27x^{27x} + 28x^{28x} + 29x^{29x} + 30x^{30x} = 10$$

If you want the binary operators to start the lines you can set this:

```
\setupmathematics[setups=math:spacing:split]
\setupformulas[split=yes,align=flushleft]
```

$$x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x} + 21x^{21x} + 22x^{22x} + 23x^{23x} + 24x^{24x} + 25x^{25x} + 26x^{26x} + 27x^{27x} + 28x^{28x} + 29x^{29x} + 30x^{30x} = 10$$

You can prevent a split with a large penalty. Here is a test that you can run to play with this feature:

```
\dostepwiserecurse {30} {100} {1} {
  \hsize \dimexpr 40pt + #1pt \relax
  \startformula
    y = a \dorecurse {50} {
      \penalty 10000 {\bf + ##1b}
      + ##1c^2
    }
  \stopformula
  \page
}
```

There is an experimental alignment mechanism available. Watch the following examples:

before

```
\startformula
  z + 3y = \alignhere x
            \dorecurse{20}{ + #1x^{#1x}}
\stopformula
```

inbetween

```
\startformula
  z + 3y \alignhere = 1
            \dorecurse{4}{
              \dorecurse{#1}{+ #1x^{##1x}}
              \ifnum#1<4\breakhere\fi
            }
\stopformula
```

after

```
\setupformula
[split=no]
```

before

$$z + 3y = x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} +$$

inbetween

$$z + 3y = 1 + 1x^{1x} + 2x^{1x} + 2x^{2x} + 3x^{1x} + 3x^{2x} + 3x^{3x} + 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x}$$

after

\setupformula
[split=yes,
align=flushleft]

before

$$z + 3y = x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x}$$

inbetween

$$\begin{aligned} z + 3y = & 1 + 1x^{1x} \\ & + 2x^{1x} + 2x^{2x} \\ & + 3x^{1x} + 3x^{2x} + 3x^{3x} \\ & + 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x} \end{aligned}$$

after

\setupformula
[split=yes,
align=flushleft,
hang=auto]

before

$$z + 3y = x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x}$$

inbetween

$$\begin{aligned} z + 3y = & 1 + 1x^{1x} \\ & + 2x^{1x} + 2x^{2x} \\ & + 3x^{1x} + 3x^{2x} + 3x^{3x} \\ & + 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x} \end{aligned}$$

after

\setupformula
[split=yes,
align=flushleft,
hang=auto,
distance=1em]

before

$$z + 3y = x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + 20x^{20x}$$

inbetween

$$\begin{aligned}
 z + 3y &= 1 + 1x^{1x} \\
 &\quad + 2x^{1x} + 2x^{2x} \\
 &\quad + 3x^{1x} + 3x^{2x} + 3x^{3x} \\
 &\quad + 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x}
 \end{aligned}$$

after

```

\setupformula
[split=yes,
 align=flushleft,
 hang=yes,
 distance=2em]

```

before

$$\begin{aligned}
 z + 3y &= x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + \\
 &\quad 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + \\
 &\quad 20x^{20x}
 \end{aligned}$$

inbetween

$$\begin{aligned}
 z + 3y &= 1 + 1x^{1x} \\
 &\quad + 2x^{1x} + 2x^{2x} \\
 &\quad + 3x^{1x} + 3x^{2x} + 3x^{3x} \\
 &\quad + 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x}
 \end{aligned}$$

after

```

\setupformula
[split=yes,
 align=flushleft,
 hang=yes,
 distance=2em,
 interlinespace=1.5\lineheight]

```

before

$$\begin{aligned}
 z + 3y &= x + 1x^{1x} + 2x^{2x} + 3x^{3x} + 4x^{4x} + 5x^{5x} + 6x^{6x} + 7x^{7x} + 8x^{8x} + 9x^{9x} + 10x^{10x} + \\
 &\quad 11x^{11x} + 12x^{12x} + 13x^{13x} + 14x^{14x} + 15x^{15x} + 16x^{16x} + 17x^{17x} + 18x^{18x} + 19x^{19x} + \\
 &\quad 20x^{20x}
 \end{aligned}$$

inbetween

$$\begin{aligned}
z + 3y &= 1 + 1x^{1x} \\
&+ 2x^{1x} + 2x^{2x} \\
&+ 3x^{1x} + 3x^{2x} + 3x^{3x} \\
&+ 4x^{1x} + 4x^{2x} + 4x^{3x} + 4x^{4x}
\end{aligned}$$

after

If you want to split over pages, you can say:

```
\setupformula
[split=page,
align=middle]
```

but that is rather experimental (especially in combination with other number placement related options).

3.4 Scripts

Superscripts and subscripts are typeset in a smaller size than their nucleus. You can influence that as follows:

```
\startformula
x^{2} = x^{\textstyle 2}
      = x^{\scriptstyle 2}
      = x^{\scriptscriptstyle 2}
\stopformula
```

$$x^2 = x^2 = x^2 = x^2$$

You can also use macros instead of a `^` and `_`, as in:

```
\startformula
x \superscript {2} =
x \superscript {\textstyle 2} =
x \superscript {\scriptstyle 2} =
x \superscript {\scriptscriptstyle 2} =
x \nosuperscript {2}
\stopformula
```

$$x^2 = x^2 = x^2 = x^2 = x^2$$

The `\nosuperscript` primitive makes sure that we get the same size as the nucleus.

```
\startformula
x \superscript {2} \subscript {i} =
x \nosuperscript {2} \subscript {i} =
```

```
x \superscript {2} \nosubscript {i} =
x \nosuperscript {2} \nosubscript {i}
\stopformula
```

$$x_i^2 = x_i^2 = x_i^2 = x_i^2$$

3.5 Text accents

You can put an accent over a character:

```
$\grave{x} \neq \grave{i}$\quad
$\ddot{x} \neq \ddot{i}$\quad
$\bar{x} \neq \bar{i}$\quad
$\acute{x} \neq \acute{i}$\quad
$\hat{x} \neq \hat{i}$\quad
$\check{x} \neq \check{i}$\quad
$\breve{x} \neq \breve{i}$\quad
$\dot{x} \neq \dot{i}$\quad
$\ring{x} \neq \ring{i}$\quad
$\tilde{x} \neq \tilde{i}$\quad
$\dddot{x} \neq \dddot{i}$\quad
```

This comes out as: $\hat{x} \neq \hat{i}$ $\ddot{x} \neq \ddot{i}$ $\bar{x} \neq \bar{i}$ $\acute{x} \neq \acute{i}$ $\hat{x} \neq \hat{i}$ $\check{x} \neq \check{i}$ $\check{x} \neq \check{i}$ $\dot{x} \neq \dot{i}$ $\hat{x} \neq \hat{i}$ $\tilde{x} \neq \tilde{i}$ $\ddot{x} \neq \ddot{i}$. For regular text you can better use proper composed UTF encoded characters.

3.6 Directions

Math has its own direction control:

```
\startcombination[nx=4,ny=2,distance=1cm]
  {\MathTest{TLT}{TLT}{TLT}} {\MathShow1{TLT}{TLT}{TLT}}
  {\MathTest{TLT}{TLT}{TRT}} {\MathShow2{TLT}{TLT}{TRT}}
  {\MathTest{TLT}{TRT}{TLT}} {\MathShow3{TLT}{TRT}{TLT}}
  {\MathTest{TLT}{TRT}{TRT}} {\MathShow4{TLT}{TRT}{TRT}}
  {\MathTest{TRT}{TLT}{TLT}} {\MathShow5{TRT}{TLT}{TLT}}
  {\MathTest{TRT}{TLT}{TRT}} {\MathShow6{TRT}{TLT}{TRT}}
  {\MathTest{TRT}{TRT}{TLT}} {\MathShow7{TRT}{TRT}{TLT}}
  {\MathTest{TRT}{TRT}{TRT}} {\MathShow8{TRT}{TRT}{TRT}}
\stopcombination
```

Normally you will not control directions this way but use the proper parameters in layout related setup commands.

$a^2 + b^2 = c^2$	$a^2 + b^2 = c^2$	$a^2 + b^2 = c^2$	$a^2 + b^2 = c^2$
1 : m=TLT t=TLT p=TLT	2 : m=TLT t=TLT p=TRT	3 : m=TLT t=TRT p=TLT	4 : m=TLT t=TRT p=TRT
$^2c = ^2b + ^2a$	$^2c = ^2b + ^2a$	$^2c = ^2b + ^2a$	$^2c = ^2b + ^2a$
5 : m=TRT t=TLT p=TLT	6 : m=TRT t=TLT p=TRT	7 : m=TRT t=TRT p=TLT	8 : m=TRT t=TRT p=TRT

3.7 Surround

The spacing around inline formulas is consistent with other spacing but it can be enlarged. We just show a few examples:

```
\hsize 20em
We have
\dorecure {8} {%
  \ifcase#1\or\else and \fi
  $x+#1$ and $x-#1$ and $x \times #1$
}
\removeunwantedspaces .
\par
```

We have $x + 1$ and $x - 1$ and $x \times 1$ and $x + 2$
 and $x - 2$ and $x \times 2$ and $x + 3$ and $x - 3$ and
 $x \times 3$ and $x + 4$ and $x - 4$ and $x \times 4$ and $x + 5$
 and $x - 5$ and $x \times 5$ and $x + 6$ and $x - 6$ and
 $x \times 6$ and $x + 7$ and $x - 7$ and $x \times 7$ and $x + 8$
 and $x - 8$ and $x \times 8$.

```
\setupmathematics
[textdistance=2pt plus 1pt minus 1pt]
```

We have $x + 1$ and $x - 1$ and $x \times 1$ and $x + 2$
 and $x - 2$ and $x \times 2$ and $x + 3$ and $x - 3$ and
 $x \times 3$ and $x + 4$ and $x - 4$ and $x \times 4$ and $x + 5$
 and $x - 5$ and $x \times 5$ and $x + 6$ and $x - 6$ and
 $x \times 6$ and $x + 7$ and $x - 7$ and $x \times 7$ and $x + 8$
 and $x - 8$ and $x \times 8$.

```
\setupmathematics
[textdistance=4pt plus 2pt minus 2pt]
```

We have $x + 1$ and $x - 1$ and $x \times 1$ and $x + 2$
 and $x - 2$ and $x \times 2$ and $x + 3$ and $x - 3$
 and $x \times 3$ and $x + 4$ and $x - 4$ and $x \times 4$

and $x + 5$ and $x - 5$ and $x \times 5$ and $x + 6$
and $x - 6$ and $x \times 6$ and $x + 7$ and $x - 7$
and $x \times 7$ and $x + 8$ and $x - 8$ and $x \times 8$.

4 Framing

The `\framed` macro is one of the core constructors in `CONTEX`T and it's used all over the place. This macro is unlikely to change its behaviour and as it has evolved over years it comes with quite some options and some can interfere with the expectations one has. In general using this macro works out well but you need to keep an eye on using struts and alignment.

```
\framed{$e=mc^2$}
```

The outcome of this is:

$$e = mc^2$$

There is a bit of offset (that you can set) but also struts are added as can be seen when we visualize them:

$$|e = mc^2|$$

These struts can be disabled:

```
\framed[strut=no]{$e=mc^2$}
```


Now the result is more tight.

$$e = mc^2$$

These struts are the way to get a consistent look and feel and are used frequently in `CONTEX`T. We mention these struts because they get in the way when we frame a display formula. Let's first look at what happens when we just package a formula in a box:

```
\vbox\bgroup
  \startformula
    e = mc^2
  \stopformula
\egroup
```

We get:



Now there are a few properties of `displaymath` that one needs to keep in mind when messing around with them this way. First of all `displaymath` is meant to be used as part of the page stream. This means that spacing above and below is adapted to what comes before and after. It also means that, because formulas can be numbered, we have some settings that relate to horizontal placement.

The default vertical spacing is easy to get rid of:

```
\vbox\bgroup
  \startformula[packed]
```

```

    e = mc^2
\stopformula
\egroup

```

This gives:




Another handy keyword is `tight`:

```

\ vbox\ bgroup
  \ startformula[tight]
    e = mc^2
  \ stopformula
\ egroup

```

This gives:



We can combine these two:

```

\ vbox\ bgroup
  \ startformula[packed,tight]
    e = mc^2
  \ stopformula
\ egroup

```

This gives:



Just in case you wonder why we need to go through these troubles: keep in mind that we are wrapping something (math) that normally goes in a vertical list with text above and below.


The `packed` and `tight` options can help when we want to wrap a formula in a frame:

```

\ framed
  [strut=no]
  {
    \ startformula[packed,tight]
      e = mc^2
    \ stopformula
  }

```

which renders as:



There is a dedicated math framed instance that is tuned to give better results and automatically switches to math mode:

```
\mframed {
  e = mc^2
}
```

becomes:

$$e = mc^2$$

Framing a formula is also supported as a option, where the full power of framed can be applied to the formula. We will illustrate this in detail on the next pages. For this we use the following sample:

```
\setuplayout[topspace=5mm,bottomspace=5mm,height=middle,header=1cm,footer=0cm]

\starttext

\startbuffer[sample]
  \enabletrackers[formulas.framed] \showboxes
  \startformula
    e = mc^2
  \stopformula
  \par
  \startformula
    e = mc^2
  \stopformula
  \startformula
    e = mc^2
  \stopformula
  \startformula
    e \dorecurse{12} { = mc^2 }
  \stopformula
  \startplaceformula
    \startformula
      e = mc^2
    \stopformula
  \stopplaceformula
  \startplaceformula
    \startformula
      e \dorecurse{12} { = mc^2 }
    \stopformula
  \stopplaceformula
\stopbuffer
```

```

\startbuffer[setup-b]
\setupformula
  [option=frame]
\stopbuffer

\startbuffer[setup-d]
\setupformulaframed
  [frame=on,
  %toffset=10pt,
  %boffset=10pt,
  foregroundcolor=white,
  background=color,
  backgroundcolor=gray]
\stopbuffer

\startbuffer[setup-c]
\setupformula
  [frame=number]
\stopbuffer

\startbuffer[all]
\start
  \typebuffer[setup-a]
  \getbuffer[setup-a]
  \getbuffer[sample]
  \typebuffer[setup-b]
  \typebuffer[setup-d]
  \getbuffer[setup-b]
  \getbuffer[setup-d]
  \getbuffer[sample]
  \typebuffer[setup-c]
  \getbuffer[setup-c]
  \getbuffer[sample]
  \page
\stop
\stopbuffer

\startbuffer
  \startbuffer[setup-a]
  \setupformula
    [align=flushleft]
  \stopbuffer
  \getbuffer[all]
  \startbuffer[setup-a]
  \setupformula

```

```

    [align=flushleft,location=left]
\stopbuffer
\getbuffer[all]

\startbuffer[setup-a]
\setupformula
    [align=middle]
\stopbuffer
\getbuffer[all]
\startbuffer[setup-a]
\setupformula
    [align=middle,location=left]
\stopbuffer
\getbuffer[all]

\startbuffer[setup-a]
\setupformula
    [align=flushright]
\stopbuffer
\getbuffer[all]
\startbuffer[setup-a]
\setupformula
    [align=flushright,location=left]
\stopbuffer
\getbuffer[all]
\stopbuffer

\getbuffer

\startbuffer[setup-b]
\setupformula
    [option={tight,frame}]
\stopbuffer

\getbuffer

\stoptext

```


In figure 4.1, 4.2 and 4.3 you see some combinations. You can run this example on your machine and see the details.

With each formula class a framed variants is automatically created:


```

\defineformula
    [foo]


```


right + flushright



right + flushright




left + flushright + tight




left + flushright + tight


Figure 4.3 Framed formulas flushed right.




right + middle



right + middle



left + middle + tight



left + middle + tight

Figure 4.2 Framed formulas centered.


```

\setupformulaframed
  [foo]
  [frame=on,
   framecolor=red]

\startfooformula[frame]
  e=mc^2
\stopfooformula

```

This time you get a red frame:

$$e = mc^2$$

You can also frame the number, as in:

```

\setupformulaframed[framecolor=red,frame=on,offset=1ex]
\setupformula[option=frame,color=blue]
\setupformula[numbercommand={\inframed[framecolor=green]}]

\startplaceformula
  \startformula
    2 + 2 = 2x
  \stopformula
\stopplaceformula

```

The boxes get properly aligned:

$$2 + 2 = 2x \quad (4.1)$$

5 Numbering

Numbering equations can be a bit of a mess. Formulas can be unnumbered, numbered, numbered with an associated reference. Numbers can go on the left or right and on the rows in an alignment. Combine that with positioning left or right and left or right aligned formulas and the picture gets complicated. When something turns out wrong, just let me know and the respective branch in the code can be adapted. Here are some examples:

```
\startplaceformula[a]
  \startformula
    (1)
  \stopformula
\stopplaceformula
```

$$(1) \tag{5.1}$$

```
\startplaceformula[b]
  \startformula
    \startalignment
      \NC 1 \NC = \NR
      \NC 2 \NC = (2) \NR
      \NC 3 \NC = \NR
    \stopalignment
  \stopformula
\stopplaceformula
```

$$\begin{array}{l} 1 = \\ 2 = (2) \\ 3 = \end{array} \tag{5.2}$$

```
\startplaceformula[c]
  \startformula
    \startalignment
      \NC 1 \NC = (3) \NR[x]
      \NC 2 \NC = \NR
      \NC 3 \NC = (4) \NR[y]
    \stopalignment
  \stopformula
\stopplaceformula
```

$$\begin{array}{l} 1 = (3) \\ 2 = \\ 3 = (4) \end{array} \tag{5.3}$$

$$\tag{5.4}$$

```
\startplaceformula[d]
  \startformula
    (5)
  \stopformula
```

\stopplaceformula

(5)

(5.5)

\startplaceformula[e]

\startformula

(6)

\stopformula

\stopplaceformula

(6)

(5.6)

In the next examples we demonstrate how we can avoid numbering, pass a reference as key, use assignments instead and add a title or suffix.

\startplaceformula

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[-]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[p]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[reference=foo]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[title=whatever]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[suffix=q]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

\startplaceformula[r]

\startformula $e=mc^2$ \stopformula

\stopplaceformula

$$e = mc^2$$

(5.7)

$$e = mc^2$$

$$e = mc^2$$

(5.8)

$$e = mc^2$$

(5.9)

$$e = mc^2$$

(whatever)

$$e = mc^2$$

(5.10.q)

$$e = mc^2 \quad (5.11)$$

If you want consistent spacing you can enforce this:

```
\startplaceformula[s]
  \startformula e=mc^2 \stopformula
\stopplaceformula
\startplaceformula[-]
  \startformula e=mc^2 \stopformula
\stopplaceformula
\startplaceformula[-]
  \startformula e=mc^2 \stopformula
\stopplaceformula
\setupformulas[numberstrut=always]
\startplaceformula[-]
  \startformula e=mc^2 \stopformula
\stopplaceformula
\startplaceformula[-]
  \startformula e=mc^2 \stopformula
\stopplaceformula
```

$$e = mc^2 \quad (5.12)$$

$$e = mc^2$$

$$e = mc^2$$

$$e = mc^2|$$

$$e = mc^2|$$

Possible values for numberstrut are yes (the default), always and no.

6 Combining formulas

Multiple formulas can be combined by wrapping them:

```
\fakewords{20}{30}
```

```
\startformula  
  a + b = c  
\stopformula
```

```
\fakewords{20}{30}
```


```
\startformulas  
  \startformula  
    a + b = c  
  \stopformula  
  \startformula  
    d - e = f  
  \stopformula  
\stopformulas
```

```
\fakewords{20}{30}
```

```
\startformulas  
  \startformula  
    \frac{\frac{x}{y}}{b} = c  
  \stopformula  
  \startformula  
    d - e = f  
  \stopformula  
\stopformulas
```

```
\fakewords{20}{30}
```

When we bump the space around formulas to big we get this:



$$\frac{x}{y} = c \qquad d - e = f$$



The formulas get aligned on the baseline which in turn relates to the math axis of the formula.

7 Features

7.1 Default features

Math fonts are loaded in so called basemode, which gives them a traditional treatment in the engine. However, we do support features in basemode too, so setting them can influence what gets passed to \TeX . Also, in math mode, some font features (like `dtls` and stylistic alternates) are applied dynamically.

The default `mathematics` feature set is as follows:

<code>kern</code>	<code>yes</code>
<code>language</code>	<code>dflt</code>
<code>mathalternates</code>	<code>yes</code>
<code>mathdimensions</code>	<code>all</code>
<code>mathitalics</code>	<code>yes</code>
<code>mathnolimitsmode</code>	<code>0,800</code>
<code>mode</code>	<code>base</code>
<code>script</code>	<code>math</code>

We don't discuss the exact meaning of these options here because normally you don't have to deal with them. If a math font demands something special, the place to deal with it is the related font goodie file.

This feature set is the parent of two other sets: `mathematics-l2r` and `mathematics-r2l`:

<code>kern</code>	<code>yes</code>
<code>language</code>	<code>dflt</code>
<code>mathalternates</code>	<code>yes</code>
<code>mathdimensions</code>	<code>all</code>
<code>mathitalics</code>	<code>yes</code>
<code>mathnolimitsmode</code>	<code>0,800</code>
<code>mode</code>	<code>base</code>
<code>script</code>	<code>math</code>

This one is the same as the parent but the right-to-left variant is different:

<code>kern</code>	<code>yes</code>
<code>language</code>	<code>dflt</code>
<code>locl</code>	<code>yes</code>
<code>mathalternates</code>	<code>yes</code>
<code>mathdimensions</code>	<code>all</code>
<code>mathitalics</code>	<code>yes</code>
<code>mathnolimitsmode</code>	<code>0,800</code>
<code>mode</code>	<code>base</code>
<code>rtlm</code>	<code>yes</code>
<code>script</code>	<code>math</code>

Eventually we need size related feature sets and again we define a parent and direction specific ones: `math-text`, `math-script` and `math-scriptscript`.

kern	yes
language	dflt
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mode	base
script	math
ssty	no

kern	yes
language	dflt
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
script	math
ssty	1

kern	yes
language	dflt
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
script	math
ssty	2

The left-to-right sets `math-*-l2r` are:

kern	yes
language	dflt
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mode	base
script	math
ssty	no

kern	yes
language	dflt

mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
script	math
ssty	1

kern	yes
language	dflt
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
script	math
ssty	2

The right-to-left sets `math-*-r2l` are:

kern	yes
language	dflt
locl	yes
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mode	base
rtlm	yes
script	math
ssty	no

kern	yes
language	dflt
locl	yes
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
rtlm	yes
script	math
ssty	1

kern	yes
language	dflt
locl	yes
mathalternates	yes
mathdimensions	all
mathitalics	yes
mathnolimitsmode	0,800
mathsize	yes
mode	base
rtlm	yes
script	math
ssty	2

There are a few extra sets defined but these are meant for testing or virtual math fonts. The reason for showing these sets is to make clear that the number of features is minimal and that math is a real script indeed.

The kern features is questionable. In traditional \TeX there are kerns indeed but in \OpenType math kerns are not used that way because a more advanced kerning feature is present (and that one is currently always enabled). We used to set the following but these make no sense.

```
liga=yes, % (traditional) ligatures
tlig=yes, % tex ligatures, like -- and ---
trep=yes, % tex replacements, like the ' quote
```

Math fonts normally have no ligatures and supporting the \TeX specific ones can actually be annoying. So, in todays \ConTeXt these are no longer enabled. Just consider the following:

```
$- \kernOpt - \kern Opt \mathchar"2D$
$- \kernOpt -- \kern Opt \mathchar"2D \mathchar"2D$
$- \kernOpt --- \kern Opt \mathchar"2D \mathchar"2D \mathchar"2D$
```

The `-` is mapped onto a minus sign and therefore several in succession become multiple minus signs. The `\mathchar"2D` will remain the character with that slot in the font so there we will see a hyphen. If we would enable the `tlig` feature several such characters would be combined into an endash or emdash. So how do we get these than? Because getting a hyphen directly involves a command, the same is true for its longer relatives: `\endash` and `\emdash`.

```
-- -
-- ---
-- - - -
```

As convenience we have defined a special `\mathhyphen` command. Watch the fact that a text hyphen in math mode is a minus in math! As comparison we also show the plus sign.

command	math	text
<code>\mathhyphen</code>	-	-
<code>\texthyphen</code>	—	-
-	—	-
+	+	+
<code>\endash</code>	-	-
<code>\emdash</code>	—	—

7.2 Stylistic alternates

todo

7.3 Dotless variants

todo

7.4 Script kerning

Text in math is somewhat special. First of all, a math font is not a text font because the characters and glyphs have a different purpose. Text features are normally not present (and often not even wanted). Anyway, you can force a text font, but that doesn't mean you will get for instance kerning. You can force a box which in turn will trigger font processing, but then you normally lose the script related size properties. So we end up with some juggling possibly combined with user intervention, and that is what the `\text` macro does.

But still there is the kern between a variable and its subscript to consider, something that normally is dealt with with staircase kerns, an `OPENTYPE` math speciality. But, as we progress over the math list, and we bind a subscript to a variable, that subscript can be anything: a simple character, or more characters (a list) or something wrapped in a box. There is simply no universal solution that we can hard code because sometimes you don't want that special kerning. This is why in `LUATEX` the integer variable `\mathscriptboxmode` controls the way this is dealt with.

- 0 forget about kerning
- 1 kern math sub lists with a valid glyph (default in the engine)
- 2 also kern math sub boxes that have a valid glyph (default in `CONTEXT`)
- 3 only kern math sub boxes with a boundary node present

Here we show some examples of how this parameter controls kerning. Watch the difference between a simple font switch and a text wrapped in a box. There are differences between fonts: some fonts have kerns, some don't. When present kerns are passed to the engine without further user intervention.

$\$T_{\{\backslash\text{tf fluff}\}}\$(\text{mode } 0)$

modern T_{fluff}
lucidaot T_{fluff}
pagella T_{fluff}
cambria T_{fluff}
dejavu T_{fluff}

$\$T_{\{\backslash\text{tf fluff}\}}\$(\text{mode } 1)$

modern T_{fluff}
lucidaot $T_{\text{fluff}}^{-2.002}$
pagella T_{fluff}
cambria $T_{\text{fluff}}^{-1.970}$
dejavu T_{fluff}

$\$T_{\{\backslash\text{text}\{\text{fluff}\}\}}\$(\text{mode } 1)$

modern T_{fluff}
lucidaot T_{fluff}
pagella T_{fluff}
cambria T_{fluff}
dejavu T_{fluff}

$\$T_{\{\backslash\text{text}\{\text{fluff}\}\}}\$(\text{mode } 2)$

modern T_{fluff}
lucidaot $T_{\text{fluff}}^{-2.002}$
pagella T_{fluff}
cambria $T_{\text{fluff}}^{-1.970}$
dejavu T_{fluff}

$\$T_{\{\backslash\text{text}\{\backslash\text{boundary1 fluff}\}\}}\$(\text{mode } 3)$

modern T_{fluff}
lucidaot $T_{\text{fluff}}^{-3.002}$

pagella T_{fluff}
cambria $T_{\text{fluff}}^{-1.970}$
dejavu T_{fluff}

8 Alignments and such

8.1 Using ampersands

When you come from plain T_EX, using ampersands probably comes as a custom, like in:

```
\startformula
\bordermatrix {
  a & b & c & d \cr
  e & f & G & h \cr
  i & j & k & l \cr
}
\stopformula
```

$$\begin{matrix} a & b & c & d \\ e & \left(\begin{matrix} f & G & h \end{matrix} \right) \\ i & \left(\begin{matrix} j & k & l \end{matrix} \right) \end{matrix}$$

or:

```
\startformula
\bbordermatrix {
  a & b & c & d \cr
  e & f & G & h \cr
  i & j & k & l \cr
}
\stopformula
```

$$\begin{matrix} a & b & c & d \\ e & \left[\begin{matrix} f & G & h \end{matrix} \right] \\ i & \left[\begin{matrix} j & k & l \end{matrix} \right] \end{matrix}$$

A more ConT_EXt way is this:

```
\startformula
\startbordermatrix
  \NC a \NC b \NC c \NC d \NR
  \NC e \NC f \NC G \NC h \NR
  \NC i \NC j \NC k \NC l \NR
\stopbordermatrix
\stopformula
```

$$\begin{matrix} a & b & c & d \\ e & \left(\begin{matrix} f & G & h \end{matrix} \right) \\ i & \left(\begin{matrix} j & k & l \end{matrix} \right) \end{matrix}$$

and:

```
\startformula
```

```

\startbbbordermatrix
  \NC a \NC b \NC c \NC d \NR
  \NC e \NC f \NC G \NC h \NR
  \NC i \NC j \NC k \NC l \NR
\stopbbbordermatrix
\stopformula

```

$$\begin{array}{cccc} a & b & c & d \\ e & \left[\begin{array}{ccc} f & G & h \end{array} \right. \\ i & \left[\begin{array}{ccc} j & k & l \end{array} \right. \end{array}$$

Just that you know. In general ampersands in `CONTEXt` text mode are just that: ampersands, not something alignment related.

8.2 Locations

The location feature gives some control over the alignment of alignments. The following examples are taken from an email exchange with Henri Menke.

```

\startplaceformula
  \startformula
    \startmathalignment[location=top]
      \NC a + b \NC= c + d \NR
      \NC a + b \NC= c + d \NR
      \NC a + b \NC= c + d \NR
    \stopmathalignment
  \quad\text{or}\quad
  \startmathalignment[location=center]
    \NC a + b \NC= c + d \NR
    \NC a + b \NC= c + d \NR
    \NC a + b \NC= c + d \NR
  \stopmathalignment
  \quad\text{or}\quad
  \startmathalignment[location=bottom]
    \NC a + b \NC= c + d \NR
    \NC a + b \NC= c + d \NR
    \NC a + b \NC= c + d \NR
  \stopmathalignment
\stopformula
\stopplaceformula

```

[illegible]

Numbering works ok for a single mathalignment

```
\startplaceformula
\startformula
\startmathalignment[number=auto]
\NC a + b \NC= c + d \NR
\NC a + b \NC= c + d \NR
\NC a + b \NC= c + d \NR
\stopmathalignment
\stopformula
\stopplaceformula
```

$$a + b = c + d \tag{8.2}$$

$$a + b = c + d \tag{8.3}$$

$$a + b = c + d \tag{8.4}$$

But for one with a location the results are suboptimal:

```
\startplaceformula
\startformula
\startmathalignment[location=center,number=auto]
\NC a + b \NC= c + d \NR
\NC a + b \NC= c + d \NR
\NC a + b \NC= c + d \NR
\stopmathalignment
\stopformula
\stopplaceformula
```

$$a + b = d(8.5)$$

$$a + b = d(8.6)$$

$$a + b = d(8.7d)$$

Here is a real example:

```
\startplaceformula
\startformula
U_2 = \frac{1}{2!}
```

```

\int_0^{\beta} \diff{\tau_1} \int_0^{\beta} \diff{\tau_2} \sum_{\stackrel{k_1,q_1}{\text{NR}} \stackrel{k_2,q_2}{\text{NR}}} \Bigl\langle \Bigl[ \mathcal{T} \Bigl[ c_{k_1}^\dagger(\tau_1) \Delta_{k_1,q_1}^r c_{-k_1}^*(\tau_1) + c_{-q_1}^T(\tau_1) \Delta_{k_1,q_1}^{r\dagger} c_{q_1}(\tau_1) \Bigr] \Bigr] \Bigr\rangle
\Bigl[ c_{k_2}^\dagger(\tau_2) \Delta_{k_2,q_2}^r c_{-k_2}^*(\tau_2) + c_{-q_2}^T(\tau_2) \Delta_{k_2,q_2}^{r\dagger} c_{q_2}(\tau_2) \Bigr] \Bigr\rangle.
\stopmathalignment
\stopformula
\stopplaceformula

```

$$U_2 = \frac{1}{2!} \int_0^\beta d\tau_1 \int_0^\beta d\tau_2 \sum_{\substack{k_1,q_1 \\ k_2,q_2}} \left\langle \mathcal{T} \left[c_{k_1}^\dagger(\tau_1) \Delta_{k_1,q_1}^r c_{-k_1}^*(\tau_1) + c_{-q_1}^T(\tau_1) \Delta_{k_1,q_1}^{r\dagger} c_{q_1}(\tau_1) \right] \right. \\ \left. \times \left[c_{k_2}^\dagger(\tau_2) \Delta_{k_2,q_2}^r c_{-k_2}^*(\tau_2) + c_{-q_2}^T(\tau_2) \Delta_{k_2,q_2}^{r\dagger} c_{q_2}(\tau_2) \right] \right\rangle. \quad (8.8)$$

8.3 Tuning alignments

Again a few examples of manipulating alignments. It really helps to play with examples if you want to get an idea what is possible.

```

\startformula
\startalign[m=2,align={middle}]
\NC \text to 6cm{} \NC x = 0 \NR
\stopalign
\stopformula

\startformula
\startalign[m=2,align={middle}]
\NC \text to 6cm{One\hfill} \NC a = 1 \NR
\NC \text to 6cm{One Two\hfill} \NC b = 2 \NR
\NC \text to 6cm{One Two Three\hfill} \NC c = 3 \NR
\stopalign
\stopformula

```

```

\startformula
  \startalign[m=2,align={left}]
    \NC \text to 6cm{One\hfill}          \NC a = 1 \NR
    \NC \text to 6cm{One Two\hfill}      \NC b = 2 \NR
    \NC \text to 6cm{One Two Three\hfill} \NC c = 3 \NR
  \stopalign
\stopformula

```

 $x = 0$

One $a = 1$

One Two $b = 2$

One Two Three $c = 3$

One $a = 1$

One Two $b = 2$

One Two Three $c = 3$

```

\startformula
  \startalign[m=2,align={middle}]
    \NC \text to 6cm{} \NC x = 0 \NR
  \stopalign
\stopformula

```

```

\startformula
  \startalign[m=2,align={middle}]
    \NC \text to 6cm{One}          \NC a = 1 \NR
    \NC \text to 6cm{One Two}      \NC b = 2 \NR
    \NC \text to 6cm{One Two Three} \NC c = 3 \NR
  \stopalign
\stopformula

```

```

\startformula
  \startalign[m=2,align={left}]
    \NC \text to 6cm{One}          \NC a = 1 \NR
    \NC \text to 6cm{One Two}      \NC b = 2 \NR
    \NC \text to 6cm{One Two Three} \NC c = 3 \NR
  \stopalign
\stopformula

```

 $x = 0$

One $a = 1$

One Two $b = 2$

One Two Three $c = 3$

One	$a = 1$
One Two	$b = 2$
One Two Three	$c = 3$

```
\startformula
  \startalign[m=2,align={middle}]
    \NC \text{} \NC x = 0 \NR
  \stopalign
\stopformula
```

```
\startformula
  \startalign[m=2,align={middle}]
    \NC \text{One} \NC a = 1 \NR
    \NC \text{One Two} \NC b = 2 \NR
    \NC \text{One Two Three} \NC c = 3 \NR
  \stopalign
\stopformula
```

```
\startformula
  \startalign[m=2,align={left}]
    \NC \text{One} \NC a = 1 \NR
    \NC \text{One Two} \NC b = 2 \NR
    \NC \text{One Two Three} \NC c = 3 \NR
  \stopalign
\stopformula
```

$$x = 0$$


One	$a = 1$
One Two	$b = 2$
One Two Three	$c = 3$
One	$a = 1$
One Two	$b = 2$
One Two Three	$c = 3$


9 Suboptimal


9.1 Extensibles


Extensibles are implemented as follows: we start with the default shape, and when that doesn't cover the body of text, a next size is chosen. When we run out of sizes, a glyph is made from snippets (often a start glyph, overlapping middle pieces and an end piece. Of course a font needs to provide these variants and snippets.


However, the quality of the coverage can differ per font. Here we show how Latin Modern, Pagella, Cambria, Lucida and DejaVu look like:

Latin Modern: The image shows the extensible character set for the Latin Modern font. It consists of a series of horizontal bars of increasing length, starting from a small square and progressing through various sizes and styles (solid, dashed, dotted) to a long bar with a small square at the end.

Pagella: The image shows the extensible character set for the Pagella font. It consists of a series of horizontal bars of increasing length, starting from a small square and progressing through various sizes and styles (solid, dashed, dotted) to a long bar with a small square at the end.

Cambria: The image shows the extensible character set for the Cambria font. It consists of a series of horizontal bars of increasing length, starting from a small square and progressing through various sizes and styles (solid, dashed, dotted) to a long bar with a small square at the end.

Lucida: The image shows the extensible character set for the Lucida font. It consists of a series of horizontal bars of increasing length, starting from a small square and progressing through various sizes and styles (solid, dashed, dotted) to a long bar with a small square at the end.

DejaVu: The image shows the extensible character set for the DejaVu font. It consists of a series of horizontal bars of increasing length, starting from a small square and progressing through various sizes and styles (solid, dashed, dotted) to a long bar with a small square at the end.

Of course fonts can be improved (or patched) and these samples might come out better compared to previous renderings.

10 Tricks

10.1 Introduction

Math support in ConTeXt is wrapped around basic TeX primitives and unfortunately not all we want is easy to configure. This is not surprising because the original ideas behind TeX are that one makes a style per book and a one macro package ‘we-can-do-it-all’ approach is not what Don Knuth had in mind at that time.

So, for instance support for configurable spacing per math element, coloring of specific (sub) elements, simple switching of whatever combination of alignments and number placement, these all take quite a bit of code and hackery.


Even configuring something seemingly trivial as fractions or top, bottom, left, middle and right fences take some effort. This is because the engine uses information from fonts to combine shapes and paste the content and ornaments to together.

For that reason already in MkII but more extensively in MkIV we did a lot of these things in wrapper macros. When the math renderer was finalized for OPENType math some extra control was added that can make these things easier. However, because we go a bit beyond what is possible using this new functionality these new mechanisms are not yet used in MkIV, but they might be eventually. Here we just show some of the (newer) low level trickery. For details about what was already possible in pure TeX, we refer to the ultimate references: the TeXbook (by Donald Knuth) and TeX by Topic (by Victor Eijkhout).

10.2 Kerning

Kerning in OPENType math is not the same as in traditional TeX: instead of a single value, we have staircase kerns, that is, depending on the location (left or right) and the vertical position, at discrete distances between depth and height. In addition there is italic correction but that is only applied in certain cases, one of which is the script location.

Unfortunately not all fonts follow the same route. Some fonts have a true width and a moderate italic correction is added to it (of at all), while other fonts lie about the width and depend on an excessive italic correction to compensate for that.



I will not discuss the details because when a font gets updated, it might look better or worse. These fonts were loaded with the following directive set:

```
\enabledirectives[fontgoodies.mathkerning]
```

An example of a fontgoodie that fixed the kerning is `pagella-math.lfg`. Here is the relevant bit:

```
local kern_200 = { bottomright = { { kern = -200 } } }
local kern_100 = { bottomright = { { kern = -100 } } }

return {
  .....
  mathematics = {
    .....
    kerns = {
      [0x1D449] = kern_200, --
      [0x1D44A] = kern_100, --
    },
    .....
  }
}
```


This fixes the real bad kerning of Pagella Math which at least in 2017 was not (yet) fixed. When the fonts are frozen we can start making permanent runtime fixes like this.

10.3 Primes


Primes are a pain in the butt. The reason for this is that they are independent characters on the one hand but can be seen as a superscript on the other. Let's first look at the symbols at the three sizes that are used in math.

```
$
  {\textstyle      \char"2032}
  {\scriptstyle    \char"2032}
  {\scriptscriptstyle\char"2032}
\quad
  {\textstyle      \char"FE931}
  {\scriptstyle    \char"FE931}
  {\scriptscriptstyle\char"FE931}
\quad
  {\textstyle      \char"FE932}
  {\scriptstyle    \char"FE932}
  {\scriptscriptstyle\char"FE932}
$
```

We blow up the characters a bit and get this:



The first set is the normal prime character scaled to the text, script and scriptscriptsize. The second set shows the characters (at three sizes) as they are in the font. The largest character is raised while the other two are closer to the baseline. In some fonts the smaller sizes are not smaller at all. The last set is a variant of the first set but we made them into virtual characters with a displacement and different dimensions. Those are the ones we use as primes.



Next we show how primes show up in real math. The examples explain themselves.

```
\textstyle      f = g} \quad
\scriptstyle    f = g} \quad
\scriptscriptstyle f = g}
```

$$f = g \quad f=g \quad f=g$$

```
\textstyle      f_{i'} = g_{i'} \} \quad
\scriptstyle    f_{i'} = g_{i'} \} \quad
\scriptscriptstyle f_{i'} = g_{i'} \}
```

$$f'_i = g'_i \quad f'_i=g'_i \quad f'_i=g'_i$$

```
\textstyle      f^{\char"2032}(0) = g^{\char"2032}(0)} \quad
\scriptstyle    f^{\char"2032}(0) = g^{\char"2032}(0)} \quad
\scriptscriptstyle f^{\char"2032}(0) = g^{\char"2032}(0)}
```

$$f'(0) = g'(0) \quad f'(0)=g'(0) \quad f'(0)=g'(0)$$

```
\textstyle      f'(0) = g'(0)} \quad
\scriptstyle    f'(0) = g'(0)} \quad
\scriptscriptstyle f'(0) = g'(0)}
```

$$f'(0) = g'(0) \quad f'(0)=g'(0) \quad f'(0)=g'(0)$$

\textstyle $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$ \quad
 \scriptstyle $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$ \quad
 $\text{\scriptscriptstyle}$ $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$

$$f'(0) = g'(0) \quad f'(0)=g'(0) \quad f'(0)=g'(0)$$

\textstyle $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$ \quad
 \scriptstyle $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$ \quad
 $\text{\scriptscriptstyle}$ $f^{\{\char"2032\}(0)} = g^{\{\char"2032\}(0)}$

$$f'(0) = g'(0) \quad f'(0)=g'(0) \quad f'(0)=g'(0)$$

The prime analyzer can deal with sizes, subscripts but also converts a sequence of upright quotes into one unicode symbol. So,

$f'_i \neq f''_i \neq f'''_i \neq f''''_i$

becomes:

$$f'_i \neq f''_i \neq f'''_i \neq f''''_i$$

10.4 Radicals

Sometimes users complain about the look of a radical symbol. This is however a matter of design. Some fonts let the shape start more below the baseline than others. Soem go more straight up than relatives in another font. When largers sizes are needed, some fonts offer smaller than others. Just look at the different desings:

	\surd	$\text{\sqrt{}}$	$\text{\sqrt{.}}$	$\text{\sqrt{x}}$	
modern					
cambria					
lucidaot					
dejavu					
pagella					

termes					
bonum					
schola					

The automatic scaling doesn't always work out as expected but on the average is okay. Keep in mind that often the content is not that extreme.

	1.0ex	1.5ex	2.0ex	2.5ex	3.0ex	3.5ex	4.0ex	4.5ex
modern								
cambria								
lucidaot								
dejavu								
pagella								
termes								
bonum								
schola								

In Lucida (the version at the time of writing this) we have to correct the threshold a bit in the goodie file:

```

local function FixRadicalDisplayStyleVerticalGap(value, target, original)
  local o = original.mathparameters.RadicalVerticalGap -- 50
  return 2 * o * target.parameters.factor
end

return {
  -----
  mathematics = {
    -----
    parameters = {
      RadicalDisplayStyleVerticalGap =
        FixRadicalDisplayStyleVerticalGap,

```

```

}
-----
}
}

```

10.5 Integrals

A curious exception in the `math` system is the integral sign. Its companions are the summation and product signs, but `integral` has as extra property that it has a slant. In `LUATEX` there is rather advanced control over how the (optional) scripts are positioned (which relates to italic correction) but in `CONTEXT` we only make limited use of that. The main reason is that we also need to support additional features like color. Therefore integrals are handled by the extensible mechanism.

The size of an integral is more or less fixed but you can enlarge to your liking. One reason for this is that you might want a consistent size across formulas. Let's use the following setup:

```

\setupmathextensible
  [integral]
  [rightoffset=-1mu,
   exact=yes,
   factor=2]

```

```

\let\int\integral

```

We use the following example:

<code>\ruledhbox{\$\integral</code>	<code>f\frac{1}{2}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[rightoffset=3mu]</code>	<code>f\frac{1}{2}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[exact=no]</code>	<code>f\frac{1}{2}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral</code>	<code>f\frac{\frac{1}{2}}{x}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[exact=no]</code>	<code>f\frac{\frac{1}{2}}{x}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[factor=1]</code>	<code>f\frac{1}{2}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[factor=3]</code>	<code>f\frac{\frac{1}{2}}{x}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\integral[factor=3]</code>	<code>f\frac{1}{2}</code>	<code>\$}\quad</code>
<code>\ruledhbox{\$\int</code>	<code>f\frac{1}{2}</code>	<code>\$}% bonus</code>

This renders as:

$$\int \frac{1}{2} \quad \int \frac{1}{2} \quad \int \frac{1}{2} \quad \int \frac{\frac{1}{2}}{x} \quad \int \frac{\frac{1}{2}}{x} \quad \int \frac{1}{2} \quad \int \frac{\frac{1}{2}}{x} \quad \int \frac{1}{2} \quad \int \frac{1}{2}$$

10.6 Fancy fences

Here I only show an example of fences drawn by `METAPOST`. For the implementation you can consult the library file `meta-imp-mat.mkiv` in the `CONTEXT` distribution.

10.7 Combined characters

We have some magic built with respect to sequences of characters. They are derived from information in the character database that ships with `CONTEX` and are implemented as a sort of ligatures. Some are defined in `UNICODE`, others are defined explicitly.

m1	U+02016		U+0007C	U+0007C	⇔		<code>\Vert</code> <code>\Arrowvert</code> <code>\lVert</code> <code>\rVert</code> <code>\doubleverticalbar</code>
sp	U+02026	...	U+0002E	U+0002E	U+0002E	...	<code>\ldots</code> <code>\dots</code>
sp	U+02033	'''	U+02032	U+02032		'''	<code>\doubleprime</code>
sp	U+02034	'''	U+02032	U+02032	U+02032	'''	<code>\tripleprime</code>
sp	U+02036	'''	U+02035	U+02035		'''	<code>\reverseddoubleprime</code>
sp	U+02037	'''	U+02035	U+02035	U+02035	'''	<code>\reversedtripleprime</code>
sp	U+02057	'''	U+02032	U+02032	U+02032	U+02032	<code>\quadrupleprime</code>
m1	U+02190	←	U+0003C	U+02212	←	←	<code>\leftarrow</code> <code>\gets</code> <code>\underleftarrow</code> <code>\overleftarrow</code>
m1	U+02192	→	U+02212	U+0003E	→	→	<code>\rightarrow</code> <code>\to</code> <code>\underrightarrow</code> <code>\overrightarrow</code>
m1	U+02194	↔	U+0003C	U+02212	U+0003E	↔	<code>\leftrightarrow</code>
sp	U+0219A	↔	U+02190	U+00338		↔	<code>\nleftarrow</code>
sp	U+0219B	↔	U+02192	U+00338		↔	<code>\nrightarrow</code>
sp	U+021AE	↔	U+02194	U+00338		↔	<code>\nleftrightarrow</code>
sp	U+021CD	↔	U+021D0	U+00338		↔	<code>\nLeftarrow</code>
sp	U+021CE	↔	U+021D4	U+00338		↔	<code>\nLefttrightarrow</code>
sp	U+021CF	↔	U+021D2	U+00338		↔	<code>\nRightarrow</code>
m1	U+021D0	⇐	U+0003C	U+0003D	U+0003D	⇐	<code>\Leftarrow</code>
m1	U+021D2	⇒	U+0003D	U+0003D	U+0003E	⇒	<code>\Rightarrow</code> <code>\Rightarrow</code> <code>\imply</code>
m1	U+021D4	⇔	U+0003C	U+0003D	U+0003D	U+0003E	<code>\Lefttrightarrow</code>
sp	U+02204	∄	U+02203	U+00338		∄	<code>\nexists</code>
sp	U+02209	∉	U+02208	U+00338		∉	<code>\notin</code> <code>\nin</code>
sp	U+0220C	∋	U+0220B	U+00338		∋	<code>\nni</code> <code>\nowns</code>
sp	U+02224	∣	U+02223	U+00338		∣	<code>\ndivides</code> <code>\nmid</code>
sp	U+02226	∥	U+02225	U+00338		∥	<code>\nparallel</code>
sp	U+0222C	∬	U+0222B	U+0222B		∬	<code>\iint</code> <code>\iintop</code>
sp	U+0222D	∭	U+0222B	U+0222B	U+0222B	∭	<code>\iiint</code> <code>\iiintop</code>
sp	U+0222F	∯	U+0222E	U+0222E		∯	<code>\oiint</code>
sp	U+02230	∰	U+0222E	U+0222E	U+0222E	∰	<code>\oiiint</code>
m1	U+02237	∴	U+0003A	U+0003A		∴	<code>\squaredots</code>
m1	U+02239	∵	U+02212	U+0003A		∵	<code>\minuscolon</code>
sp	U+02241	≈	U+0223C	U+00338		≈	<code>\nsim</code>
sp	U+02244	≇	U+02243	U+00338		≇	<code>\nsimeq</code>

sp	U+02247	\approx	U+02245	U+00338		\approx	<code>\approxeq</code>
sp	U+02249	\approx	U+02248	U+00338		\approx	<code>\napprox</code>
m1	U+02254	$:=$	U+0003A	U+0003D	$:=$	$:=$	<code>\colonequals</code>
m1	U+02255	$=:$	U+0003D	U+0003A	$=:$	$=:$	<code>\equalscolon</code>
sp	U+02260	\neq	U+0003D	U+00338	$=$	\neq	<code>\neq \ne</code>
m1	U+02260	\neq	U+0002F	U+0003D	\neq	\neq	<code>\neq \ne</code>
m1	U+02261	\equiv	U+0003D	U+0003D	\equiv	\equiv	<code>\equiv</code>
sp	U+02262	\neq	U+02261	U+00338		\neq	<code>\nequiv</code>
m1	U+02262	\neq	U+0002F	U+0003D	U+0003D	\neq	<code>\nequiv</code>
m1	U+02264	\leq	U+0003C	U+0003D	\leq	\leq	<code>\leq \le</code>
m1	U+02265	\geq	U+0003E	U+0003D	\geq	\geq	<code>\geq \ge</code>
m1	U+0226A	\ll	U+0003C	U+0003C	\ll	\ll	<code>\ll</code>
m1	U+0226B	\gg	U+0003E	U+0003E	\gg	\gg	<code>\gg</code>
sp	U+0226D	$\not\approx$	U+0224D	U+00338		$\not\approx$	<code>\nasympt</code>
m1	U+0226D	$\not\approx$	U+0002F	U+0224D	$\not\approx$	$\not\approx$	<code>\nasympt</code>
sp	U+0226E	$\not\leq$	U+0003C	U+00338	$<$	$\not\leq$	<code>\nless</code>
m1	U+0226E	$\not\leq$	U+0002F	U+0003C	$\not<$	$\not\leq$	<code>\nless</code>
sp	U+0226F	$\not\geq$	U+0003E	U+00338	$>$	$\not\geq$	<code>\ngtr</code>
m1	U+0226F	$\not\geq$	U+0002F	U+0003E	$\not>$	$\not\geq$	<code>\ngtr</code>
sp	U+02270	$\not\leq$	U+02264	U+00338		$\not\leq$	<code>\nleq</code>
m1	U+02270	$\not\leq$	U+0002F	U+0003C	U+0003D	$\not\leq$	<code>\nleq</code>
sp	U+02271	$\not\geq$	U+02265	U+00338		$\not\geq$	<code>\ngeq</code>
m1	U+02271	$\not\geq$	U+0002F	U+0003E	U+0003D	$\not\geq$	<code>\ngeq</code>
sp	U+02274	$\not\sim$	U+02272	U+00338		$\not\sim$	<code>\nlesssim</code>
sp	U+02275	$\not\sim$	U+02273	U+00338		$\not\sim$	<code>\ngtrsim</code>
sp	U+02278	$\not\leq$	U+02276	U+00338		$\not\leq$	<code>\nlessgtr</code>
sp	U+02279	$\not\geq$	U+02277	U+00338		$\not\geq$	<code>\ngtrless</code>
sp	U+02280	\nprec	U+0227A	U+00338		\nprec	<code>\nprec</code>
sp	U+02281	\nsucc	U+0227B	U+00338		\nsucc	<code>\nsucc</code>
sp	U+02284	\subsetneq	U+02282	U+00338		\subsetneq	<code>\nsubset</code>
sp	U+02285	\supsetneq	U+02283	U+00338		\supsetneq	<code>\nsupset</code>
sp	U+02288	\subsetneq	U+02286	U+00338		\subsetneq	<code>\nsubseteq</code>
sp	U+02289	\supsetneq	U+02287	U+00338		\supsetneq	<code>\nsupseteq</code>
sp	U+022AC	\nvdash	U+022A2	U+00338		\nvdash	<code>\nvdash</code>
sp	U+022AD	\nVdash	U+022A8	U+00338		\nVdash	<code>\nVdash</code>
sp	U+022AE	\nVdash	U+022A9	U+00338		\nVdash	<code>\nVdash</code>
sp	U+022AF	\nVDash	U+022AB	U+00338		\nVDash	<code>\nVDash</code>
m1	U+022D8	\lll	U+0003C	U+0003C	U+0003C	\lll	<code>\lll</code>
							<code>\lllless</code>
m1	U+022D9	\ggg	U+0003E	U+0003E	U+0003E	\ggg	<code>\ggg \nggtr</code>
m1	U+022DC	\leq	U+0003D	U+0003C		\leq	<code>\leqless</code>
m1	U+022DD	\geq	U+0003D	U+0003E		\geq	<code>\geqgtr</code>
sp	U+022E0	\nprec	U+0227C	U+00338		\nprec	<code>\npreccurlyeq</code>
sp	U+022E1	\nsucc	U+0227D	U+00338		\nsucc	<code>\nsucccurlyeq</code>
sp	U+022E2	\sqsubset	U+02291	U+00338		\sqsubset	<code>\nsqsubseteq</code>
sp	U+022E3	\sqsupset	U+02292	U+00338		\sqsupset	<code>\nsqsupseteq</code>
sp	U+022EA	\ntriangleright	U+022B2	U+00338		\ntriangleright	<code>\ntrianglerightright</code>
sp	U+022EB	\ntriangleleft	U+022B3	U+00338		\ntriangleleft	<code>\ntriangleleftleft</code>
sp	U+022EC	\ntriangleleft	U+022B4	U+00338		\ntriangleleft	<code>\ntriangleleftleft</code>
sp	U+022ED	\ntriangleright	U+022B5	U+00338		\ntriangleright	<code>\ntrianglerightright</code>
m1	U+027F5	\longleftarrow	U+0003C	U+02212	U+02212	\longleftarrow	<code>\longleftarrow</code>
m1	U+027F6	\longrightarrow	U+02212	U+02212	U+0003E	\longrightarrow	<code>\longrightarrow</code>
m1	U+027F7	\longleftrightarrow	U+0003C	U+02212	U+02212	U+0003E	<code>\longleftrightarrow</code>

m1	U+027F8	\Leftarrow	U+0003C U+0003D U+0003D U+0003D	\Leftarrow	\Leftarrow	\Longleftarrow
m1	U+027F9	\Rightarrow	U+0003D U+0003D U+0003D U+0003E	\Rightarrow	\Rightarrow	\Longrightarrow
m1	U+027FA	\Leftrightarrow	U+0003C U+0003D U+0003D U+0003D U+0003E	\Leftrightarrow	\Leftrightarrow	\Longleftrightarrow
m1	U+02980	$\ $	U+0007C U+0007C U+0007C	$\ $	$\ $	$\ $
sp	U+02A0C	\int	U+0222B U+0222B U+0222B U+0222B	\int	\int	\int
sp	U+02A74	\colon	U+0003A U+0003A U+0003D	\colon	\colon	\colon
sp	U+02A75	$=$	U+0003D U+0003D	$=$	$=$	$=$
sp	U+02A76	$=$	U+0003D U+0003D U+0003D	$=$	$=$	$=$
m1	U+02A8B	\lesseqgtr	U+0003C U+0003D U+0003E	\lesseqgtr	\lesseqgtr	\lesseqgtr
m1	U+02A8C	\gtreqless	U+0003E U+0003D U+0003C	\gtreqless	\gtreqless	\gtreqless

10.8 Middle class fences

The next examples are somewhat obscure. They are a side effect of some extensions to the engine that were introduced to control spacing around the `\middle` class fences. Actually there is no real middle class and spacing was somewhat hard coded when `\middle` was added to ε -TeX. In LuaTeX we have introduced keywords to some primitives that control spacing and other properties. This permits better control over spacing than messing around with (for instance) injected `\mathrel` commands that can have their own side effects.

We use the following definitions:

```
\def\Middle{\middle|}
\def\Riddle{\Umiddle class 5 |}
\def\Left {\left (}
\def\Right {\right )}
\def\Rel {\mathrel{}}
\def\Per {\mathrel{.}}
```

Applied to samples these give the following outcome and spacing:

$\$$	a	b	$\$$	ab
$\$$	$\Rel a \Rel$	$b \Rel$	$\$$	$a \ b$
$\$$	a	b	$\$$	ab
$\$$	$\Per a \Per$	$b \Per$	$\$$	$. a . b .$
$\$$	$\Left a \Middle b \Right$			$(a b)$
$\$$	$\Left \Rel a \Middle \Rel b \Rel \Right$			$(a b)$
$\$$	$\Left a \Middle b \Right$			$(a b)$
$\$$	$\Left \Rel a \Middle \Per b \Per \Right$			$(a . b .)$
$\$$	$\Left a \Middle b \Right$			$(a b)$
$\$$	$\Left \Rel a \Rel \Middle \Rel b \Rel \Right$			$(a b)$
$\$$	$\Left a \Middle b \Right$			$(a b)$
$\$$	$\Left \Per a \Per \Middle \Per b \Per \Right$			$(. a . . b .)$
$\$$	$\Left a \Riddle b \Right$			$(a b)$
$\$$	$\Left \Rel a \Riddle \Rel b \Rel \Right$			$(a b)$

$\$ \backslash \text{Left} \quad a \quad \backslash \text{Riddle} \quad b \quad \backslash \text{Right} \$$	$(a b)$
$\$ \backslash \text{Left} \backslash \text{Rel} \quad a \quad \backslash \text{Riddle} \backslash \text{Per} \quad b \backslash \text{Per} \backslash \text{Right} \$$	$(\ a \ . \ b \ .)$
$\$ \backslash \text{Left} \quad a \quad \backslash \text{Riddle} \quad b \quad \backslash \text{Right} \$$	$(a b)$
$\$ \backslash \text{Left} \backslash \text{Rel} \quad a \backslash \text{Rel} \backslash \text{Riddle} \backslash \text{Rel} \quad b \backslash \text{Rel} \backslash \text{Right} \$$	$(\ a \ \ b \)$
$\$ \backslash \text{Left} \quad a \quad \backslash \text{Riddle} \quad b \quad \backslash \text{Right} \$$	$(a b)$
$\$ \backslash \text{Left} \backslash \text{Per} \quad a \backslash \text{Per} \backslash \text{Riddle} \backslash \text{Per} \quad b \backslash \text{Per} \backslash \text{Right} \$$	$(\ . \ a \ . \ \ . \ b \ .)$

10.9 Auto-punctuation

The `\setupmathematics` command has an option `autopunctuation` that influences the way spacing after punctuation is handled, especially in cases like the following (coordinates and such):

no	yes	yes,semicolon	all	all,semicolon
$(1,2) = (1,2)$	$(1,2) = (1,2)$	$(1,2) = (1,2)$	$(1,2) = (1,2)$	$(1,2) = (1,2)$
$(1.2) = (1.2)$	$(1.2) = (1.2)$	$(1.2) = (1.2)$	$(1.2) = (1.2)$	$(1.2) = (1.2)$
$(1;2) = (1;2)$	$(1;2) = (1;2)$	$(1;2) = (1;2)$	$(1;2) = (1;2)$	$(1;2) = (1;2)$

