



# ConTExT

## commandes

# ER







# ConTeXt

## commandes

fr / français  
12 avril 2019





|                              |   |
|------------------------------|---|
| AfterPar                     | \AfterPar {...}                                   |
| Alphabeticnumerals           | \Alphabeticnumerals {...}                         |
| AMSTEX                       | \AMSTEX   |
| AmSTeX                       | \AmSTeX   |
| And                          | \And  |
| a                            | \a {...} {...} [...]                              |
| abjadnaivenumerals           | \abjadnaivenumerals {...}                         |
| abjadnodotnumerals           | \abjadnodotnumerals {...}                         |
| abjadnumerals                | \abjadnumerals {...}                              |
| activatespacehandler         | \activatespacehandler {...}                       |
| acute                        | \acute {...}                                      |
| adaptcollector               | \adaptcollector [...] [..=..]                     |
| adaptedisposition            | \adaptedisposition [...] [..=..]                  |
| adaptfontfeature             | \adaptfontfeature [...] [..=..]                   |
| adaptpapersize               | \adaptpapersize [...] [...]                       |
| addfeature                   | \addfeature [...]                                 |
| addfeature:direct            | \addfeature {...}                                 |
| addfontpath                  | \addfontpath [...]                                |
| addtocommalist               | \addtocommalist {...} \...                        |
| addtoJSreamble               | \addtoJSreamble {...} {...}                       |
| addvalue                     | \addvalue {...} {...}                             |
| aftersplitstring             | \aftersplitstring ... \at ... \to \...            |
| aftertestandsplitstring      | \aftertestandsplitstring ... \at ... \to \...     |
| ajustechamp                  | \ajustechamp [...] [..=..]                        |
| alaligne                     | \alaligne {...} [...]                             |
| alapage                      | \alapage [...]                                    |
| alignbottom                  | \alignbottom                                      |
| aligneadroite                | \aligneadroite {...}                              |
| aligneagauche                | \aligneagauche {...}                              |
| aligneaumilieu               | \aligneaumilieu {...}                             |
| aligned                      | \aligned [...] {...}                              |
| alignedbox                   | \alignedbox [...] \... {...}                      |
| alignedline                  | \alignedline {...} {...} {...}                    |
| alignhere                    | \alignhere  |
| alignmentcharacter           | \alignmentcharacter                               |
| allinputpaths                | \allinputpaths                                    |
| alphabeticnumerals           | \alphabeticnumerals {...}                         |
| alwayscitation               | \alwayscitation [..=..] [...]                     |
| alwayscitation:alternative   | \alwayscitation [...] [...]                       |
| alwayscitation:userdata      | \alwayscitation [..=..] [..=..]                   |
| alwayscite                   | \alwayscite [..=..] [...]                         |
| alwayscite:alternative       | \alwayscite [...] [...]                           |
| alwayscite:userdata          | \alwayscite [..=..] [..=..]                       |
| ampersand                    | \ampersand  |
| anchor                       | \anchor [...] [..=..] [..=..] {...}               |
| appendetoks                  | \appendetoks ... \to \...                         |
| appendgvalue                 | \appendgvalue {...} {...}                         |
| appendtocommalist            | \appendtocommalist {...} \...                     |
| appendtoks                   | \appendtoks ... \to \...                          |
| appendtoksonce               | \appendtoksonce ... \to \...                      |
| appendvalue                  | \appendvalue {...} {...}                          |
| apply                        | \apply {...} {...}                                |
| applyalternativestyle        | \applyalternativestyle {...}                      |
| applyprocessor               | \applyprocessor {...} {...}                       |
| applytocharacters            | \applytocharacters \... {...}                     |
| applytofirstcharacter        | \applytofirstcharacter \... {...}                 |
| applytosplitstringchar       | \applytosplitstringchar \... {...}                |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...}          |
| applytosplitstringline       | \applytosplitstringline \... {...}                |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...}          |
| applytosplitstringword       | \applytosplitstringword \... {...}                |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...}          |
| applytowords                 | \applytowords \... {...}                          |
| arabicdecimals               | \arabicdecimals {...}                             |
| arabicexnumerals             | \arabicexnumerals {...}                           |
| arabicnumerals               | \arabicnumerals {...}                             |
| arg                          | \arg {...}  |
| arriereplan                  | \arriereplan {...}                                |
| arriereplan:example          | \ARRIEREPLAN {...}                                |
| asciistr                     | \asciistr {...}                                   |
| assignalfadimension          | \assignalfadimension {...} \... {...} {...} {...} |
| assignndimen                 | \assignndimen \... {...}                          |



|                                |  |
|--------------------------------|--|
| assigndimension                | \assigndimension {...} \... {...} {...} {...}  |
| assignifempty                  | \assignifempty \... {...}                      |
| assigntranslation              | \assigntranslation [..=..] \to \...            |
| assignvalue                    | \assignvalue {...} \... {...} {...} {...}      |
| assignwidth                    | \assignwidth {...} \... {...} {...}            |
| assumelongusagecs              | \assumelongusagecs \... {...}                  |
| astype                         | \astype {...}                                  |
| attachment:instance            | \ATTACHMENT [...] [..=..]                      |
| attachment:instance:attachment | \attachment [...] [..=..]                      |
| autocap                        | \autocap {...}                                 |
| autodirhbox                    | \autodirhbox ... {...}                         |
| autodirvbox                    | \autodirvbox ... {...}                         |
| autodirvtop                    | \autodirvtop ... {...}                         |
| autoinsertnextspace            | \autoinsertnextspace                           |
| autointegral                   | \autointegral {...} {...} {...}                |
| automathematics                | \automathematics {...}                         |
| autopagestaterealpage          | \autopagestaterealpage {...}                   |
| autopagestaterealpageorder     | \autopagestaterealpageorder {...}              |
| autosetups                     | \autosetups {...}                              |
| autostarttexte                 | \autostarttexte ... \autostoptexte             |
| availablehsize                 | \availablehsize                                |
| averagecharwidth               | \averagecharwidth                              |
| BeforePar                      | \BeforePar {...}                               |
| Big                            | \Big ...                                       |
| Bigg                           | \Bigg ...                                      |
| Biggl                          | \Biggl ...                                     |
| Biggm                          | \Biggm ...                                     |
| Biggr                          | \Biggr ...                                     |
| Bigl                           | \Bigl ...                                      |
| Bigm                           | \Bigm ...                                      |
| Bigr                           | \Bigr ...                                      |
| backgroundimage                | \backgroundimage {...} {...} {...} {...}       |
| backgroundimagefill            | \backgroundimagefill {...} {...} {...} {...}   |
| backgroundline                 | \backgroundline [...] {...}                    |
| baha                           | \baha [...] {...} {...}                        |
| bar                            | \bar {...}                                     |
| barrecouleur                   | \barrecouleur [...]                            |
| barreinteraction               | \barreinteraction [...] [..=..]                |
| bar:instance                   | \BAR {...}                                     |
| bar:instance:hiddenbar         | \hiddenbar {...}                               |
| bar:instance:nobar             | \nobar {...}                                   |
| bar:instance:overbar           | \overbar {...}                                 |
| bar:instance:overbars          | \overbars {...}                                |
| bar:instance:overstrike        | \overstrike {...}                              |
| bar:instance:overstrikes       | \overstrikes {...}                             |
| bar:instance:underbar          | \underbar {...}                                |
| bar:instance:underbars         | \underbars {...}                               |
| bar:instance:underdash         | \underdash {...}                               |
| bar:instance:underdashes       | \underdashes {...}                             |
| bar:instance:underdot          | \underdot {...}                                |
| bar:instance:underdots         | \underdots {...}                               |
| bar:instance:underrandom       | \underrandom {...}                             |
| bar:instance:underrandoms      | \underrandoms {...}                            |
| bar:instance:understrike       | \understrike {...}                             |
| bar:instance:understrikes      | \understrikes {...}                            |
| bas                            | \bas {...}                                     |
| basegrid                       | \basegrid [..=..]                              |
| baselinebottom                 | \baselinebottom                                |
| baselineleftbox                | \baselineleftbox {...}                         |
| baselinemiddlebox              | \baselinemiddlebox {...}                       |
| baselinerightbox               | \baselinerightbox {...}                        |
| bas:instance                   | \LOW {...}                                     |
| bas:instance:unitslow          | \unitslow {...}                                |
| bbordermatrix                  | \bbordermatrix {...}                           |
| bbox                           | \bbox {...}                                    |
| beforesplitstring              | \beforesplitstring ... \at ... \to \...        |
| beforetestandsplitstring       | \beforetestandsplitstring ... \at ... \to \... |
| beginblock:example             | \beginBLOCK [...] [..=..] ... \endBLOCK        |
| beginhbox                      | \beginhbox ... \endhbox                        |
| beginofshapebox                | \beginofshapebox ... \endofshapebox            |
| beginvbox                      | \beginvbox ... \endvbox                        |
| beginvtop                      | \beginvtop ... \endvtop                        |

|                                  |   |
|----------------------------------|---|
| begstrut                         | \begstrut ... \endstrut                                   |
| bigg                             | \bigg ...   |
| bigger                           | \bigger   |
| biggl                            | \biggl ...  |
| biggm                            | \biggm ...  |
| biggr                            | \biggr ...  |
| bigl                             | \bigl ...   |
| bigm                             | \bigm ...   |
| bigr                             | \bigr ...   |
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [..=..] {...}                                |
| blap                             | \blap {...}   |
| bleed                            | \bleed [..=..] {...}                                      |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures [...]                                     |
| blocksynctexfile                 | \blocksynctexfile [...]                                   |
| blockuservariable                | \blockuservariable {...}                                  |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist                                  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| booleanmodevalue                 | \booleanmodevalue {...}                                   |
| bordermatrix                     | \bordermatrix {...}                                       |
| bottombox                        | \bottombox {...}  |
| bottomleftbox                    | \bottomleftbox {...}                                      |
| bottomrightbox                   | \bottomrightbox {...}                                     |
| bouton                           | \bouton [..=..] {...} [...]                               |
| boutonmenu:button                | \boutonmenu [..=..] {...} {...}                           |
| boutonmenu:interactionmenu       | \boutonmenu [...] [..=..] {...} {...}                     |
| boutonsinteraction               | \boutonsinteraction [..=..] [...]                         |
| bouton:example                   | \BUTTON [..=..] {...} [...]                               |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker {...} {...}                                    |
| boxofsize                        | \boxofsize \... \... {...}                                |
| boxreference                     | \boxreference [...] \... {...}                            |
| bpar                             | \bpar ... \epar   |
| bpos                             | \bpos {...}   |
| breakhere                        | \breakhere  |
| breve                            | \breve {...}  |
| bTABLE                           | \bTABLE [..=..] ... \eTABLE                               |
| bTABLEbody                       | \bTABLEbody [..=..] ... \eTABLEbody                       |
| bTABLEfoot                       | \bTABLEfoot [..=..] ... \eTABLEfoot                       |
| bTABLEhead                       | \bTABLEhead [..=..] ... \eTABLEhead                       |
| bTABLEnext                       | \bTABLEnext [..=..] ... \eTABLEnext                       |
| bTC                              | \bTC [..=..] ... \eTC                                     |
| bTD                              | \bTD [..=..] ... \eTD                                     |
| bTDs                             | \bTDs [...] ... \eTDs                                     |
| bTH                              | \bTH [..=..] ... \eTH                                     |
| bTN                              | \bTN [..=..] ... \eTN                                     |
| bTR                              | \bTR [..=..] ... \eTR                                     |
| bTRs                             | \bTRs [...] ... \eTRs                                     |
| bTX                              | \bTX [..=..] ... \eTX                                     |
| bTY                              | \bTY [..=..] ... \eTY                                     |
| btxabbreviatedjournal            | \btxabbreviatedjournal {...}                              |
| btxaddjournal                    | \btxaddjournal [...] [...]                                |
| btxalwayscitation                | \btxalwayscitation [..=..] [...]                          |
| btxalwayscitation:alternative    | \btxalwayscitation [...] [...]                            |
| btxalwayscitation:userdata       | \btxalwayscitation [..=..] [..=..]                        |
| btxauthorfield                   | \btxauthorfield {...}                                     |
| btxdetail                        | \btxdetail {...}  |
| btxdirect                        | \btxdirect {...}  |
| btxdoif                          | \btxdoif {...} {...}                                      |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse {...} {...} {...} {...}           |
| btxdoifelse                      | \btxdoifelse {...} {...} {...}                            |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist {...} {...} {...} {...}           |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious {...} {...} {...}              |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable          | \btxdoifelseuservariable {...} {...} {...}                |
| btxdoifnot                       | \btxdoifnot {...} {...}                                   |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse {...} {...} {...}              |
| btxdoifuservariableelse          | \btxdoifuservariableelse {...} {...} {...}                |

|                             |  |
|-----------------------------|--|
| btsexpandedjournal          | \btsexpandedjournal {...}              |
| btxfield                    | \btxfield {...}                        |
| btxfieldname                | \btxfieldname {...}                    |
| btxfieldtype                | \btxfieldtype {...}                    |
| btxfirstofrange             | \btxfirstofrange {...}                 |
| btxflush                    | \btxflush {...}                        |
| btxflushauthor              | \btxflushauthor [...] {...}            |
| btxflushauthorinverted      | \btxflushauthorinverted {...}          |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {...}     |
| btxflushauthorname          | \btxflushauthorname {...}              |
| btxflushauthornormal        | \btxflushauthornormal {...}            |
| btxflushauthornormalshort   | \btxflushauthornormalshort {...}       |
| btxflushsuffix              | \btxflushsuffix                        |
| btxfoundname                | \btxfoundname {...}                    |
| btxfoundtype                | \btxfoundtype {...}                    |
| btxhiddencitation           | \btxhiddencitation [...]               |
| btxhybridcite               | \btxhybridcite [..=..] [...]           |
| btxhybridcite:alternative   | \btxhybridcite [...] [...]             |
| btxhybridcite:direct        | \btxhybridcite {...}                   |
| btxhybridcite:userdata      | \btxhybridcite [..=..] [..=..]         |
| btxlistcitation             | \btxlistcitation [..=..] [...]         |
| btxlistcitation:alternative | \btxlistcitation [...] [...]           |
| btxlistcitation:userdata    | \btxlistcitation [..=..] [..=..]       |
| btxloadjournalist           | \btxloadjournalist [...]               |
| btxoneorrange               | \btxoneorrange {...} {...} {...}       |
| btxremapauthor              | \btxremapauthor [...] [...]            |
| btxsavjournalist            | \btxsavjournalist [...]                |
| btxsetup                    | \btxsetup {...}                        |
| btxsingularorplural         | \btxsingularorplural {...} {...} {...} |
| btxsingularplural           | \btxsingularplural {...} {...} {...}   |
| btxtextcitation             | \btxtextcitation [..=..] [...]         |
| btxtextcitation:alternative | \btxtextcitation [...] [...]           |
| btxtextcitation:userdata    | \btxtextcitation [..=..] [..=..]       |
| buildmathaccent             | \buildmathaccent {...} {...}           |
| buildtextaccent             | \buildtextaccent {...} {...}           |
| buildtextbottomcomma        | \buildtextbottomcomma {...}            |
| buildtextbottomdot          | \buildtextbottomdot {...}              |
| buildtextcedilla            | \buildtextcedilla {...}                |
| buildtextgrave              | \buildtextgrave {...}                  |
| buildtextmacron             | \buildtextmacron {...}                 |
| buildtextognek              | \buildtextognek {...}                  |
| Cap                         | \Cap {...}                             |
| Caps                        | \Caps {...}                            |
| Caractere                   | \Caractere {...}                       |
| Caracteres                  | \Caracteres {...}                      |
| Chiffresromains             | \Chiffresromains {...}                 |
| CONTEXT                     | \CONTEXT                               |
| ConTeXt                     | \ConTeXt                               |
| Context                     | \Context                               |
| ConvertConstantAfter        | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant           | \ConvertToConstant \... {...} {...}    |
| cacheblocs                  | \cacheblocs [...] [...]                |
| calligraphique              | \calligraphique                        |
| camel                       | \camel {...}                           |
| cap                         | \cap {...}                             |
| caractere                   | \caractere {...}                       |
| caracteres                  | \caracteres {...}                      |
| catcodetablename            | \catcodetablename                      |
| cbox                        | \cbox ... {...}                        |
| centraligned                | \centraligned {...}                    |
| centerbox                   | \centerbox ... {...}                   |
| centeredbox                 | \centeredbox ... {...}                 |
| centeredlastline            | \centeredlastline                      |
| centerednextbox             | \centerednextbox ... {...}             |
| centerline                  | \centerline {...}                      |
| cfrac                       | \cfrac [...] {...} {...}               |
| champ                       | \champ [...] [...]                     |
| changepolicecorps           | \changepolicecorps [...]               |
| characterkerning:example    | \CHARACTERKERNING [...] {...}          |
| chardescription             | \chardescription {...}                 |
| charwidthlanguage           | \charwidthlanguage                     |
| check                       | \check {...}                           |

|   |  |
|---|--|
| checkcharacteralign                     | \checkcharacteralign {...}                     |
| checkedblank                            | \checkedblank [...]                            |
| checkedchar                             | \checkedchar {...} {...}                       |
| checkedfiller                           | \checkedfiller {...}                           |
| checkedstrippedcsname                   | \checkedstrippedcsname \...                    |
| checkedstrippedcsname:string            | \checkedstrippedcsname ...                     |
| checkinjector                           | \checkinjector [...]                           |
| checknextindentation                    | \checknextindentation [...]                    |
| checknextinjector                       | \checknextinjector [...]                       |
| checkpage                               | \checkpage [...] [..=..]                       |
| checkparameters                         | \checkparameters [...]                         |
| checkpreviousinjector                   | \checkpreviousinjector [...]                   |
| checksoundtrack                         | \checksoundtrack {...}                         |
| checktwopassdata                        | \checktwopassdata {...}                        |
| checkvariables                          | \checkvariables [...] [..=..]                  |
| chem                                    | \chem {...} {...} {...}                        |
| chemical                                | \chemical [...] [...] [...]                    |
| chemicalbottext                         | \chemicalbottext {...}                         |
| chemicalmidtext                         | \chemicalmidtext {...}                         |
| chemicalsymbol                          | \chemicalsymbol [...]                          |
| chemicaltext                            | \chemicaltext {...}                            |
| chemicaltoptext                         | \chemicaltoptext {...}                         |
| chiffresromains                         | \chiffresromains {...}                         |
| chineseallnumerals                      | \chineseallnumerals {...}                      |
| chinesecapnumerals                      | \chinesecapnumerals {...}                      |
| chinesenumerals                         | \chinesenumerals {...}                         |
| citation                                | \citation [..=..] [...]                        |
| citation:alternative                    | \citation [...] [...]                          |
| citation:direct                         | \citation {...}                                |
| citation:userdata                       | \citation [..=..] [..=..]                      |
| cite                                    | \cite [..=..] [...]                            |
| cite:alternative                        | \cite [...] [...]                              |
| cite:direct                             | \cite {...}                                    |
| cite:userdata                           | \cite [..=..] [..=..]                          |
| clap                                    | \clap {...}                                    |
| classfont                               | \classfont {...} {...}                         |
| cldcommand                              | \cldcommand {...}                              |
| cldcontext                              | \cldcontext {...}                              |
| cldloadfile                             | \cldloadfile {...}                             |
| cldprocessfile                          | \cldprocessfile {...}                          |
| clip                                    | \clip [..=..] {...}                            |
| clippedoverlayimage                     | \clippedoverlayimage {...}                     |
| clonechamp                              | \clonechamp [...] [...] [...] [...]            |
| collect                                 | \collect {...}                                 |
| collectedtext                           | \collectedtext [..=..] [..=..] {...} {...}     |
| collectexpanded                         | \collectexpanded {...}                         |
| colonne                                 | \colonne [...]                                 |
| colorcomponents                         | \colorcomponents {...}                         |
| colored                                 | \colored [..=..] {...}                         |
| colored:name                            | \colored [...] {...}                           |
| coloronly                               | \coloronly [...] {...}                         |
| columnbreak                             | \columnbreak [...]                             |
| columnsetspanwidth                      | \columnsetspanwidth {...}                      |
| combinepages                            | \combinepages [...] [..=..]                    |
| commalistelement                        | \commalistelement                              |
| commalistsentence                       | \commalistsentence [...] [...]                 |
| commalistsize                           | \commalistsize                                 |
| commentaire                             | \commentaire (...,...) (...,...) [..=..] {...} |
| commentaire:instance                    | \COMMENT [...] [..=..] {...}                   |
| commentaire:instance:comment            | \comment [...] [..=..] {...}                   |
| comparedimension                        | \comparedimension {...} {...}                  |
| comparedimensioneps                     | \comparedimensioneps {...} {...}               |
| comparegroupecouleur                    | \comparegroupecouleur [...]                    |
| comparepalette                          | \comparepalette [...]                          |
| completebt rendering                    | \completebt rendering [...] [..=..]            |
| completecombinedlist:instance           | \completeCOMBINEDLIST [..=..]                  |
| completecombinedlist:instance:content   | \completecontent [..=..]                       |
| completelist                            | \completelist [...] [..=..]                    |
| completelistoffloats:instance           | \completelistofFLOATS [..=..]                  |
| completelistoffloats:instance:chemicals | \completelistofchemicals [..=..]               |
| completelistoffloats:instance:figures   | \completelistoffigures [..=..]                 |
| completelistoffloats:instance:graphics  | \completelistofgraphics [..=..]                |

|   |   |
|---|---|
| completelistoffloats:instance:intermezzi      | \completelistofintermezzi [..=..]         |
| completelistoffloats:instance:tables          | \completelistoftables [..=..]             |
| completelistofpublications                    | \completelistofpublications [...] [..=..] |
| completelistofsorts                           | \completelistofsorts [...] [..=..]        |
| completelistofsorts:instance                  | \completelistofSORTS [..=..]              |
| completelistofsorts:instance:logos            | \completelistoflogos [..=..]              |
| completelistofsynonyms                        | \completelistofsynonyms [...] [..=..]     |
| completelistofsynonyms:instance               | \completelistofSYNONYMS [..=..]           |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [..=..]      |
| completenumeropage                            | \completenumeropage                       |
| completeregistre                              | \completeregistre [...] [..=..]           |
| completeregistre:instance                     | \completeREGISTER [..=..]                 |
| completeregistre:instance:index               | \completeindex [..=..]                    |
| complexorsimple                               | \complexorsimple \...                     |
| complexorsimpleempty                          | \complexorsimpleempty \...                |
| complexorsimpleempty:argument                 | \complexorsimpleempty {...}               |
| complexorsimple:argument                      | \complexorsimple {...}                    |
| composant                                     | \composant [...]                          |
| composant:string                              | \composant ...                            |
| composedcollector                             | \composedcollector {...}                  |
| composedlayer                                 | \composedlayer {...}                      |
| compresult                                    | \compresult                               |
| concernant                                    | \concernant [...]                         |
| constantdimen                                 | \constantdimen \...                       |
| constantdimenargument                         | \constantdimenargument \...               |
| constantemptyargument                         | \constantemptyargument \...               |
| constantnumber                                | \constantnumber \...                      |
| constantnumberargument                        | \constantnumberargument \...              |
| contentreference                              | \contentreference [...] [..=..] {...}     |
| continuednumber                               | \continuednumber {...}                    |
| continueifinputfile                           | \continueifinputfile {...}                |
| convertargument                               | \convertargument ... \to \...             |
| convertcommand                                | \convertcommand \... \to \...             |
| convertedcounter                              | \convertedcounter [...] [..=..]           |
| converteddimen                                | \converteddimen {...} {...}               |
| convertedsubcounter                           | \convertedsubcounter [...] [...] [..=..]  |
| convertitnumero                               | \convertitnumero {...} {...}              |
| convertmonth                                  | \convertmonth {...}                       |
| convertvalue                                  | \convertvalue ... \to \...                |
| convertvboxtohbox                             | \convertvboxtohbox                        |
| copitchamp                                    | \copitchamp [...] [...]                   |
| copyboxfromcache                              | \copyboxfromcache {...} {...} ...         |
| copylabeltext:instance                        | \copyLABELtexte [...] [..=..]             |
| copylabeltext:instance:btxlabel               | \copybtxlabeltexte [...] [..=..]          |
| copylabeltext:instance:head                   | \copyheadtexte [...] [..=..]              |
| copylabeltext:instance:label                  | \copylabeltexte [...] [..=..]             |
| copylabeltext:instance:mathlabel              | \copymathlabeltexte [...] [..=..]         |
| copylabeltext:instance:operator               | \copyoperatortexte [...] [..=..]          |
| copylabeltext:instance:prefix                 | \copyprefixtexte [...] [..=..]            |
| copylabeltext:instance:suffix                 | \copsuffixtexte [...] [..=..]             |
| copylabeltext:instance:taglabel               | \copytaglabeltexte [...] [..=..]          |
| copylabeltext:instance:unit                   | \copyunittexte [...] [..=..]              |
| copypages                                     | \copypages [...] [..=..] [..=..]          |
| copyparameters                                | \copyparameters [...] [...] [...]         |
| copyposition                                  | \copyposition {...} {...}                 |
| copysetups                                    | \copysetups [...] [...]                   |
| corrigeespaceblanc                            | \corrigeespaceblanc {...}                 |
| couleur                                       | \couleur [...] {...}                      |
| couleurgrise                                  | \couleurgrise [...] {...}                 |
| countersubs                                   | \countersubs [...] [...]                  |
| counttoken                                    | \counttoken ... \in ... \to \...          |
| counttokens                                   | \counttokens ... \to \...                 |
| cramped                                       | \cramped {...}                            |
| crampedclap                                   | \crampedclap {...}                        |
| crampedllap                                   | \crampedllap {...}                        |
| crampedrlap                                   | \crampedrlap {...}                        |
| ctop  | \ctop ... {...}                           |
| ctxcommand                                    | \ctxcommand {...}                         |
| ctxdirectcommand                              | \ctxdirectcommand {...}                   |
| ctxdirectlua                                  | \ctxdirectlua {...}                       |
| ctxfunction                                   | \ctxfunction {...}                        |
| ctxfunctiondefinition:example                 | \CTXFUNCTIONDEFINITION                    |

|                                      |   |
|--------------------------------------|---|
| ctxfunction:example                  | \CTXFUNCTION                              |
| ctxlatecommand                       | \ctxlatecommand {...}                     |
| ctxlatelua                           | \ctxlatelua {...}                         |
| ctxloadluafile                       | \ctxloadluafile {...}                     |
| ctxlua                               | \ctxlua {...}                             |
| ctxluabuffer                         | \ctxluabuffer [...]                       |
| ctxluacode                           | \ctxluacode {...}                         |
| ctxreport                            | \ctxreport {...}                          |
| ctxsprint                            | \ctxsprint {...}                          |
| currentassignmentlistkey             | \currentassignmentlistkey                 |
| currentassignmentlistvalue           | \currentassignmentlistvalue               |
| currentbtbxuservariable              | \currentbtbxuservariable {...}            |
| currentcommalistitem                 | \currentcommalistitem                     |
| currentcomponent                     | \currentcomponent                         |
| currentenvironment                   | \currentenvironment                       |
| currentfeaturetest                   | \currentfeaturetest                       |
| currentinterface                     | \currentinterface                         |
| currentlabel:example                 | \currentETIQUETTE [...] {...}             |
| currentlanguage                      | \currentlanguage                          |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute     |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {...}        |
| currentlistentrynumber               | \currentlistentrynumber                   |
| currentlistentrypagenumber           | \currentlistentrypagenumber               |
| currentlistentryreferenceattribute   | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle                | \currentlistentrytitle                    |
| currentlistentrytitlerendered        | \currentlistentrytitlerendered            |
| currentlistsymbol                    | \currentlistsymbol                        |
| currentmainlanguage                  | \currentmainlanguage                      |
| currentmessagetext                   | \currentmessagetext                       |
| currentmoduleparameter               | \currentmoduleparameter {...}             |
| currentoutputstream                  | \currentoutputstream                      |
| currentproduct                       | \currentproduct                           |
| currentproject                       | \currentproject                           |
| currentregime                        | \currentregime                            |
| currentregisterpageuserdata          | \currentregisterpageuserdata {...}        |
| currentresponses                     | \currentresponses                         |
| currenttime                          | \currenttime [...]                        |
| currentvalue                         | \currentvalue                             |
| currentxtablecolumn                  | \currentxtablecolumn                      |
| currentxtablerow                     | \currentxtablerow                         |
| d                                    | \d {...}                                  |
| dactylographier                      | \dactylographier [..=..] {...}            |
| dactylographier:angles               | \dactylographier [..=..] <<...>>          |
| dactylographier:example              | \TYPE [..=..] {...}                       |
| dactylographier:example:angles       | \TYPE [..=..] <<...>>                     |
| dans                                 | \dans {...} {...} [...]                   |
| datasetvariable                      | \datasetvariable {...} {...} {...}        |
| date                                 | \date [..=..] [...]                       |
| datecourante                         | \datecourante [...]                       |
| dayoftheweek                         | \dayoftheweek {...} {...} {...}           |
| dayspermonth                         | \dayspermonth {...} {...}                 |
| ddd                                  | \ddd {...}                                |
| ddot                                 | \ddot {...}                               |
| de                                   | \de [...]                                 |
| decrement                            | \decrement \...                           |
| decrementcounter                     | \decrementcounter [...] [...]             |
| decrementedcounter                   | \decrementedcounter [...]                 |
| decrementpagenumber                  | \decrementpagenumber                      |
| decrementsubpagenumber               | \decrementsubpagenumber                   |
| decrementvalue                       | \decrementvalue {...}                     |
| decrement:argument                   | \decrement (...)                          |
| defaultinterface                     | \defaultinterface                         |
| defaultobjectpage                    | \defaultobjectpage                        |
| defaultobjectreference               | \defaultobjectreference                   |
| defcatcodecommand                    | \defcatcodecommand \... ... {...}         |
| defconvertedargument                 | \defconvertedargument \... {...}          |
| defconvertedcommand                  | \defconvertedcommand \... \...            |
| defconvertedvalue                    | \defconvertedvalue \... {...}             |
| defineactivecharacter                | \defineactivecharacter ... {...}          |
| definealternativestyle               | \definealternativestyle [...] [...] [...] |
| defineanchor                         | \defineanchor [...] [...] [..=..] [..=..] |
| defineattachment                     | \defineattachment [...] [...] [..=..]     |

|                                     |   |
|-------------------------------------|---|
| defineattribute                     | \defineattribute [...] [...]                    |
| definebackground                    | \definebackground [...] [...] [..=..]           |
| definebar                           | \definebar [...] [...] [..=..]                  |
| definebodyfontswitch                | \definebodyfontswitch [...] [...]               |
| definebreakpoint                    | \definebreakpoint [...] [...] [..=..]           |
| definebreakpoints                   | \definebreakpoints [...]                        |
| definebtx                           | \definebtx [...] [...] [..=..]                  |
| definebtxdataset                    | \definebtxdataset [...] [...] [..=..]           |
| definebtxregister                   | \definebtxregister [...] [...] [..=..]          |
| definebtxrendering                  | \definebtxrendering [...] [...] [..=..]         |
| definebutton                        | \definebutton [...] [...] [..=..]               |
| definecapitals                      | \definecapitals [...] [...] [..=..]             |
| definecharacterkerning              | \definecharacterkerning [...] [...] [..=..]     |
| definecharacterspacing              | \definecharacterspacing [...]                   |
| definechemical                      | \definechemical [...] {...}                     |
| definechemicals                     | \definechemicals [...] [...] [..=..]            |
| definechemicalsymbol                | \definechemicalsymbol [...] [...]               |
| definecollector                     | \definecollector [...] [...] [..=..]            |
| definecolumnsetarea                 | \definecolumnsetarea [...] [...] [..=..]        |
| definecolumnsetspan                 | \definecolumnsetspan [...] [...] [..=..]        |
| definecombination                   | \definecombination [...] [...] [..=..]          |
| definecomment                       | \definecomment [...] [...] [..=..]              |
| definecomplexorsimple               | \definecomplexorsimple \...                     |
| definecomplexorsimpleempty          | \definecomplexorsimpleempty \...                |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...}               |
| definecomplexorsimple:argument      | \definecomplexorsimple {...}                    |
| defineconversionset                 | \defineconversionset [...] [...] [...]          |
| definecounter                       | \definecounter [...] [...] [..=..]              |
| definedataset                       | \definedataset [...] [...] [..=..]              |
| definedelimitedtext                 | \definedelimitedtext [...] [...] [..=..]        |
| definedfont                         | \definedfont [...]                              |
| defineeffect                        | \defineeffect [...] [...] [..=..]               |
| defineexpandable                    | \defineexpandable [...] \... {...}              |
| defineexternalfigure                | \defineexternalfigure [...] [...] [..=..]       |
| definefacingfloat                   | \definefacingfloat [...] [...] [..=..]          |
| definefallbackfamily                | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset         | \definefallbackfamily [...] [...] [...] [...]   |
| definefieldbody                     | \definefieldbody [...] [...] [..=..]            |
| definefieldbodyset                  | \definefieldbodyset [...] [...]                 |
| definefieldcategory                 | \definefieldcategory [...] [...] [..=..]        |
| definefileconstant                  | \definefileconstant {...} {...}                 |
| definefilefallback                  | \definefilefallback [...] [...]                 |
| definefilesynonym                   | \definefilesynonym [...] [...]                  |
| definefiller                        | \definefiller [...] [...] [..=..]               |
| definefirstline                     | \definefirstline [...] [...] [..=..]            |
| definefittingpage                   | \definefittingpage [...] [...] [..=..]          |
| definefontalternative               | \definefontalternative [...]                    |
| definefontfallback                  | \definefontfallback [...] [...] [...] [..=..]   |
| definefontfamily                    | \definefontfamily [...] [...] [...] [..=..]     |
| definefontfamilypreset              | \definefontfamilypreset [...] [..=..]           |
| definefontfamilypreset:name         | \definefontfamilypreset [...] [...]             |
| definefontfamily:preset             | \definefontfamily [...] [...] [...] [...]       |
| definefontfeature                   | \definefontfeature [...] [...] [..=..]          |
| definefontfile                      | \definefontfile [...] [...] [..=..]             |
| definefontsize                      | \definefontsize [...]                           |
| definefontsolution                  | \definefontsolution [...] [...] [..=..]         |
| defineformula                       | \defineformula [...] [...] [..=..]              |
| defineformulaalternative            | \defineformulaalternative [...] [...] [...]     |
| defineformulaframed                 | \defineformulaframed [...] [...] [..=..]        |
| defineframed                        | \defineframed [...] [...] [..=..]               |
| defineframedcontent                 | \defineframedcontent [...] [...] [..=..]        |
| defineframedtable                   | \defineframedtable [...] [...]                  |
| defineframedtext                    | \defineframedtext [...] [...] [..=..]           |
| definefrozenfont                    | \definefrozenfont [...] [...]                   |
| defineglobalcolor                   | \defineglobalcolor [...] [..=..]                |
| defineglobalcolor:name              | \defineglobalcolor [...] [...]                  |
| definegraphictypesynonym            | \definegraphictypesynonym [...] [...]           |
| definegridsnapping                  | \definegridsnapping [...] [...]                 |
| defineheadalternative               | \defineheadalternative [...] [...] [..=..]      |
| definehelp                          | \definehelp [...] [...] [..=..]                 |
| definehigh                          | \definehigh [...] [...] [..=..]                 |
| definehighlight                     | \definehighlight [...] [...] [..=..]            |

|                               |   |
|-------------------------------|---|
| definespace                   | \definespace [...] [...] [...]  |
| definehyphenationfeatures     | \definehyphenationfeatures [...] [...=..]   |
| defineindentedtext            | \defineindentedtext [...] [...] [...=..]  |
| defineindenting               | \defineindenting [...] [...]  |
| defineinitial                 | \defineinitial [...] [...] [...=..]   |
| defineinsertion               | \defineinsertion [...] [...] [...=..]   |
| defineinteraction             | \defineinteraction [...] [...] [...=..]   |
| defineinteractionbar          | \defineinteractionbar [...] [...] [...=..]  |
| defineinterfaceconstant       | \defineinterfaceconstant {...} {...}  |
| defineinterfaceelement        | \defineinterfaceelement {...} {...}   |
| defineinterfacevariable       | \defineinterfacevariable {...} {...}  |
| defineinterlinespace          | \defineinterlinespace [...] [...] [...=..]  |
| defineintermediatecolor       | \defineintermediatecolor [...] [...] [...] [...=..]                                     |
| defineitemgroup               | \defineitemgroup [...] [...] [...=..]   |
| defineitems                   | \defineitems [...] [...] [...] [...=..]   |
| definelabelclass              | \definelabelclass [...] [...]   |
| definelayerpreset             | \definelayerpreset [...] [...=..]   |
| definelayerpreset:name        | \definelayerpreset [...] [...]  |
| definelinefiller              | \definelinefiller [...] [...] [...] [...=..]  |
| definelinenote                | \definelinenote [...] [...] [...] [...=..]  |
| definelinenumbering           | \definelinenumbering [...] [...] [...] [...=..]   |
| definelines                   | \definelines [...] [...] [...] [...=..]   |
| definelistalternative         | \definelistalternative [...] [...] [...] [...=..]                                       |
| definelistextra               | \definelistextra [...] [...] [...] [...=..]   |
| definelow                     | \definelow [...] [...] [...] [...=..]   |
| definelowhigh                 | \definelowhigh [...] [...] [...] [...=..]   |
| definelowmidhigh              | \definelowmidhigh [...] [...] [...] [...=..]  |
| defineMPinstance              | \defineMPinstance [...] [...] [...] [...=..]  |
| definemarginblock             | \definemarginblock [...] [...] [...] [...=..]   |
| definemargindata              | \definemargindata [...] [...] [...] [...=..]  |
| definemarker                  | \definemarker [...]   |
| definemathaccent              | \definemathaccent ... ..  |
| definemathalignment           | \definemathalignment [...] [...] [...] [...=..]   |
| definemathcases               | \definemathcases [...] [...] [...] [...=..]   |
| definemathcommand             | \definemathcommand [...] [...] [...] [...] [...] {...}                                  |
| definemathdouble              | \definemathdouble [...] [...] [...] [...] [...] [...]                                   |
| definemathdoubleextensible    | \definemathdoubleextensible [...] [...] [...] [...] [...] [...] [...]                   |
| definematematics              | \definematematics [...] [...] [...] [...] [...] [...]                                   |
| definemathextensible          | \definemathextensible [...] [...] [...] [...] [...] [...]                               |
| definemathfence               | \definemathfence [...] [...] [...] [...] [...] [...]                                    |
| definemathfraction            | \definemathfraction [...] [...] [...] [...] [...] [...]                                 |
| definemathframed              | \definemathframed [...] [...] [...] [...] [...] [...]                                   |
| definemathmatrix              | \definemathmatrix [...] [...] [...] [...] [...] [...]                                   |
| definemathornament            | \definemathornament [...] [...] [...] [...] [...] [...]                                 |
| definemathover                | \definemathover [...] [...] [...] [...] [...] [...]                                     |
| definemathoverextensible      | \definemathoverextensible [...] [...] [...] [...] [...] [...] [...]                     |
| definemathovertextextensible  | \definemathovertextextensible [...] [...] [...] [...] [...] [...] [...] [...]           |
| definemathradical             | \definemathradical [...] [...] [...] [...] [...] [...] [...]                            |
| definemathstackers            | \definemathstackers [...] [...] [...] [...] [...] [...] [...]                           |
| definemathstyle               | \definemathstyle [...] [...] [...] [...] [...] [...] [...]                              |
| definemathtriplet             | \definemathtriplet [...] [...] [...] [...] [...] [...] [...]                            |
| definemathunder               | \definemathunder [...] [...] [...] [...] [...] [...] [...]                              |
| definemathunderextensible     | \definemathunderextensible [...] [...] [...] [...] [...] [...] [...] [...]              |
| definemathundertextextensible | \definemathundertextextensible [...] [...] [...] [...] [...] [...] [...] [...] [...]    |
| definemathunstacked           | \definemathunstacked [...] [...] [...] [...] [...] [...] [...] [...]                    |
| definemeasure                 | \definemeasure [...] [...] [...] [...] [...] [...] [...] [...]                          |
| definemessageconstant         | \definemessageconstant {...}  |
| definemixedcolumns            | \definemixedcolumns [...] [...] [...] [...] [...] [...] [...] [...]                     |
| definemode                    | \definemode [...] [...] [...] [...] [...] [...] [...] [...]                             |
| definemultitonecolor          | \definemultitonecolor [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]       |
| definenamecolor               | \definenamecolor [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]            |
| definenamecolor:name          | \definenamecolor [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]            |
| definenamepace                | \definenamepace [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]             |
| definenamearrow               | \definenamearrow [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]            |
| definename                    | \definename [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]                 |
| defineornament:collector      | \defineornament [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]             |
| defineornament:layer          | \defineornament [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]             |
| defineoutputroutine           | \defineoutputroutine [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]        |
| defineoutputroutinecommand    | \defineoutputroutinecommand [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] |
| definepage                    | \definepage [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]                 |
| definepagechecker             | \definepagechecker [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]          |
| definepagecolumns             | \definepagecolumns [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]          |



|                                |   |
|--------------------------------|---|
| definepageinjection            | \definepageinjection [...] [...] [..=..]            |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..] |
| definepageshift                | \definepageshift [...] [...] [..=..]                |
| definepagestate                | \definepagestate [...] [...] [..=..]                |
| definepairedbox                | \definepairedbox [...] [...] [..=..]                |
| defineparagraph                | \defineparagraph [...] [...] [..=..]                |
| defineparallel                 | \defineparallel [...] [..=..]                       |
| defineparbuilder               | \defineparbuilder [...]                             |
| defineperiodkerning            | \defineperiodkerning [...] [...] [..=..]            |
| defineplacement                | \defineplacement [...] [...] [..=..]                |
| definepositioning              | \definepositioning [...] [...] [..=..]              |
| defineprefixset                | \defineprefixset [...] [...] [..=..]                |
| defineprocesscolor             | \defineprocesscolor [...] [...] [..=..]             |
| defineprocessor                | \defineprocessor [...] [...] [..=..]                |
| definepushbutton               | \definepushbutton [...] [..=..]                     |
| definepushsymbol               | \definepushsymbol [...] [..=..]                     |
| definerenderingwindow          | \definerenderingwindow [...] [...] [..=..]          |
| defineresetset                 | \defineresetset [...] [..=..]                       |
| defineruby                     | \defineruby [...] [..=..]                           |
| definescale                    | \definescale [...] [..=..]                          |
| definescript                   | \definescript [...] [..=..]                         |
| definesectionlevels            | \definesectionlevels [...] [..=..]                  |
| defineselector                 | \defineselector [...] [..=..]                       |
| defineseparatorset             | \defineseparatorset [...] [..=..]                   |
| defineshift                    | \defineshift [...] [..=..]                          |
| definesidebar                  | \definesidebar [...] [..=..]                        |
| definesort                     | \definesort [...] [...] {...}                       |
| definespotcolor                | \definespotcolor [...] [..=..]                      |
| definestyleinstance            | \definestyleinstance [...] [...] [..=..]            |
| definesubformula               | \definesubformula [...] [..=..]                     |
| definesynonym                  | \definesynonym [...] [...] {...} {...}              |
| definesystemattribute          | \definesystemattribute [...] [..=..]                |
| definesystemconstant           | \definesystemconstant {...}                         |
| definesystemvariable           | \definesystemvariable {...}                         |
| defineTABLEsetup               | \defineTABLEsetup [...] [..=..]                     |
| definetabulation               | \definetabulation [...] [..=..]                     |
| definetextbackground           | \definetextbackground [...] [..=..]                 |
| definetextflow                 | \definetextflow [...] [..=..]                       |
| definetokenlist                | \definetokenlist [...]                              |
| definetooltip                  | \definetooltip [...] [..=..]                        |
| definetransparency:1           | \definetransparency [...] [..=..]                   |
| definetransparency:2           | \definetransparency [...] [..=..]                   |
| definetransparency:3           | \definetransparency [...] [..=..]                   |
| definetwopasslist              | \definetwopasslist {...}                            |
| definetypesface                | \definetypesface [...] [...] [..=..]                |
| definetypescriptprefix         | \definetypescriptprefix [...] [..=..]               |
| definetypescriptsynonym        | \definetypescriptsynonym [...] [..=..]              |
| definetypesetting              | \definetypesetting [...] [..=..]                    |
| defineunit                     | \defineunit [...] [..=..]                           |
| defineuserdata                 | \defineuserdata [...] [..=..]                       |
| defineuserdataalternative      | \defineuserdataalternative [...] [..=..]            |
| defineviewerlayer              | \defineviewerlayer [...] [..=..]                    |
| definevspace                   | \definevspace [...] [..=..]                         |
| definevspacing                 | \definevspacing [...] [..=..]                       |
| definevspacingamount           | \definevspacingamount [...] [..=..]                 |
| definextable                   | \definextable [...] [..=..]                         |
| definicaractere                | \definicaractere ... ..                             |
| definit                        | \definit [...] \... {...}                           |
| definitaccent                  | \definitaccent ... ..                               |
| definitbloc                    | \definitbloc [...] [..=..]                          |
| definitblocsection             | \definitblocsection [...] [..=..]                   |
| definitbuffer                  | \definitbuffer [...] [..=..]                        |
| definitcalque                  | \definitcalque [...] [..=..]                        |
| definitchamp                   | \definitchamp [...] [...] [..=..]                   |
| definitcommande                | \definitcommande ... ..                             |
| definitconversion              | \definitconversion [...] [..=..]                    |
| definitconversion:list         | \definitconversion [...] [..=..]                    |
| definitcouleur                 | \definitcouleur [...] [..=..]                       |
| definitcouleur:name            | \definitcouleur [...] [..=..]                       |
| definitdactylo                 | \definitdactylo [...] [..=..]                       |
| definitdemarrestoppe           | \definitdemarrestoppe [...] [..=..]                 |
| definitdescription             | \definitdescription [...] [..=..]                   |

|   |  |
|---|--|
| definitdisposition                                    | \definitdisposition [...] [...] [..=..]                                  |
| definitenumeration                                    | \definitenumeration [...] [...] [..=..]                                  |
| definitenvironnementpolicecorps                       | \definitenvironnementpolicecorps [...] [...] [..=..]                     |
| definitetiquette                                      | \definitetiquette [...] [...] [..=..]                                    |
| definitflottant                                       | \definitflottant [...] [...] [..=..]                                     |
| definitflottant:name                                  | \definitflottant [...] [...] [...]                                       |
| definitformatreference                                | \definitformatreference [...] [...] [..=..]                              |
| definitgroupecouleur                                  | \definitgroupecouleur [...] [...] [x:y:z,..]                             |
| definit hbox  | \definit hbox [...] [...]  |
| definitjeucolonne                                     | \definitjeucolonne [...] [...] [..=..]                                   |
| definitliste  | \definitliste [...] [...] [..=..]  |
| definitlisteimbriquee                                 | \definitlisteimbriquee [...] [...] [..=..]                               |
| definitmakeup   | \definitmakeup [...] [...] [..=..]                                       |
| definitmarquage                                       | \definitmarquage [...] [...] [..=..]                                     |
| definitmenuinteraction                                | \definitmenuinteraction [...] [...] [..=..]                              |
| definitpalette  | \definitpalette [...] [..=..]  |
| definitpalette:name                                   | \definitpalette [...] [...]  |
| definitparagraphes                                    | \definitparagraphes [...] [...] [..=..]                                  |
| definitpilechamp                                      | \definitpilechamp [...] [...] [..=..]                                    |
| definitpolice   | \definitpolice [...] [...] [..=..]                                       |
| definitpolicecorps                                    | \definitpolicecorps [...] [...] [...] [..=..]                            |
| definitpolicecorps:argument                           | \definitpolicecorps [...] [...] [...] [...]                              |
| definitpolice:argument                                | \definitpolice [...] [...] [...]   |
| definitprofil   | \definitprofil [...] [...] [..=..]                                       |
| definitprogramme                                      | \definitprogramme [...] [...] [...] [...]                                |
| definitreference                                      | \definitreference [...] [...]  |
| definitregistre                                       | \definitregistre [...] [...] [..=..]                                     |
| definitrevetement                                     | \definitrevetement [...] [...] [...]                                     |
| definit saut de colonne                               | \definit saut de colonne [...] [...]                                     |
| definit saut de page                                  | \definit saut de page [...] [...]  |
| definitsection  | \definitsection [...]  |
| definit sous champ                                    | \definit sous champ [...] [...] [...]                                    |
| definitstyle  | \definitstyle [...] [...] [..=..]  |
| definitstylepolice                                    | \definitstylepolice [...] [...]  |
| definit symbole                                       | \definit symbole [...] [...] [...]                                       |
| definit symbole figure                                | \definit symbole figure [...] [...] [..=..]                              |
| definit synonyme police                               | \definit synonyme police [...] [...] [..=..]                             |
| definit synonymes                                     | \definit synonymes [...] [...] [...] [...]                               |
| definit tabulation                                    | \definit tabulation [...] [...] [/.../]                                  |
| definit taille papier                                 | \definit taille papier [...] [..=..] <sup>PPT</sup>                      |
| definit taille papier:name                            | \definit taille papier [...] [...] [...] [...]                           |
| definit tete  | \definit tete [...] [...] [..=..]  |
| definit texte   | \definit texte [...] [...] [...] [...] [...] [...] [...]                 |
| definit tram tableau                                  | \definit tram tableau [...] [I...] [...] [...]                           |
| definit tri   | \definit tri [...] [...] [...]   |
| definit type  | \definit type [...] [...] [..=..]  |
| definit vide  | \definit vide [...]  |
| delimited   | \delimited [...] [...] {...}   |
| delimited text  | \delimited text [...] [...] {...}  |
| delimited text:instance                               | \DELIMITEDTEXT [...] {...}   |
| delimited text:instance:aside                         | \aside [...] {...}   |
| delimited text:instance:blockquote                    | \blockquote [...] {...}  |
| delimited text:instance:quotation                     | \quotation [...] {...}   |
| delimited text:instance:quote                         | \quote [...] {...}   |
| delimited text:instance:speech                        | \speech [...] {...}  |
| demarre   | \demarre [...] ... \stoppe   |
| demarre aligne droite                                 | \demarre aligne droite ... \stoppe aligne droite                         |
| demarre aligne gauche                                 | \demarre aligne gauche ... \stoppe aligne gauche                         |
| demarre aligne au milieu                              | \demarre aligne au milieu ... \stoppe aligne au milieu                   |
| demarre alignement                                    | \demarre alignement [...] ... \stoppe alignement                         |
| demarre all modes                                     | \demarre all modes [...] ... \stoppe all modes                           |
| demarre arriere plan                                  | \demarre arriere plan [..=..] ... \stoppe arriere plan                   |
| demarre arriere plan:exemple                          | \demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN                       |
| demarre attachment:instance                           | \demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT                   |
| demarre attachment:instance:attachment                | \demarreattachment [...] [..=..] ... \stoppeattachment                   |
| demarre bar   | \demarrebar [...] ... \stoppebar   |
| demarre b b o r d e r m a t r i x                     | \demarrebbordermatrix ... \stoppebbordermatrix                           |
| demarre b i t m a p i m a g e                         | \demarrebitmapimage [..=..] ... \stoppebitmapimage                       |
| demarre b o r d e r m a t r i x                       | \demarrebordermatrix ... \stoppebordermatrix                             |
| demarre b t x r e n d e r i n g d e f i n i t i o n s | \demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions |
| demarre b u f f e r                                   | \demarrebuffer [...] ... \stoppebuffer                                   |
| demarre buffer:instance                               | \demarreBUFFER ... \stoppeBUFFER   |

|  |  |
|--|--|
| demarrebuffer:instance:hiding            | \demarre <hiding> ... \stoppe<hiding< td=""></hiding<></hiding>            |
| demarreecatcodetable                     | \demarreecatcodetable \... ... \stoppeecatcodetable                        |
| demarrecenteraligned                     | \demarrecenteraligned ... \stoppecenteraligned                             |
| demarrecharacteralign                    | \demarrecharacteralign [..=..] ... \stoppecharacteralign                   |
| demarrecharacteralign:argument           | \demarrecharacteralign [...] ... \stoppecharacteralign                     |
| demarrecheckedfences                     | \demarrecheckedfences ... \stoppecheckedfences                             |
| demarrechemical                          | \demarrechemical [...] [..=..] ... \stoppechemical                         |
| demarreciter                             | \demarreciter [..=..]  |
| demarrecollect                           | \demarrecollect ... \stoppecollect   |
| demarrecollecting                        | \demarrecollecting ... \stoppecollecting                                   |
| demarrecolonnes                          | \demarrecolonnes [..=..] ... \stoppecolonnes                               |
| demarrecolorintent                       | \demarrecolorintent [...] ... \stoppecolorintent                           |
| demarrecoloronly                         | \demarrecoloronly [...] ... \stoppecoloronly                               |
| demarrecolorset                          | \demarrecolorset [...] ... \stoppecolorset                                 |
| demarrecolumnset                         | \demarrecolumnset [...] [..=..] ... \stoppecolumnset                       |
| demarrecolumnsetspan                     | \demarrecolumnsetspan [...] [..=..] ... \stoppecolumnsetspan               |
| demarrecolumnset:example                 | \demarreCOLUMNSET [..=..] ... \stoppeCOLUMNSET                             |
| demarrecolumnspan                        | \demarrecolumnspan [..=..] ... \stoppecolumnspan                           |
| demarrecombination                       | \demarrecombination [...] [..=..] ... \stoppecombination                   |
| demarrecombination:matrix                | \demarrecombination [...] [...] ... \stoppecombination                     |
| demarrecommentairepage                   | \demarrecommentairepage ... \stoppecommentairepage                         |
| demarrecommentaire:instance              | \demarreCOMMENT [...] [..=..] ... \stoppeCOMMENT                           |
| demarrecommentaire:instance:comment      | \demarrecomment [...] [..=..] ... \stoppecomment                           |
| demarrecomposant                         | \demarrecomposant [...] ... \stoppecomposant                               |
| demarrecomposant:string                  | \demarrecomposant ... ... \stoppecomposant                                 |
| demarrecontextcode                       | \demarrecontextcode ... \stoppecontextcode                                 |
| demarrecontextdefinitioncode             | \demarrecontextdefinitioncode ... \stoppecontextdefinitioncode             |
| demarrecouleur                           | \demarrecouleur [...] ... \stoppecouleur                                   |
| demarrectxfunction                       | \demarrectxfunction ... ... \stoppectxfunction                             |
| demarrectxfunctiondefinition             | \demarrectxfunctiondefinition ... ... \stoppectxfunctiondefinition         |
| demarreccurrentcolor                     | \demarreccurrentcolor ... \stoppeccurrentcolor                             |
| demarreccurrentlistentrywrapper          | \demarreccurrentlistentrywrapper ... \stoppeccurrentlistentrywrapper       |
| demarredegrroupe                         | \demarredegrroupe ... \stoppedegrroupe                                     |
| demarredelimited                         | \demarredelimited [...] [...] [...] ... \stoppedelimited                   |
| demarredelimitedtext                     | \demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext           |
| demarredelimitedtext:instance            | \demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT                 |
| demarredelimitedtext:instance:aside      | \demarreaside [...] [...] ... \stoppeaside                                 |
| demarredelimitedtext:instance:blockquote | \demarreblockquote [...] [...] ... \stoppeblockquote                       |
| demarredelimitedtext:instance:quotation  | \demarrequotation [...] [...] ... \stoppequotation                         |
| demarredelimitedtext:instance:quote      | \demarrequote [...] [...] ... \stoppequote                                 |
| demarredelimitedtext:instance:speech     | \demarrespeech [...] [...] ... \stoppespeech                               |
| demarredescription:example               | \demarreDESCRIPTION [..=..] ... \stoppeDESCRIPTION                         |
| demarredescription:example:title         | \demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION                     |
| demarredisplaymath                       | \demarredisplaymath ... \stoppedisplaymath                                 |
| demarredmath                             | \demarredmath ... \stoppedmath   |
| demarredocument                          | \demarredocument [..=..] ... \stoppedocument                               |
| demarreeffect                            | \demarreeffect [...] ... \stoppeeffect                                     |
| demarreeffect:example                    | \demarreEFFECT ... \stoppeEFFECT   |
| demarreelement                           | \demarreelement [...] ... \stoppeelement                                   |
| demarreembeddedxtable                    | \demarreembeddedxtable [..=..] ... \stoppeembeddedxtable                   |
| demarreembeddedxtable:name               | \demarreembeddedxtable [...] ... \stoppeembeddedxtable                     |
| demarreenumeration:example               | \demarreENUMERATION [..=..] ... \stoppeENUMERATION                         |
| demarreenumeration:example:title         | \demarreENUMERATION [...] {...} ... \stoppeENUMERATION                     |
| demarreenvironnement                     | \demarreenvironnement [...] ... \stoppeenvironnement                       |
| demarreenvironnementblocsection          | \demarreenvironnementblocsection [...] ... \stoppeenvironnementblocsection |
| demarreenvironnement:string              | \demarreenvironnement ... ... \stoppeenvironnement                         |
| demarreetroit                            | \demarreetroit [...] [..=..] ... \stoppeetroit                             |
| demarreetroit:assignment                 | \demarreetroit [..=..] [...] ... \stoppeetroit                             |
| demarreetroit:name                       | \demarreetroit [...] [...] ... \stoppeetroit                               |
| demarreexceptions                        | \demarreexceptions [...] ... \stoppeexceptions                             |
| demarreexpanded                          | \demarreexpanded ... \stoppeexpanded                                       |
| demarreexpandedcollect                   | \demarreexpandedcollect ... \stoppeexpandedcollect                         |
| demarreextendedcatcodetable              | \demarreextendedcatcodetable \... ... \stoppeextendedcatcodetable          |
| demarreexternalfigurecollection          | \demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection |
| demarrefacingfloat                       | \demarrefacingfloat [...] ... \stoppefacingfloat                           |
| demarrefigure                            | \demarrefigure [...] [...] [..=..] ... \stoppefigure                       |
| demarrefittingpage                       | \demarrefittingpage [...] [..=..] ... \stoppefittingpage                   |
| demarrefittingpage:instance              | \demarreFITTINGPAGE [..=..] ... \stoppeFITTINGPAGE                         |
| demarrefittingpage:instance:MPpage       | \demarreMPpage [..=..] ... \stoppeMPpage                                   |
| demarrefittingpage:instance:TEXpage      | \demarreTEXpage [..=..] ... \stoppeTEXpage                                 |
| demarrefixe                              | \demarrefixe [...] ... \stoppefixe   |
| demarrefloatcombination                  | \demarrefloatcombination [..=..] ... \stoppefloatcombination               |

|                                      |  |
|--------------------------------------|--|
| demarrefloatcombination:matrix       | \demarrefloatcombination [...] ... \stoppefloatcombination           |
| demarrefloattext:instance            | \demarreFLOATtexte [...] [...] [...] ... \stoppeFLOATtexte           |
| demarrefloattext:instance:chemical   | \demarrechemicaltexte [...] [...] [...] ... \stoppechemicaltexte     |
| demarrefloattext:instance:figure     | \demarrefiguretexte [...] [...] [...] ... \stoppefiguretexte         |
| demarrefloattext:instance:graphic    | \demarregraphictexte [...] [...] [...] ... \stoppegraphictexte       |
| demarrefloattext:instance:intermezzo | \demarreintermezzotexte [...] [...] [...] ... \stoppeintermezzotexte |
| demarrefloattext:instance:table      | \demarretabletexte [...] [...] [...] ... \stoppetabletexte           |
| demarrefont                          | \demarrefont [...] ... \stoppefont                                   |
| demarrefontclass                     | \demarrefontclass [...] ... \stoppefontclass                         |
| demarrefontsolution                  | \demarrefontsolution [...] ... \stoppefontsolution                   |
| demarreformule                       | \demarreformule [...] ... \stoppeformule                             |
| demarreformules                      | \demarreformules [...] ... \stoppeformules                           |
| demarreformule:assignment            | \demarreformule [...] ... \stoppeformule                             |
| demarreformule:instance              | \demarreFORMULAformula [...] ... \stoppeFORMULAformula               |
| demarreformule:instance:md           | \demarremdformula [...] ... \stoppemdformula                         |
| demarreformule:instance:mp           | \demarrempformula [...] ... \stoppempformula                         |
| demarreformule:instance:sd           | \demarresdformula [...] ... \stoppesdformula                         |
| demarreformule:instance:sp           | \demarrespformula [...] ... \stoppespformula                         |
| demarreframed                        | \demarreframed [...] [...] ... \stoppeframed                         |
| demarreframedcell                    | \demarreframedcell [...] [...] ... \stoppeframedcell                 |
| demarreframedcontent                 | \demarreframedcontent [...] ... \stoppeframedcontent                 |
| demarreframedrow                     | \demarreframedrow [...] [...] ... \stoppeframedrow                   |
| demarreframedtable                   | \demarreframedtable [...] [...] [...] ... \stoppeframedtable         |
| demarregridsnapping                  | \demarregridsnapping [...] ... \stoppegridsnapping                   |
| demarregridsnapping:list             | \demarregridsnapping [...] ... \stoppegridsnapping                   |
| demarregruppe                        | \demarregruppe [...] ... \stoppegruppe                               |
| demarrehboxestohbox                  | \demarrehboxestohbox ... \stoppehboxestohbox                         |
| demarrehboxregister                  | \demarrehboxregister ... \stoppehboxregister                         |
| demarrehelp:instance                 | \demarreHELP [...] ... \stoppeHELP                                   |
| demarrehelp:instance:helptext        | \demarrehelptext [...] ... \stoppehelptext                           |
| demarrehighlight                     | \demarrehighlight [...] ... \stoppehighlight                         |
| demarrehyphenation                   | \demarrehyphenation [...] ... \stoppehyphenation                     |
| demarreimath                         | \demarreimath ... \stoppeimath                                       |
| demarreindentedtext                  | \demarreindentedtext [...] ... \stoppeindentedtext                   |
| demarreindentedtext:example          | \demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT                         |
| demarreinteraction                   | \demarreinteraction [...] ... \stoppeinteraction                     |
| demarreinterface                     | \demarreinterface ... \stoppeinterface                               |
| demarreintertext                     | \demarreintertext ... \stoppeintertext                               |
| demarreitemgroup                     | \demarreitemgroup [...] [...] [...] ... \stoppeitemgroup             |
| demarreitemgroup:instance            | \demarreITEMGROUP [...] [...] [...] ... \stoppeITEMGROUP             |
| demarreitemgroup:instance:itemize    | \demarreitemize [...] [...] [...] ... \stoppeitemize                 |
| demarreJSCode                        | \demarreJSCode ... \stoppeJSCode                                     |
| demarreJSreamble                     | \demarreJSreamble ... \stoppeJSreamble                               |
| demarreknockout                      | \demarreknockout ... \stoppeknockout                                 |
| demarrelabeltexte:instance           | \demarreLABELtexte [...] [...] ... \stoppeLABELtexte                 |
| demarrelabeltexte:instance:btxlabel  | \demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte           |
| demarrelabeltexte:instance:head      | \demarreheadtexte [...] [...] ... \stoppeheadtexte                   |
| demarrelabeltexte:instance:label     | \demarrelabeltexte [...] [...] ... \stoppelabeltexte                 |
| demarrelabeltexte:instance:mathlabel | \demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte         |
| demarrelabeltexte:instance:operator  | \demarreoperatortexte [...] [...] ... \stoppeoperatortexte           |
| demarrelabeltexte:instance:prefix    | \demarreprefixtexte [...] [...] ... \stoppeprefixtexte               |
| demarrelabeltexte:instance:suffix    | \demarresuffixtexte [...] [...] ... \stoppesuffixtexte               |
| demarrelabeltexte:instance:taglabel  | \demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte           |
| demarrelabeltexte:instance:unit      | \demarreunittexte [...] [...] ... \stoppeunittexte                   |
| demarrelangue                        | \demarrelangue [...] ... \stoppelangue                               |
| demarrelayout                        | \demarrelayout [...] ... \stoppelayout                               |
| demarreligne                         | \demarreligne [...]  |
| demarreligneregleetexte              | \demarreligneregleetexte [...] ... \stoppeligneregleetexte           |
| demarrelignes:instance               | \demarreLINES [...] ... \stoppeLINES                                 |
| demarrelignes:instance:lines         | \demarrelines [...] ... \stoppelines                                 |
| demarrelinealignment                 | \demarrelinealignment [...] ... \stoppelinealignment                 |
| demarrelinecorrection                | \demarrelinecorrection [...] ... \stoppelinecorrection               |
| demarrelinefiller                    | \demarrelinefiller [...] [...] ... \stoppelinefiller                 |
| demarrelinenumbering                 | \demarrelinenumbering [...] [...] [...] ... \stoppelinenumbering     |
| demarrelinenumbering:argument        | \demarrelinenumbering [...] [...] ... \stoppelinenumbering           |
| demarrelinetable                     | \demarrelinetable ... \stoppelinetable                               |
| demarrelinetablebody                 | \demarrelinetablebody ... \stoppelinetablebody                       |
| demarrelinetablecell                 | \demarrelinetablecell [...] [...] ... \stoppelinetablecell           |
| demarrelinetablehead                 | \demarrelinetablehead ... \stoppelinetablehead                       |
| demarrellocalfootnotes               | \demarrellocalfootnotes ... \stoppellocalfootnotes                   |
| demarrellocalheadsetup               | \demarrellocalheadsetup ... \stoppellocalheadsetup                   |
| demarrellocallinecorrection          | \demarrellocallinecorrection [...] ... \stoppellocallinecorrection   |

|   |                                   |                                    |
|---|-----------------------------------|------------------------------------|
| demarrelocalnotes                             | \demarrelocalnotes [...]          | ... \stoppelocalnotes              |
| demarrelocalsetups                            | \demarrelocalsetups [...]         | [...] ... \stoppelocalsetups       |
| demarrelocalsetups:string                     | \demarrelocalsetups ...           | ... \stoppelocalsetups             |
| demarrelua                                    | \demarrelua ...                   | \stoppelua                         |
| demarreluacode                                | \demarreluacode ...               | \stoppeluacode                     |
| demarreluaparameterset                        | \demarreluaparameterset [...]     | ... \stoppeluaparameterset         |
| demarreluasetsups                             | \demarreluasetsups [...]          | [...] ... \stoppeluasetsups        |
| demarreluasetsups:string                      | \demarreluasetsups ...            | ... \stoppeluasetsups              |
| demarreMPclip                                 | \demarreMPclip {...}              | ... \stoppeMPclip                  |
| demarreMPcode                                 | \demarreMPcode {...}              | ... \stoppeMPcode                  |
| demarreMPdefinitions                          | \demarreMPdefinitions {...}       | ... \stoppeMPdefinitions           |
| demarreMPdrawing                              | \demarreMPdrawing [...]           | ... \stoppeMPdrawing               |
| demarreMPenvironment                          | \demarreMPenvironment [...]       | ... \stoppeMPenvironment           |
| demarreMPextensions                           | \demarreMPextensions {...}        | ... \stoppeMPextensions            |
| demarreMPinclusions                           | \demarreMPinclusions [...]        | {...} ... \stoppeMPinclusions      |
| demarreMPinitializations                      | \demarreMPinitializations ...     | \stoppeMPinitializations           |
| demarreMPpositiongraphic                      | \demarreMPpositiongraphic {...}   | {...} ... \stoppeMPpositiongraphic |
| demarreMPpositionmethod                       | \demarreMPpositionmethod {...}    | ... \stoppeMPpositionmethod        |
| demarreMPrun                                  | \demarreMPrun {...}               | ... \stoppeMPrun                   |
| demarremakeup                                 | \demarremakeup [...]              | [...=..] ... \stoppemakeup         |
| demarremakeup:instance                        | \demarreMAKEUPmakeup [...=..]     | ... \stoppeMAKEUPmakeup            |
| demarremakeup:instance:middle                 | \demarremiddlemakeup [...=..]     | ... \stoppemiddlemakeup            |
| demarremakeup:instance:page                   | \demarrepagemakeup [...=..]       | ... \stoppepagemakeup              |
| demarremakeup:instance:standard               | \demarrestandardmakeup [...=..]   | ... \stoppestandardmakeup          |
| demarremakeup:instance:text                   | \demarretextmakeup [...=..]       | ... \stoppetextmakeup              |
| demarremargereglee                            | \demarremargereglee [...]         | ... \stoppemargereglee             |
| demarremargereglee:assignment                 | \demarremargereglee [...=..]      | ... \stoppemargereglee             |
| demarremarginblock                            | \demarremarginblock [...]         | ... \stoppemarginblock             |
| demarremarkedcontent                          | \demarremarkedcontent [...]       | ... \stoppemarkedcontent           |
| demarremarkpages                              | \demarremarkpages [...]           | ... \stoppeemarkpages              |
| demarremathalignment:instance                 | \demarreMATHALIGNMENT [...=..]    | ... \stoppeMATHALIGNMENT           |
| demarremathalignment:instance:align           | \demarrealign [...=..]            | ... \stoppealign                   |
| demarremathalignment:instance:mathalignment   | \demarremathalignment [...=..]    | ... \stoppemathalignment           |
| demarremathcases:instance                     | \demarreMATHCASES [...=..]        | ... \stoppeMATHCASES               |
| demarremathcases:instance:cases               | \demarreccases [...=..]           | ... \stoppecases                   |
| demarremathcases:instance:mathcases           | \demarremathcases [...=..]        | ... \stoppemathcases               |
| demarremathmatrix:instance                    | \demarreMATHMATRIX [...=..]       | ... \stoppeMATHMATRIX              |
| demarremathmatrix:instance:mathmatrix         | \demarremathmatrix [...=..]       | ... \stoppemathmatrix              |
| demarremathmatrix:instance:matrix             | \demarrematrix [...=..]           | ... \stoppematrix                  |
| demarremathmode                               | \demarremathmode ...              | \stoppemathmode                    |
| demarremathstyle                              | \demarremathstyle [...]           | ... \stoppemathstyle               |
| demarrematrices                               | \demarrematrices [...=..]         | ... \stoppematrices                |
| demarremaxaligned                             | \demarremaxaligned ...            | \stoppemaxaligned                  |
| demarremenuinteraction                        | \demarremenuinteraction [...]     | ... \stoppemenuinteraction         |
| demarremiddlealigned                          | \demarremiddlealigned ...         | \stoppemiddlealigned               |
| demarremixedcolumns                           | \demarremixedcolumns [...]        | [...=..] ... \stoppemixedcolumns   |
| demarremixedcolumns:instance                  | \demarreMIXEDCOLUMNS [...=..]     | ... \stoppeMIXEDCOLUMNS            |
| demarremixedcolumns:instance:boxedcolumns     | \demarreboxedcolumns [...=..]     | ... \stoppeboxedcolumns            |
| demarremixedcolumns:instance:itemgroupcolumns | \demarreitemgroupcolumns [...=..] | ... \stoppeitemgroupcolumns        |
| demarremode                                   | \demarremode [...]                | ... \stoppemode                    |
| demarremodeset                                | \demarremodeset [...]             | {...} ... \stoppemodeset           |
| demarremodule                                 | \demarremodule [...]              | ... \stoppemodule                  |
| demarremoduletestsection                      | \demarremoduletestsection ...     | \stoppemoduletestsection           |
| demarremodule:string                          | \demarremodule ...                | ... \stoppemodule                  |
| demarrenamedsection                           | \demarrenamedsection [...]        | [...=..] ... \stoppenamedsection   |
| demarrenamedsubformulas                       | \demarrenamedsubformulas [...]    | {...} ... \stoppenamedsubformulas  |
| demarrenarrower                               | \demarrenarrower [...]            | ... \stoppenarrower                |
| demarrenarrower:example                       | \demarreNARROWER [...]            | ... \stoppeNARROWER                |
| demarrenegatif                                | \demarrenegatif ...               | \stoppenegatif                     |
| demarrenicelyfilledbox                        | \demarrenicelyfilledbox [...=..]  | ... \stoppenicelyfilledbox         |
| demarrenointerference                         | \demarrenointerference ...        | \stoppenointerference              |
| demarrenotallmodes                            | \demarrenotallmodes [...]         | ... \stoppenotallmodes             |
| demarrenotext                                 | \demarrenotext ...                | \stoppenotext                      |
| demarrenote:instance                          | \demarreNOTE [...]                | ... \stoppeNOTE                    |
| demarrenote:instance:assignment               | \demarreNOTE [...=..]             | ... \stoppeNOTE                    |
| demarrenote:instance:assignment:endnote       | \demarreendnote [...=..]          | ... \stoppeendnote                 |
| demarrenote:instance:assignment:footnote      | \demarrefootnote [...=..]         | ... \stoppefootnote                |
| demarrenote:instance:endnote                  | \demarreendnote [...]             | ... \stoppeendnote                 |
| demarrenote:instance:footnote                 | \demarrefootnote [...]            | ... \stoppefootnote                |
| demarrenotmode                                | \demarrenotmode [...]             | ... \stoppenotmode                 |
| demarreopposition                             | \demarreopposition ...            | \stoppeopposition                  |
| demarreoutputstream                           | \demarreoutputstream [...]        | ... \stoppeoutputstream            |

|   |  |
|---|--|
| demarreoverprint                                  | \demarreoverprint ... \stoppeoverprint   |
| demarrepagecolumns                                | \demarrepagecolumns [..=..] ... \stoppepagecolumns                                     |
| demarrepagecolumns:instance                       | \demarrePAGECOLUMNS ... \stoppePAGECOLUMNS   |
| demarrepagecolumns:name                           | \demarrepagecolumns [...] ... \stoppepagecolumns                                       |
| demarrepagefigure                                 | \demarrepagefigure [...] [..=..] ... \stoppepagefigure                                 |
| demarrepagelayout                                 | \demarrepagelayout [...] ... \stoppepagelayout   |
| demarrepar  | \demarrepar [...] [..=..] ... \stoppepar   |
| demarreparagraphe                                 | \demarreparagraphe [...] [..=..] ... \stoppeparagraphe                                 |
| demarreparagraphs                                 | \demarreparagraphs [...] ... \stoppeparagraphs   |
| demarreparagraphscell                             | \demarreparagraphscell ... \stoppeparagraphscell                                       |
| demarreparagraphs:example                         | \demarrePARAGRAPHS ... \stoppePARAGRAPHS   |
| demarreparallel:example                           | \demarrePARALLEL ... \stoppePARALLEL   |
| demarreparbuilder                                 | \demarreparbuilder [...] ... \stoppeparbuilder   |
| demarreplaceflottant                              | \demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant                   |
| demarreplaceflottant:instance                     | \demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT                               |
| demarreplaceflottant:instance:chemical            | \demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical                         |
| demarreplaceflottant:instance:figure              | \demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure                             |
| demarreplaceflottant:instance:graphic             | \demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic                           |
| demarreplaceflottant:instance:intermezzo          | \demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo                     |
| demarreplaceflottant:instance:table               | \demarreplacetable [..=..] [..=..] ... \stoppeplacetable                               |
| demarreplaceformule                               | \demarreplaceformule [..=..] ... \stoppeplaceformule                                   |
| demarreplaceformule:argument                      | \demarreplaceformule [...] ... \stoppeplaceformule                                     |
| demarreplacepairedbox                             | \demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox                         |
| demarreplacepairedbox:instance                    | \demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX                               |
| demarreplacepairedbox:instance:legend             | \demarreplacelegend [..=..] ... \stoppeplacelegend                                     |
| demarrepositif                                    | \demarrepositif ... \stoppepositif   |
| demarrepositioning                                | \demarrepositioning [...] [..=..] ... \stoppepositioning                               |
| demarrepositionoverlay                            | \demarrepositionoverlay {...} ... \stoppepositionoverlay                               |
| demarrepostponing                                 | \demarrepostponing [...] ... \stoppepostponing   |
| demarrepostponingnotes                            | \demarrepostponingnotes ... \stoppepostponingnotes                                     |
| demarreprocessassignmentcommand                   | \demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcommand           |
| demarreprocessassignmentlist                      | \demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist                 |
| demarreprocesscommacommand                        | \demarreprocesscommacommand [...] ... \stoppeprocesscommacommand                       |
| demarreprocesscommalist                           | \demarreprocesscommalist [...] ... \stoppeprocesscommalist                             |
| demarreproduit                                    | \demarreproduit [...] ... \stoppeproduit   |
| demarreproduit:string                             | \demarreproduit ... ... \stoppeproduit   |
| demarreprojet                                     | \demarreprojet [...] ... \stoppeprojet   |
| demarreprojet:string                              | \demarreprojet ... ... \stoppeprojet   |
| demarreprotectedcolors                            | \demarreprotectedcolors ... \stoppeprotectedcolors                                     |
| demarrepublication                                | \demarrepublication [...] [..=..] ... \stoppepublication                               |
| demarrequeueetableau                              | \demarrequeueetableau [...] ... \stoppequeueetableau                                   |
| demarrequeueetabule                               | \demarrequeueetabule [...] ... \stoppequeueetabule                                     |
| demarrerandomized                                 | \demarrerandomized ... \stopperandomized   |
| demarrerawsetups                                  | \demarrerawsetups [...] [...] ... \stopperawsetups                                     |
| demarrerawsetups:string                           | \demarrerawsetups ... ... \stopperawsetups   |
| demarrerereadingfile                              | \demarrerereadingfile ... \stopperereadingfile   |
| demarrereregime                                   | \demarrereregime [...] ... \stoppereregime   |
| demarrereusableMPgraphic                          | \demarrereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic                     |
| demarrerevetement                                 | \demarrerevetement ... \stoppererevetement   |
| demarrereruby                                     | \demarrereruby [...] ... \stoppereruby   |
| demarrescript                                     | \demarrescript [...] ... \stoppescript   |
| demarresectionblock                               | \demarresectionblock [...] [..=..] ... \stoppesectionblock                             |
| demarresectionblock:instance                      | \demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK                                   |
| demarresectionblock:instance:appendices           | \demarreappendices [..=..] ... \stoppeappendices                                       |
| demarresectionblock:instance:backmatter           | \demarrebackmatter [..=..] ... \stoppebackmatter                                       |
| demarresectionblock:instance:bodymatter           | \demarrebodymatter [..=..] ... \stoppebodymatter                                       |
| demarresectionblock:instance:frontmatter          | \demarrefrontmatter [..=..] ... \stoppefrontmatter                                     |
| demarresectionlevel                               | \demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel                     |
| demarresection:instance                           | \demarreSECTION [..=..] [..=..] ... \stoppeSECTION                                     |
| demarresection:instance:chapter                   | \demarrechapter [..=..] [..=..] ... \stoppechapter                                     |
| demarresection:instance:part                      | \demarrepart [..=..] [..=..] ... \stoppepart   |
| demarresection:instance:section                   | \demarresection [..=..] [..=..] ... \stoppesection                                     |
| demarresection:instance:subject                   | \demarresubject [..=..] [..=..] ... \stoppesubject                                     |
| demarresection:instance:subsection                | \demarresubsection [..=..] [..=..] ... \stoppesubsection                               |
| demarresection:instance:subsubsection             | \demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection                         |
| demarresection:instance:subsubsubsection          | \demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsection                   |
| demarresection:instance:subsubsubsubsection       | \demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection             |
| demarresection:instance:subsubsubsubsubsection    | \demarresubsubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsubsection       |
| demarresection:instance:subsubsubsubsubsubsection | \demarresubsubsubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsubsubsection |
| demarresection:instance:title                     | \demarrere [..=..] [..=..] ... \stoppetitle  |

|   |  |
|---|--|
| demarresetups                             | \demarresetups [...] [...] ... \stoppesetups                             |
| demarresetups:string                      | \demarresetups ... .. \stoppesetups                                      |
| demarreshift                              | \demarreshift [...] ... \stoppeshift                                     |
| demarresidebar                            | \demarresidebar [...] [..=..] ... \stoppesidebar                         |
| demarresimplecolumns                      | \demarresimplecolumns [..=..] ... \stoppesimplecolumns                   |
| demarrespecialitem:item                   | \demarrespecialitem [...] [...] ... \stoppespecialitem                   |
| demarrespecialitem:none                   | \demarrespecialitem [...] ... \stoppespecialitem                         |
| demarrespecialitem:symbol                 | \demarrespecialitem [...] {...} ... \stoppespecialitem                   |
| demarresplitformula                       | \demarresplitformula ... \stoppesplitformula                             |
| demarresplittext                          | \demarresplittext ... \stoppesplittext                                   |
| demarrespread                             | \demarrespread ... \stoppespread   |
| demarrestartstop:example                  | \demarreSTARTSTOP ... \stoppeSTARTSTOP                                   |
| demarrestaticMPfigure                     | \demarrestaticMPfigure {...} ... \stoppestaticMPfigure                   |
| demarrestaticMPgraphic                    | \demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic           |
| demarrestrictinspectnextcharacter         | \demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter |
| demarrestyle                              | \demarrestyle [..=..] ... \stoppestyle                                   |
| demarrestyle:argument                     | \demarrestyle [...] ... \stoppestyle                                     |
| demarrestyle:instance                     | \demarreSTYLE ... \stoppeSTYLE   |
| demarresubformulas                        | \demarresubformulas [...] ... \stoppesubformulas                         |
| demarresubjectlevel                       | \demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel       |
| demarresubsentence                        | \demarresubsentence ... \stoppesubsentence                               |
| demarresubstack                           | \demarresubstack ... \stoppesubstack                                     |
| demarresuspend                            | \demarresuspend [..=..] {...} ... \stoppesuspend                         |
| demarresuspend:argument                   | \demarresuspend [...] {...} ... \stoppesuspend                           |
| demarresymbolset                          | \demarresymbolset [...] [..=..] ... \stoppesymbolset                     |
| demarreTABLE                              | \demarreTABLE [..=..] ... \stoppeTABLE                                   |
| demarreTABLEbody                          | \demarreTABLEbody [..=..] ... \stoppeTABLEbody                           |
| demarreTABLEfoot                          | \demarreTABLEfoot [..=..] ... \stoppeTABLEfoot                           |
| demarreTABLEhead                          | \demarreTABLEhead [..=..] ... \stoppeTABLEhead                           |
| demarreTABLEenext                         | \demarreTABLEenext [..=..] ... \stoppeTABLEenext                         |
| demarretableau                            | \demarretableau [ ... ] [..=..] ... \stoppetableau                       |
| demarretableau:name                       | \demarretableau [...] [..=..] ... \stoppetableau                         |
| demarretables                             | \demarretables [ ... ] ... \stoppetables                                 |
| demarretables:name                        | \demarretables [...] ... \stoppetables                                   |
| demarretabulation:example                 | \demarreTABULATION [...] [..=..] ... \stoppeTABULATION                   |
| demarretabule                             | \demarretabule [ ... ] [..=..] ... \stoppetabule                         |
| demarretabule:instance                    | \demarreTABULATE [?!] [..=..] ... \stoppeTABULATE                        |
| demarretabule:instance:fact               | \demarrefact [...] [..=..] ... \stoppefact                               |
| demarretabule:instance:legend             | \demarrelegend [...] [..=..] ... \stoppelegend                           |
| demarretete                               | \demarretete [...] {...} ... \stoppetete                                 |
| demarretetetableau                        | \demarretetetetableau [...] ... \stoppetetetetableau                     |
| demarretetetabule                         | \demarretetetetabule [...] ... \stoppetetetetabule                       |
| demarretexcode                            | \demarretexcode ... \stoppetexcode                                       |
| demarretexdefinition                      | \demarretexdefinition ... .. \stoppetexdefinition                        |
| demarretextbackground                     | \demarretextbackground [...] [..=..] ... \stoppetextbackground           |
| demarretextbackgroundmanual               | \demarretextbackgroundmanual ... \stoppetextbackgroundmanual             |
| demarretextbackground:example             | \demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND                 |
| demarretextcolor                          | \demarretextcolor [...] ... \stoppetextcolor                             |
| demarretextcolorintent                    | \demarretextcolorintent ... \stoppetextcolorintent                       |
| demarretexte                              | \demarretexte ... \stoppetexte   |
| demarretexteaide                          | \demarretexteaide [...] ... \stoppetexteaide                             |
| demarretexteencadre:instance              | \demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT                   |
| demarretexteencadre:instance:framedtext   | \demarreframedtext [...] [..=..] ... \stoppeframedtext                   |
| demarretextflow                           | \demarretextflow [...] ... \stoppetextflow                               |
| demarretokenlist                          | \demarretokenlist [...] ... \stoppetokenlist                             |
| demarretokens                             | \demarretokens [...] ... \stoppetokens                                   |
| demarretransparent                        | \demarretransparent [...] ... \stoppetransparent                         |
| demarretypescript                         | \demarretypescript [...] [...] [...] ... \stoppetypescript               |
| demarretypescriptcollection               | \demarretypescriptcollection [...] ... \stoppetypescriptcollection       |
| demarretyping:instance                    | \demarreTYPING [..=..] ... \stoppeTYPING                                 |
| demarretyping:instance:argument           | \demarreTYPING [...] ... \stoppeTYPING                                   |
| demarretyping:instance:argument:LUA       | \demarreLUA [...] ... \stoppeLUA   |
| demarretyping:instance:argument:MP        | \demarreMP [...] ... \stoppeMP   |
| demarretyping:instance:argument:PARSEDXML | \demarrePARSEDXML [...] ... \stoppePARSEDXML                             |
| demarretyping:instance:argument:TEX       | \demarreTEX [...] ... \stoppeTEX   |
| demarretyping:instance:argument:typing    | \demarretyping [...] ... \stoppetyping                                   |
| demarretyping:instance:argument:XML       | \demarreXML [...] ... \stoppeXML   |
| demarretyping:instance:LUA                | \demarreLUA [..=..] ... \stoppeLUA                                       |
| demarretyping:instance:MP                 | \demarreMP [..=..] ... \stoppeMP   |
| demarretyping:instance:PARSEDXML          | \demarrePARSEDXML [..=..] ... \stoppePARSEDXML                           |
| demarretyping:instance:TEX                | \demarreTEX [..=..] ... \stoppeTEX                                       |
| demarretyping:instance:typing             | \demarretyping [..=..] ... \stoppetyping                                 |

|                                    |  |
|------------------------------------|--|
| demarretyping:instance:XML         | \demarreXML [..=..] ... \stoppeXML                                       |
| demarreuniqueMPgraphic             | \demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic           |
| demarreuniqueMPpagegraphic         | \demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic   |
| demarreusableMPgraphic             | \demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic           |
| demarreuseMPgraphic                | \demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic                 |
| demarreusemathstyleparameter       | \demarreusemathstyleparameter ... \stoppeusemathstyleparameter           |
| demarreuserdata                    | \demarreuserdata [...] [..=..] ... \stoppeuserdata                       |
| demarreusingbtxs specification     | \demarreusingbtxs specification [...] ... \stoppeusingbtxs specification |
| demarreva                          | \demarreva [...] ... \stoppeva   |
| demarre vbox register              | \demarre vbox register ... \stoppe vbox register                         |
| demarre vbox to hbox               | \demarre vbox to hbox ... \stoppe vbox to hbox                           |
| demarre vbox to hbox separator     | \demarre vbox to hbox separator ... \stoppe vbox to hbox separator       |
| demarre viewer layer               | \demarre viewer layer [...] ... \stoppe viewer layer                     |
| demarre viewer layer:example       | \demarreVIEWERLAYER ... \stoppeVIEWERLAYER                               |
| demarre vtop register              | \demarre vtop register ... \stoppe vtop register                         |
| demarrex cell                      | \demarrex cell [...] [..=..] ... \stoppe x cell                          |
| demarrex cell group                | \demarrex cell group [...] [..=..] ... \stoppe x cell group              |
| demarrex column                    | \demarrex column [..=..] ... \stoppe x column                            |
| demarrex column:name               | \demarrex column [...] ... \stoppe x column                              |
| demarrex group                     | \demarrex group [...] [..=..] ... \stoppe x group                        |
| demarrex mldisplay verbatim        | \demarrex mldisplay verbatim [...] ... \stoppe x mldisplay verbatim      |
| demarrex mlinline verbatim         | \demarrex mlinline verbatim [...] ... \stoppe x mlinline verbatim        |
| demarrex mdraw                     | \demarrex mdraw ... \stoppe x mdraw                                      |
| demarrex msetups                   | \demarrex msetups [...] [...] ... \stoppe x msetups                      |
| demarrex msetups:string            | \demarrex msetups ... \stoppe x msetups                                  |
| demarrex row                       | \demarrex row [...] [..=..] ... \stoppe x row                            |
| demarrex row group                 | \demarrex row group [...] [..=..] ... \stoppe x row group                |
| demarrex table                     | \demarrex table [..=..] ... \stoppe x table                              |
| demarrex table body                | \demarrex table body [..=..] ... \stoppe x table body                    |
| demarrex table body:name           | \demarrex table body [...] ... \stoppe x table body                      |
| demarrex table foot                | \demarrex table foot [..=..] ... \stoppe x table foot                    |
| demarrex table foot:name           | \demarrex table foot [...] ... \stoppe x table foot                      |
| demarrex table head                | \demarrex table head [..=..] ... \stoppe x table head                    |
| demarrex table head:name           | \demarrex table head [...] ... \stoppe x table head                      |
| demarrex table next                | \demarrex table next [..=..] ... \stoppe x table next                    |
| demarrex table next:name           | \demarrex table next [...] ... \stoppe x table next                      |
| demarrex table:example             | \demarreXTABLE [..=..] ... \stoppeXTABLE                                 |
| demarrex table:name                | \demarrex table [...] ... \stoppe x table                                |
| depth of string                    | \depth of string {...}   |
| depth only box                     | \depth only box {...}  |
| depth spanning text                | \depth spanning text {...} {...} {...}                                   |
| depth strut                        | \depth strut   |
| dernieresouspage                   | \dernieresouspage  |
| description:example                | \DESCRIPTION [...] {...} ... \par  |
| determinecharacteristiqueliste     | \determinecharacteristiqueliste [...] [..=..]                            |
| determinecharacteristiquesregistre | \determinecharacteristiquesregistre [...] [..=..]                        |
| determinenoflines                  | \determinenoflines {...}   |
| determinenumberotete               | \determinenumberotete [...]  |
| devanagarinumerals                 | \devanagarinumerals {...}  |
| digits                             | \digits {...}  |
| digits:string                      | \digits ...  |
| dimension to count                 | \dimension to count {...} \...   |
| direct box from cache              | \direct box from cache {...} {...}                                       |
| direct color                       | \direct color [...]  |
| direct colored                     | \direct colored [..=..]  |
| direct colored:name                | \direct colored [...]  |
| direct converted counter           | \direct converted counter {...} {...}                                    |
| direct copy box from cache         | \direct copy box from cache {...} {...}                                  |
| direct dummy parameter             | \direct dummy parameter {...}  |
| direct get box lllx                | \direct get box lllx ...   |
| direct get box lly                 | \direct get box lly ...  |
| direct highlight                   | \direct highlight {...} {...}  |
| direct local framed                | \direct local framed [...] {...}   |
| direct lua code                    | \direct lua code {...}   |
| direct select                      | \direct select {...} {...} {...} {...} {...} {...}                       |
| direct set bar                     | \direct set bar {...} OPT OPT OPT OPT OPT                                |
| direct setup                       | \direct setup {...}  |
| direct symbol                      | \direct symbol {...} {...}   |
| direct vs spacing                  | \direct vs spacing {...}   |
| dis                                | \dis {...}   |
| disabled directives                | \disabled directives [...]   |
| disable experiments                | \disable experiments [...]   |



|                               |   |
|-------------------------------|---|
| disablemode                   | \disablemode [...]  |
| disableoutputstream           | \disableoutputstream  |
| disableparpositions           | \disableparpositions  |
| disableregime                 | \disableregime  |
| disabletrackers               | \disabletrackers [...]  |
| displaymath                   | \displaymath {...}  |
| displaymathematics            | \displaymathematics {...}                                     |
| displaymessage                | \displaymessage {...}   |
| distributedhsize              | \distributedhsize {...} {...} {...}                           |
| dividedsize                   | \dividedsize {...} {...} {...}                                |
| doadaptleftskip               | \doadaptleftskip {...}  |
| doadaptrightskip              | \doadaptrightskip {...}                                       |
| doaddfeature                  | \doaddfeature {...}   |
| doassign                      | \doassign [...] [..=..]                                       |
| doassignempty                 | \doassignempty [...] [..=..]                                  |
| doboundtext                   | \doboundtext {...} {...} {...}                                |
| docheckassignment             | \docheckassignment {...}                                      |
| docheckedpagestate            | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair                 | \docheckedpair {...}  |
| documentvariable              | \documentvariable {...}                                       |
| dodoubleargument              | \dodoubleargument \... [...] [...]                            |
| dodoubleargumentwithset       | \dodoubleargumentwithset \... [...] [...]                     |
| dodoubleempty                 | \dodoubleempty \... [...] [...]                               |
| dodoubleemptywithset          | \dodoubleemptywithset \... [...] [...]                        |
| dodoublegroupempty            | \dodoublegroupempty \... {...} {...}                          |
| doeassign                     | \doeassign [...] [..=..]                                      |
| doexpandedrecurse             | \doexpandedrecurse {...} {...}                                |
| dofastloopcs                  | \dofastloopcs {...} \...                                      |
| dogetattribute                | \dogetattribute {...}   |
| dogetattributeid              | \dogetattributeid {...}                                       |
| dogetcommacommandelement      | \dogetcommacommandelement ... \from ... \to \...              |
| dogobbledoubleempty           | \dogobbledoubleempty [...] [...]                              |
| dogobblesingleempty           | \dogobblesingleempty [...]                                    |
| doif                          | \doif {...} {...} {...}                                       |
| doifallcommon                 | \doifallcommon {...} {...} {...}                              |
| doifallcommonelse             | \doifallcommonelse {...} {...} {...} {...}                    |
| doifalldefinedelse            | \doifalldefinedelse {...} {...} {...}                         |
| doifallmodes                  | \doifallmodes {...} {...} {...}                               |
| doifallmodeselse              | \doifallmodeselse {...} {...} {...}                           |
| doifassignmentelse            | \doifassignmentelse {...} {...} {...}                         |
| doifassignmentelsesecs        | \doifassignmentelsesecs {...} \... \...                       |
| doifblackelse                 | \doifblackelse {...} {...} {...}                              |
| doifbothsides                 | \doifbothsides {...} {...} {...}                              |
| doifbothsidesoverruled        | \doifbothsidesoverruled {...} {...} {...}                     |
| doifboxelse                   | \doifboxelse {...} {...} {...} {...}                          |
| doifbufferelse                | \doifbufferelse {...} {...} {...}                             |
| doifcolor                     | \doifcolor {...} {...}  |
| doifcolorelse                 | \doifcolorelse {...} {...} {...}                              |
| doifcommandhandler            | \doifcommandhandler \... {...} {...}                          |
| doifcommandhandlerelse        | \doifcommandhandlerelse \... {...} {...} {...}                |
| doifcommon                    | \doifcommon {...} {...} {...}                                 |
| doifcommonelse                | \doifcommonelse {...} {...} {...} {...}                       |
| doifcontent                   | \doifcontent {...} {...} {...} \... {...}                     |
| doifconversiondefinedelse     | \doifconversiondefinedelse {...} {...} {...}                  |
| doifconversionnumberelse      | \doifconversionnumberelse {...} {...} {...} {...}             |
| doifcounter                   | \doifcounter {...} {...}                                      |
| doifcounterelse               | \doifcounterelse {...} {...} {...}                            |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...}              |
| doifdefined                   | \doifdefined {...} {...}                                      |
| doifdefinedcounter            | \doifdefinedcounter {...} {...}                               |
| doifdefinedcounterelse        | \doifdefinedcounterelse {...} {...} {...}                     |
| doifdefinedelse               | \doifdefinedelse {...} {...} {...}                            |
| doifdimensionelse             | \doifdimensionelse {...} {...} {...}                          |
| doifdimenstringelse           | \doifdimenstringelse {...} {...} {...}                        |
| doifdocumentargument          | \doifdocumentargument {...} {...}                             |
| doifdocumentargumentelse      | \doifdocumentargumentelse {...} {...} {...}                   |
| doifdocumentfilename          | \doifdocumentfilename {...} {...}                             |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse {...} {...} {...}                   |
| doifdocumentvariable          | \doifdocumentvariable {...} {...}                             |
| doifdocumentvariableelse      | \doifdocumentvariableelse {...} {...} {...}                   |
| doifdrawingblackelse          | \doifdrawingblackelse {...} {...}                             |
| doifelse                      | \doifelse {...} {...} {...} {...}                             |

|                                |   |
|--------------------------------|---|
| doifelseallcommon              | \doifelseallcommon {...} {...} {...} {...}        |
| doifelsealldefined             | \doifelsealldefined {...} {...} {...}             |
| doifelseallmodes               | \doifelseallmodes {...} {...} {...}               |
| doifelseassignment             | \doifelseassignment {...} {...} {...}             |
| doifelseassignmenttcs          | \doifelseassignmenttcs {...} \... \...            |
| doifelseblack                  | \doifelseblack {...} {...} {...}                  |
| doifelsebox                    | \doifelsebox {...} {...} {...} {...}              |
| doifelseboxincache             | \doifelseboxincache {...} {...} {...} {...}       |
| doifelsebuffer                 | \doifelsebuffer {...} {...} {...}                 |
| doifelsecolor                  | \doifelsecolor {...} {...} {...}                  |
| doifelsecommandhandler         | \doifelsecommandhandler \... {...} {...} {...}    |
| doifelsecommon                 | \doifelsecommon {...} {...} {...} {...}           |
| doifelseconversiondefined      | \doifelseconversiondefined {...} {...} {...}      |
| doifelseconversionnumber       | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter                | \doifelsecounter {...} {...} {...}                |
| doifelsecurrentfonthasfeature  | \doifelsecurrentfonthasfeature {...} {...} {...}  |
| doifelsecurrentsortingtongused | \doifelsecurrentsortingtongused {...} {...}       |
| doifelsecurrentsynonymshown    | \doifelsecurrentsynonymshown {...} {...}          |
| doifelsecurrentsynonymused     | \doifelsecurrentsynonymused {...} {...}           |
| doifelsedefined                | \doifelsedefined {...} {...} {...}                |
| doifelsedefinedcounter         | \doifelsedefinedcounter {...} {...} {...}         |
| doifelsedimension              | \doifelsedimension {...} {...} {...}              |
| doifelsedimenstring            | \doifelsedimenstring {...} {...} {...}            |
| doifelsedocumentargument       | \doifelsedocumentargument {...} {...} {...}       |
| doifelsedocumentfilename       | \doifelsedocumentfilename {...} {...} {...}       |
| doifelsedocumentvariable       | \doifelsedocumentvariable {...} {...} {...}       |
| doifelsedrawingblack           | \doifelsedrawingblack {...} {...}                 |
| doifelseempty                  | \doifelseempty {...} {...} {...}                  |
| doifelseemptyvalue             | \doifelseemptyvalue {...} {...} {...}             |
| doifelseemptyvariable          | \doifelseemptyvariable {...} {...} {...} {...}    |
| doifelseenv                    | \doifelseenv {...} {...} {...}                    |
| doifelsefastoptionalcheck      | \doifelsefastoptionalcheck {...} {...}            |
| doifelsefastoptionalcheckcs    | \doifelsefastoptionalcheckcs \... \...            |
| doifelsefieldbody              | \doifelsefieldbody {...} {...} {...}              |
| doifelsefieldcategory          | \doifelsefieldcategory {...} {...} {...}          |
| doifelsefigure                 | \doifelsefigure {...} {...} {...}                 |
| doifelsefile                   | \doifelsefile {...} {...} {...}                   |
| doifelsefiledefined            | \doifelsefiledefined {...} {...} {...}            |
| doifelsefileexists             | \doifelsefileexists {...} {...} {...}             |
| doifelsefirstchar              | \doifelsefirstchar {...} {...} {...} {...}        |
| doifelseflagged                | \doifelseflagged {...} {...} {...}                |
| doifelsefontchar               | \doifelsefontchar {...} {...} {...} {...}         |
| doifelsefontfeature            | \doifelsefontfeature {...} {...} {...}            |
| doifelsefontpresent            | \doifelsefontpresent {...} {...} {...}            |
| doifelsefontsynonym            | \doifelsefontsynonym {...} {...} {...}            |
| doifelseframed                 | \doifelseframed \... {...} {...}                  |
| doifelsehasspace               | \doifelsehasspace {...} {...} {...}               |
| doifelsehelp                   | \doifelsehelp {...} {...}                         |
| doifelseincsnname              | \doifelseincsnname {...} {...} {...} {...}        |
| doifelseinelement              | \doifelseinelement {...} {...} {...}              |
| doifelseinputfile              | \doifelseinputfile {...} {...} {...}              |
| doifelseinsertion              | \doifelseinsertion {...} {...} {...}              |
| doifelseinset                  | \doifelseinset {...} {...} {...} {...}            |
| doifelseinstring               | \doifelseinstring {...} {...} {...} {...}         |
| doifelseinsymbolset            | \doifelseinsymbolset {...} {...} {...} {...}      |
| doifelseintoks                 | \doifelseintoks {...} {...} {...} {...}           |
| doifelseintwopassdata          | \doifelseintwopassdata {...} {...} {...} {...}    |
| doifelseitalic                 | \doifelseitalic {...} {...}                       |
| doifelselanguage               | \doifelselanguage {...} {...} {...}               |
| doifelselayerdata              | \doifelselayerdata {...} {...} {...}              |
| doifelselayoutdefined          | \doifelselayoutdefined {...} {...} {...}          |
| doifelselayoutsomeline         | \doifelselayoutsomeline {...} {...} {...}         |
| doifelselayouttextline         | \doifelselayouttextline {...} {...} {...}         |
| doifelseleapyear               | \doifelseleapyear {...} {...} {...}               |
| doifselist                     | \doifselist {...} {...} {...}                     |
| doifselocation                 | \doifselocation {...} {...}                       |
| doifselocfile                  | \doifselocfile {...} {...} {...}                  |
| doifelseMPgraphic              | \doifelseMPgraphic {...} {...} {...}              |
| doifelsemainfloatbody          | \doifelsemainfloatbody {...} {...}                |
| doifelsemarkedpage             | \doifelsemarkedpage {...} {...} {...}             |
| doifelsemarking                | \doifelsemarking {...} {...} {...}                |
| doifelsemeaning                | \doifelsemeaning \... \... {...} {...}            |

|                                |   |
|--------------------------------|---|
| doifelsemessage                | \doifelsemessage {...} {...} {...} {...}              |
| doifelsemode                   | \doifelsemode {...} {...} {...}                       |
| doifelsenextbgroup             | \doifelsenextbgroup {...} {...}                       |
| doifelsenextbgroupcs           | \doifelsenextbgroupcs \... \...                       |
| doifelsenextchar               | \doifelsenextchar {...} {...} {...}                   |
| doifelsenextoptional           | \doifelsenextoptional {...} {...}                     |
| doifelsenextoptionalcs         | \doifelsenextoptionalcs \... \...                     |
| doifelsenextparenthesis        | \doifelsenextparenthesis {...} {...}                  |
| doifelsenonzeropositive        | \doifelsenonzeropositive {...} {...} {...}            |
| doifelsenoteonsamepage         | \doifelsenoteonsamepage {...} {...} {...}             |
| doifelsenothing                | \doifelsenothing {...} {...} {...}                    |
| doifelsenumber                 | \doifelsenumber {...} {...} {...}                     |
| doifelseobjectfound            | \doifelseobjectfound {...} {...} {...} {...}          |
| doifelseobjectreferencefound   | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpager               | \doifelseoddpager {...} {...}                         |
| doifelseoddpagerfloat          | \doifelseoddpagerfloat {...} {...}                    |
| doifelseoldercontext           | \doifelseoldercontext {...} {...} {...}               |
| doifelseolderversion           | \doifelseolderversion {...} {...} {...} {...}         |
| doifelseoverlapping            | \doifelseoverlapping {...} {...} {...} {...}          |
| doifelseoverlay                | \doifelseoverlay {...} {...} {...}                    |
| doifelseparallel               | \doifelseparallel {...} {...} {...} {...}             |
| doifelseparentfile             | \doifelseparentfile {...} {...} {...}                 |
| doifelsepath                   | \doifelsepath {...} {...} {...}                       |
| doifelsepathexists             | \doifelsepathexists {...} {...} {...}                 |
| doifelsepatterns               | \doifelsepatterns {...} {...} {...}                   |
| doifelseposition               | \doifelseposition {...} {...} {...}                   |
| doifelsepositionaction         | \doifelsepositionaction {...} {...} {...}             |
| doifelsepositiononpage         | \doifelsepositiononpage {...} {...} {...} {...}       |
| doifelsepositionsonsamepage    | \doifelsepositionsonsamepage {...} {...} {...}        |
| doifelsepositionsonthispage    | \doifelsepositionsonthispage {...} {...} {...}        |
| doifelsepositionsused          | \doifelsepositionsused {...} {...}                    |
| doifelsereferencefound         | \doifelsereferencefound {...} {...} {...}             |
| doifelserightpage              | \doifelserightpage {...} {...}                        |
| doifelserightpagefloat         | \doifelserightpagefloat {...} {...}                   |
| doifelserighttoleftinbox       | \doifelserighttoleftinbox ... {...} {...}             |
| doifelsesamelinereference      | \doifelsesamelinereference {...} {...} {...}          |
| doifelsesamestring             | \doifelsesamestring {...} {...} {...} {...}           |
| doifelsesetups                 | \doifelsesetups {...} {...} {...}                     |
| doifelsesomebackground         | \doifelsesomebackground {...} {...} {...}             |
| doifelsesomespace              | \doifelsesomespace {...} {...} {...}                  |
| doifelsesomething              | \doifelsesomething {...} {...} {...}                  |
| doifelsesometoks               | \doifelsesometoks \... {...} {...}                    |
| doifelsestringinstr            | \doifelsestringinstr {...} {...} {...} {...}          |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...}           |
| doifelsestructurelisthaspage   | \doifelsestructurelisthaspage {...} {...}             |
| doifelsesymboldefined          | \doifelsesymboldefined {...} {...} {...}              |
| doifelsesymbolset              | \doifelsesymbolset {...} {...} {...}                  |
| doifelsestext                  | \doifelsestext {...} {...} {...}                      |
| doifelsestextflow              | \doifelsestextflow {...} {...} {...}                  |
| doifelsestextflowcollector     | \doifelsestextflowcollector {...} {...} {...}         |
| doifelsetopofpage              | \doifelsetopofpage {...} {...}                        |
| doifelsetypingfile             | \doifelsetypingfile {...} {...} {...}                 |
| doifelseundefined              | \doifelseundefined {...} {...} {...}                  |
| doifelseurldefined             | \doifelseurldefined {...} {...} {...}                 |
| doifelsevalue                  | \doifelsevalue {...} {...} {...} {...}                |
| doifelsevaluenothing           | \doifelsevaluenothing {...} {...} {...} {...}         |
| doifelsevariable               | \doifelsevariable {...} {...} {...} {...}             |
| doifempty                      | \doifempty {...} {...}                                |
| doifemptyelse                  | \doifemptyelse {...} {...} {...}                      |
| doifemptytoks                  | \doifemptytoks \... {...}                             |
| doifemptyvalue                 | \doifemptyvalue {...} {...}                           |
| doifemptyvalueelse             | \doifemptyvalueelse {...} {...} {...}                 |
| doifemptyvariable              | \doifemptyvariable {...} {...} {...}                  |
| doifemptyvariableelse          | \doifemptyvariableelse {...} {...} {...} {...}        |
| doifenv                        | \doifenv {...} {...}                                  |
| doifenvelse                    | \doifenvelse {...} {...} {...}                        |
| doiffastoptionalcheckcselse    | \doiffastoptionalcheckcselse \... \...                |
| doiffastoptionalcheckelse      | \doiffastoptionalcheckelse {...} {...}                |
| doiffielddbodyelse             | \doiffielddbodyelse {...} {...} {...}                 |
| doiffielddcategoryelse         | \doiffielddcategoryelse {...} {...} {...}             |
| doiffigureelse                 | \doiffigureelse {...} {...} {...}                     |
| doiffile                       | \doiffile {...} {...}                                 |

|                         |  |
|-------------------------|--|
| doiffiledefinedelse     | \doiffiledefinedelse {...} {...} {...}         |
| doiffileelse            | \doiffileelse {...} {...} {...}                |
| doiffileexistse         | \doiffileexistse {...} {...} {...}             |
| doiffirstcharelse       | \doiffirstcharelse {...} {...} {...} {...}     |
| doifflaggedelse         | \doifflaggedelse {...} {...} {...}             |
| doiffontcharelse        | \doiffontcharelse {...} {...} {...} {...}      |
| doiffontfeatureelse     | \doiffontfeatureelse {...} {...} {...}         |
| doiffontpresentelse     | \doiffontpresentelse {...} {...} {...}         |
| doiffontsynonymelse     | \doiffontsynonymelse {...} {...} {...}         |
| doifhasspaceelse        | \doifhasspaceelse {...} {...} {...}            |
| doifhelpelse            | \doifhelpelse {...} {...}                      |
| doifincsnameelse        | \doifincsnameelse {...} {...} {...} {...}      |
| doifinelementelse       | \doifinelementelse {...} {...} {...}           |
| doifinputfileelse       | \doifinputfileelse {...} {...} {...}           |
| doifinsertionelse       | \doifinsertionelse {...} {...} {...}           |
| doifinset               | \doifinset {...} {...} {...}                   |
| doifinsetelse           | \doifinsetelse {...} {...} {...} {...}         |
| doifinstring            | \doifinstring {...} {...} {...}                |
| doifinstringelse        | \doifinstringelse {...} {...} {...} {...}      |
| doifinsymbolset         | \doifinsymbolset {...} {...} {...} {...}       |
| doifinsymbolsetelse     | \doifinsymbolsetelse {...} {...} {...} {...}   |
| doifintokse             | \doifintokse {...} {...} {...} {...}           |
| doifintwopassdataelse   | \doifintwopassdataelse {...} {...} {...} {...} |
| doifitalicelse          | \doifitalicelse {...} {...}                    |
| doiflanguageelse        | \doiflanguageelse {...} {...} {...}            |
| doiflayerdataelse       | \doiflayerdataelse {...} {...} {...}           |
| doiflayoutdefinedelse   | \doiflayoutdefinedelse {...} {...} {...}       |
| doiflayoutsomelineelse  | \doiflayoutsomelineelse {...} {...} {...}      |
| doiflayouttextlineelse  | \doiflayouttextlineelse {...} {...} {...}      |
| doifleapyearelse        | \doifleapyearelse {...} {...} {...}            |
| doiflistelse            | \doiflistelse {...} {...} {...}                |
| doiflocationelse        | \doiflocationelse {...} {...}                  |
| doiflocfileelse         | \doiflocfileelse {...} {...} {...}             |
| doifMPgraphicelse       | \doifMPgraphicelse {...} {...} {...}           |
| doifmainfloatbodyelse   | \doifmainfloatbodyelse {...} {...}             |
| doifmarkingelse         | \doifmarkingelse {...} {...} {...}             |
| doifmeaningelse         | \doifmeaningelse \... \... {...} {...}         |
| doifmessageelse         | \doifmessageelse {...} {...} {...} {...}       |
| doifmode                | \doifmode {...} {...}                          |
| doifmodeelse            | \doifmodeelse {...} {...} {...}                |
| doifnextbgroupcse       | \doifnextbgroupcse \... \...                   |
| doifnextbgroupelse      | \doifnextbgroupelse {...} {...}                |
| doifnextcharelse        | \doifnextcharelse {...} {...} {...}            |
| doifnextoptionalcse     | \doifnextoptionalcse \... \...                 |
| doifnextoptionalelse    | \doifnextoptionalelse {...} {...}              |
| doifnextparenthesiselse | \doifnextparenthesiselse {...} {...}           |
| doifnonzeropositiveelse | \doifnonzeropositiveelse {...} {...} {...}     |
| doifnot                 | \doifnot {...} {...} {...}                     |
| doifnotallcommon        | \doifnotallcommon {...} {...} {...}            |
| doifnotallmodes         | \doifnotallmodes {...} {...} {...}             |
| doifnotcommandhandler   | \doifnotcommandhandler \... {...} {...}        |
| doifnotcommon           | \doifnotcommon {...} {...} {...}               |
| doifnotcounter          | \doifnotcounter {...} {...}                    |
| doifnotdocumentargument | \doifnotdocumentargument {...} {...}           |
| doifnotdocumentfilename | \doifnotdocumentfilename {...} {...}           |
| doifnotdocumentvariable | \doifnotdocumentvariable {...} {...}           |
| doifnotempty            | \doifnotempty {...} {...}                      |
| doifnotemptyvalue       | \doifnotemptyvalue {...} {...}                 |
| doifnotemptyvariable    | \doifnotemptyvariable {...} {...} {...}        |
| doifnotenv              | \doifnotenv {...} {...}                        |
| doifnoteonsamepageelse  | \doifnoteonsamepageelse {...} {...} {...}      |
| doifnotescollected      | \doifnotescollected {...} {...}                |
| doifnotfile             | \doifnotfile {...} {...}                       |
| doifnotflagged          | \doifnotflagged {...} {...}                    |
| doifnothing             | \doifnothing {...} {...}                       |
| doifnothingelse         | \doifnothingelse {...} {...} {...}             |
| doifnotinset            | \doifnotinset {...} {...} {...}                |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {...}                 |
| doifnotinstring         | \doifnotinstring {...} {...} {...}             |
| doifnotmode             | \doifnotmode {...} {...}                       |
| doifnotnumber           | \doifnotnumber {...} {...}                     |
| doifnotsamestring       | \doifnotsamestring {...} {...} {...}           |

|                                |   |
|--------------------------------|---|
| doifnotsetups                  | \doifnotsetups {...} {...}                            |
| doifnotvalue                   | \doifnotvalue {...} {...} {...}                       |
| doifnotvariable                | \doifnotvariable {...} {...} {...}                    |
| doifnumber                     | \doifnumber {...} {...}                               |
| doifnumberelse                 | \doifnumberelse {...} {...} {...}                     |
| doifobjectfoundelse            | \doifobjectfoundelse {...} {...} {...} {...}          |
| doifobjectreferencefoundelse   | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpagelse                 | \doifoddpagelse {...} {...}                           |
| doifoddpagefloatelse           | \doifoddpagefloatelse {...} {...}                     |
| doifoldercontextelse           | \doifoldercontextelse {...} {...} {...}               |
| doifolderversionelse           | \doifolderversionelse {...} {...} {...} {...}         |
| doifoverlappingelse            | \doifoverlappingelse {...} {...} {...} {...}          |
| doifoverlayelse                | \doifoverlayelse {...} {...} {...}                    |
| doifparallelelse               | \doifparallelelse {...} {...} {...} {...}             |
| doifparentfileelse             | \doifparentfileelse {...} {...} {...}                 |
| doifpathelse                   | \doifpathelse {...} {...} {...}                       |
| doifpathexistselse             | \doifpathexistselse {...} {...} {...}                 |
| doifpatternelse                | \doifpatternelse {...} {...} {...}                    |
| doifposition                   | \doifposition {...} {...} {...}                       |
| doifpositionaction             | \doifpositionaction {...} {...} {...}                 |
| doifpositionactionelse         | \doifpositionactionelse {...} {...} {...}             |
| doifpositionelse               | \doifpositionelse {...} {...} {...}                   |
| doifpositiononpageelse         | \doifpositiononpageelse {...} {...} {...} {...}       |
| doifpositionsonsamepageelse    | \doifpositionsonsamepageelse {...} {...} {...}        |
| doifpositionsonthispageelse    | \doifpositionsonthispageelse {...} {...} {...}        |
| doifpositionsusedelse          | \doifpositionsusedelse {...} {...}                    |
| doifreferencefoundelse         | \doifreferencefoundelse {...} {...} {...}             |
| doifrightpagefloatelse         | \doifrightpagefloatelse {...} {...}                   |
| doifrighttoleftinboxelse       | \doifrighttoleftinboxelse ... {...} {...}             |
| doifsamelinereferenceelse      | \doifsamelinereferenceelse {...} {...} {...}          |
| doifsamestring                 | \doifsamestring {...} {...} {...}                     |
| doifsamestringelse             | \doifsamestringelse {...} {...} {...} {...}           |
| doifsetups                     | \doifsetups {...} {...}                               |
| doifsetupselse                 | \doifsetupselse {...} {...} {...}                     |
| doifsomebackground             | \doifsomebackground {...} {...} {...}                 |
| doifsomebackgroundelse         | \doifsomebackgroundelse {...} {...} {...}             |
| doifsomespaceelse              | \doifsomespaceelse {...} {...} {...}                  |
| doifsomething                  | \doifsomething {...} {...}                            |
| doifsomethingelse              | \doifsomethingelse {...} {...} {...}                  |
| doifsetoks                     | \doifsetoks \... {...}                                |
| doifsetokselse                 | \doifsetokselse \... {...} {...}                      |
| doifstringinstringelse         | \doifstringinstringelse {...} {...} {...} {...}       |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {...} {...}           |
| doifstructurelisthaspageelse   | \doifstructurelisthaspageelse {...} {...}             |
| doifsymboldefinedelse          | \doifsymboldefinedelse {...} {...} {...}              |
| doifsymbolsetelse              | \doifsymbolsetelse {...} {...} {...}                  |
| doiftext                       | \doiftext {...} {...} {...}                           |
| doiftextelse                   | \doiftextelse {...} {...} {...}                       |
| doiftextflowcollectorelse      | \doiftextflowcollectorelse {...} {...} {...}          |
| doiftextflowelse               | \doiftextflowelse {...} {...} {...}                   |
| doiftopofpageelse              | \doiftopofpageelse {...} {...}                        |
| doiftypingfileelse             | \doiftypingfileelse {...} {...} {...}                 |
| doifundefined                  | \doifundefined {...} {...}                            |
| doifundefinedcounter           | \doifundefinedcounter {...} {...}                     |
| doifundefinedelse              | \doifundefinedelse {...} {...} {...}                  |
| doifunknownfontfeature         | \doifunknownfontfeature {...} {...} {...}             |
| doifurldefinedelse             | \doifurldefinedelse {...} {...} {...}                 |
| doifvalue                      | \doifvalue {...} {...} {...}                          |
| doifvalueelse                  | \doifvalueelse {...} {...} {...} {...}                |
| doifvaluenothing               | \doifvaluenothing {...} {...}                         |
| doifvaluenothingelse           | \doifvaluenothingelse {...} {...} {...}               |
| doifvaluesomething             | \doifvaluesomething {...} {...}                       |
| doifvariable                   | \doifvariable {...} {...} {...}                       |
| doifvariableelse               | \doifvariableelse {...} {...} {...} {...}             |
| doindentation                  | \doindentation  |
| dollar                         | \dollar   |
| doloop                         | \doloop {...}   |
| doloopoverlist                 | \doloopoverlist {...} {...}                           |
| donothing                      | \donothing  |
| dontconvertfont                | \dontconvertfont                                      |
| dontleavehmode                 | \dontleavehmode                                       |
| dontpermitspacesbetweengroups  | \dontpermitspacesbetweengroups                        |

|                                       |  |
|---------------------------------------|--|
| dopositionaction                      | \dopositionaction {...}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {...}  |
| doquadrupleargument                   | \doquadrupleargument \... [...] [...] [...] [...]                    |
| doquadrupleempty                      | \doquadrupleempty \... [...] [...] [...] [...]                       |
| doquadruplegroupempty                 | \doquadruplegroupempty \... {...} {...} {...} {...}                  |
| doquintupleargument                   | \doquintupleargument \... [...] [...] [...] [...] [...]              |
| doquintupleempty                      | \doquintupleempty \... [...] [...] [...] [...] [...]                 |
| doquintuplegroupempty                 | \doquintuplegroupempty \... {...} {...} {...} {...} {...}            |
| dorechecknextindentation              | \dorechecknextindentation  |
| dorecurse                             | \dorecurse {...} {...}   |
| dorepeatwithcommand                   | \dorepeatwithcommand [...] \...                                      |
| doreplacefeature                      | \doreplacefeature {...}  |
| doresetandafffeature                  | \doresetandafffeature {...}  |
| doresetattribute                      | \doresetattribute {...}  |
| dorotatebox                           | \dorotatebox {...} \... {...}  |
| dosetattribute                        | \dosetattribute {...} {...}  |
| dosetleftskipadaption                 | \dosetleftskipadaption {...}   |
| dosetrighskipadaption                 | \dosetrighskipadaption {...}   |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {...=...}                              |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...}                                  |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {...}                                  |
| doseventupleargument                  | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty                     | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]    |
| dosingleargument                      | \dosingleargument \... [...]   |
| dosingempty                           | \dosingempty \... [...]  |
| dosinglegroupempty                    | \dosinglegroupempty \... {...}                                       |
| dosixtupleargument                    | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]   |
| dosixtupleempty                       | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...]      |
| dostarttagged                         | \dostarttagged {...} {...} ... \dostoptagged                         |
| dostepwiserecurse                     | \dostepwiserecurse {...} {...} {...} {...}                           |
| dosubtractfeature                     | \dosubtractfeature {...}   |
| dotfskip                              | \dotfskip {...}  |
| dotoks                                | \dotoks \...   |
| dotripleargument                      | \dotripleargument \... [...] [...] [...] [...]                       |
| dotripleargumentwithset               | \dotripleargumentwithset \... [...] [...] [...] [...]                |
| dotripleempty                         | \dotripleempty \... [...] [...] [...] [...]                          |
| dotripleemptywithset                  | \dotripleemptywithset \... [...] [...] [...] [...]                   |
| dotriplegroupempty                    | \dotriplegroupempty \... {...} {...} {...}                           |
| doublebond                            | \doublebond  |
| dowith                                | \dowith {...} {...}  |
| dowithnextbox                         | \dowithnextbox {...} \... {...}                                      |
| dowithnextboxcontent                  | \dowithnextboxcontent {...} {...} \... {...}                         |
| dowithnextboxcontentcs                | \dowithnextboxcontentcs \... \... \... {...}                         |
| dowithnextboxcs                       | \dowithnextboxcs \... \... {...}                                     |
| dowithpargument                       | \dowithpargument \...  |
| dowithrange                           | \dowithrange {...} \...  |
| dowithwargument                       | \dowithwargument \...  |
| dpofstring                            | \dpofstring {...}  |
| droite                                | \droite ...  |
| dummydigit                            | \dummydigit  |
| dummyparameter                        | \dummyparameter {...}  |
| ETEX                                  | \ETEX  |
| EveryLine                             | \EveryLine {...}   |
| EveryPar                              | \EveryPar {...}  |
| echelle                               | \echelle [...] [...] [...] [...] {...}                               |
| ecran                                 | \ecran [...]   |
| ecritdansliste                        | \ecritdansliste [...] [...] [...] [...] {...}                        |
| ecritentreliste                       | \ecritentreliste [...] [...] [...] [...] {...}                       |
| edefconvertedargument                 | \edefconvertedargument \... {...}                                    |
| efcmaxheight                          | \efcmaxheight {...}  |
| efcmaxwidth                           | \efcmaxwidth {...}   |
| efcminheight                          | \efcminheight {...}  |
| efcminwidth                           | \efcminwidth {...}   |
| efcparameter                          | \efcparameter {...} {...}  |
| effect                                | \effect [...] [...] [...] [...] {...}                                |
| elapsedseconds                        | \elapsedseconds  |
| elapsedtime                           | \elapsedtime   |
| element                               | \element [...]   |
| elements                              | \elements [...] [...] [...] [...] {...}                              |
| em                                    | \em  |
| emphasisboldface                      | \emphasisboldface  |
| emphasistypeface                      | \emphasistypeface  |

|                                   |  |
|-----------------------------------|--|
| emptylines                        | \emptylines [...]                              |
| emspace                           | \emspace                                       |
| enabledirectives                  | \enabledirectives [...]                        |
| enableexperiments                 | \enableexperiments [...]                       |
| enablemode                        | \enablemode [...]                              |
| enableoutputstream                | \enableoutputstream [...]                      |
| enableparpositions                | \enableparpositions                            |
| enableregime                      | \enableregime [...]                            |
| enabletrackers                    | \enabletrackers [...]                          |
| enskip                            | \enskip  |
| enspace                           | \enspace                                       |
| enumeration:example               | \ENUMERATION [...] {...} ... \par              |
| env                               | \env {...}                                     |
| environement                      | \environement [...]                            |
| environement:string               | \environement ...                              |
| envvar                            | \envvar {...} {...}                            |
| epos                              | \epos {...}                                    |
| equaldigits                       | \equaldigits {...}                             |
| espace                            | \espace  |
| espacefixe                        | \espacefixe                                    |
| espacesfixes                      | \espacesfixes                                  |
| eTeX                              | \eTeX  |
| etiquette:example                 | \ETIQUETTE [...] {...}                         |
| etire                             | \etire [..=..] {...}                           |
| executeifdefined                  | \executeifdefined {...} {...}                  |
| exitloop                          | \exitloop                                      |
| exitloopnow                       | \exitloopnow                                   |
| expandcheckedcsname               | \expandcheckedcsname \... {...} {...}          |
| expanded                          | \expanded {...}                                |
| expandeddoif                      | \expandeddoif {...} {...} {...}                |
| expandeddoifelse                  | \expandeddoifelse {...} {...} {...} {...}      |
| expandeddoifnot                   | \expandeddoifnot {...} {...} {...}             |
| expandfontsynonym                 | \expandfontsynonym \... {...}                  |
| expdoif                           | \expdoif {...} {...} {...}                     |
| expdoifcommonelse                 | \expdoifcommonelse {...} {...} {...} {...}     |
| expdoifelse                       | \expdoifelse {...} {...} {...} {...}           |
| expdoifelsecommon                 | \expdoifelsecommon {...} {...} {...} {...}     |
| expdoifelseinset                  | \expdoifelseinset {...} {...} {...} {...}      |
| expdoifinsetelse                  | \expdoifinsetelse {...} {...} {...} {...}      |
| expdoifnot                        | \expdoifnot {...} {...} {...}                  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...}       |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {...}        |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...}       |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {...}        |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| faitreference                     | \faitreference (...,...) (...,...) [...]       |
| fakebox                           | \fakebox ...                                   |
| fastdecrement                     | \fastdecrement \...                            |
| fastincrement                     | \fastincrement \...                            |
| fastlocalframed                   | \fastlocalframed [...] [..=..] {...}           |
| fastloopfinal                     | \fastloopfinal                                 |
| fastloopindex                     | \fastloopindex                                 |
| fastscale                         | \fastscale {...} {...}                         |
| fastsetup                         | \fastsetup {...}                               |
| fastsetupwithargument             | \fastsetupwithargument {...} {...}             |
| fastsetupwithargumentswapped      | \fastsetupwithargumentswapped {...} {...}      |
| fastswitchtobodyfont              | \fastswitchtobodyfont {...}                    |
| fastxsxy                          | \fastxsxy {...} {...} {...}                    |
| feature                           | \feature [...] [...]                           |
| feature:direct                    | \feature {...} {...}                           |
| fence                             | \fence   |
| fenced                            | \fenced [...] {...}                            |
| fence:example                     | \FENCE {...}                                   |
| fetchallmarkings                  | \fetchallmarkings [...] [...]                  |
| fetchallmarks                     | \fetchallmarks [...]                           |
| fetchmark                         | \fetchmark [...] [...]                         |
| fetchmarking                      | \fetchmarking [...] [...] [...]                |
| fetchonemark                      | \fetchonemark [...] [...]                      |
| fetchonemarking                   | \fetchonemarking [...] [...] [...]             |
| fetchruntinecommand               | \fetchruntinecommand \... {...}                |
| fetchtwomarkings                  | \fetchtwomarkings [...] [...]                  |
| fetchtwomarks                     | \fetchtwomarks [...]                           |

|                        |   |
|------------------------|---|
| fichierdactylo         | \fichierdactylo [...] [..=..] {...}                       |
| fieldbody              | \fieldbody [...] [..=..]                                  |
| fifthoffivearguments   | \fifthoffivearguments {...} {...} {...} {...} {...}       |
| fifthofsixarguments    | \fifthofsixarguments {...} {...} {...} {...} {...} {...}  |
| figureexterne          | \figureexterne [...] [...] [..=..]                        |
| figurefilename         | \figurefilename   |
| figurefilepath         | \figurefilepath   |
| figurefiletype         | \figurefiletype   |
| figurefullname         | \figurefullname   |
| figureheight           | \figureheight   |
| figurenaturalheight    | \figurenaturalheight                                      |
| figurenaturalwidth     | \figurenaturalwidth                                       |
| figuresymbol           | \figuresymbol [...] [..=..]                               |
| figurewidth            | \figurewidth  |
| filename               | \filename {...}   |
| filledhboxb            | \filledhboxb ... {...}                                    |
| filledhboxc            | \filledhboxc ... {...}                                    |
| filledhboxg            | \filledhboxg ... {...}                                    |
| filledhboxk            | \filledhboxk ... {...}                                    |
| filledhboxm            | \filledhboxm ... {...}                                    |
| filledhboxr            | \filledhboxr ... {...}                                    |
| filledhboxy            | \filledhboxy ... {...}                                    |
| filler                 | \filler [...]   |
| fillupto               | \fillupto [...] {...}                                     |
| filterfromnext         | \filterfromnext {...} {...} {...} {...} {...} {...} {...} |
| filterfromvalue        | \filterfromvalue {...} {...} {OPT} OPT OPT OPT OPT        |
| filterpages            | \filterpages [...] [...] [..=..]                          |
| filterreference        | \filterreference {...}                                    |
| findtwopassdata        | \findtwopassdata {...} {...}                              |
| finishregisterentry    | \finishregisterentry [...] [..=..] [..=..]                |
| firstcharacter         | \firstcharacter   |
| firstcounter           | \firstcounter [...] [...]                                 |
| firstcountervalue      | \firstcountervalue [...]                                  |
| firstinlist            | \firstinlist [...]  |
| firstoffivearguments   | \firstoffivearguments {...} {...} {...} {...} {...}       |
| firstoffourarguments   | \firstoffourarguments {...} {...} {...} {...}             |
| firstofoneargument     | \firstofoneargument {...}                                 |
| firstofoneunexpanded   | \firstofoneunexpanded {...}                               |
| firstofsixarguments    | \firstofsixarguments {...} {...} {...} {...} {...} {...}  |
| firstofthreearguments  | \firstofthreearguments {...} {...} {...}                  |
| firstofthreeunexpanded | \firstofthreeunexpanded {...} {...} {...}                 |
| firstoftwoarguments    | \firstoftwoarguments {...} {...}                          |
| firstoftwounexpanded   | \firstoftwounexpanded {...} {...}                         |
| firstrealpage          | \firstrealpage  |
| firstrealpagenumber    | \firstrealpagenumber                                      |
| firstsubcountervalue   | \firstsubcountervalue [...] [...]                         |
| firstsubpagenumber     | \firstsubpagenumber                                       |
| firstuserpage          | \firstuserpage  |
| firstuserpagenumber    | \firstuserpagenumber                                      |
| fitfieldframed         | \fitfieldframed [..=..] {...}                             |
| fittopbaselinegrid     | \fittopbaselinegrid {...}                                 |
| flag                   | \flag {...}   |
| floatuserdataparameter | \floatuserdataparameter {...}                             |
| flushbox               | \flushbox {...} {...}                                     |
| flushboxregister       | \flushboxregister ...                                     |
| flushcollector         | \flushcollector [...]                                     |
| flushedrightlastline   | \flushedrightlastline                                     |
| flushlayer             | \flushlayer [...]   |
| flushlocalfloats       | \flushlocalfloats   |
| flushnextbox           | \flushnextbox   |
| flushnotes             | \flushnotes   |
| flushoutputstream      | \flushoutputstream [...]                                  |
| flushshapebox          | \flushshapebox  |
| flushtextflow          | \flushtextflow {...}                                      |
| flushtokens            | \flushtokens [...]  |
| flushtoks              | \flushtoks \...   |
| fontalternative        | \fontalternative  |
| fontbody               | \fontbody   |
| fontchar               | \fontchar {...}   |
| fontcharbyindex        | \fontcharbyindex {...}                                    |
| fontclass              | \fontclass  |
| fontclassname          | \fontclassname {...} {...}                                |



|                                |   |
|--------------------------------|---|
| fontface                       | \fontface   |
| fontfeaturelist                | \fontfeaturelist [...] [...]                              |
| fontsize                       | \fontsize   |
| fontstyle                      | \fontstyle  |
| forcecharacterstripping        | \forcecharacterstripping                                  |
| forcelocalfloats               | \forcelocalfloats   |
| forgeteverypar                 | \forgeteverypar   |
| forgetparameters               | \forgetparameters [...] [..=..]                           |
| forgetparskip                  | \forgetparskip  |
| forgetragged                   | \forgetragged   |
| formule                        | \formule [...] {...}                                      |
| foundbox                       | \foundbox {...} {...}                                     |
| fourthoffivearguments          | \fourthoffivearguments {...} {...} {...} {...} {...}      |
| fourthoffourarguments          | \fourthoffourarguments {...} {...} {...} {...}            |
| fourthofsixarguments           | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| fraction:instance              | \FRACTION {...} {...}                                     |
| fraction:instance:binom        | \binom {...} {...}  |
| fraction:instance:dbinom       | \dbinom {...} {...}                                       |
| fraction:instance:dfrac        | \dfrac {...} {...}  |
| fraction:instance:frac         | \frac {...} {...}   |
| fraction:instance:sfrac        | \sfrac {...} {...}  |
| fraction:instance:tbinom       | \tbinom {...} {...}                                       |
| fraction:instance:xfrac        | \xfrac {...} {...}  |
| fraction:instance:xxfrac       | \xxfrac {...} {...}                                       |
| framed                         | \framed [..=..] {...}                                     |
| frameddimension                | \frameddimension {...}                                    |
| framedparameter                | \framedparameter {...}                                    |
| framed:instance                | \FRAMED [..=..] {...}                                     |
| framed:instance:fitfieldframed | \fitfieldframed [..=..] {...}                             |
| framed:instance:unframed       | \unframed [..=..] {...}                                   |
| freezedimenmacro               | \freezedimenmacro \... \...                               |
| freezemeasure                  | \freezemeasure [...] [...]                                |
| frenchspacing                  | \frenchspacing  |
| fromlinenote                   | \fromlinenote [...] {...}                                 |
| frozenhbox                     | \frozenhbox {...}   |
| frule                          | \frule ... \relax   |
| GetPar                         | \GetPar   |
| GotoPar                        | \GotoPar  |
| Greeknumerals                  | \Greeknumerals {...}                                      |
| gardeblocs                     | \gardeblocs [...] [...]                                   |
| gauche                         | \gauche ...   |
| gdefconvertedargument          | \gdefconvertedargument \... {...}                         |
| gdefconvertedcommand           | \gdefconvertedcommand \... \...                           |
| getboxfromcache                | \getboxfromcache {...} {...} ...                          |
| getboxllx                      | \getboxllx ...  |
| getboxlly                      | \getboxlly ...  |
| getbufferdata                  | \getbufferdata [...]                                      |
| getcommacommandsize            | \getcommacommandsize [...]                                |
| getcommalistsize               | \getcommalistsize [...]                                   |
| getdayoftheweek                | \getdayoftheweek {...} {...} {...}                        |
| getdayspermonth                | \getdayspermonth {...} {...}                              |
| getdefinedbuffer               | \getdefinedbuffer [...]                                   |
| getdocumentargument            | \getdocumentargument {...}                                |
| getdocumentargumentdefault     | \getdocumentargumentdefault {...} {...}                   |
| getdocumentfilename            | \getdocumentfilename {...}                                |
| getdummyparameters             | \getdummyparameters [..=..]                               |
| getemptyparameters             | \getemptyparameters [...] [..=..]                         |
| geteparameters                 | \geteparameters [...] [..=..]                             |
| getexpandedparameters          | \getexpandedparameters [...] [..=..]                      |
| getfiguredimensions            | \getfiguredimensions [...] [..=..]                        |
| getfirstcharacter              | \getfirstcharacter {...}                                  |
| getfirsttwopassdata            | \getfirsttwopassdata {...}                                |
| getfromcommacommand            | \getfromcommacommand [...] [...]                          |
| getfromcommalist               | \getfromcommalist [...] [...]                             |
| getfromtwopassdata             | \getfromtwopassdata {...} {...}                           |
| getglyphdirect                 | \getglyphdirect {...} {...}                               |
| getglyphstyled                 | \getglyphstyled {...} {...}                               |
| getgparameters                 | \getgparameters [...] [..=..]                             |
| getinlineuserdata              | \getinlineuserdata  |
| getlasttwopassdata             | \getlasttwopassdata {...}                                 |
| getlocalfloat                  | \getlocalfloat {...}                                      |
| getlocalfloats                 | \getlocalfloats   |

|                           |   |
|---------------------------|---|
| getMPdrawing              | \getMPdrawing   |
| getMPlayer                | \getMPlayer [...] [..=..] {...}                                       |
| getmessage                | \getmessage {...} {...}   |
| getnamedglyphdirect       | \getnamedglyphdirect {...} {...}                                      |
| getnamedglyphstyled       | \getnamedglyphstyled {...} {...}                                      |
| getnamedtwopassdatalist   | \getnamedtwopassdatalist \... {...}                                   |
| getnaturaldimensions      | \getnaturaldimensions ...   |
| getnoflines               | \getnoflines {...}  |
| getobject                 | \getobject {...} {...}  |
| getobjectdimensions       | \getobjectdimensions {...} {...}                                      |
| getpaletsize              | \getpaletsize [...]   |
| getparameters             | \getparameters [...] [..=..]  |
| getprivatechar            | \getprivatechar {...}   |
| getprivateslot            | \getprivateslot {...}   |
| getrandomcount            | \getrandomcount \... {...} {...}                                      |
| getrandomdimen            | \getrandomdimen \... {...} {...}                                      |
| getrandomfloat            | \getrandomfloat \... {...} {...}                                      |
| getrandomnumber           | \getrandomnumber \... {...} {...}                                     |
| getrandomseed             | \getrandomseed \...   |
| getraweparameters         | \getraweparameters [...] [..=..]                                      |
| getrawgparameters         | \getrawgparameters [...] [..=..]                                      |
| getrawnoflines            | \getrawnoflines {...}   |
| getrawparameters          | \getrawparameters [...] [..=..]                                       |
| getrawxparameters         | \getrawxparameters [...] [..=..]                                      |
| getreference              | \getreference [...] [...]   |
| getreferenceentry         | \getreferenceentry {...}  |
| getroundednoflines        | \getroundednoflines {...}   |
| getsubstring              | \getsubstring {...} {...} {...}                                       |
| gettokenlist              | \gettokenlist [...]   |
| gettwopassdata            | \gettwopassdata {...}   |
| gettwopassdatalist        | \gettwopassdatalist {...}   |
| getuserdata               | \getuserdata  |
| getuvalue                 | \getuvalue {...}  |
| getvalue                  | \getvalue {...}   |
| getvariable               | \getvariable {...} {...}  |
| getvariabledefault        | \getvariabledefault {...} {...} {...}                                 |
| getxparameters            | \getxparameters [...] [..=..]   |
| globaldisablemode         | \globaldisablemode [...]  |
| globalenablemode          | \globalenablemode [...]   |
| globalletempty            | \globalletempty \...  |
| globalpopbox              | \globalpopbox ...   |
| globalpopmacro            | \globalpopmacro \...  |
| globalpreventmode         | \globalpreventmode [...]  |
| globalprocesscommalist    | \globalprocesscommalist [...] \...                                    |
| globalpushbox             | \globalpushbox ...  |
| globalpushmacro           | \globalpushmacro \...   |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix        |
| globalswapcounts          | \globalswapcounts \... \...   |
| globalswapdimens          | \globalswapdimens \... \...   |
| globalswapmacros          | \globalswapmacros \... \...   |
| globalundefine            | \globalundefine {...}   |
| glyphfontfile             | \glyphfontfile {...}  |
| gobbledoubleempty         | \gobbledoubleempty [...] [...]  |
| gobbleeightarguments      | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblefivearguments       | \gobblefivearguments {...} {...} {...} {...} {...}                    |
| gobblefiveoptionals       | \gobblefiveoptionals [...] [...] [...] [...] [...]                    |
| gobblefourarguments       | \gobblefourarguments {...} {...} {...} {...}                          |
| gobblefouroptionals       | \gobblefouroptionals [...] [...] [...] [...]                          |
| gobbleninearguments       | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...}  |
| gobbleoneargument         | \gobbleoneargument {...}  |
| gobbleoneoptional         | \gobbleoneoptional [...]  |
| gobblesevenarguments      | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}       |
| gobblesingleempty         | \gobblesingleempty [...]  |
| gobblesixarguments        | \gobblesixarguments {...} {...} {...} {...} {...} {...}               |
| gobblespacetokens         | \gobblespacetokens  |
| gobbletenarguments        | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...}   |
| gobblethreearguments      | \gobblethreearguments {...} {...} {...}                               |
| gobblethreeoptionals      | \gobblethreeoptionals [...] [...] [...]                               |
| gobbletwoarguments        | \gobbletwoarguments {...} {...}                                       |
| gobbletwooptionals        | \gobbletwooptionals [...] [...]                                       |
| gobbleuntil               | \gobbleuntil \...   |
| gobbleuntilrelax          | \gobbleuntilrelax ... \relax  |

|                         |  |
|-------------------------|--|
| grabbufferdata          | \grabbufferdata [...] [...] [...] [...]    |
| grabbufferdatadirect    | \grabbufferdatadirect {...} {...} {...}    |
| grabuntil               | \grabuntil {...} \...                      |
| grand                   | \grand ...                                 |
| grandepolicecorp        | \grandepolicecorp                          |
| gras                    | \gras                                      |
| grasincline             | \grasincline                               |
| grasinclinepetit        | \grasinclinepetit                          |
| grasitalique            | \grasitalique                              |
| grasitaliquepetit       | \grasitaliquepetit                         |
| graspetit               | \graspetit                                 |
| grave                   | \grave {...}                               |
| grayvalue               | \grayvalue {...}                           |
| greedystring            | \greedystring ... \at ... \to ... \and ... |
| greeknumerals           | \greeknumerals {...}                       |
| grille                  | \grille [..=..]                            |
| groupedcommand          | \groupedcommand {...} {...}                |
| gsetboxllx              | \gsetboxllx ... {...}                      |
| gsetboxlly              | \gsetboxlly ... {...}                      |
| gujaratinumerals        | \gujaratinumerals {...}                    |
| gurmurkhinumerals       | \gurmurkhinumerals {...}                   |
| hairstyle               | \hairstyle                                 |
| halflinestrut           | \halflinestrut                             |
| halfstrut               | \halfstrut                                 |
| halfwaybox              | \halfwaybox {...}                          |
| handletokens            | \handletokens ... \with ...                |
| hash                    | \hash                                      |
| hat                     | \hat {...}                                 |
| haut                    | \haut {...}                                |
| haut:instance           | \HIGH {...}                                |
| haut:instance:unitshigh | \unitshigh {...}                           |
| hboxofvbox              | \hboxofvbox ...                            |
| hboxreference           | \hboxreference [...] {...}                 |
| hbox:example            | \hboxBOX {...}                             |
| hdofstring              | \hdofstring {...}                          |
| headhbox                | \headhbox ... {...}                        |
| headnumbercontent       | \headnumbercontent                         |
| headnumberdistance      | \headnumberdistance                        |
| headnumberwidth         | \headnumberwidth                           |
| headreferenceattributes | \headreferenceattributes                   |
| headsetupspacing        | \headsetupspacing                          |
| headtextcontent         | \headtextcontent                           |
| headtextdistance        | \headtextdistance                          |
| headtextwidth           | \headtextwidth                             |
| headvbox                | \headvbox ... {...}                        |
| headwidth               | \headwidth                                 |
| heightanddepthofstring  | \heightanddepthofstring {...}              |
| heightofstring          | \heightofstring {...}                      |
| heightspanningtext      | \heightspanningtext {...} {...} {...}      |
| help:instance           | \HELP [...] [...] [...]                    |
| help:instance:helptext  | \helptext [...] [...] [...]                |
| hglue                   | \hglue ...                                 |
| hiddencitation          | \hiddencitation [...]                      |
| hiddencite              | \hiddencite [...]                          |
| highlight               | \highlight [...] [...]                     |
| highlight:example       | \HIGHLIGHT {...}                           |
| highordinalstr          | \highordinalstr {...}                      |
| hilo                    | \hilo [...] [...] [...]                    |
| himilo                  | \himilo [...] [...] [...]                  |
| hl                      | \hl [...]                                  |
| horizontalgrowingbar    | \horizontalgrowingbar [..=..]              |
| horizontalpositionbar   | \horizontalpositionbar [..=..]             |
| hphantom                | \hphantom {...}                            |
| hpos                    | \hpos [...] [...]                          |
| hsizefraction           | \hsizefraction [...] [...]                 |
| hsmash                  | \hsmash {...}                              |
| hsmashbox               | \hsmashbox ...                             |
| hsmashed                | \hsmashed {...}                            |
| hspace                  | \hspace [...] [...]                        |
| htdpofstring            | \htdpofstring {...}                        |
| htofstring              | \htofstring {...}                          |
| hyphen                  | \hyphen                                    |

|                                 |   |
|---------------------------------|---|
| hyphenatedcoloredword           | \hyphenatedcoloredword {...}                  |
| hyphenatedfile                  | \hyphenatedfile {...}                         |
| hyphenatedfilename              | \hyphenatedfilename {...}                     |
| hyphenatedhbox                  | \hyphenatedhbox {...}                         |
| hyphenatedpar                   | \hyphenatedpar {...}                          |
| hyphenatedurl                   | \hyphenatedurl {...}                          |
| hyphenatedword                  | \hyphenatedword {...}                         |
| INRSTEX                         | \INRSTEX                                      |
| ibox                            | \ibox {...}                                   |
| ifassignment                    | \ifassignment ... \else ... \fi               |
| iff                             | \iff  |
| ifinobject                      | \ifinobject ... \else ... \fi                 |
| ifinoutputstream                | \ifinoutputstream ... \else ... \fi           |
| ifparameters                    | \ifparameters ... \else ... \fi               |
| iftrialsypesetting              | \iftrialsypesetting ... \else ... \fi         |
| ignoreimplicitspaces            | \ignoreimplicitspaces                         |
| ignoretagsinexport              | \ignoretagsinexport [...]                     |
| ignorevalue                     | \ignorevalue {...}                            |
| immediatesavetwopassdata        | \immediatesavetwopassdata {...} {...} {...}   |
| impliedby                       | \impliedby                                    |
| implies                         | \implies                                      |
| incline                         | \incline                                      |
| inclinegras                     | \inclinegras                                  |
| inclinegraspetit                | \inclinegraspetit                             |
| inclinepetit                    | \inclinepetit                                 |
| includemenu                     | \includemenu [...]                            |
| includeversioninfo              | \includeversioninfo {...}                     |
| inconnu                         | \inconnu                                      |
| incrementcounter                | \incrementcounter [...] [...]                 |
| incremente                      | \incremente \...                              |
| incrementedcounter              | \incrementedcounter [...]                     |
| incremente:argument             | \incremente (...)                             |
| incrementpagenumber             | \incrementpagenumber                          |
| incrementsubpagenumber          | \incrementsubpagenumber                       |
| incrementvalue                  | \incrementvalue {...}                         |
| indentation                     | \indentation                                  |
| infofont                        | \infofont                                     |
| infofontbold                    | \infofontbold                                 |
| inframed                        | \inframed [..=..] {...}                       |
| infull                          | \infull {...}                                 |
| inheritparameter                | \inheritparameter [...] [...] [...]           |
| inhibitblank                    | \inhibitblank                                 |
| initializeboxstack              | \initializeboxstack {...}                     |
| inlinebuffer                    | \inlinebuffer [...]                           |
| inlinedbox                      | \inlinedbox {...}                             |
| inlinemath                      | \inlinemath {...}                             |
| inlinemathematics               | \inlinemathematics {...}                      |
| inlinemessage                   | \inlinemessage {...}                          |
| inlineordisplaymath             | \inlineordisplaymath {...} {...}              |
| inlineprettyprintbuffer         | \inlineprettyprintbuffer {...} {...}          |
| inlinerange                     | \inlinerange [...]                            |
| innerflushshapebox              | \innerflushshapebox                           |
| input                           | \input {...}                                  |
| inputfilebarename               | \inputfilebarename                            |
| inputfilename                   | \inputfilename                                |
| inputfilerealsuffix             | \inputfilerealsuffix                          |
| inputfilesuffix                 | \inputfilesuffix                              |
| inputgivenfile                  | \inputgivenfile {...}                         |
| input:string                    | \input ...                                    |
| insertpages                     | \insertpages [...] [...] [..=..]              |
| installactionhandler            | \installactionhandler {...}                   |
| installactivecharacter          | \installactivecharacter ...                   |
| installanddefineactivecharacter | \installanddefineactivecharacter ... {...}    |
| installattributestack           | \installattributestack \...                   |
| installautocommandhandler       | \installautocommandhandler \... {...} \...    |
| installautosetuphandler         | \installautosetuphandler \... {...}           |
| installbasicautosetuphandler    | \installbasicautosetuphandler \... {...} \... |
| installbasicparameterhandler    | \installbasicparameterhandler \... {...}      |
| installbottomframerenderer      | \installbottomframerenderer {...} {...}       |
| installcommandhandler           | \installcommandhandler \... {...} \...        |
| installcorenamespace            | \installcorenamespace {...}                   |
| installdefinehandler            | \installdefinehandler \... {...} \...         |

|                                   |  |
|-----------------------------------|--|
| installdefinitionset              | \installdefinitionset \... {...}                   |
| installdefinitionsetmember        | \installdefinitionsetmember \... {...} \... {...}  |
| installdirectcommandhandler       | \installdirectcommandhandler \... {...}            |
| installdirectparameterhandler     | \installdirectparameterhandler \... {...}          |
| installdirectparametersethandler  | \installdirectparametersethandler \... {...}       |
| installdirectsetuphandler         | \installdirectsetuphandler \... {...}              |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...}      |
| installelanguag                   | \installelanguag [...] [..=..]                     |
| installelanguag:name              | \installelanguag [...] [...]                       |
| installframedautocommandhandler   | \installframedautocommandhandler \... {...} \...   |
| installframedcommandhandler       | \installframedcommandhandler \... {...} \...       |
| installglobalmacrostack           | \installglobalmacrostack \...                      |
| installleftframerenderer          | \installleftframerenderer {...} {...}              |
| installmacrostack                 | \installmacrostack \...                            |
| installnamespace                  | \installnamespace {...}                            |
| installoutputroutine              | \installoutputroutine \... {...}                   |
| installpagearrangement            | \installpagearrangement ... {...}                  |
| installparameterhandler           | \installparameterhandler \... {...}                |
| installparameterhashhandler       | \installparameterhashhandler \... {...}            |
| installparametersethandler        | \installparametersethandler \... {...}             |
| installparentinjector             | \installparentinjector \... {...}                  |
| installrightframerenderer         | \installrightframerenderer {...} {...}             |
| installrootparameterhandler       | \installrootparameterhandler \... {...}            |
| installsetuphandler               | \installsetuphandler \... {...}                    |
| installsetuponlycommandhandler    | \installsetuponlycommandhandler \... {...}         |
| installshipoutmethod              | \installshipoutmethod {...} {...}                  |
| installsimplecommandhandler       | \installsimplecommandhandler \... {...} \...       |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler       | \installstyleandcolorhandler \... {...}            |
| installswitchcommandhandler       | \installswitchcommandhandler \... {...} \...       |
| installswitchsetuphandler         | \installswitchsetuphandler \... {...}              |
| installtexdirective               | \installtexdirective {...} {...} {...}             |
| installtextracker                 | \installtextracker {...} {...} {...}               |
| installtopframerenderer           | \installtopframerenderer {...} {...}               |
| installunitsseparator             | \installunitsseparator {...} {...}                 |
| installunitsspace                 | \installunitsspace {...} {...}                     |
| installversioninfo                | \installversioninfo {...} {...}                    |
| integerrounding                   | \integerrounding {...}                             |
| intertext                         | \intertext {...}                                   |
| invokepageheandler                | \invokepageheandler {...} {...}                    |
| istltdir                          | \istltdir ...                                      |
| istrtdir                          | \istrtdir ...                                      |
| italiccorrection                  | \italiccorrection                                  |
| italicface                        | \italicface  |
| italique                          | \italique  |
| italiquegras                      | \italiquegras                                      |
| italiquegraspetit                 | \italiquegraspetit                                 |
| itemtag                           | \itemtag [...]                                     |
| JOURSEMAINE                       | \JOURSEMAINE {...}                                 |
| jobfilename                       | \jobfilename                                       |
| jobfilesuffix                     | \jobfilesuffix                                     |
| joursemaine                       | \joursemaine {...}                                 |
| kap                               | \kap {...}   |
| keeplinestogether                 | \keeplinestogether {...}                           |
| keepunwantedspaces                | \keepunwantedspaces                                |
| kerncharacters                    | \kerncharacters [...] {...}                        |
| koreancirclenumerals              | \koreancirclenumerals {...}                        |
| koreannumerals                    | \koreannumerals {...}                              |
| koreannumeralsc                   | \koreannumeralsc {...}                             |
| koreannumeralsp                   | \koreannumeralsp {...}                             |
| koreanparentnumerals              | \koreanparentnumerals {...}                        |
| LAMSTEX                           | \LAMSTEX   |
| LATEX                             | \LATEX   |
| LamSTeX                           | \LamSTeX   |
| LaTeX                             | \LaTeX   |
| LUAJITTEX                         | \LUAJITTEX   |
| LUATEX                            | \LUATEX  |
| Lua                               | \Lua   |
| LuajitTeX                         | \LUAjitTeX   |
| LuaTeX                            | \LuaTeX  |
| labellanguag:instance             | \LABELLanguag                                      |
| labellanguag:instance:btxlabel    | \btxlabelanguag                                    |

|                                  |  |
|----------------------------------|--|
| labellanguage:instance:head      | \headlangue  |
| labellanguage:instance:label     | \labellangue                                       |
| labellanguage:instance:mathlabel | \mathlabellangue                                   |
| labellanguage:instance:operator  | \operatorlangue                                    |
| labellanguage:instance:prefix    | \prefixlangue                                      |
| labellanguage:instance:suffix    | \suffixlangue                                      |
| labellanguage:instance:taglabel  | \taglabellangue                                    |
| labellanguage:instance:unit      | \unitlangue  |
| labeltexte:instance              | \LABELtexte {...}                                  |
| labeltexte:instance:btxlabel     | \btxlabeltexte {...}                               |
| labeltexte:instance:head         | \headtexte {...}                                   |
| labeltexte:instance:label        | \labeltexte {...}                                  |
| labeltexte:instance:mathlabel    | \mathlabeltexte {...}                              |
| labeltexte:instance:operator     | \operatorortexte {...}                             |
| labeltexte:instance:prefix       | \prefixtexte {...}                                 |
| labeltexte:instance:suffix       | \suffixtexte {...}                                 |
| labeltexte:instance:taglabel     | \taglabeltexte {...}                               |
| labeltexte:instance:unit         | \unittexte {...}                                   |
| labeltexts:instance              | \LABELtexts {...} {...}                            |
| labeltexts:instance:head         | \headtexts {...} {...}                             |
| labeltexts:instance:label        | \labeltexts {...} {...}                            |
| labeltexts:instance:mathlabel    | \mathlabeltexts {...} {...}                        |
| languageCharacters               | \languageCharacters {...}                          |
| languagecharacters               | \languagecharacters {...}                          |
| languagecharwidth                | \languagecharwidth {...}                           |
| langue                           | \langue [...]                                      |
| langueprincipale                 | \langueprincipale [...]                            |
| langue:example                   | \LANGUAGE  |
| largeurligne                     | \largeurligne                                      |
| lastcounter                      | \lastcounter [...] [...]                           |
| lastcountervalue                 | \lastcountervalue [...]                            |
| lastdigit                        | \lastdigit {...}                                   |
| lastlinewidth                    | \lastlinewidth                                     |
| lastnaturalboxdp                 | \lastnaturalboxdp                                  |
| lastnaturalboxht                 | \lastnaturalboxht                                  |
| lastnaturalboxwd                 | \lastnaturalboxwd                                  |
| lastpredefinedsymbol             | \lastpredefinedsymbol                              |
| lastrealpage                     | \lastrealpage                                      |
| lastrealpagenumber               | \lastrealpagenumber                                |
| lastsubcountervalue              | \lastsubcountervalue [...] [...]                   |
| lastsubpagenumber                | \lastsubpagenumber                                 |
| lasttwodigits                    | \lasttwodigits {...}                               |
| lastuserpage                     | \lastuserpage                                      |
| lastuserpagenumber               | \lastuserpagenumber                                |
| lateluacode                      | \lateluacode {...}                                 |
| layeredtext                      | \layeredtext [..=..] [..=..] {...} {...}           |
| layerheight                      | \layerheight                                       |
| layerwidth                       | \layerwidth  |
| lazysavetaggedtwopassdata        | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata              | \lazysavetwopassdata {...} {...} {...}             |
| lbox                             | \lbox ... {...}                                    |
| leftbottombox                    | \leftbottombox {...}                               |
| leftbox                          | \leftbox {...}                                     |
| lefthbox                         | \lefthbox {...}                                    |
| leftlabeltext:instance           | \leftLABELtexte {...}                              |
| leftlabeltext:instance:head      | \leftheadtexte {...}                               |
| leftlabeltext:instance:label     | \leftlabeltexte {...}                              |
| leftlabeltext:instance:mathlabel | \leftmathlabeltexte {...}                          |
| leftline                         | \leftline {...}                                    |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                        |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                        |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                        |
| leftskipadaption                 | \leftskipadaption                                  |
| leftsubguillemot                 | \leftsubguillemot                                  |
| lefttopbox                       | \lefttopbox {...}                                  |
| lefttoright                      | \lefttoright                                       |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                        |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                        |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                        |
| letbeundefined                   | \letbeundefined {...}                              |
| letcatcodecommand                | \letcatcodecommand \... ... \...                   |
| letcscsname                      | \letcscsname \... \csname ... \endcsname           |

|                          |  |
|--------------------------|--|
| letcsnamecs              | \letcsnamecs \csname ... \endcsname \...                       |
| letcsnamecsname          | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummysparameter       | \letdummysparameter {...} \...                                 |
| letempty                 | \letempty \...   |
| letgvalue                | \letgvalue {...} \...  |
| letgvalueempty           | \letgvalueempty {...}  |
| letgvalurelax            | \letgvalurelax {...}   |
| letterampersand          | \letterampersand   |
| letterat                 | \letterat  |
| letterbackslash          | \letterbackslash   |
| letterbar                | \letterbar   |
| letterbgroup             | \letterbgroup  |
| letterclosebrace         | \letterclosebrace  |
| lettercolon              | \lettercolon   |
| letterdollar             | \letterdollar  |
| letterdoublequote        | \letterdoublequote   |
| lettereegroup            | \lettereegroup   |
| letterescape             | \letterescape  |
| letterexclamationmark    | \letterexclamationmark   |
| letterhash               | \letterhash  |
| letterhat                | \letterhat   |
| letterleftbrace          | \letterleftbrace   |
| letterleftbracket        | \letterleftbracket   |
| letterleftparenthesis    | \letterleftparenthesis   |
| letterless               | \letterless  |
| lettermore               | \lettermore  |
| letteropenbrace          | \letteropenbrace   |
| letterpercent            | \letterpercent   |
| letterquestionmark       | \letterquestionmark  |
| letterrightbrace         | \letterrightbrace  |
| letterrightbracket       | \letterrightbracket  |
| letterrightparenthesis   | \letterrightparenthesis  |
| lettersinglequote        | \lettersinglequote   |
| letterslash              | \letterslash   |
| letterspacing            | \letterspacing [...] {...}                                     |
| lettertilde              | \lettertilde   |
| letterunderscore         | \letterunderscore  |
| letvalue                 | \letvalue {...} \...   |
| letvalueempty            | \letvalueempty {...}   |
| letvaluerelax            | \letvaluerelax {...}   |
| lfence                   | \lfence {...}  |
| lhbox                    | \lhbox {...}   |
| ligne                    | \ligne {...}   |
| ligneh                   | \ligneh  |
| lignenoire               | \lignenoire [..=..]  |
| ligneregleetexte         | \ligneregleetexte [...] {...}                                  |
| lignesnoires             | \lignesnoires [..=..]  |
| limitatefirstline        | \limitatefirstline {...} {...} {...}                           |
| limitatelines            | \limitatelines {...} {...} {...}                               |
| limitatetext             | \limitatetext {...} {...} {...}                                |
| limitatetext:list        | \limitatetext {...} {...} {...}                                |
| linebox                  | \linebox {...}   |
| linespanningtext         | \linespanningtext {...} {...} {...}                            |
| listcitation             | \listcitation [..=..] [...]                                    |
| listcitation:alternative | \listcitation [...] [...]                                      |
| listcitation:userdata    | \listcitation [..=..] [..=..]                                  |
| listcite                 | \listcite [..=..] [...]  |
| listcite:alternative     | \listcite [...] [...]  |
| listcite:userdata        | \listcite [..=..] [..=..]                                      |
| listnamespaces           | \listnamespaces  |
| llap                     | \llap {...}  |
| llongueurliste           | \llongueurliste  |
| loadanyfile              | \loadanyfile [...]   |
| loadanyfileonce          | \loadanyfileonce [...]   |
| loadbtxdefinitionfile    | \loadbtxdefinitionfile [...]                                   |
| loadbtxreplacementfile   | \loadbtxreplacementfile [...]                                  |
| loadcldfile              | \loadcldfile [...]   |
| loadcldfileonce          | \loadcldfileonce [...]   |
| loadfontgoodies          | \loadfontgoodies [...]   |
| loadluafile              | \loadluafile [...]   |
| loadluafileonce          | \loadluafileonce [...]   |
| loadspellchecklist       | \loadspellchecklist [...] [...]                                |

|                            |  |
|----------------------------|--|
| loadtexfile                | \loadtexfile [...]                           |
| loadtexfileonce            | \loadtexfileonce [...]                       |
| loadtypescriptfile         | \loadtypescriptfile [...]                    |
| localframed                | \localframed [...] [..=..] {...}             |
| localframedwithsettings    | \localframedwithsettings [...] [..=..] {...} |
| localhsize                 | \localhsize                                  |
| localpopbox                | \localpopbox ...                             |
| localpopmacro              | \localpopmacro \...                          |
| localpushbox               | \localpushbox ...                            |
| localpushmacro             | \localpushmacro \...                         |
| localundefine              | \localundefine {...}                         |
| locatedfilepath            | \locatedfilepath                             |
| locatefilepath             | \locatefilepath {...}                        |
| locfilename                | \locfilename {...}                           |
| lomihi                     | \lomihi {...} {...} {...}                    |
| lowerbox                   | \lowerbox {...} \... {...}                   |
| lowercased                 | \lowercased {...}                            |
| lowercasestring            | \lowercasestring ... \to \...                |
| lowerlefthdoubleninequote  | \lowerlefthdoubleninequote                   |
| lowerleftsingleninequote   | \lowerleftsingleninequote                    |
| lowerrighthdoubleninequote | \lowerrighthdoubleninequote                  |
| lowerrightsingleninequote  | \lowerrightsingleninequote                   |
| lowhigh:instance           | \LOWHIGH [...] {...} {...}                   |
| lowmidhigh:instance        | \LOWMIDHIGH [...] {...} {...} {...}          |
| lrbbox                     | \lrbbox [...] {...} {...} {...} {...} {...}  |
| ltop                       | \ltop ... {...}                              |
| luacode                    | \luacode {...}                               |
| luaconditional             | \luaconditional \...                         |
| luaenvironment             | \luaenvironment ...                          |
| luaexpanded                | \luaexpanded {...}                           |
| luaexpr                    | \luaexpr {...}                               |
| luafunction                | \luafunction {...}                           |
| luajitTeX                  | \luajitTeX                                   |
| luamajorversion            | \luamajorversion                             |
| luaminorversion            | \luaminorversion                             |
| luaparameterset            | \luaparameterset [...] {...}                 |
| luasetup                   | \luasetup {...}                              |
| luaTeX                     | \luaTeX                                      |
| luaversion                 | \luaversion                                  |
| METAFONT                   | \METAFONT                                    |
| METAFUN                    | \METAFUN                                     |
| METAPOST                   | \METAPOST                                    |
| MetaFont                   | \MetaFont                                    |
| MetaFun                    | \MetaFun                                     |
| MetaPost                   | \MetaPost                                    |
| MKII                       | \MKII  |
| MKIV                       | \MKIV  |
| MKIX                       | \MKIX  |
| MKVI                       | \MKVI  |
| MKXI                       | \MKXI  |
| MOIS                       | \MOIS {...}                                  |
| MONTHLONG                  | \MONTHLONG {...}                             |
| MONTHSHORT                 | \MONTHSHORT {...}                            |
| MOT                        | \MOT {...}                                   |
| MOTS                       | \MOTS {...}                                  |
| Mot                        | \Mot {...}                                   |
| Mots                       | \Mots {...}                                  |
| MPAnchor                   | \MPAnchor {...}                              |
| MPbetex                    | \MPbetex {...}                               |
| MPc                        | \MPc {...}                                   |
| MPcode                     | \MPcode [...] {...}                          |
| MPcolor                    | \MPcolor {...}                               |
| MPcoloronly                | \MPcoloronly {...}                           |
| MPcolumn                   | \MPcolumn {...}                              |
| MPd                        | \MPd {...}                                   |
| MPdrawing                  | \MPdrawing {...}                             |
| MPfontsizehskip            | \MPfontsizehskip {...}                       |
| MPgetmultipars             | \MPgetmultipars [...] {...}                  |
| MPgetmultishape            | \MPgetmultishape [...] {...}                 |
| MPgetposboxes              | \MPgetposboxes [...] {...}                   |
| MPh                        | \MPh {...}                                   |
| MPII                       | \MPII  |



|                                   |  |
|-----------------------------------|--|
| MPIV                              | \MPIV                                  |
| MPinclusions                      | \MPinclusions [...] {...} {...}        |
| MPleftskip                        | \MPleftskip {...}                      |
| MPll                              | \MPll {...}                            |
| MPlr                              | \MPlr {...}                            |
| MPls                              | \MPls {...}                            |
| MPmenubuttons                     | \MPmenubuttons {...}                   |
| MPn                               | \MPn {...}                             |
| MPOptions                         | \MPOptions {...}                       |
| MPoverlayanchor                   | \MPoverlayanchor {...}                 |
| MPp                               | \MPp {...}                             |
| MPpage                            | \MPpage {...}                          |
| MPpardata                         | \MPpardata {...}                       |
| MPplus                            | \MPplus [...] {...} {...}              |
| MPpos                             | \MPpos {...}                           |
| MPpositiongraphic                 | \MPpositiongraphic [...] {...} {...}   |
| MPposset                          | \MPposset {...}                        |
| MPr                               | \MPr {...}                             |
| MPrawvar                          | \MPrawvar [...] {...}                  |
| MPregion                          | \MPregion {...}                        |
| MPrest                            | \MPrest [...] {...}                    |
| MPrightskip                       | \MPrightskip {...}                     |
| MPrs                              | \MPrs {...}                            |
| MPstring                          | \MPstring {...}                        |
| MPtext                            | \MPtext {...}                          |
| MPtransparency                    | \MPtransparency {...}                  |
| MPul                              | \MPul {...}                            |
| MPur                              | \MPur {...}                            |
| MPVI                              | \MPVI                                  |
| MPv                               | \MPv [...] [...] [...]                 |
| MPvar                             | \MPvar {...}                           |
| MPvariable                        | \MPvariable {...}                      |
| MPvv                              | \MPvv [...] [...]                      |
| MPw                               | \MPw {...}                             |
| MPwhd                             | \MPwhd {...}                           |
| MPx                               | \MPx {...}                             |
| MPxy                              | \MPxy {...}                            |
| MPxywhd                           | \MPxywhd {...}                         |
| MPy                               | \MPy {...}                             |
| m                                 | \m [...] {...}                         |
| makecharacteractive               | \makecharacteractive ...               |
| makerawcommalist                  | \makerawcommalist [...] \...           |
| makestrutofbox                    | \makestrutofbox ...                    |
| manuscript                        | \manuscript                            |
| mapfontsize                       | \mapfontsize [...] [...]               |
| margindata                        | \margindata [...] [...] [...] [...]    |
| margindata:instance               | \MARGINDATA [...] [...] [...] [...]    |
| margindata:instance:atleftmargin  | \atleftmargin [...] [...] [...] [...]  |
| margindata:instance:atrighmargin  | \atrighmargin [...] [...] [...] [...]  |
| margindata:instance:ininner       | \ininner [...] [...] [...] [...]       |
| margindata:instance:ininneredge   | \ininneredge [...] [...] [...] [...]   |
| margindata:instance:ininnermargin | \ininnermargin [...] [...] [...] [...] |
| margindata:instance:inleft        | \inleft [...] [...] [...] [...]        |
| margindata:instance:inleftedge    | \inleftedge [...] [...] [...] [...]    |
| margindata:instance:inleftmargin  | \inleftmargin [...] [...] [...] [...]  |
| margindata:instance:inmargin      | \inmargin [...] [...] [...] [...]      |
| margindata:instance:inoth         | \inoth [...] [...] [...] [...]         |
| margindata:instance:inouter       | \inouter [...] [...] [...] [...]       |
| margindata:instance:inouteredge   | \inouteredge [...] [...] [...] [...]   |
| margindata:instance:inoutermargin | \inoutermargin [...] [...] [...] [...] |
| margindata:instance:inright       | \inright [...] [...] [...] [...]       |
| margindata:instance:inrightedge   | \inrightedge [...] [...] [...] [...]   |
| margindata:instance:inrightmargin | \inrightmargin [...] [...] [...] [...] |
| margindata:instance:margintext    | \margintext [...] [...] [...] [...]    |
| markcontent                       | \markcontent [...] [...] [...]         |
| markedpages                       | \markedpages [...]                     |
| markinjector                      | \markinjector [...]                    |
| markpage                          | \markpage [...] [...] [...]            |
| marquage                          | \marquage (...,...) (...,...) [...]    |
| marquepage                        | \marquepage [...] [...] [...]          |
| mat                               | \mat {...}                             |
| math                              | \math [...] [...] [...]                |

|  |  |
|--|--|
| <code>mathbf</code>  | <code>\mathbf</code>                                 |
| <code>mathbi</code>  | <code>\mathbi</code>                                 |
| <code>mathblackboard</code>  | <code>\mathblackboard</code>                         |
| <code>mathbs</code>  | <code>\mathbs</code>                                 |
| <code>mathcommand:example</code>                                   | <code>\MATHCOMMAND {...} {...}</code>                |
| <code>mathdefault</code>   | <code>\mathdefault</code>                            |
| <code>mathdouble</code>  | <code>\mathdouble [...] {...} {...} {...}</code>     |
| <code>mathdoubleextensible:instance</code>                         | <code>\MATHDOUBLEEXTENSIBLE {...} {...}</code>       |
| <code>mathdoubleextensible:instance:doublebar</code>               | <code>\doublebar {...} {...}</code>                  |
| <code>mathdoubleextensible:instance:doublebrace</code>             | <code>\doublebrace {...} {...}</code>                |
| <code>mathdoubleextensible:instance:doublebracket</code>           | <code>\doublebracket {...} {...}</code>              |
| <code>mathdoubleextensible:instance:doubleparent</code>            | <code>\doubleparent {...} {...}</code>               |
| <code>mathdoubleextensible:instance:overbarunderbar</code>         | <code>\overbarunderbar {...} {...}</code>            |
| <code>mathdoubleextensible:instance:overbraceunderbrace</code>     | <code>\overbraceunderbrace {...} {...}</code>        |
| <code>mathdoubleextensible:instance:overbracketunderbracket</code> | <code>\overbracketunderbracket {...} {...}</code>    |
| <code>mathdoubleextensible:instance:overparentunderparent</code>   | <code>\overparentunderparent {...} {...}</code>      |
| <code>mathematique</code>  | <code>\mathematique [...] {...}</code>               |
| <code>mathextensible:instance</code>                               | <code>\MATHEXTENSIBLE {...} {...}</code>             |
| <code>mathextensible:instance:cleftarrow</code>                    | <code>\cleftarrow {...} {...}</code>                 |
| <code>mathextensible:instance:crightharpoonup</code>               | <code>\crightharpoonup {...} {...}</code>            |
| <code>mathextensible:instance:crightharpoonoverleftarrow</code>    | <code>\crightharpoonoverleftarrow {...} {...}</code> |
| <code>mathextensible:instance:elleftarrowfill</code>               | <code>\elleftarrowfill {...} {...}</code>            |
| <code>mathextensible:instance:elleftharpoonupdownfill</code>       | <code>\elleftharpoonupdownfill {...} {...}</code>    |
| <code>mathextensible:instance:elleftharpoonupfill</code>           | <code>\elleftharpoonupfill {...} {...}</code>        |
| <code>mathextensible:instance:ellefttrightharpoonupfill</code>     | <code>\ellefttrightharpoonupfill {...} {...}</code>  |
| <code>mathextensible:instance:eoverbarfill</code>                  | <code>\eoverbarfill {...} {...}</code>               |
| <code>mathextensible:instance:eoverbracefill</code>                | <code>\eoverbracefill {...} {...}</code>             |
| <code>mathextensible:instance:eoverbracketfill</code>              | <code>\eoverbracketfill {...} {...}</code>           |
| <code>mathextensible:instance:eoverparentfill</code>               | <code>\eoverparentfill {...} {...}</code>            |
| <code>mathextensible:instance:erightharpoonupfill</code>           | <code>\erightharpoonupfill {...} {...}</code>        |
| <code>mathextensible:instance:erightharpoonupdownfill</code>       | <code>\erightharpoonupdownfill {...} {...}</code>    |
| <code>mathextensible:instance:erightharpoonupfill</code>           | <code>\erightharpoonupfill {...} {...}</code>        |
| <code>mathextensible:instance:etwoheadrightarrowfill</code>        | <code>\etwoheadrightarrowfill {...} {...}</code>     |
| <code>mathextensible:instance:eunderbarfill</code>                 | <code>\eunderbarfill {...} {...}</code>              |
| <code>mathextensible:instance:eunderbracefill</code>               | <code>\eunderbracefill {...} {...}</code>            |
| <code>mathextensible:instance:eunderbracketfill</code>             | <code>\eunderbracketfill {...} {...}</code>          |
| <code>mathextensible:instance:eunderparentfill</code>              | <code>\eunderparentfill {...} {...}</code>           |
| <code>mathextensible:instance:mequal</code>                        | <code>\mequal {...} {...}</code>                     |
| <code>mathextensible:instance:mhookleftarrow</code>                | <code>\mhookleftarrow {...} {...}</code>             |
| <code>mathextensible:instance:mhookrightarrow</code>               | <code>\mhookrightarrow {...} {...}</code>            |
| <code>mathextensible:instance:mLeftarrow</code>                    | <code>\mLeftarrow {...} {...}</code>                 |
| <code>mathextensible:instance:mLefttrightharpoonup</code>          | <code>\mLefttrightharpoonup {...} {...}</code>       |
| <code>mathextensible:instance:mleftarrow</code>                    | <code>\mleftarrow {...} {...}</code>                 |
| <code>mathextensible:instance:mleftharpoonupdown</code>            | <code>\mleftharpoonupdown {...} {...}</code>         |
| <code>mathextensible:instance:mleftharpoonup</code>                | <code>\mleftharpoonup {...} {...}</code>             |
| <code>mathextensible:instance:mlefttrightharpoonup</code>          | <code>\mlefttrightharpoonup {...} {...}</code>       |
| <code>mathextensible:instance:mleftrightharpoons</code>            | <code>\mleftrightharpoons {...} {...}</code>         |
| <code>mathextensible:instance:mmapsto</code>                       | <code>\mmapsto {...} {...}</code>                    |
| <code>mathextensible:instance:mRightarrow</code>                   | <code>\mRightarrow {...} {...}</code>                |
| <code>mathextensible:instance:mrel</code>                          | <code>\mrel {...} {...}</code>                       |
| <code>mathextensible:instance:mrightarrow</code>                   | <code>\mrightarrow {...} {...}</code>                |
| <code>mathextensible:instance:mrightharpoonupdown</code>           | <code>\mrightharpoonupdown {...} {...}</code>        |
| <code>mathextensible:instance:mrightharpoonup</code>               | <code>\mrightharpoonup {...} {...}</code>            |
| <code>mathextensible:instance:mrightleftharpoons</code>            | <code>\mrightleftharpoons {...} {...}</code>         |
| <code>mathextensible:instance:mrightoverleftarrow</code>           | <code>\mrightoverleftarrow {...} {...}</code>        |
| <code>mathextensible:instance:mtriplerequal</code>                 | <code>\mtriplerequal {...} {...}</code>              |
| <code>mathextensible:instance:mtwoheadleftarrow</code>             | <code>\mtwoheadleftarrow {...} {...}</code>          |
| <code>mathextensible:instance:mtwoheadrightarrow</code>            | <code>\mtwoheadrightarrow {...} {...}</code>         |
| <code>mathextensible:instance:tequal</code>                        | <code>\tequal {...} {...}</code>                     |
| <code>mathextensible:instance:thookleftarrow</code>                | <code>\thookleftarrow {...} {...}</code>             |
| <code>mathextensible:instance:thookrightarrow</code>               | <code>\thookrightarrow {...} {...}</code>            |
| <code>mathextensible:instance:tLeftarrow</code>                    | <code>\tLeftarrow {...} {...}</code>                 |
| <code>mathextensible:instance:tLefttrightharpoonup</code>          | <code>\tLefttrightharpoonup {...} {...}</code>       |
| <code>mathextensible:instance:tleftarrow</code>                    | <code>\tleftarrow {...} {...}</code>                 |
| <code>mathextensible:instance:tleftharpoonupdown</code>            | <code>\tleftharpoonupdown {...} {...}</code>         |
| <code>mathextensible:instance:tleftharpoonup</code>                | <code>\tleftharpoonup {...} {...}</code>             |
| <code>mathextensible:instance:tlefttrightharpoonup</code>          | <code>\tlefttrightharpoonup {...} {...}</code>       |
| <code>mathextensible:instance:tleftrightharpoons</code>            | <code>\tleftrightharpoons {...} {...}</code>         |
| <code>mathextensible:instance:tmapsto</code>                       | <code>\tmapsto {...} {...}</code>                    |
| <code>mathextensible:instance:tRightarrow</code>                   | <code>\tRightarrow {...} {...}</code>                |
| <code>mathextensible:instance:trel</code>                          | <code>\trel {...} {...}</code>                       |
| <code>mathextensible:instance:trightarrow</code>                   | <code>\trightarrow {...} {...}</code>                |

|   |                                       |
|---|---------------------------------------|
| mathextensible:instance:trightharpoondown   | \trightharpoondown {...} {...}        |
| mathextensible:instance:trightharpoonup     | \trightharpoonup {...} {...}          |
| mathextensible:instance:trightleftharpoons  | \trightleftharpoons {...} {...}       |
| mathextensible:instance:trightoverleftarrow | \trightoverleftarrow {...} {...}      |
| mathextensible:instance:ttriplerel          | \ttriplerel {...} {...}               |
| mathextensible:instance:ttwoheadleftarrow   | \ttwoheadleftarrow {...} {...}        |
| mathextensible:instance:ttwoheadrightarrow  | \ttwoheadrightarrow {...} {...}       |
| mathextensible:instance:xequal              | \xequal {...} {...}                   |
| mathextensible:instance:xhookleftarrow      | \xhookleftarrow {...} {...}           |
| mathextensible:instance:xhookrightarrow     | \xhookrightarrow {...} {...}          |
| mathextensible:instance:xLeftarrow          | \xLeftarrow {...} {...}               |
| mathextensible:instance:xLeftrightarrow     | \xLeftrightarrow {...} {...}          |
| mathextensible:instance:xleftarrow          | \xleftarrow {...} {...}               |
| mathextensible:instance:xlefttharpoondown   | \xlefttharpoondown {...} {...}        |
| mathextensible:instance:xlefttharpoonup     | \xlefttharpoonup {...} {...}          |
| mathextensible:instance:xleftrightharpoonup | \xleftrightharpoonup {...} {...}      |
| mathextensible:instance:xleftrightharpoons  | \xleftrightharpoons {...} {...}       |
| mathextensible:instance:xmapsto             | \xmapsto {...} {...}                  |
| mathextensible:instance:xrightarrow         | \xrightarrow {...} {...}              |
| mathextensible:instance:xrel                | \xrel {...} {...}                     |
| mathextensible:instance:xrightarrow         | \xrightarrow {...} {...}              |
| mathextensible:instance:xrightharpoondown   | \xrightharpoondown {...} {...}        |
| mathextensible:instance:xrightharpoonup     | \xrightharpoonup {...} {...}          |
| mathextensible:instance:xrightleftharpoons  | \xrightleftharpoons {...} {...}       |
| mathextensible:instance:xrightoverleftarrow | \xrightoverleftarrow {...} {...}      |
| mathextensible:instance:xtriplerel          | \xtriplerel {...} {...}               |
| mathextensible:instance:xtwoheadleftarrow   | \xtwoheadleftarrow {...} {...}        |
| mathextensible:instance:xtwoheadrightarrow  | \xtwoheadrightarrow {...} {...}       |
| mathfraktur                                 | \mathfraktur                          |
| mathframed:instance                         | \MATHFRAMED [..=..] {...}             |
| mathframed:instance:inmframed               | \inmframed [..=..] {...}              |
| mathframed:instance:mcfamed                 | \mcfamed [..=..] {...}                |
| mathframed:instance:mframed                 | \mframed [..=..] {...}                |
| mathfunction                                | \mathfunction {...}                   |
| mathit                                      | \mathit                               |
| mathitalic                                  | \mathitalic                           |
| mathmatrix                                  | \MATHMATRIX {...}                     |
| mathop                                      | \mathop {...}                         |
| mathornament:example                        | \MATHORNAMENT {...}                   |
| mathover                                    | \mathover [...] {...} {...}           |
| mathoverextensible:example                  | \MATHOVEREXTENSIBLE {...}             |
| mathovertextextensible:instance             | \MATHOVERTEXTTEXTENSIBLE {...} {...}  |
| mathradical:example                         | \MATHRADICAL [...] {...}              |
| mathrm                                      | \mathrm                               |
| mathscript                                  | \mathscript                           |
| mathsl                                      | \mathsl                               |
| mathss                                      | \mathss                               |
| mathtext                                    | \mathtext ... {...}                   |
| mathtextbf                                  | \mathtextbf ... {...}                 |
| mathtextbi                                  | \mathtextbi ... {...}                 |
| mathtextbs                                  | \mathtextbs ... {...}                 |
| mathtextit                                  | \mathtextit ... {...}                 |
| mathtextsl                                  | \mathtextsl ... {...}                 |
| mathtexttf                                  | \mathtexttf ... {...}                 |
| mathtf                                      | \mathtf                               |
| mathtriplet                                 | \mathtriplet [...] {...} {...} {...}  |
| mathtriplet:example                         | \MATHTRIPLET [...] {...} {...} {...}  |
| mathtt                                      | \mathtt                               |
| mathunder                                   | \mathunder [...] {...} {...}          |
| mathunderextensible:example                 | \MATHUNDEREXTENSIBLE {...}            |
| mathundertextextensible:instance            | \MATHUNDERTEXTTEXTENSIBLE {...} {...} |
| mathunstacked:example                       | \MATHUNSTACKED                        |
| mathupright                                 | \mathupright                          |
| mathword                                    | \mathword ... {...}                   |
| mathwordbf                                  | \mathwordbf ... {...}                 |
| mathwordbi                                  | \mathwordbi ... {...}                 |
| mathwordbs                                  | \mathwordbs ... {...}                 |
| mathwordit                                  | \mathwordit ... {...}                 |
| mathwordsl                                  | \mathwordsl ... {...}                 |
| mathwordtf                                  | \mathwordtf ... {...}                 |
| maxaligned                                  | \maxaligned {...}                     |
| mbox  | \mbox {...}                           |

|                                |  |
|--------------------------------|--|
| measure                        | \measure {...}                                       |
| measured                       | \measured {...}                                      |
| medskip                        | \medskip   |
| medspace                       | \medspace  |
| menuinteraction                | \menuinteraction [...] [..=..]                       |
| message                        | \message {...}                                       |
| metaTeX                        | \metaTeX   |
| mfence                         | \mfence {...}  |
| mfunction                      | \mfunction {...}                                     |
| mfunctionlabeltext             | \mfunctionlabeltext {...}                            |
| mhbox                          | \mhbox {...}   |
| middlealigned                  | \middlealigned {...}                                 |
| middlebox                      | \middlebox {...}                                     |
| midhbox                        | \midhbox {...}                                       |
| midsentence                    | \midsentence   |
| milieu                         | \milieu ...  |
| minimalhbox                    | \minimalhbox ... {...}                               |
| mixedcaps                      | \mixedcaps {...}                                     |
| mkvibuffer                     | \mkvibuffer [...]                                    |
| moduleparameter                | \moduleparameter {...} {...}                         |
| mois                           | \mois {...}  |
| molecule                       | \molecule {...}                                      |
| mono                           | \mono  |
| monogras                       | \monogras  |
| mononormal                     | \mononormal  |
| monthlong                      | \monthlong {...}                                     |
| monthshort                     | \monthshort {...}                                    |
| montrecadre                    | \montrecadre [...] [...]                             |
| montrecoleur                   | \montrecoleur [...]                                  |
| montredisposition              | \montredisposition [...]                             |
| montreedition                  | \montreedition [...] [...] [..=..]                   |
| montreenvironnementpolicecorps | \montreenvironnementpolicecorps [...]                |
| montreguille                   | \montreguille [...]                                  |
| montregroupecoleur             | \montregroupecoleur [...] [...]                      |
| montrejeusymboles              | \montrejeusymboles [...]                             |
| montremakeup                   | \montremakeup [...]                                  |
| montrepalette                  | \montrepalette [...] [...]                           |
| montrepolicecorps              | \montrepolicecorps [...]                             |
| montrereglages                 | \montrereglages [...]                                |
| montrestruts                   | \montrestruts  |
| mot                            | \mot {...}   |
| motdroit                       | \motdroit [...] {...}                                |
| mprandomnumber                 | \mprandomnumber                                      |
| mtext                          | \mtext {...}   |
| NormalizeFontHeight            | \NormalizeFontHeight \... {...} {...} {...}          |
| NormalizeFontWidth             | \NormalizeFontWidth \... {...} {...} {...}           |
| NormalizeTextHeight            | \NormalizeTextHeight {...} {...} {...}               |
| NormalizeTextWidth             | \NormalizeTextWidth {...} {...} {...}                |
| Numeros                        | \Numeros {...}                                       |
| namedheadnumber                | \namedheadnumber {...}                               |
| namedstructureheadlocation     | \namedstructureheadlocation {...}                    |
| namedstructureuservariable     | \namedstructureuservariable {...} {...}              |
| namedstructurevariable         | \namedstructurevariable {...} {...}                  |
| namedtaggedlabeltexts          | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| naturalhbox                    | \naturalhbox ... {...}                               |
| naturalhpack                   | \naturalhpack ... {...}                              |
| naturalvbox                    | \naturalvbox ... {...}                               |
| naturalvcenter                 | \naturalvcenter ... {...}                            |
| naturalvpack                   | \naturalvpack ... {...}                              |
| naturalvtop                    | \naturalvtop ... {...}                               |
| naturalwd                      | \naturalwd ...                                       |
| negatecolorbox                 | \negatecolorbox ...                                  |
| negated                        | \negated {...}                                       |
| negemspace                     | \negemspace  |
| negenspace                     | \negenspace  |
| negthinspace                   | \negthinspace  |
| newattribute                   | \newattribute \...                                   |
| newcatcodetable                | \newcatcodetable \...                                |
| newcounter                     | \newcounter \...                                     |
| newevery                       | \newevery \... \...                                  |
| newfrenchspacing               | \newfrenchspacing                                    |
| newmode                        | \newmode {...}                                       |

|                                   |   |
|-----------------------------------|---|
| newsignal                         | \newsignal \...                             |
| newsystemmode                     | \newsystemmode {...}                        |
| nextbox                           | \nextbox                                    |
| nextboxdp                         | \nextboxdp                                  |
| nextboxht                         | \nextboxht                                  |
| nextboxhtdp                       | \nextboxhtdp                                |
| nextboxwd                         | \nextboxwd                                  |
| nextcounter                       | \nextcounter [...] [...]                    |
| nextcountervalue                  | \nextcountervalue [...]                     |
| nextdepth                         | \nextdepth                                  |
| nextparagraphs                    | \nextparagraphs                             |
| nextparagraphs:example            | \suivantPARAGRAPHS                          |
| nextrealpage                      | \nextrealpage                               |
| nextrealpagenumber                | \nextrealpagenumber                         |
| nextsubcountervalue               | \nextsubcountervalue [...] [...]            |
| nextsubpagenumber                 | \nextsubpagenumber                          |
| nextuserpage                      | \nextuserpage                               |
| nextuserpagenumber                | \nextuserpagenumber                         |
| nocap                             | \nocap {...}                                |
| nocharacteralign                  | \nocharacteralign                           |
| nocitation                        | \nocitation [...]                           |
| nocitation:direct                 | \nocitation {...}                           |
| nocite                            | \nocite [...]                               |
| nocite:direct                     | \nocite {...}                               |
| nodetostring                      | \nodetostring \... {...}                    |
| nofffigurepages                   | \nofffigurepages                            |
| noflines                          | \noflines                                   |
| noflocalfloats                    | \noflocalfloats                             |
| noheightstrut                     | \noheightstrut                              |
| noindentation                     | \noindentation                              |
| noitem                            | \noitem                                     |
| nonfrenchspacing                  | \nonfrenchspacing                           |
| nonmathematics                    | \nonmathematics {...}                       |
| normal                            | \normal                                     |
| normalboldface                    | \normalboldface                             |
| normalframedwithsettings          | \normalframedwithsettings [..=..] {...}     |
| normalitalicface                  | \normalitalicface                           |
| normalizebodyfontsize             | \normalizebodyfontsize \... {...}           |
| normalizedfontsize                | \normalizedfontsize                         |
| normalizefontdepth                | \normalizefontdepth \... {...} {...} {...}  |
| normalizefontheight               | \normalizefontheight \... {...} {...} {...} |
| normalizefontline                 | \normalizefontline \... {...} {...} {...}   |
| normalizefontwidth                | \normalizefontwidth \... {...} {...} {...}  |
| normalizetextdepth                | \normalizetextdepth {...} {...} {...}       |
| normalizetextheight               | \normalizetextheight {...} {...} {...}      |
| normalizetextline                 | \normalizetextline {...} {...} {...}        |
| normalizetextwidth                | \normalizetextwidth {...} {...} {...}       |
| normalpetit                       | \normalpetit                                |
| normalslantedface                 | \normalslantedface                          |
| normaltypeface                    | \normaltypeface                             |
| note                              | \note [...] [...]                           |
| noteligne:instance                | \LINENOTE {...}                             |
| noteligne:instance:linenote       | \linenote {...}                             |
| notesymbol                        | \notesymbol [...] [...]                     |
| note:instance                     | \NOTE [...] {...}                           |
| note:instance:assignment          | \NOTE [..=..]                               |
| note:instance:assignment:endnote  | \endnote [..=..]                            |
| note:instance:assignment:footnote | \footnote [..=..]                           |
| note:instance:endnote             | \endnote [...] {...}                        |
| note:instance:footnote            | \footnote [...] {...}                       |
| notragged                         | \notragged                                  |
| ntimes                            | \ntimes {...} {...}                         |
| numberofpoints                    | \numberofpoints {...}                       |
| numeroformule                     | \numeroformule [...]                        |
| numeropage                        | \numeropage                                 |
| numeros                           | \numeros {...}                              |
| numerotete                        | \numerotete [...] [...]                     |
| numerotetecourant                 | \numerotetecourant                          |
| obeydepth                         | \obeydepth                                  |
| objectdepth                       | \objectdepth                                |
| objectheight                      | \objectheight                               |
| objectmargin                      | \objectmargin                               |

|                             |   |
|-----------------------------|---|
| objectwidth                 | \objectwidth                                      |
| obox                        | \obox {...}                                       |
| obtientmarquage             | \obtientmarquage [...] [...] [...]                |
| offset                      | \offset [...] {...}                               |
| offsetbox                   | \offsetbox [...] \... {...}                       |
| onedigitrounding            | \onedigitrounding {...}                           |
| ordinaldaynumber            | \ordinaldaynumber {...}                           |
| ordinalstr                  | \ordinalstr {...}                                 |
| oriente                     | \oriente [...] {...}                              |
| ornamenttext:collector      | \ornamenttext [...] [...] [...] {...} {...}       |
| ornamenttext:direct         | \ornamenttext [...] [...] {...}                   |
| ornamenttext:layer          | \ornamenttext [...] [...] [...] [...] {...} {...} |
| ornament:example            | \ORNAMENT [...] {...}                             |
| outputfilename              | \outputfilename                                   |
| outputstreambox             | \outputstreambox [...]                            |
| outputstreamcopy            | \outputstreamcopy [...]                           |
| outputstreamunvbox          | \outputstreamunvbox [...]                         |
| outputstreamunvcopy         | \outputstreamunvcopy [...]                        |
| over                        | \over [...]                                       |
| overlaybutton               | \overlaybutton [...]                              |
| overlaybutton:direct        | \overlaybutton {...}                              |
| overlaycolor                | \overlaycolor                                     |
| overlaydepth                | \overlaydepth                                     |
| overlayfigure               | \overlayfigure {...}                              |
| overlayheight               | \overlayheight                                    |
| overlayimage                | \overlayimage {...}                               |
| overlaylinecolor            | \overlaylinecolor                                 |
| overlaylinewidth            | \overlaylinewidth                                 |
| overlayoffset               | \overlayoffset                                    |
| overlayrollbutton           | \overlayrollbutton [...] [...]                    |
| overlaywidth                | \overlaywidth                                     |
| overloadererror             | \overloadererror                                  |
| overset                     | \overset [...] {...}                              |
| PDFcolor                    | \PDFcolor {...}                                   |
| PDFETEX                     | \PDFETEX  |
| PDFTEX                      | \PDFTEX   |
| PICTEX                      | \PCTEX  |
| PiCTeX                      | \PiCTeX   |
| PointsToBigPoints           | \PointsToBigPoints [...] \...                     |
| PointsToReal                | \PointsToReal [...] \...                          |
| PointsToWholeBigPoints      | \PointsToWholeBigPoints [...] \...                |
| PPCHTEX                     | \PPCHTEX  |
| PPCHTeX                     | \PPCHTeX  |
| PRAGMA                      | \PRAGMA   |
| PtToCm                      | \PtToCm {...}                                     |
| page                        | \page [...]                                       |
| pagearea                    | \pagearea [...] [...] [...]                       |
| pagebreak                   | \pagebreak [...]                                  |
| pagefigure                  | \pagefigure [...] [...] [...]                     |
| pageinjection               | \pageinjection [...] [...] [...]                  |
| pageinjection:assignment    | \pageinjection [...] [...] [...]                  |
| pagestaterealpage           | \pagestaterealpage [...] {...}                    |
| pagestaterealpageorder      | \pagestaterealpageorder [...] {...}               |
| paletsize                   | \paletsize  |
| paragraphs:example          | \PARAGRAPHS                                       |
| pdfactualtext               | \pdfactualtext [...] {...}                        |
| pdfbackendactualtext        | \pdfbackendactualtext [...] {...}                 |
| pdfbackendcurrentresources  | \pdfbackendcurrentresources                       |
| pdfbackendsetcatalog        | \pdfbackendsetcatalog [...] {...}                 |
| pdfbackendsetcolorspace     | \pdfbackendsetcolorspace [...] {...}              |
| pdfbackendsettextgstate     | \pdfbackendsettextgstate [...] {...}              |
| pdfbackendsetinfo           | \pdfbackendsetinfo [...] {...}                    |
| pdfbackendsetname           | \pdfbackendsetname [...] {...}                    |
| pdfbackendsetpageattribute  | \pdfbackendsetpageattribute [...] [...] {...}     |
| pdfbackendsetpageresource   | \pdfbackendsetpageresource [...] [...] {...}      |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute [...] [...] {...}    |
| pdfbackendsetpattern        | \pdfbackendsetpattern [...] [...] {...}           |
| pdfbackendsetshade          | \pdfbackendsetshade [...] [...] [...]             |
| pdfcolor                    | \pdfcolor [...]                                   |
| pdfTeX                      | \pdfTeX   |
| pdfTeX                      | \pdfTeX   |
| percent                     | \percent  |

|  |   |
|--|---|
| percentdimen                               | \percentdimen {...} {...}                           |
| periodes                                   | \periodes [...]                                     |
| periodes:assignment                        | \periodes [..=..]                                   |
| permitcaretescape                          | \permitcaretescape                                  |
| permitcircumflexescape                     | \permitcircumflexescape                             |
| permitspacesbetweengroups                  | \permitspacesbetweengroups                          |
| persiandecimals                            | \persiandecimals {...}                              |
| persiannumerals                            | \persiannumerals {...}                              |
| petit                                      | \petit  |
| petitepolicecorps                          | \petitepolicecorps                                  |
| petittype                                  | \petittype  |
| phantom                                    | \phantom {...}                                      |
| phantombox                                 | \phantombox [..=..]                                 |
| pickupgroupedcommand                       | \pickupgroupedcommand {...} {...} {...}             |
| pilechamp                                  | \pilechamp [...] [...] [..=..]                      |
| placeattachments                           | \placeattachments                                   |
| placebt rendering                          | \placebt rendering [...] [..=..]                    |
| placecitation                              | \placecitation [...]                                |
| placecomments                              | \placecomments                                      |
| placecoteacote                             | \placecoteacote {...} {...}                         |
| placecurrentformulanumber                  | \placecurrentformulanumber                          |
| placedbox                                  | \placedbox {...}                                    |
| placefloatwithsetups                       | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placeflottant                              | \placeflottant [...] [...] [...] [...] {...}        |
| placeflottant:instance                     | \placeFLOAT [...] [...] [...] {...}                 |
| placeflottant:instance:chemical            | \placechemical [...] [...] [...] {...}              |
| placeflottant:instance:figure              | \placefigure [...] [...] [...] {...}                |
| placeflottant:instance:graphic             | \placegraphic [...] [...] [...] {...}               |
| placeflottant:instance:intermezzo          | \placeintermezzo [...] [...] [...] {...}            |
| placeflottant:instance:table               | \placetable [...] [...] [...] {...}                 |
| placeformule                               | \placeformule [...] {...}                           |
| placeframed                                | \placeframed [...] [..=..] {...}                    |
| placehelp                                  | \placehelp  |
| placeinitial                               | \placeinitial [...]                                 |
| placelayer                                 | \placelayer [...]                                   |
| placelayeredtext                           | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelesunsaudessusdesautres               | \placelesunsaudessusdesautres {...} {...}           |
| placeliste                                 | \placeliste [...] [..=..]                           |
| placelisteinmbriquee                       | \placelisteinmbriquee [...] [..=..]                 |
| placelisteinmbriquee:instance              | \placeCOMBINEDLIST [..=..]                          |
| placelisteinmbriquee:instance:content      | \placecontent [..=..]                               |
| placelistoffloats:instance                 | \placelistoffLOATS [..=..]                          |
| placelistoffloats:instance:chemicals       | \placelistofchemicals [..=..]                       |
| placelistoffloats:instance:figures         | \placelistoffigures [..=..]                         |
| placelistoffloats:instance:graphics        | \placelistofgraphics [..=..]                        |
| placelistoffloats:instance:intermezzi      | \placelistofintermezzi [..=..]                      |
| placelistoffloats:instance:tables          | \placelistoftables [..=..]                          |
| placelistofpublications                    | \placelistofpublications [...] [..=..]              |
| placelistofsorts                           | \placelistofsorts [...] [..=..]                     |
| placelistofsorts:instance                  | \placelistofSORTS [..=..]                           |
| placelistofsorts:instance:logos            | \placelistoflogos [..=..]                           |
| placelistofsynonyms                        | \placelistofsynonyms [...] [..=..]                  |
| placelistofsynonyms:instance               | \placelistofSYNONYMS [..=..]                        |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=..]                   |
| placelocalnotes                            | \placelocalnotes [...] [..=..]                      |
| placemarquespages                          | \placemarquespages [...] [...] [..=..]              |
| placement                                  | \placement [...] [..=..] {...}                      |
| placement:example                          | \PLACEMENT [..=..] {...}                            |
| placenamedfloat                            | \placenamedfloat [...] [...]                        |
| placenamedformula                          | \placenamedformula [...] [...] {...}                |
| placenotes                                 | \placenotes [...] [..=..]                           |
| placenotespdp                              | \placenotespdp [..=..]                              |
| placenotespdplocales                       | \placenotespdplocales [..=..]                       |
| placenumeropage                            | \placenumeropage                                    |
| placenumerotete                            | \placenumerotete [...]                              |
| placepairedbox                             | \placepairedbox [...] [..=..] {...} {...}           |
| placepairedbox:instance                    | \placePAIREDBOX [..=..] {...} {...}                 |
| placepairedbox:instance:legend             | \placelegend [..=..] {...} {...}                    |
| placeparallel                              | \placeparallel [...] [...] [..=..]                  |
| placeraclist                               | \placeraclist [...] [..=..]                         |
| placeregistre                              | \placeregistre [...] [..=..]                        |
| placeregistre:instance                     | \placeREGISTER [..=..]                              |

|                                    |  |
|------------------------------------|--|
| placeregistre:instance:index       | \placeindex [..=..]                        |
| placereadingwindow                 | \placereadingwindow [...] [...]            |
| placesousformule                   | \placesousformule [...] {...}              |
| placesurgrille                     | \placesurgrille [...] {...}                |
| placesurgrille:list                | \placesurgrille [...] {...}                |
| placetextetete                     | \placetextetete [...]                      |
| point                              | \point {...}                               |
| popattribute                       | \popattribute \...                         |
| popmacro                           | \popmacro \...                             |
| popmode                            | \popmode [...]                             |
| popsystemmode                      | \popsystemmode {...}                       |
| position                           | \position [..=..] (...,...) {...}          |
| positionoverlay                    | \positionoverlay {...}                     |
| positionregionoverlay              | \positionregionoverlay {...} {...}         |
| postponenotes                      | \postponenotes                             |
| predefinedfont                     | \predefinedfont [...]                      |
| predefinefont                      | \predefinefont [...] [...]                 |
| predefinesymbol                    | \predefinesymbol [...]                     |
| prefixedpagenumber                 | \prefixedpagenumber                        |
| premieresouspage                   | \premieresouspage                          |
| prendbuffer                        | \prendbuffer [...]                         |
| prendbuffer:instance               | \obtientBUFFER                             |
| prependetoks                       | \prependetoks ... \to \...                 |
| prependgvalue                      | \prependgvalue {...} {...}                 |
| prependtocommalist                 | \prependtocommalist {...} \...             |
| prependtoks                        | \prependtoks ... \to \...                  |
| prependtoksonce                    | \prependtoksonce ... \to \...              |
| prependvalue                       | \prependvalue {...} {...}                  |
| prerollblank                       | \prerollblank [...]                        |
| presetdocument                     | \presetdocument [..=..]                    |
| presetfieldsymbols                 | \presetfieldsymbols [...]                  |
| presetlabeltext:instance           | \presetLABELtexte [...] [..=..]            |
| presetlabeltext:instance:btxlabel  | \presetbtxlabeltexte [...] [..=..]         |
| presetlabeltext:instance:head      | \presetheadtexte [...] [..=..]             |
| presetlabeltext:instance:label     | \presetlabeltexte [...] [..=..]            |
| presetlabeltext:instance:mathlabel | \presetmathlabeltexte [...] [..=..]        |
| presetlabeltext:instance:operator  | \presetoperatortexte [...] [..=..]         |
| presetlabeltext:instance:prefix    | \presetprefixtexte [...] [..=..]           |
| presetlabeltext:instance:suffix    | \presetsuffixtexte [...] [..=..]           |
| presetlabeltext:instance:taglabel  | \presettaglabeltexte [...] [..=..]         |
| presetlabeltext:instance:unit      | \presetunittexte [...] [..=..]             |
| pretocommalist                     | \pretocommalist {...} \...                 |
| prettyprintbuffer                  | \prettyprintbuffer {...} {...}             |
| prevcounter                        | \prevcounter [...] [...]                   |
| prevcountervalue                   | \prevcountervalue [...]                    |
| preventmode                        | \preventmode [...]                         |
| prevrealpage                       | \prevrealpage                              |
| prevrealpagenumber                 | \prevrealpagenumber                        |
| prevsubcountervalue                | \prevsubcountervalue [...] [...]           |
| prevsubpage                        | \prevsubpage                               |
| prevsubpagenumber                  | \prevsubpagenumber                         |
| prevuserpage                       | \prevuserpage                              |
| prevuserpagenumber                 | \prevuserpagenumber                        |
| procent                            | \procent                                   |
| processaction                      | \processaction [...] [...,=>...]           |
| processallactionsinset             | \processallactionsinset [...] [...,=>...]  |
| processassignlist                  | \processassignlist [...] \...              |
| processassignmentcommand           | \processassignmentcommand [..=..] \...     |
| processassignmentlist              | \processassignmentlist [..=..] \...        |
| processbetween                     | \processbetween {...} \...                 |
| processbodyfontenvironmentlist     | \processbodyfontenvironmentlist \...       |
| processcolorcomponents             | \processcolorcomponents {...}              |
| processcommacommand                | \processcommacommand [...] \...            |
| processcommalist                   | \processcommalist [...] \...               |
| processcommalistwithparameters     | \processcommalistwithparameters [...] \... |
| processcontent                     | \processcontent {...} \...                 |
| processfile                        | \processfile {...}                         |
| processfilemany                    | \processfilemany {...}                     |
| processfilenone                    | \processfilenone {...}                     |
| processfileonce                    | \processfileonce {...}                     |
| processfirstactioninset            | \processfirstactioninset [...] [...,=>...] |
| processisolatedchars               | \processisolatedchars {...} \...           |



|                        |  |
|------------------------|--|
| processisolatedwords   | \processisolatedwords {...} \...                   |
| processlinetablebuffer | \processlinetablebuffer [...]                      |
| processlinetablefile   | \processlinetablefile {...}                        |
| processlist            | \processlist {...} {...} {...} \...                |
| processMPbuffer        | \processMPbuffer [...]                             |
| processMPfigurefile    | \processMPfigurefile {...}                         |
| processmonth           | \processmonth {...} {...} {...}                    |
| processranges          | \processranges [...] \...                          |
| processseparatedlist   | \processseparatedlist [...] [...] {...}            |
| processtexbuffer       | \processtexbuffer [...]                            |
| processtokens          | \processtokens {...} {...} {...} {...} {...}       |
| processuntil           | \processuntil \...                                 |
| processxtablebuffer    | \processxtablebuffer [...]                         |
| processyear            | \processyear {...} {...} {...} {...}               |
| produit                | \produit [...]                                     |
| produit:string         | \produit ...                                       |
| profiledbox            | \profiledbox [...] [..=..] {...}                   |
| profilegivenbox        | \profilegivenbox {...} ...                         |
| programme              | \programme [...]                                   |
| projet                 | \projet [...]                                      |
| projet:string          | \projet ...  |
| pseudoMixedCapped      | \pseudoMixedCapped {...}                           |
| pseudoSmallCapped      | \pseudoSmallCapped {...}                           |
| pseudoSmallcapped      | \pseudoSmallcapped {...}                           |
| pseudosmallcapped      | \pseudosmallcapped {...}                           |
| purenumber             | \purenumber {...}                                  |
| pusharrangedpages      | \pusharrangedpages ... \poparrangedpages           |
| pushharriereplan       | \pushharriereplan [...] ... \poparriereplan        |
| pushattribute          | \pushattribute \...                                |
| pushbar                | \pushbar [...] ... \popbar                         |
| pushbutton             | \pushbutton [...] [...]                            |
| pushcatcodetable       | \pushcatcodetable ... \popcatcodetable             |
| pushcouleur            | \pushcouleur [...] ... \popcouleur                 |
| pushendofline          | \pushendofline ... \popendofline                   |
| pushindentation        | \pushindentation ... \popindentation               |
| pushMPdrawing          | \pushMPdrawing ... \popMPdrawing                   |
| pushmacro              | \pushmacro \...                                    |
| pushmathstyle          | \pushmathstyle ... \popmathstyle                   |
| pushmode               | \pushmode [...]                                    |
| pushoutputstream       | \pushoutputstream [...]                            |
| pushpath               | \pushpath [...] ... \poppath                       |
| pushpunctuation        | \pushpunctuation ... \poppunctuation               |
| pushrandomseed         | \pushrandomseed ... \poprandomseed                 |
| pushreferenceprefix    | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsystemmode         | \pushsystemmode {...}                              |
| putboxincache          | \putboxincache {...} {...} ...                     |
| putnextboxincache      | \putnextboxincache {...} {...} \... {...}          |
| qqpart                 | \qqpart {...} {...} [...]                          |
| qquad                  | \qquad   |
| quad                   | \quad  |
| quads                  | \quads [...]                                       |
| quarterstrut           | \quarterstrut                                      |
| quitcommalist          | \quitcommalist                                     |
| quitprevcommalist      | \quitprevcommalist                                 |
| quittypescriptscanning | \quittypescriptscanning                            |
| ReadFile               | \ReadFile {...}                                    |
| raggedbottom           | \raggedbottom                                      |
| raggedcenter           | \raggedcenter                                      |
| raggedleft             | \raggedleft  |
| raggedright            | \raggedright                                       |
| raggedwidecenter       | \raggedwidecenter                                  |
| raisebox               | \raisebox {...} \... {...}                         |
| randomizetext          | \randomizetext {...}                               |
| randomnumber           | \randomnumber {...} {...}                          |
| rawcounter             | \rawcounter [...] [...]                            |
| rawcountervalue        | \rawcountervalue [...]                             |
| rawdate                | \rawdate [...]                                     |
| rawdoifelseinset       | \rawdoifelseinset {...} {...} {...} {...}          |
| rawdoifinset           | \rawdoifinset {...} {...} {...}                    |
| rawdoifinsetelse       | \rawdoifinsetelse {...} {...} {...} {...}          |
| rawgetparameters       | \rawgetparameters [...] [..=..]                    |
| rawprocessaction       | \rawprocessaction [...] [...,=>...]                |

|                                   |   |
|-----------------------------------|---|
| rawprocesscommacommand            | \rawprocesscommacommand [...] \...              |
| rawprocesscommalist               | \rawprocesscommalist [...] \...                 |
| rawstructurelistuservariable      | \rawstructurelistuservariable {...}             |
| rawsubcountervalue                | \rawsubcountervalue [...] [...]                 |
| razmarquage                       | \razmarquage [...]                              |
| rbox                              | \rbox ... {...}                                 |
| readfile                          | \readfile {...} {...} {...}                     |
| readfixfile                       | \readfixfile {...} {...} {...} {...}            |
| readjobfile                       | \readjobfile {...} {...} {...}                  |
| readlocfile                       | \readlocfile {...} {...} {...}                  |
| readsetfile                       | \readsetfile {...} {...} {...} {...}            |
| readsysfile                       | \readsysfile {...} {...} {...}                  |
| readtexfile                       | \readtexfile {...} {...} {...}                  |
| readxmlfile                       | \readxmlfile {...} {...} {...}                  |
| realpagenumber                    | \realpagenumber                                 |
| realSmallCapped                   | \realSmallCapped {...}                          |
| realSmallcapped                   | \realSmallcapped {...}                          |
| realsmallcapped                   | \realsmallcapped {...}                          |
| recursedepth                      | \recursedepth                                   |
| recurselevel                      | \recurselevel                                   |
| recursestring                     | \recursestring                                  |
| redoconvertfont                   | \redoconvertfont                                |
| ref                               | \ref [...] [...]                                |
| reference                         | \reference [...] {...}                          |
| referenceformat:example           | \REFERENCEFORMAT {...} {...} [...]              |
| referencepage                     | \referencepage [...]                            |
| referenceprefix                   | \referenceprefix                                |
| referencetexte                    | \referencetexte [...] {...}                     |
| reflete                           | \reflete {...}                                  |
| registerattachment                | \registerattachment [...] [..=..]               |
| registercctluafile                | \registercctluafile {...} {...}                 |
| registerexternalfigure            | \registerexternalfigure [...] [...] [..=..]     |
| registerfontclass                 | \registerfontclass {...}                        |
| registerhyphenationexception      | \registerhyphenationexception [...] [...]       |
| registerhyphenationpattern        | \registerhyphenationpattern [...] [...]         |
| registermenubuttons               | \registermenubuttons [...] [...]                |
| registersort                      | \registersort [...] [...]                       |
| registersynonym                   | \registersynonym [...] [...]                    |
| registerunit                      | \registerunit [...] [..=..]                     |
| registre:instance                 | \REGISTER [...] {...} {...} {...}               |
| registre:instance:index           | \index [...] {...} {...} {...}                  |
| registre:instance:ownnumber       | \REGISTER [...] {...} {...} {...}               |
| registre:instance:ownnumber:index | \index [...] {...} {...} {...}                  |
| regle                             | \regle [...]                                    |
| reglealignement                   | \reglealignement [...]                          |
| reglearrangement                  | \reglearrangement [...]                         |
| reglearriereplan                  | \reglearriereplan [...] [..=..]                 |
| reglearriereplans                 | \reglearriereplans [...] [...] [..=..]          |
| reglearriereplans:page            | \reglearriereplans [...] [..=..]                |
| reglebarreinteraction             | \reglebarreinteraction [...] [..=..]            |
| reglebloc                         | \reglebloc [...] [..=..]                        |
| regleblocsection                  | \regleblocsection [...] [..=..]                 |
| reglebuffer                       | \reglebuffer [...] [..=..]                      |
| reglecapitales                    | \reglecapitales [...] [..=..]                   |
| reglechamp                        | \reglechamp [...] [...] [..=..] [..=..] [..=..] |
| reglechamps                       | \reglechamps [...] [..=..] [..=..] [..=..]      |
| regleclipping                     | \regleclipping [..=..]                          |
| reglecolonnes                     | \reglecolonnes [..=..]                          |
| reglecommentaire                  | \reglecommentaire [...] [..=..]                 |
| reglecommentairepage              | \reglecommentairepage [..=..]                   |
| reglecompoetroite                 | \reglecompoetroite [...] [..=..]                |
| reglecomposeenalinea              | \reglecomposeenalinea [...]                     |
| reglecouleur                      | \reglecouleur [...]                             |
| reglecouleurs                     | \reglecouleurs [..=..]                          |
| regledactylo                      | \regledactylo [...] [..=..]                     |
| regledemarrestoppe                | \regledemarrestoppe [...] [..=..]               |
| regledisposition                  | \regledisposition [...] [..=..]                 |
| regledisposition:name             | \regledisposition [...]                         |
| regleecraninteraction             | \regleecraninteraction [..=..]                  |
| regleelements                     | \regleelements [...] [..=..]                    |
| regleencadre                      | \regleencadre [...] [..=..]                     |
| regleentete                       | \regleentete [...] [..=..]                      |

|                                      |   |
|--------------------------------------|---|
| regleenumerations                    | \regleenumerations [...] [..=..]          |
| regleepaisseurligne                  | \regleepaisseurligne [...]                |
| regleespaceblanc                     | \regleespaceblanc [...]                   |
| regleesplacement                     | \regleesplacement [...]                   |
| regleesplacementinterligne           | \regleesplacementinterligne [...] [..=..] |
| regleesplacementinterligne:argument  | \regleesplacementinterligne [...]         |
| regleesplacementinterligne:name      | \regleesplacementinterligne [...]         |
| regleflottant                        | \regleflottant [...] [..=..]              |
| regleflottants                       | \regleflottants [...] [..=..]             |
| regleformulaires                     | \regleformulaires [..=..]                 |
| regleformules                        | \regleformules [...] [..=..]              |
| reglegroupelements                   | \reglegroupelements [...] [..=..]         |
| regleinf                             | \regleinf [...] [..=..]                   |
| regleinteraction                     | \regleinteraction [...] [..=..]           |
| regleinteraction:name                | \regleinteraction [...]                   |
| regleintitule                        | \regleintitule [...] [..=..]              |
| regleintitules                       | \regleintitules [...] [..=..]             |
| reglejeucolonne                      | \reglejeucolonne [...] [..=..]            |
| reglejeusymboles                     | \reglejeusymboles [...]                   |
| reglelabeltexte:instance             | \regleLABELtexte [...] [..=..]            |
| reglelabeltexte:instance:btxlabel    | \reglebtxlabeltexte [...] [..=..]         |
| reglelabeltexte:instance:head        | \regleheadtexte [...] [..=..]             |
| reglelabeltexte:instance:label       | \reglelabeltexte [...] [..=..]            |
| reglelabeltexte:instance:mathlabel   | \reglemathlabeltexte [...] [..=..]        |
| reglelabeltexte:instance:operator    | \regleoperatortexte [...] [..=..]         |
| reglelabeltexte:instance:prefix      | \regleprefixtexte [...] [..=..]           |
| reglelabeltexte:instance:suffix      | \reglesuffixtexte [...] [..=..]           |
| reglelabeltexte:instance:taglabel    | \regletaglabeltexte [...] [..=..]         |
| reglelabeltexte:instance:unit        | \regleunitttexte [...] [..=..]            |
| reglelangue                          | \reglelangue [...] [..=..]                |
| reglelignes                          | \reglelignes [...] [..=..]                |
| reglelignesnoires                    | \reglelignesnoires [..=..]                |
| reglelignesreglestexte               | \reglelignesreglestexte [..=..]           |
| regleliste                           | \regleliste [...] [..=..]                 |
| reglelisteimbriquee                  | \reglelisteimbriquee [...] [..=..]        |
| reglelisteimbriquee:instance         | \regleCOMBINEDLIST [..=..]                |
| reglelisteimbriquee:instance:content | \reglecontent [..=..]                     |
| reglemakeup                          | \reglemakeup [...] [..=..]                |
| reglemargereglee                     | \reglemargereglee [...] [..=..]           |
| reglemarquage                        | \reglemarquage [...] [..=..]              |
| reglemarquagehyphenation             | \reglemarquagehyphenation [..=..]         |
| reglemenuinteraction                 | \reglemenuinteraction [...] [..=..]       |
| regleneropage                        | \regleneropage [..=..]                    |
| reglenerotationligne                 | \reglenerotationligne [...] [..=..]       |
| reglenerotationpage                  | \reglenerotationpage [..=..]              |
| reglenerotationparagraphe            | \reglenerotationparagraphe [..=..]        |
| reglenerotete                        | \reglenerotete [...] [...]                |
| regleoriente                         | \regleoriente [..=..]                     |
| reglepalette                         | \reglepalette [...]                       |
| reglepapier                          | \reglepapier [..=..]                      |
| regleparagraphe                      | \regleparagraphe [...] [...] [..=..]      |
| regleparagraphe:assignment           | \regleparagraphe [...] [..=..]            |
| reglepdp                             | \reglepdp [...] [..=..]                   |
| regleplacementopposition             | \regleplacementopposition [..=..]         |
| reglepolicecorps                     | \reglepolicecorps [...]                   |
| reglepositionnement                  | \reglepositionnement [...] [..=..]        |
| regleprogrammes                      | \regleprogrammes [..=..]                  |
| reglereferencage                     | \reglereferencage [..=..]                 |
| regleregistre                        | \regleregistre [...] [..=..]              |
| regleregistre:argument               | \regleregistre [...] [...] [..=..]        |
| regleregistre:instance               | \regleREGISTER [...] [..=..]              |
| regleregistre:instance:index         | \regleindex [...] [..=..]                 |
| regleremplitligne                    | \regleremplitligne [..=..]                |
| regleremplitlignesreglees            | \regleremplitlignesreglees [..=..]        |
| regleseparationflottant              | \regleseparationflottant [..=..]          |
| reglesousnumeropage                  | \reglesousnumeropage [..=..]              |
| reglesup                             | \reglesup [...] [..=..]                   |
| reglesynonymes                       | \reglesynonymes [...] [..=..]             |
| regletableaux                        | \regletableaux [..=..]                    |
| regletabulation                      | \regletabulation [...] [...] [..=..]      |
| regletaillepapier                    | \regletaillepapier [...] [..=..]          |
| regletaillepapier:name               | \regletaillepapier [...] [...]            |

|                           |  |
|---------------------------|--|
| regletete                 | \regletete [...] [..=..]                         |
| regletetes                | \regletetes [...] [..=..]                        |
| regletexte                | \regletexte [...] [..=..]                        |
| regletextesentete         | \regletextesentete [...] [...] [...] [...] [...] |
| regletextesinf            | \regletextesinf [...] [...] [...] [...] [...]    |
| regletextesdpdp           | \regletextesdpdp [...] [...] [...] [...] [...]   |
| regletextessup            | \regletextessup [...] [...] [...] [...] [...]    |
| regletextestexte          | \regletextestexte [...] [...] [...] [...] [...]  |
| regletolerance            | \regletolerance [...]                            |
| regletraitsfins           | \regletraitsfins [..=..]                         |
| regletransitionspace      | \regletransitionspace [...]                      |
| regletri                  | \regletri [...] [..=..]                          |
| regletype                 | \regletype [...] [..=..]                         |
| regleurl                  | \regleurl [..=..]                                |
| regle:direct              | \regle {...}                                     |
| regulier                  | \regulier  |
| relatemarking             | \relatemarking [...] [...]                       |
| relateparameterhandlers   | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined     | \relaxvalueifundefined {...}                     |
| remainingcharacters       | \remainingcharacters                             |
| removebottomthings        | \removebottomthings                              |
| removedepth               | \removedepth                                     |
| removefromcommalist       | \removefromcommalist {...} \...                  |
| removelastskip            | \removelastskip                                  |
| removelastspace           | \removelastspace                                 |
| removemarkedcontent       | \removemarkedcontent [...]                       |
| removepunctuation         | \removepunctuation                               |
| removesubstring           | \removesubstring ... \from ... \to \...          |
| removetoks                | \removetoks ... \from \...                       |
| removeunwantedspaces      | \removeunwantedspaces                            |
| remplitligne              | \remplitligne [..=..]                            |
| remplitlignesreglees      | \remplitlignesreglees [..=..] {...} {...}        |
| remplittexte              | \remplittexte [..=..] {...} {...}                |
| replacefeature            | \replacefeature [...]                            |
| replacefeature:direct     | \replacefeature {...}                            |
| replaceincommalist        | \replaceincommalist \... {...}                   |
| replaceword               | \replaceword [...] [...] [...]                   |
| rescan                    | \rescan {...}                                    |
| rescanwithsetup           | \rescanwithsetup {...} {...}                     |
| resetallattributes        | \resetallattributes                              |
| resetandaddfeature        | \resetandaddfeature [...]                        |
| resetandaddfeature:direct | \resetandaddfeature {...}                        |
| resetbar                  | \resetbar  |
| resetboxesincache         | \resetboxesincache {...}                         |
| resetbreakpoints          | \resetbreakpoints                                |
| resetbuffer               | \resetbuffer [...]                               |
| resetcharacteralign       | \resetcharacteralign                             |
| resetcharacterkerning     | \resetcharacterkerning                           |
| resetcharacterspacing     | \resetcharacterspacing                           |
| resetcharacterstripping   | \resetcharacterstripping                         |
| resetcollector            | \resetcollector [...]                            |
| resetcounter              | \resetcounter [...] [...]                        |
| resetdigitsmanipulation   | \resetdigitsmanipulation                         |
| resetdirection            | \resetdirection                                  |
| resetfeature              | \resetfeature                                    |
| resetflag                 | \resetflag {...}                                 |
| resetfontcolorscheme      | \resetfontcolorscheme                            |
| resetfontfallback         | \resetfontfallback [...] [...]                   |
| resetfontsolution         | \resetfontsolution                               |
| resethyphenationfeatures  | \resethyphenationfeatures                        |
| resetinjector             | \resetinjector [...]                             |
| resetinteractionmenu      | \resetinteractionmenu [...]                      |
| resetitaliccorrection     | \resetitaliccorrection                           |
| resetlayer                | \resetlayer [...]                                |
| resetlocalfloats          | \resetlocalfloats                                |
| resetMPdrawing            | \resetMPdrawing                                  |
| resetMPenvironment        | \resetMPenvironment                              |
| resetMPinstance           | \resetMPinstance [...]                           |
| resetmarker               | \resetmarker [...]                               |
| resetmode                 | \resetmode {...}                                 |
| resetpagenumber           | \resetpagenumber                                 |
| resetparallel             | \resetparallel [...] [...]                       |

|                                   |  |
|-----------------------------------|--|
| resetpath                         | \resetpath                                   |
| resetpenalties                    | \resetpenalties \...                         |
| resetperiodkerning                | \resetperiodkerning                          |
| resetprofile                      | \resetprofile                                |
| resetrecurselevel                 | \resetrecurselevel                           |
| resetreference                    | \resetreference [...]                        |
| resetreplacement                  | \resetreplacement                            |
| resetscript                       | \resetscript                                 |
| resetsetups                       | \resetsetups [...]                           |
| resetshownsynonyms                | \resetshownsynonyms [...]                    |
| resetsubpagenumber                | \resetsubpagenumber                          |
| resetsymbolset                    | \resetsymbolset                              |
| resetsystemmode                   | \resetsystemmode {...}                       |
| resettimer                        | \resettimer                                  |
| resettokenlist                    | \resettokenlist [...]                        |
| resettrackers                     | \resettrackers                               |
| resettrialtypesetting             | \resettrialtypesetting                       |
| resetusedsortings                 | \resetusedsortings [...]                     |
| resetusedsynonyms                 | \resetusedsynonyms [...]                     |
| resetuserpagenumber               | \resetuserpagenumber                         |
| resetvalue                        | \resetvalue {...}                            |
| resetvisualizers                  | \resetvisualizers                            |
| reshapebox                        | \reshapebox {...}                            |
| resolvedglyphdirect               | \resolvedglyphdirect {...} {...}             |
| resolvedglyphstyled               | \resolvedglyphstyled {...} {...}             |
| restartcounter                    | \restartcounter [...] [...] [...]            |
| restorebox                        | \restorebox {...} {...}                      |
| restorecatcodes                   | \restorecatcodes                             |
| restorecounter                    | \restorecounter [...]                        |
| restorecurrentattributes          | \restorecurrentattributes {...}              |
| restoreendofline                  | \restoreendofline                            |
| restoreglobalbodyfont             | \restoreglobalbodyfont                       |
| reusableMPgraphic                 | \reusableMPgraphic {...} {..=..}             |
| reuseMPgraphic                    | \reuseMPgraphic {...} {..=..}                |
| reuserandomseed                   | \reuserandomseed                             |
| revivefeature                     | \revivefeature                               |
| rfence                            | \rfence {...}                                |
| rhbox                             | \rhbox {...}                                 |
| rightbottombox                    | \rightbottombox {...}                        |
| rightbox                          | \rightbox {...}                              |
| righthbox                         | \righthbox {...}                             |
| rightlabeltext:instance           | \rightLABELtexte {...}                       |
| rightlabeltext:instance:head      | \righttheadtexte {...}                       |
| rightlabeltext:instance:label     | \rightlabeltexte {...}                       |
| rightlabeltext:instance:mathlabel | \rightmathlabeltexte {...}                   |
| rightline                         | \rightline {...}                             |
| rightorleftpageaction             | \rightorleftpageaction {...} {...}           |
| rightpageorder                    | \rightpageorder                              |
| rightskipadaption                 | \rightskipadaption                           |
| rightsubguillemot                 | \rightsubguillemot                           |
| righttopleft                      | \righttopleft                                |
| righttopleftthbox                 | \righttopleftthbox ... {...}                 |
| righttopleftvbox                  | \righttopleftvbox ... {...}                  |
| righttopleftvtop                  | \righttopleftvtop ... {...}                  |
| righttopbox                       | \righttopbox {...}                           |
| ring                              | \ring {...}                                  |
| rlap                              | \rlap {...}                                  |
| robustaddtocommalist              | \robustaddtocommalist {...} \...             |
| robustdoifelseinset               | \robustdoifelseinset {...} {...} {...} {...} |
| robustdoifinsetelse               | \robustdoifinsetelse {...} {...} {...} {...} |
| robustpretocommalist              | \robustpretocommalist {...} \...             |
| rollbutton:button                 | \rollbutton [..=..] ... [...]                |
| rollbutton:interactionmenu        | \rollbutton [...] [..=..] ... [...]          |
| roman                             | \roman                                       |
| rtop                              | \rtop ... {...}                              |
| ruby                              | \ruby [...] {...} {...}                      |
| ruledhbox                         | \ruledhbox ... {...}                         |
| ruledhpack                        | \ruledhpack ... {...}                        |
| ruledmbox                         | \ruledmbox {...}                             |
| ruledtopv                         | \ruledtopv ... {...}                         |
| ruledtpack                        | \ruledtpack ... {...}                        |
| ruledvbox                         | \ruledvbox ... {...}                         |

|   |   |
|---|---|
| ruledvpack                                      | \ruledvpack ... {...}                                     |
| ruledvtop                                       | \ruledvtop ... {...}                                      |
| runMPbuffer                                     | \runMPbuffer [...]  |
| runninghbox                                     | \runninghbox {...}  |
| ScaledPointsToBigPoints                         | \ScaledPointsToBigPoints {...} \...                       |
| ScaledPointsToWholeBigPoints                    | \ScaledPointsToWholeBigPoints {...} \...                  |
| Smallcapped                                     | \Smallcapped {...}  |
| safechar  | \safechar {...}   |
| samplefile                                      | \samplefile {...}   |
| sans  | \sans   |
| sansespace                                      | \sansespace   |
| sansgras  | \sansgras   |
| sanslignesenteteetpdp                           | \sanslignesenteteetpdp                                    |
| sanslignessupetinf                              | \sanslignessupetinf                                       |
| sansnormal                                      | \sansnormal   |
| sansserif                                       | \sansserif  |
| savebox   | \savebox {...} {...} {...}                                |
| savebtxdataset                                  | \savebtxdataset [...] [...] [..=..]                       |
| savebuffer                                      | \savebuffer [..=..]                                       |
| savebuffer:list                                 | \savebuffer [...] [...]                                   |
| savecouleur                                     | \savecouleur ... \restorecouleur                          |
| savecounter                                     | \savecounter [...]  |
| savecurrentattributes                           | \savecurrentattributes {...}                              |
| savenormalmeaning                               | \savenormalmeaning \...                                   |
| savetaggedtwopassdata                           | \savetaggedtwopassdata {...} {...} {...} {...}            |
| savetwopassdata                                 | \savetwopassdata {...} {...} {...}                        |
| sbox  | \sbox {...}   |
| script:instance                                 | \SCRIPT   |
| script:instance:ethiopic                        | \ethiopic   |
| script:instance:hangul                          | \hangul   |
| script:instance:hanzi                           | \hanzi  |
| script:instance:latin                           | \latin  |
| script:instance:nihongo                         | \nihongo  |
| script:instance:test                            | \test   |
| script:instance:thai                            | \thai   |
| secondoffivearguments                           | \secondoffivearguments {...} {...} {...} {...} {...}      |
| secondoffourarguments                           | \secondoffourarguments {...} {...} {...} {...}            |
| secondofsixarguments                            | \secondofsixarguments {...} {...} {...} {...} {...} {...} |
| secondofthreearguments                          | \secondofthreearguments {...} {...} {...}                 |
| secondofthreeunexpanded                         | \secondofthreeunexpanded {...} {...} {...}                |
| secondoftwoarguments                            | \secondoftwoarguments {...} {...}                         |
| secondoftwounexpanded                           | \secondoftwounexpanded {...} {...}                        |
| section:instance                                | \SECTION [...] {...}                                      |
| section:instance:assignment                     | \SECTION [..=..]  |
| section:instance:assignment:chapter             | \chapter [..=..]  |
| section:instance:assignment:part                | \part [..=..]   |
| section:instance:assignment:section             | \section [..=..]  |
| section:instance:assignment:subject             | \subject [..=..]  |
| section:instance:assignment:subsection          | \subsection [..=..]                                       |
| section:instance:assignment:subsubject          | \subsubject [..=..]                                       |
| section:instance:assignment:subsubsection       | \subsubsection [..=..]                                    |
| section:instance:assignment:subsubsubject       | \subsubsubject [..=..]                                    |
| section:instance:assignment:subsubsubsection    | \subsubsubsection [..=..]                                 |
| section:instance:assignment:subsubsubsubject    | \subsubsubsubject [..=..]                                 |
| section:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..]                              |
| section:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..]                              |
| section:instance:assignment:title               | \title [..=..]  |
| section:instance:chapter                        | \chapter [...] {...}                                      |
| section:instance:ownnumber                      | \SECTION [...] {...} {...}                                |
| section:instance:ownnumber:chapter              | \chapter [...] {...} {...}                                |
| section:instance:ownnumber:part                 | \part [...] {...} {...}                                   |
| section:instance:ownnumber:section              | \section [...] {...} {...}                                |
| section:instance:ownnumber:subject              | \subject [...] {...} {...}                                |
| section:instance:ownnumber:subsection           | \subsection [...] {...} {...}                             |
| section:instance:ownnumber:subsubject           | \subsubject [...] {...} {...}                             |
| section:instance:ownnumber:subsubsection        | \subsubsection [...] {...} {...}                          |
| section:instance:ownnumber:subsubsubject        | \subsubsubject [...] {...} {...}                          |
| section:instance:ownnumber:subsubsubsection     | \subsubsubsection [...] {...} {...}                       |
| section:instance:ownnumber:subsubsubsubject     | \subsubsubsubject [...] {...} {...}                       |
| section:instance:ownnumber:subsubsubsubsection  | \subsubsubsubsection [...] {...} {...}                    |
| section:instance:ownnumber:subsubsubsubsubject  | \subsubsubsubsubject [...] {...} {...}                    |
| section:instance:ownnumber:title                | \title [...] {...} {...}                                  |

|                                      |  |
|--------------------------------------|--|
| section:instance:part                | \part [...] {...}  |
| section:instance:section             | \section [...] {...}   |
| section:instance:subject             | \subject [...] {...}   |
| section:instance:subsection          | \subsection [...] {...}  |
| section:instance:subsubject          | \subsubject [...] {...}  |
| section:instance:subsubsection       | \subsubsection [...] {...}   |
| section:instance:subsubsubject       | \subsubsubject [...] {...}   |
| section:instance:subsubsubsection    | \subsubsubsection [...] {...}  |
| section:instance:subsubsubsubject    | \subsubsubsubject [...] {...}  |
| section:instance:subsubsubsubsection | \subsubsubsubsection [...] {...}   |
| section:instance:subsubsubsubsubject | \subsubsubsubsubject [...] {...}   |
| section:instance:title               | \title [...] {...}   |
| seeregister:instance                 | \voitREGISTER [...] {...+...+...} {...}  |
| seeregister:instance:index           | \voitindex [...] {...+...+...} {...}   |
| select                               | \select [...] {...} {...} {...} {...} {...} {...}  |
| selectionneblobs                     | \selectionneblobs <sup>OPT</sup> [...] <sup>OPT</sup> [...] <sup>OPT</sup> [...] <sup>OPT</sup> [...] <sup>OPT</sup> |
| separeflottant                       | \separeflottant [..=..] {...} {...}  |
| serializecommalist                   | \serializecommalist [...]  |
| serializedcommalist                  | \serializedcommalist   |
| serif                                | \serif   |
| serifbold                            | \serifbold   |
| serifnormal                          | \serifnormal   |
| setautopagestaterealpageno           | \setautopagestaterealpageno {...}  |
| setbar                               | \setbar [...]  |
| setbigbodyfont                       | \setbigbodyfont  |
| setboxllx                            | \setboxllx ... {...}   |
| setboxlly                            | \setboxlly ... {...}   |
| setbreakpoints                       | \setbreakpoints [...]  |
| setbuffer                            | \setbuffer [...] ... \endbuffer  |
| setcapstrut                          | \setcapstrut   |
| setcatcodetable                      | \setcatcodetable \...  |
| setcharacteralign                    | \setcharacteralign [...] {...}   |
| setcharacteralignndetail             | \setcharacteralignndetail [...] {...} {...} {...} {...}  |
| setcharactercasing                   | \setcharactercasing [...]  |
| setcharactercleaning                 | \setcharactercleaning [...]  |
| setcharacterkerning                  | \setcharacterkerning [...]   |
| setcharacterspacing                  | \setcharacterspacing [...]   |
| setcharacterstripping                | \setcharacterstripping [...]   |
| setcharstrut                         | \setcharstrut {...}  |
| setcollector                         | \setcollector [...] [..=..] {...}  |
| setcolormodell                       | \setcolormodell [...]  |
| setcounter                           | \setcounter [...] [...] [...]  |
| setcounterown                        | \setcounterown [...] [...] [...]   |
| setcurrentfontclass                  | \setcurrentfontclass {...}   |
| setdataset                           | \setdataset [...] [...] [..=..]  |
| setdefaultpenalties                  | \setdefaultpenalties   |
| setdigitsmanipulation                | \setdigitsmanipulation [...]   |
| setdirection                         | \setdirection [...]  |
| setdocumentargument                  | \setdocumentargument [...] {...}   |
| setdocumentargumentdefault           | \setdocumentargumentdefault [...] {...}  |
| setdocumentfilename                  | \setdocumentfilename [...] {...}   |
| setdummyparameter                    | \setdummyparameter [...] {...}   |
| setelementexporttag                  | \setelementexporttag [...] [...] [...]   |
| setemeasure                          | \setemeasure [...] {...}   |
| setevalue                            | \setevalue [...] {...}   |
| setevariable                         | \setevariable [...] [...] {...}  |
| setevariables                        | \setevariables [...] [..=..]   |
| setfirstline                         | \setfirstline [...]  |
| setfirstpasscharacteralign           | \setfirstpasscharacteralign  |
| setflag                              | \setflag [...]   |
| setfont                              | \setfont ...   |
| setfontcolorscheme                   | \setfontcolorscheme [...]  |
| setfontfeature                       | \setfontfeature {...}  |
| setfontsolution                      | \setfontsolution [...]   |
| setfontstrut                         | \setfontstrut  |
| setglobalscript                      | \setglobalscript [...]   |
| setgmeasure                          | \setgmeasure [...] {...}   |
| setgvalue                            | \setgvalue [...] {...}   |
| setgvariable                         | \setgvariable [...] [...] {...}  |
| setgvariables                        | \setgvariables [...] [..=..]   |
| sethboxregister                      | \sethboxregister ... {...}   |
| sethyphenatedurlafter                | \sethyphenatedurlafter [...]   |

|                             |  |
|-----------------------------|--|
| sethyphenatedurlbefore      | \sethyphenatedurlbefore {...}                        |
| sethyphenatedurlnormal      | \sethyphenatedurlnormal {...}                        |
| sethyphenationfeatures      | \sethyphenationfeatures [...]                        |
| setinitial                  | \setinitial [...] [..=..]                            |
| setinjector                 | \setinjector [...] [...] [...]                       |
| setinteraction              | \setinteraction [...]                                |
| setinterfacecommand         | \setinterfacecommand {...} {...}                     |
| setinterfaceconstant        | \setinterfaceconstant {...} {...}                    |
| setinterfaceelement         | \setinterfaceelement {...} {...}                     |
| setinterfacemessage         | \setinterfacemessage {...} {...} {...}               |
| setinterfacevariable        | \setinterfacevariable {...} {...}                    |
| setinternalrendering        | \setinternalrendering [...] [...] {...}              |
| setitaliccorrection         | \setitaliccorrection [...]                           |
| setJSPreamble               | \setJSPreamble {...} {...}                           |
| setlayer                    | \setlayer [...] [...] [..=..] {...}                  |
| setlayerframed              | \setlayerframed [...] [..=..] [..=..] {...}          |
| setlayerframed:combination  | \setlayerframed [...] [..=..] {...}                  |
| setlayertext                | \setlayertext [...] [..=..] [..=..] {...}            |
| setlinefiller               | \setlinefiller [...]                                 |
| setlocalhsize               | \setlocalhsize [...]                                 |
| setlocalscript              | \setlocalscript [...]                                |
| setMPlayer                  | \setMPlayer [...] [...] [..=..] {...}                |
| setMPpositiongraphic        | \setMPpositiongraphic {...} {...} {..=..}            |
| setMPpositiongraphicrange   | \setMPpositiongraphicrange {...} {...} {...} {..=..} |
| setMPtext                   | \setMPtext {...} {...}                               |
| setMPvariable               | \setMPvariable [...] [..=..]                         |
| setMPvariables              | \setMPvariables [...] [..=..]                        |
| setmainbodyfont             | \setmainbodyfont                                     |
| setmainparbuilder           | \setmainparbuilder [...]                             |
| setmarker                   | \setmarker [...] [...]                               |
| setmarking                  | \setmarking [...] {...}                              |
| setmathstyle                | \setmathstyle {...}                                  |
| setmeasure                  | \setmeasure {...} {...}                              |
| setmessagetext              | \setmessagetext {...} {...}                          |
| setmode                     | \setmode {...}                                       |
| setnostrut                  | \setnostrut  |
| setnote                     | \setnote [...] [...] {...}                           |
| setnotetext                 | \setnotetext [...] [...] {...}                       |
| setnotetext:assignment      | \setnotetext [...] [..=..]                           |
| setnote:assignment          | \setnote [...] [..=..]                               |
| setobject                   | \setobject {...} {...} \... {...}                    |
| setoldstyle                 | \setoldstyle   |
| setpagereference            | \setpagereference {...} {...}                        |
| setpagestate                | \setpagestate [...] [...]                            |
| setpagestaterealpageno      | \setpagestaterealpageno {...} {...}                  |
| setpenalties                | \setpenalties \... {...} {...}                       |
| setpercentdimen             | \setpercentdimen {...} {...}                         |
| setperiodkerning            | \setperiodkerning [...]                              |
| setposition                 | \setposition {...}                                   |
| setpositionbox              | \setpositionbox {...} \... {...}                     |
| setpositiondata             | \setpositiondata {...} {...} {...} {...}             |
| setpositiondataplus         | \setpositiondataplus {...} {...} {...} {...} {...}   |
| setpositiononly             | \setpositiononly {...}                               |
| setpositionplus             | \setpositionplus {...} {...} \... {...}              |
| setpositionstrut            | \setpositionstrut {...}                              |
| setprofile                  | \setprofile [...]                                    |
| setrandomseed               | \setrandomseed {...}                                 |
| setreference                | \setreference [...] [..=..]                          |
| setreferencedobject         | \setreferencedobject {...} {...} \... {...}          |
| setregisterentry            | \setregisterentry [...] [..=..] [..=..]              |
| setreplacement              | \setreplacement [...]                                |
| setrigidcolumnbalance       | \setrigidcolumnbalance ...                           |
| setrigidcolumnhsize         | \setrigidcolumnhsize {...} {...} {...}               |
| setscript                   | \setscript [...]                                     |
| setsecondpasscharacteralign | \setsecondpasscharacteralign                         |
| setsectionblock             | \setsectionblock [...] [..=..]                       |
| setsimplecolumnhsize        | \setsimplecolumnhsize [..=..]                        |
| setsmallbodyfont            | \setsmallbodyfont                                    |
| setsmallcaps                | \setsmallcaps  |
| setstackbox                 | \setstackbox {...} {...} {...}                       |
| setstructurepageregister    | \setstructurepageregister [...] [..=..] [..=..]      |
| setstrut                    | \setstrut  |



|                            |  |
|----------------------------|--|
| setsuperiors               | \setsuperiors                                      |
| setsystemmode              | \setsystemmode {...}                               |
| settabular                 | \settabular  |
| settaggedmetadata          | \settaggedmetadata [..=..]                         |
| settext                    | \settext [...] [...] [...] [...] [...]             |
| settightobject             | \settightobject {...} {...} \... {...}             |
| settightreferencedobject   | \settightreferencedobject {...} {...} \... {...}   |
| settightstrut              | \settightstrut                                     |
| settightunreferencedobject | \settightunreferencedobject {...} {...} \... {...} |
| settokenlist               | \settokenlist [...] {...}                          |
| settrialtypesetting        | \settrialtypesetting                               |
| setuevalue                 | \setuevalue {...} {...}                            |
| setugvalue                 | \setugvalue {...} {...}                            |
| setunreferencedobject      | \setunreferencedobject {...} {...} \... {...}      |
| setupalternativestyles     | \setupalternativestyles [..=..]                    |
| setupattachment            | \setupattachment [...] [..=..]                     |
| setupattachments           | \setupattachments [...] [..=..]                    |
| setupbackend               | \setupbackend [..=..]                              |
| setupbar                   | \setupbar [...] [..=..]                            |
| setupbars                  | \setupbars [...] [..=..]                           |
| setupbleeding              | \setupbleeding [..=..]                             |
| setupbookmark              | \setupbookmark [..=..]                             |
| setupbtx                   | \setupbtx [...] [..=..]                            |
| setupbtxdataset            | \setupbtxdataset [...] [..=..]                     |
| setupbtxlist               | \setupbtxlist [...] [..=..]                        |
| setupbtxregister           | \setupbtxregister [...] [..=..]                    |
| setupbtxrendering          | \setupbtxrendering [...] [..=..]                   |
| setupbtx:name              | \setupbtx [...]                                    |
| setupbutton                | \setupbutton [...] [..=..]                         |
| setupcharacteralign        | \setupcharacteralign [..=..]                       |
| setupcharacterkerning      | \setupcharacterkerning [...] [..=..]               |
| setupcharacterspacing      | \setupcharacterspacing [...] [...] [..=..]         |
| setupchemical              | \setupchemical [...] [..=..]                       |
| setupchemicalframed        | \setupchemicalframed [...] [..=..]                 |
| setupcollector             | \setupcollector [...] [..=..]                      |
| setupcolumnsetarea         | \setupcolumnsetarea [...] [..=..]                  |
| setupcolumnsetareatext     | \setupcolumnsetareatext [...] [...]                |
| setupcolumnsetlines        | \setupcolumnsetlines [...] [...] [...] [...]       |
| setupcolumnsetspan         | \setupcolumnsetspan [...] [..=..]                  |
| setupcolumnsetstart        | \setupcolumnsetstart [...] [...] [...] [...]       |
| setupcolumnspan            | \setupcolumnspan [..=..]                           |
| setupcombination           | \setupcombination [...] [..=..]                    |
| setupcounter               | \setupcounter [...] [..=..]                        |
| setupdataset               | \setupdataset [...] [..=..]                        |
| setupdelimitedtext         | \setupdelimitedtext [...] [..=..]                  |
| setupdescription           | \setupdescription [...] [..=..]                    |
| setupdirections            | \setupdirections [..=..]                           |
| setupdocument              | \setupdocument [..=..]                             |
| setupeffect                | \setupeffect [...] [..=..]                         |
| setupenumeration           | \setupenumeration [...] [..=..]                    |
| setupenv                   | \setupenv [..=..]                                  |
| setupexport                | \setupexport [..=..]                               |
| setupexternalfigure        | \setupexternalfigure [...] [..=..]                 |
| setupexternalsoundtracks   | \setupexternalsoundtracks [..=..]                  |
| setupfacingfloat           | \setupfacingfloat [...] [..=..]                    |
| setupfieldbody             | \setupfieldbody [...] [..=..]                      |
| setupfieldcategory         | \setupfieldcategory [...] [..=..]                  |
| setupfieldcontentframed    | \setupfieldcontentframed [...] [..=..]             |
| setupfieldlabelframed      | \setupfieldlabelframed [...] [..=..]               |
| setupfieldtotalframed      | \setupfieldtotalframed [...] [..=..]               |
| setupfiller                | \setupfiller [...] [..=..]                         |
| setupfirstline             | \setupfirstline [...] [..=..]                      |
| setupfittingpage           | \setupfittingpage [...] [..=..]                    |
| setupfloatframed           | \setupfloatframed [...] [..=..]                    |
| setupfontexpansion         | \setupfontexpansion [...] [..=..]                  |
| setupfontprotrusion        | \setupfontprotrusion [...] [..=..]                 |
| setupfonts                 | \setupfonts [..=..]                                |
| setupfontsolution          | \setupfontsolution [...] [..=..]                   |
| setupformula               | \setupformula [...] [..=..]                        |
| setupformulaframed         | \setupformulaframed [...] [..=..]                  |
| setupframedcontent         | \setupframedcontent [...] [..=..]                  |
| setupframedtable           | \setupframedtable [...] [..=..]                    |

|                                   |  |
|-----------------------------------|--|
| setupframedtablecolumn            | \setupframedtablecolumn [...] [...] [..=..]  |
| setupframedtablerow               | \setupframedtablerow [...] [...] [..=..]     |
| setupframedtext                   | \setupframedtext [...] [..=..]               |
| setupframedtexts                  | \setupframedtexts [...] [..=..]              |
| setupglobalreferenceprefix        | \setupglobalreferenceprefix [...]            |
| setupheadalternative              | \setupheadalternative [...] [..=..]          |
| setuphelp                         | \setuphelp [...] [..=..]                     |
| setuphigh                         | \setuphigh [...] [..=..]                     |
| setuphighlight                    | \setuphighlight [...] [..=..]                |
| setuphyphenation                  | \setuphyphenation [..=..]                    |
| setupindentedtext                 | \setupindentedtext [...] [..=..]             |
| setupinitial                      | \setupinitial [...] [..=..]                  |
| setupinsertion                    | \setupinsertion [...] [..=..]                |
| setupitaliccorrection             | \setupitaliccorrection [...]                 |
| setupitemgroup                    | \setupitemgroup [...] [...] [...] [..=..]    |
| setupitemgroup:assignment         | \setupitemgroup [...] [..=..]                |
| setupitemgroup:instance           | \regleITEMGROUP [...] [...] [..=..]          |
| setupitemgroup:instance:itemize   | \regleitemize [...] [...] [..=..]            |
| setuplabel                        | \setuplabel [...] [..=..]                    |
| setupplayer                       | \setupplayer [...] [..=..]                   |
| setupplayeredtext                 | \setupplayeredtext [...] [..=..]             |
| setuplayouttext                   | \setuplayouttext [...] [...] [..=..]         |
| setuplinefiller                   | \setuplinefiller [...] [..=..]               |
| setuplinefillers                  | \setuplinefillers [...] [..=..]              |
| setuplinenote                     | \setuplinenote [...] [..=..]                 |
| setuplinetable                    | \setuplinetable [...] [...] [..=..]          |
| setuplistalternative              | \setuplistalternative [...] [..=..]          |
| setuplistextra                    | \setuplistextra [...] [..=..]                |
| setuplocalfloats                  | \setuplocalfloats [..=..]                    |
| setuplocalinterlinespace          | \setuplocalinterlinespace [...] [..=..]      |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...]              |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace [...]              |
| setuplow                          | \setuplow [...] [..=..]                      |
| setuplowhigh                      | \setuplowhigh [...] [..=..]                  |
| setuplowmidhigh                   | \setuplowmidhigh [...] [..=..]               |
| setupMPgraphics                   | \setupMPgraphics [..=..]                     |
| setupMPinstance                   | \setupMPinstance [...] [..=..]               |
| setupMPpage                       | \setupMPpage [..=..]                         |
| setupMPvariables                  | \setupMPvariables [...] [..=..]              |
| setupmarginblock                  | \setupmarginblock [...] [..=..]              |
| setupmargindata                   | \setupmargindata [...] [..=..]               |
| setupmarginframed                 | \setupmarginframed [...] [..=..]             |
| setupmarginrule                   | \setupmarginrule [...] [..=..]               |
| setupmathalignment                | \setupmathalignment [...] [..=..]            |
| setupmathcases                    | \setupmathcases [...] [..=..]                |
| setupmathematics                  | \setupmathematics [...] [..=..]              |
| setupmathfence                    | \setupmathfence [...] [..=..]                |
| setupmathfraction                 | \setupmathfraction [...] [..=..]             |
| setupmathfractions                | \setupmathfractions [...] [..=..]            |
| setupmathframed                   | \setupmathframed [...] [..=..]               |
| setupmathmatrix                   | \setupmathmatrix [...] [..=..]               |
| setupmathornament                 | \setupmathornament [...] [..=..]             |
| setupmathradical                  | \setupmathradical [...] [..=..]              |
| setupmathstackers                 | \setupmathstackers [...] [..=..]             |
| setupmathstyle                    | \setupmathstyle [...]                        |
| setupmixedcolumns                 | \setupmixedcolumns [...] [..=..]             |
| setupmodule                       | \setupmodule [...] [..=..]                   |
| setupnotation                     | \setupnotation [...] [..=..]                 |
| setupnotations                    | \setupnotations [...] [..=..]                |
| setupnote                         | \setupnote [...] [..=..]                     |
| setupnotes                        | \setupnotes [...] [..=..]                    |
| setupoffset                       | \setupoffset [..=..]                         |
| setupoffsetbox                    | \setupoffsetbox [..=..]                      |
| setupoutputroutine                | \setupoutputroutine [...] [..=..]            |
| setupoutputroutine:name           | \setupoutputroutine [...]                    |
| setuppagechecker                  | \setuppagechecker [...] [..=..]              |
| setuppagecolumns                  | \setuppagecolumns [...] [..=..]              |
| setuppageinjection                | \setuppageinjection [...] [..=..]            |
| setuppageinjectionalternative     | \setuppageinjectionalternative [...] [..=..] |
| setuppageshift                    | \setuppageshift [...] [...] [...]            |
| setuppagestate                    | \setuppagestate [...] [..=..]                |
| setuppairedbox                    | \setuppairedbox [...] [..=..]                |

|                                |  |
|--------------------------------|--|
| setuppairedbox:instance        | \reglePAIREDBOX [..=..]                            |
| setuppairedbox:instance:legend | \reglelegend [..=..]                               |
| setupparagraph                 | \setupparagraph [...] [..=..]                      |
| setupparagraphintro            | \setupparagraphintro [...] [...]                   |
| setupparallel                  | \setupparallel [...] [...] [..=..]                 |
| setupperiodkerning             | \setupperiodkerning [...] [..=..]                  |
| setupperiods                   | \setupperiods [..=..]                              |
| setupplacement                 | \setupplacement [...] [..=..]                      |
| setuppositionbar               | \setuppositionbar [..=..]                          |
| setupprocessor                 | \setupprocessor [...] [..=..]                      |
| setupprofile                   | \setupprofile [...] [..=..]                        |
| setupquotation                 | \setupquotation [..=..]                            |
| setuprealpagenumber            | \setuprealpagenumber [..=..]                       |
| setupreferenceformat           | \setupreferenceformat [...] [..=..]                |
| setupreferenceprefix           | \setupreferenceprefix [...]                        |
| setupreferencestructureprefix  | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters                 | \setupregisters [...] [..=..]                      |
| setupregisters:argument        | \setupregisters [...] [...] [..=..]                |
| setuprenderingwindow           | \setuprenderingwindow [...] [..=..]                |
| setupruby                      | \setupruby [...] [..=..]                           |
| setups                         | \setups [...]                                      |
| setupscale                     | \setupscale [...] [..=..]                          |
| setupscrip                     | \setupscrip [...] [..=..]                          |
| setupscripts                   | \setupscripts [...] [..=..]                        |
| setupselector                  | \setupselector [...] [..=..]                       |
| setupshift                     | \setupshift [...] [..=..]                          |
| setupsidebar                   | \setupsidebar [...] [..=..]                        |
| setupspellchecking             | \setupspellchecking [..=..]                        |
| setupstretched                 | \setupstretched [..=..]                            |
| setupstruts                    | \setupstruts [...]                                 |
| setupstyle                     | \setupstyle [...] [..=..]                          |
| setupsubformula                | \setupsubformula [...] [..=..]                     |
| setupsubformulas               | \setupsubformulas [...] [..=..]                    |
| setupsynctex                   | \setupsynctex [..=..]                              |
| setups:direct                  | \setups {...}                                      |
| setupTABLE                     | \setupTABLE [...] [...] [..=..]                    |
| setupTEXpage                   | \setupTEXpage [..=..]                              |
| setuptabulation                | \setuptabulation [...] [..=..]                     |
| setuptagging                   | \setuptagging [..=..]                              |
| setuptextbackground            | \setuptextbackground [...] [..=..]                 |
| setuptextflow                  | \setuptextflow [...] [..=..]                       |
| setuptooltip                   | \setuptooltip [...] [..=..]                        |
| setupunit                      | \setupunit [...] [..=..]                           |
| setupuserdata                  | \setupuserdata [...] [..=..]                       |
| setupuserdataalternative       | \setupuserdataalternative [...] [..=..]            |
| setupuserpagenumber            | \setupuserpagenumber [..=..]                       |
| setupversion                   | \setupversion [...]                                |
| setupviewerlayer               | \setupviewerlayer [..=..]                          |
| setupvspacing                  | \setupvspacing [...]                               |
| setupwithargument              | \setupwithargument {...} {...}                     |
| setupwithargumentswapped       | \setupwithargumentswapped {...} {...}              |
| setupxml                       | \setupxml [..=..]                                  |
| setupxtable                    | \setupxtable [...] [..=..]                         |
| setuvalue                      | \setuvalue {...} {...}                             |
| setuxvalue                     | \setuxvalue {...} {...}                            |
| setvalue                       | \setvalue {...} {...}                              |
| setvariable                    | \setvariable {...} {...} {...}                     |
| setvariables                   | \setvariables [...] [..=..]                        |
| setvboxregister                | \setvboxregister ... {...}                         |
| setvisualizerfont              | \setvisualizerfont [...]                           |
| setvtopregister                | \setvtopregister ... {...}                         |
| setwidthof                     | \setwidthof ... \to \...                           |
| setxmeasure                    | \setxmeasure {...} {...}                           |
| setxvalue                      | \setxvalue {...} {...}                             |
| setxvariable                   | \setxvariable {...} {...} {...}                    |
| setxvariables                  | \setxvariables [...] [..=..]                       |
| shapedhbox                     | \shapedhbox {...}                                  |
| shiftbox                       | \shiftbox {...}                                    |
| shift:instance                 | \SHIFT {...}                                       |
| shift:instance:shiftdown       | \shiftdown {...}                                   |
| shift:instance:shiftup         | \shiftup {...}                                     |
| showallmakeup                  | \showallmakeup                                     |

|                                     |  |
|-------------------------------------|--|
| showattributes                      | \showattributes  |
| showboxes                           | \showboxes   |
| showbtxdatasetauthors               | \showbtxdatasetauthors [..=..]                           |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors [...]                             |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [..=..]                      |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...]                        |
| showbtxdatasetfields                | \showbtxdatasetfields [..=..]                            |
| showbtxdatasetfields:argument       | \showbtxdatasetfields [...]                              |
| showbtxfields                       | \showbtxfields [..=..]                                   |
| showbtxfields:argument              | \showbtxfields [...]                                     |
| showbtxhashedauthors                | \showbtxhashedauthors [...]                              |
| showbtxtables                       | \showbtxtables [...]                                     |
| showchardata                        | \showchardata {...}                                      |
| showcharratio                       | \showcharratio {...}                                     |
| showcolorbar                        | \showcolorbar [...]                                      |
| showcolorcomponents                 | \showcolorcomponents [...]                               |
| showcolorset                        | \showcolorset [...]                                      |
| showcolorstruts                     | \showcolorstruts   |
| showcounter                         | \showcounter [...]                                       |
| showdirectives                      | \showdirectives  |
| showdirsinmargin                    | \showdirsinmargin  |
| showedebuginfo                      | \showedebuginfo  |
| showexperiments                     | \showexperiments   |
| showfont                            | \showfont [...] [...]                                    |
| showfontdata                        | \showfontdata  |
| showfontexpansion                   | \showfontexpansion                                       |
| showfontitalics                     | \showfontitalics   |
| showfontkerns                       | \showfontkerns   |
| showfontparameters                  | \showfontparameters                                      |
| showfontstrip                       | \showfontstrip [...]                                     |
| showfontstyle                       | \showfontstyle [...] [...] [...] [...]                   |
| showglyphdata                       | \showglyphdata   |
| showglyphs                          | \showglyphs  |
| showgridsnapping                    | \showgridsnapping  |
| showhelp                            | \showhelp {...} [...]                                    |
| showhyphenationtrace                | \showhyphenationtrace [...] [...]                        |
| showhyphens                         | \showhyphens {...}                                       |
| showinjector                        | \showinjector [...]                                      |
| showjustification                   | \showjustification                                       |
| showkerning                         | \showkerning {...}                                       |
| showlayoutcomponents                | \showlayoutcomponents                                    |
| showligature                        | \showligature {...}                                      |
| showligatures                       | \showligatures [...]                                     |
| showlogcategories                   | \showlogcategories                                       |
| showmargins                         | \showmargins   |
| showmessage                         | \showmessage {...} {...} {...}                           |
| showminimalbaseline                 | \showminimalbaseline                                     |
| shownextbox                         | \shownextbox \... {...}                                  |
| showotfcomposition                  | \showotfcomposition {...} {...} {...}                    |
| showparentchain                     | \showparentchain \... {...}                              |
| showsetupsdefinition                | \showsetupsdefinition [...]                              |
| showtimer                           | \showtimer {...}   |
| showtokens                          | \showtokens [...]  |
| showtrackers                        | \showtrackers  |
| showvalue                           | \showvalue {...}   |
| showvariable                        | \showvariable {...} {...}                                |
| showwarning                         | \showwarning {...} {...} {...}                           |
| signalrightpage                     | \signalrightpage   |
| simplealignedbox                    | \simplealignedbox {...} {...} {...}                      |
| simplealignedboxplus                | \simplealignedboxplus {...} {...} {...} {...}            |
| simplealignedspreadbox              | \simplealignedspreadbox {...} {...} {...}                |
| simplegroupedcommand                | \simplegroupedcommand {...} {...}                        |
| simplereversealignedbox             | \simplereversealignedbox {...} {...} {...}               |
| simplereversealignedboxplus         | \simplereversealignedboxplus {...} {...} {...} {...}     |
| singlecharacteralign                | \singlecharacteralign {...} {...}                        |
| singlebond                          | \singlebond  |
| sixthofsixarguments                 | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface                         | \slantedface   |
| slicepages                          | \slicepages [...] [..=..] [..=..]                        |
| slovenianNumerals                   | \slovenianNumerals {...}                                 |
| sloveniannumerals                   | \sloveniannumerals {...}                                 |
| smallcappedcharacters               | \smallcappedcharacters {...}                             |

|                                 |   |
|---------------------------------|---|
| smallcappedromannumerals        | \smallcappedromannumerals {...}                         |
| smaller                         | \smaller  |
| smallskip                       | \smallskip  |
| smash                           | \smash [...] {...}                                      |
| smashbox                        | \smashbox ...   |
| smashboxed                      | \smashboxed ...   |
| smashedhbox                     | \smashedhbox ... {...}                                  |
| smashedvbox                     | \smashedvbox ... {...}                                  |
| snaptogrid                      | \snaptogrid [...] \... {...}                            |
| snaptogrid:list                 | \snaptogrid [...] \... {...}                            |
| someheadnumber                  | \someheadnumber [...] [...]                             |
| somekindoftab                   | \somekindoftab [..=..]                                  |
| somelocalfloat                  | \somelocalfloat   |
| somenamedheadnumber             | \somenamedheadnumber {...} {...}                        |
| someplace                       | \someplace {...} {...} {...} {...} {...} [...]          |
| sorting:instance                | \SORTING [...] {...}                                    |
| sorting:instance:logo           | \logo [...] {...}                                       |
| sousnumeropage                  | \sousnumeropage   |
| souspagesuivante                | \souspagesuivante                                       |
| spaceddigits                    | \spaceddigits {...}                                     |
| spaceddigitismethod             | \spaceddigitismethod                                    |
| spaceddigitsseparator           | \spaceddigitsseparator                                  |
| spaceddigitssymbol              | \spaceddigitssymbol                                     |
| spanishNumerals                 | \spanishNumerals {...}                                  |
| spanishnumerals                 | \spanishnumerals {...}                                  |
| splitatasterisk                 | \splitatasterisk ... \... \...                          |
| splitatcolon                    | \splitatcolon ... \... \...                             |
| splitatcolons                   | \splitatcolons ... \... \...                            |
| splitatcomma                    | \splitatcomma ... \... \...                             |
| splitatperiod                   | \splitatperiod ... \... \...                            |
| splitdfrac                      | \splitdfrac {...} {...}                                 |
| splitfilename                   | \splitfilename {...}                                    |
| splitfrac                       | \splitfrac {...} {...}                                  |
| splitoffbase                    | \splitoffbase   |
| splitofffull                    | \splitofffull   |
| splitoffkind                    | \splitoffkind   |
| splitoffname                    | \splitoffname   |
| splitoffpath                    | \splitoffpath   |
| splitoffroot                    | \splitoffroot   |
| splitofftokens                  | \splitofftokens ... \from ... \to \...                  |
| splitofftype                    | \splitofftype   |
| splitstring                     | \splitstring ... \at ... \to \... \and \...             |
| spreadhbox                      | \spreadhbox ...   |
| sqrt                            | \sqrt [...] {...}                                       |
| stackrel                        | \stackrel {...} {...}                                   |
| startlinenote:instance          | \demarreLINENOTE [...] {...}                            |
| startlinenote:instance:linenote | \demarrelinenote [...] {...}                            |
| startregister                   | \startregister [...] [...] [...] [...] {...+...+...}    |
| startstop:example               | \STARTSTOP {...}  |
| startstructurepageregister      | \startstructurepageregister [...] [...] [..=..] [..=..] |
| stoplinenote:instance           | \stoppeLINENOTE [...]                                   |
| stoplinenote:instance:linenote  | \stoppelinenote [...]                                   |
| stoppeline                      | \stoppeline [...]                                       |
| stopregister                    | \stopregister [...] [...]                               |
| stopstructurepageregister       | \stopstructurepageregister [...] [...]                  |
| strictdoifelsenextoptional      | \strictdoifelsenextoptional {...} {...}                 |
| strictdoifnnextoptionalelse     | \strictdoifnnextoptionalelse {...} {...}                |
| stripcharacter                  | \stripcharacter ... \from ... \to \...                  |
| strippedcsname                  | \strippedcsname \...                                    |
| strippedcsname:string           | \strippedcsname ...                                     |
| stripspaces                     | \stripspaces \from ... \to \...                         |
| structurelistuservariable       | \structurelistuservariable {...}                        |
| structurenumber                 | \structurenumber  |
| structuretitle                  | \structuretitle   |
| structureuservariable           | \structureuservariable {...}                            |
| structurevariable               | \structurevariable {...}                                |
| strut                           | \strut  |
| strutdp                         | \strutdp  |
| strutgap                        | \strutgap   |
| strutht                         | \strutht  |
| struthtdp                       | \struthtdp  |
| struttedbox                     | \struttedbox {...}                                      |

|                                      |  |
|--------------------------------------|--|
| strutwd                              | \strutwd   |
| style                                | \style [..=..] {...}                               |
| styleinstance                        | \styleinstance [...]                               |
| style:argument                       | \style [...] {...}                                 |
| style:instance                       | \STYLE {...}                                       |
| subsentence                          | \subsentence {...}                                 |
| substituteincommalist                | \substituteincommalist {...} {...} \...            |
| subtractfeature                      | \subtractfeature [...]                             |
| subtractfeature:direct               | \subtractfeature {...}                             |
| suggestion:instance                  | \TOOLTIP [..=..] {...} {...}                       |
| suggestion:instance:argument         | \TOOLTIP [...] {...} {...}                         |
| suggestion:instance:argument:tooltip | \tooltip [...] {...} {...}                         |
| suggestion:instance:tooltip          | \tooltip [..=..] {...} {...}                       |
| swapcounts                           | \swapcounts \... \...                              |
| swapdimens                           | \swapdimens \... \...                              |
| swapface                             | \swapface  |
| swapmacros                           | \swapmacros \... \...                              |
| swaptypface                          | \swaptypface                                       |
| switchstyleonly                      | \switchstyleonly [...]                             |
| switchstyleonly:command              | \switchstyleonly \...                              |
| switchtocolour                       | \switchtocolour [...]                              |
| switchtointerlinespace               | \switchtointerlinespace [...] [..=..]              |
| switchtointerlinespace:argument      | \switchtointerlinespace [...]                      |
| switchtointerlinespace:name          | \switchtointerlinespace [...]                      |
| symbole                              | \symbole [...] [...]                               |
| symbole:direct                       | \symbole {...}                                     |
| symbolreference                      | \symbolreference [...]                             |
| synchronizeblank                     | \synchronizeblank                                  |
| synchronizeindenting                 | \synchronizeindenting                              |
| synchronizemarking                   | \synchronizemarking [...] [...] [...]              |
| synchronizeoutputstreams             | \synchronizeoutputstreams [...]                    |
| synchronizestrut                     | \synchronizestrut {...}                            |
| synchronizewhitespace                | \synchronizewhitespace                             |
| synctexblockfilename                 | \synctexblockfilename {...}                        |
| synctexresetfilename                 | \synctexresetfilename                              |
| synctexsetfilename                   | \synctexsetfilename {...}                          |
| synonym:instance                     | \SYNONYM [...] {...} {...}                         |
| synonym:instance:abbreviation        | \abbreviation [...] {...} {...}                    |
| systemlog                            | \systemlog {...} {...} {...}                       |
| systemlogfirst                       | \systemlogfirst {...} {...} {...}                  |
| systemloglast                        | \systemloglast {...} {...} {...}                   |
| systemsetups                         | \systemsetups {...}                                |
| TABLE                                | \TABLE   |
| TaBlE                                | \TaBlE   |
| TEX                                  | \TEX   |
| TeX                                  | \TeX   |
| TheNormalizedFontSize                | \TheNormalizedFontSize                             |
| TransparencyHack                     | \TransparencyHack                                  |
| tabulateautoline                     | \tabulateautoline                                  |
| tabulateautorule                     | \tabulateautorule                                  |
| tabulateline                         | \tabulateline                                      |
| tabulaterule                         | \tabulaterule                                      |
| taggedctxcommand                     | \taggedctxcommand {...}                            |
| taggedlabeltexts                     | \taggedlabeltexts {...} {...} {...}                |
| tapebuffer                           | \tapebuffer [...] [..=..]                          |
| tapebuffer:instance                  | \dactylographierBUFFER [..=..]                     |
| tbox                                 | \tbox {...}  |
| testandsplitstring                   | \testandsplitstring ... \at ... \to \... \and \... |
| testcolumn                           | \testcolumn [...] [...]                            |
| testfeature                          | \testfeature {...} {...}                           |
| testfeatureonce                      | \testfeatureonce {...} {...}                       |
| testpage                             | \testpage [...] [...]                              |
| testpageonly                         | \testpageonly [...] [...]                          |
| testpagesync                         | \testpagesync [...] [...]                          |
| testtokens                           | \testtokens [...]                                  |
| tex                                  | \tex {...}   |
| texdefinition                        | \texdefinition {...}                               |
| texsetup                             | \texsetup {...}                                    |
| textbackground:example               | \TEXTBACKGROUND {...}                              |
| textcitation                         | \textcitation [..=..] [...]                        |
| textcitation:alternative             | \textcitation [...] [...]                          |
| textcitation:userdata                | \textcitation [..=..] [..=..]                      |

|                                   |  |
|-----------------------------------|--|
| textcite                          | \textcite [..=..] [...]                                  |
| textcite:alternative              | \textcite [...] [...]                                    |
| textcite:userdata                 | \textcite [..=..] [..=..]                                |
| textcontrolsplace                 | \textcontrolsplace                                       |
| texteaide                         | \texteaide [...] {...} {...}                             |
| textteencadre:instance            | \FRAMEDTEXT [..=..] {...}                                |
| textteencadre:instance:framedtext | \framedtext [..=..] {...}                                |
| textenotepdp                      | \textenotepdp [...] {...}                                |
| textenotepdp:assignment           | \textenotepdp [..=..]                                    |
| textflowcollector                 | \textflowcollector {...}                                 |
| textmath                          | \textmath {...}  |
| textminus                         | \textminus   |
| textormathchar                    | \textormathchar {...}                                    |
| textormathchars                   | \textormathchars {...}                                   |
| textplus                          | \textplus  |
| textvisiblespace                  | \textvisiblespace  |
| thainumerals                      | \thainumerals {...}                                      |
| thefirstcharacter                 | \thefirstcharacter {...}                                 |
| thenormalizedbodyfontsize         | \thenormalizedbodyfontsize {...}                         |
| theremainingcharacters            | \theremainingcharacters {...}                            |
| thickspace                        | \thickspace  |
| thinspace                         | \thinspace   |
| thirdoffivearguments              | \thirdoffivearguments {...} {...} {...} {...} {...}      |
| thirdoffourarguments              | \thirdoffourarguments {...} {...} {...} {...}            |
| thirdofsixarguments               | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments             | \thirdofthreearguments {...} {...} {...}                 |
| thirdofthreeunexpanded            | \thirdofthreeunexpanded {...} {...} {...}                |
| threedigitrounding                | \threedigitrounding {...}                                |
| tibetannumerals                   | \tibetannumerals {...}                                   |
| tightlayer                        | \tightlayer [...]  |
| tilde                             | \tilde {...}   |
| tinyfont                          | \tinyfont  |
| tlap                              | \tlap {...}  |
| tochar                            | \tochar {...}  |
| tolinenote                        | \tolinenote [...]  |
| topbox                            | \topbox {...}  |
| opleftbox                         | \opleftbox {...}   |
| toplinebox                        | \toplinebox {...}  |
| toprightbox                       | \toprightbox {...}                                       |
| topskippedbox                     | \topskippedbox {...}                                     |
| tracecatcodetables                | \tracecatcodetables                                      |
| tracedfontname                    | \tracedfontname {...}                                    |
| traceoutputroutines               | \traceoutputroutines                                     |
| tracepositions                    | \tracepositions  |
| traduire                          | \traduire [..=..]  |
| traiteblocs                       | \traiteblocs [...] [...] [..=..]                         |
| traitfin                          | \traitfin  |
| traitsfins                        | \traitsfins [..=..]                                      |
| transparencycomponents            | \transparencycomponents {...}                            |
| transparent                       | \transparent [...] {...}                                 |
| triplebond                        | \triplebond  |
| truefilename                      | \truefilename {...}                                      |
| truefontname                      | \truefontname {...}                                      |
| ttraggedright                     | \ttraggedright   |
| twodigitrounding                  | \twodigitrounding {...}                                  |
| tx                                | \tx  |
| txx                               | \txx   |
| typ                               | \typ [..=..] {...}                                       |
| typedefinedbuffer                 | \typedefinedbuffer [...] [..=..]                         |
| typeface                          | \typeface  |
| typeinlinebuffer                  | \typeinlinebuffer [...] [..=..]                          |
| typescriptone                     | \typescriptone   |
| typescriptprefix                  | \typescriptprefix {...}                                  |
| typescriptthree                   | \typescriptthree   |
| typescripttwo                     | \typescripttwo   |
| typesetbuffer                     | \typesetbuffer [...] [..=..]                             |
| typesetfile                       | \typesetfile [...] [...] [..=..]                         |
| typ:angles                        | \typ [..=..] <<...>>                                     |
| uconvertnumber                    | \uconvertnumber {...} {...}                              |
| uedcatcodecommand                 | \uedcatcodecommand \... ... {...}                        |
| undefinevalue                     | \undefinevalue {...}                                     |
| undepthed                         | \undepthed {...}   |

|                              |   |
|------------------------------|---|
| underset                     | \underset {...} {...}                         |
| undoassign                   | \undoassign [...] [..=..]                     |
| uneligne                     | \uneligne [...]                               |
| unexpandeddocumentvariable   | \unexpandeddocumentvariable {...}             |
| unhhbox                      | \unhhbox ... \with {...}                      |
| unihex                       | \unihex {...}                                 |
| uniqueMPgraphic              | \uniqueMPgraphic {...} {..=..}                |
| uniqueMPpagegraphic          | \uniqueMPpagegraphic {...} {..=..}            |
| unite:instance               | \UNIT {...}                                   |
| unite:instance:unit          | \unit {...}                                   |
| unprotect                    | \unprotect ... \protect                       |
| unprotected                  | \unprotected ... \par                         |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...]     |
| unspaceafter                 | \unspaceafter \... {...}                      |
| unspaceargument              | \unspaceargument ... \to \...                 |
| unspaced                     | \unspaced {...}                               |
| unspacestring                | \unspacestring ... \to \...                   |
| untexargument                | \untexargument {...} \to \...                 |
| untexcommand                 | \untexcommand {...} \to \...                  |
| uppercased                   | \uppercased {...}                             |
| uppercasestring              | \uppercasestring ... \to \...                 |
| upperleftdoubleninequote     | \upperleftdoubleninequote                     |
| upperleftdoublesixquote      | \upperleftdoublesixquote                      |
| upperleftsingleninequote     | \upperleftsingleninequote                     |
| upperleftsinglesixquote      | \upperleftsinglesixquote                      |
| upperrightdoubleninequote    | \upperrightdoubleninequote                    |
| upperrightdoublesixquote     | \upperrightdoublesixquote                     |
| upperrightsingleninequote    | \upperrightsingleninequote                    |
| upperrightsinglesixquote     | \upperrightsinglesixquote                     |
| url                          | \url [...]                                    |
| usealignparameter            | \usealignparameter \...                       |
| useblankparameter            | \useblankparameter \...                       |
| usebodyfont                  | \usebodyfont [...]                            |
| usebodyfontparameter         | \usebodyfontparameter \...                    |
| usebtxdataset                | \usebtxdataset [...] [...] [..=..]            |
| usebtxdefinitions            | \usebtxdefinitions [...]                      |
| usecitation                  | \usecitation [...]                            |
| usecitation:direct           | \usecitation {...}                            |
| usecolors                    | \usecolors [...]                              |
| usecomponent                 | \usecomponent [...]                           |
| usedummycolorparameter       | \usedummycolorparameter {...}                 |
| usedummystyleandcolor        | \usedummystyleandcolor {...} {...}            |
| usedummystyleparameter       | \usedummystyleparameter {...}                 |
| useenvironment               | \useenvironment [...]                         |
| useexternalrendering         | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase                | \usefigurebase [...]                          |
| usefile                      | \usefile [...] [...] [...]                    |
| usegridparameter             | \usegridparameter \...                        |
| useindentingparameter        | \useindentingparameter \...                   |
| useindentnextparameter       | \useindentnextparameter \...                  |
| useinterlinespaceparameter   | \useinterlinespaceparameter \...              |
| uselanguageparameter         | \uselanguageparameter \...                    |
| uselua module                | \uselua module [...]                          |
| useMPenvironmentbuffer       | \useMPenvironmentbuffer [...]                 |
| useMPgraphic                 | \useMPgraphic {...} {..=..}                   |
| useMPlibrary                 | \useMPlibrary [...]                           |
| useMPrun                     | \useMPrun {...} {...}                         |
| useMPvariables               | \useMPvariables [...] [...]                   |
| usemathstyleparameter        | \usemathstyleparameter \...                   |
| useproduct                   | \useproduct [...]                             |
| useprofileparameter          | \useprofileparameter \...                     |
| useproject                   | \useproject [...]                             |
| usereferenceparameter        | \usereferenceparameter \...                   |
| userpagenumber               | \userpagenumber                               |
| usesetupsparameter           | \usesetupsparameter \...                      |
| usestaticMPfigure            | \usestaticMPfigure [..=..] [...]              |
| usesubpath                   | \usesubpath [...]                             |
| usetexmodule                 | \usetexmodule [...] [...] [..=..]             |
| usetypescript                | \usetypescript [...] [...] [...]              |
| usetypescriptfile            | \usetypescriptfile [...]                      |
| usezipfile                   | \usezipfile [...] [...]                       |
| utfchar                      | \utfchar {...}                                |



|                          |   |
|--------------------------|---|
| utflower                 | \utflower {...}                                 |
| utfupper                 | \utfupper {...}                                 |
| utiliseblocs             | \utiliseblocs [...] [...] [..=..]               |
| utilisechemin            | \utilisechemin [...]                            |
| utilisedocumentexterne   | \utilisedocumentexterne [...] [...] [...]       |
| utilisefigureexterne     | \utilisefigureexterne [...] [...] [...] [..=..] |
| utiliseJSScripts         | \utiliseJSScripts [...] [...]                   |
| utilisemodule            | \utilisemodule [...] [...] [..=..]              |
| utilisepsiteaudioexterne | \utilisepsiteaudioexterne [...] [...]           |
| utilisesymboles          | \utilisesymboles [...]                          |
| utiliseURL               | \utiliseURL [...] [...] [...] [...]             |
| utiliseurl               | \utiliseurl [...] [...] [...] [...]             |
| utilityregisterlength    | \utilityregisterlength                          |
| VerboseNumber            | \VerboseNumber {...}                            |
| va                       | \va {...} [...]                                 |
| vaalaboite               | \vaalaboite {...} [...]                         |
| vaalapage                | \vaalapage {...} [...]                          |
| vaenbas                  | \vaenbas [...]                                  |
| valeurcouleur            | \valeurcouleur {...}                            |
| vboxreference            | \vboxreference [...] {...}                      |
| vec                      | \vec {...}                                      |
| verbatim                 | \verbatim {...}                                 |
| verbatimstring           | \verbatimstring {...}                           |
| verbosenum               | \verbosenum {...}                               |
| version                  | \version [...]                                  |
| verticalgrowingbar       | \verticalgrowingbar [..=..]                     |
| verticalpositionbar      | \verticalpositionbar [..=..]                    |
| veryraggedcenter         | \veryraggedcenter                               |
| veryraggedleft           | \veryraggedleft                                 |
| veryraggedright          | \veryraggedright                                |
| vglue                    | \vglue ...                                      |
| vide                     | \vide [...]                                     |
| viewerlayer              | \viewerlayer [...] {...}                        |
| vl                       | \vl [...]                                       |
| vphantom                 | \vphantom {...}                                 |
| vpos                     | \vpos {...} {...}                               |
| vsmash                   | \vsmash {...}                                   |
| vsmashbox                | \vsmashbox ...                                  |
| vsmashed                 | \vsmashed {...}                                 |
| vspace                   | \vspace [...] [...]                             |
| vspacing                 | \vspacing [...]                                 |
| WidthSpanningText        | \WidthSpanningText {...} {...} {...}            |
| wdofstring               | \wdofstring {...}                               |
| widthofstring            | \widthofstring {...}                            |
| widthspanningtext        | \widthspanningtext {...} {...} {...}            |
| withoutpt                | \withoutpt {...}                                |
| words                    | \words {...}                                    |
| wordtonumber             | \wordtonumber {...} {...}                       |
| writedatatolist          | \writedatatolist [...] [..=..] [..=..]          |
| writestatus              | \writestatus {...} {...}                        |
| XETEX                    | \XETEX  |
| XeTeX                    | \XeTeX  |
| xdefconvertedargument    | \xdefconvertedargument \... {...}               |
| xmladdindex              | \xmladdindex {...}                              |
| xmlafterdocumentsetup    | \xmlafterdocumentsetup {...} {...} {...}        |
| xmlafterssetup           | \xmlafterssetup {...} {...}                     |
| xmlall                   | \xmlall {...} {...}                             |
| xmlappenddocumentsetup   | \xmlappenddocumentsetup {...} {...}             |
| xmlappendsetup           | \xmlappendsetup {...}                           |
| xmlapplyselectors        | \xmlapplyselectors {...}                        |
| xmlatt                   | \xmlatt {...} {...}                             |
| xmlattdef                | \xmlattdef {...} {...} {...}                    |
| xmlattribute             | \xmlattribute {...} {...} {...}                 |
| xmlattributedef          | \xmlattributedef {...} {...} {...} {...}        |
| xmlbadinclusions         | \xmlbadinclusions {...}                         |
| xmlbeforedocumentsetup   | \xmlbeforedocumentsetup {...} {...} {...}       |
| xmlbeforesetup           | \xmlbeforesetup {...} {...}                     |
| xmlchainatt              | \xmlchainatt {...} {...}                        |
| xmlchainattdef           | \xmlchainattdef {...} {...} {...}               |
| xmlchecknamespace        | \xmlchecknamespace {...} {...}                  |
| xmlcommand               | \xmlcommand {...} {...} {...}                   |
| xmlconcat                | \xmlconcat {...} {...} {...}                    |

|                             |   |
|-----------------------------|---|
| xmlconcatrange              | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext                  | \xmlcontext {...} {...}                       |
| xmlcount                    | \xmlcount {...}                               |
| xmldefaulttotext            | \xmldefaulttotext {...}                       |
| xmldirectives               | \xmldirectives {...}                          |
| xmldirectivesafter          | \xmldirectivesafter {...}                     |
| xmldirectivesbefore         | \xmldirectivesbefore {...}                    |
| xmldisplayverbatim          | \xmldisplayverbatim {...}                     |
| xmldoif                     | \xmldoif {...} {...} {...}                    |
| xmldoifatt                  | \xmldoifatt {...} {...}                       |
| xmldoifelse                 | \xmldoifelse {...} {...} {...} {...}          |
| xmldoifelseatt              | \xmldoifelseatt {...} {...} {...}             |
| xmldoifelseempty            | \xmldoifelseempty {...} {...} {...} {...}     |
| xmldoifelseselfempty        | \xmldoifelseselfempty {...} {...} {...}       |
| xmldoifelsetext             | \xmldoifelsetext {...} {...} {...} {...}      |
| xmldoifelsevalue            | \xmldoifelsevalue {...} {...} {...} {...}     |
| xmldoifnot                  | \xmldoifnot {...} {...} {...}                 |
| xmldoifnotatt               | \xmldoifnotatt {...} {...}                    |
| xmldoifnotselfempty         | \xmldoifnotselfempty {...} {...}              |
| xmldoifnottext              | \xmldoifnottext {...} {...} {...}             |
| xmldoifselfempty            | \xmldoifselfempty {...} {...}                 |
| xmldoiftext                 | \xmldoiftext {...} {...} {...}                |
| xmlelement                  | \xmlelement {...} {...}                       |
| xmlfilter                   | \xmlfilter {...} {...}                        |
| xmlfirst                    | \xmlfirst {...} {...}                         |
| xmlflush                    | \xmlflush {...}                               |
| xmlflushcontext             | \xmlflushcontext {...}                        |
| xmlflushdocumentsetups      | \xmlflushdocumentsetups {...} {...}           |
| xmlflushlinewise            | \xmlflushlinewise {...}                       |
| xmlflushpure                | \xmlflushpure {...}                           |
| xmlflushspacewise           | \xmlflushspacewise {...}                      |
| xmlflushstext               | \xmlflushstext {...}                          |
| xmlinclude                  | \xmlinclude {...} {...} {...}                 |
| xmlinclusion                | \xmlinclusion {...}                           |
| xmlinclusions               | \xmlinclusions {...}                          |
| xmlinfo                     | \xmlinfo {...}                                |
| xmlinjector                 | \xmlinjector {...}                            |
| xmlinlineprettyprint        | \xmlinlineprettyprint {...} {...}             |
| xmlinlineprettyprinttext    | \xmlinlineprettyprinttext {...} {...}         |
| xmlinlineverbatim           | \xmlinlineverbatim {...}                      |
| xmlinstalldirective         | \xmlinstalldirective {...} {...}              |
| xmllast                     | \xmllast {...} {...}                          |
| xmllastatt                  | \xmllastatt                                   |
| xmllastmatch                | \xmllastmatch                                 |
| xmllastpar                  | \xmllastpar                                   |
| xmlloadbuffer               | \xmlloadbuffer {...} {...} {...}              |
| xmlloaddata                 | \xmlloaddata {...} {...} {...}                |
| xmlloaddirectives           | \xmlloaddirectives {...}                      |
| xmlloadfile                 | \xmlloadfile {...} {...} {...}                |
| xmlloadonly                 | \xmlloadonly {...} {...} {...}                |
| xmlmain                     | \xmlmain {...}                                |
| xmlmapvalue                 | \xmlmapvalue {...} {...} {...}                |
| xmlname                     | \xmlname {...}                                |
| xmlnamespace                | \xmlnamespace {...}                           |
| xmlnonamespace              | \xmlnonamespace {...} {...}                   |
| xmlpar                      | \xmlpar {...} {...}                           |
| xmlparam                    | \xmlparam {...} {...} {...}                   |
| xmlpath                     | \xmlpath {...}                                |
| xmlpos                      | \xmlpos {...}                                 |
| xmlposition                 | \xmlposition {...} {...} {...}                |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {...} {...}          |
| xmlprependsetup             | \xmlprependsetup {...}                        |
| xmlprettyprint              | \xmlprettyprint {...} {...}                   |
| xmlprettyprinttext          | \xmlprettyprinttext {...} {...}               |
| xmlprocessbuffer            | \xmlprocessbuffer {...} {...} {...}           |
| xmlprocessdata              | \xmlprocessdata {...} {...} {...}             |
| xmlprocessfile              | \xmlprocessfile {...} {...} {...}             |
| xmlpure                     | \xmlpure {...} {...}                          |
| xmlraw                      | \xmlraw {...}                                 |
| xmlrefatt                   | \xmlrefatt {...} {...}                        |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...}      |
| xmlregisteredsetups         | \xmlregisteredsetups                          |

|                        |  |
|------------------------|--|
| xmlregisterns          | \xmlregisterns {...} {...}               |
| xmlremapname           | \xmlremapname {...} {...} {...} {...}    |
| xmlremapnamespace      | \xmlremapnamespace {...} {...} {...}     |
| xmlremovedocumentsetup | \xmlremovedocumentsetup {...} {...}      |
| xmlremovesetup         | \xmlremovesetup {...}                    |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {...}            |
| xmlresetinjectors      | \xmlresetinjectors                       |
| xmlresetsetups         | \xmlresetsetups {...}                    |
| xmlsave                | \xmlsave {...} {...}                     |
| xmlsetatt              | \xmlsetatt {...} {...} {...}             |
| xmlsetattribute        | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity           | \xmlsetentity {...} {...}                |
| xmlsetfunction         | \xmlsetfunction {...} {...} {...}        |
| xmlsetinjectors        | \xmlsetinjectors [...]                   |
| xmlsetpar              | \xmlsetpar {...} {...} {...}             |
| xmlsetparam            | \xmlsetparam {...} {...} {...} {...}     |
| xmlsetsetup            | \xmlsetsetup {...} {...} {...}           |
| xmlsetup               | \xmlsetup {...} {...}                    |
| xmlshow                | \xmlshow {...}                           |
| xmlsnippet             | \xmlsnippet {...} {...}                  |
| xmlstrip               | \xmlstrip {...} {...}                    |
| xmlstripnolines        | \xmlstripnolines {...} {...}             |
| xmlstripped            | \xmlstripped {...} {...}                 |
| xmlstrippednolines     | \xmlstrippednolines {...} {...}          |
| xmltag                 | \xmltag {...}                            |
| xmltexentity           | \xmltexentity {...} {...}                |
| xmltext                | \xmltext {...} {...}                     |
| xmltobuffer            | \xmltobuffer {...} {...} {...}           |
| xmltobufferverbose     | \xmltobufferverbose {...} {...} {...}    |
| xmltofile              | \xmltofile {...} {...} {...}             |
| xmlvalue               | \xmlvalue {...} {...} {...}              |
| xmlverbatim            | \xmlverbatim {...}                       |
| xsplitstring           | \xsplitstring \... {...}                 |
| xypos                  | \xypos {...}                             |





PRAGMA ADE  
Ridderstraat 27  
8061GH Hasselt NL  
[www.pragma-ade.com](http://www.pragma-ade.com)