



# ConTeXt

## commandes

# FR







# ConTeXt

## commandes

**language** : fr / français  
**version** : 10 octobre 2019  
**maintainer** : Wolfgang Schuster  
**comments** : [ntg-context@ntg.nl](mailto:ntg-context@ntg.nl)





AfterPar	\AfterPar {...}
Alphabeticnumerals	\Alphabeticnumerals {...}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
a	\a {...} {...} [...]
abjadnaivenumerals	\abjadnaivenumerals {...}
abjadnodotnumerals	\abjadnodotnumerals {...}
abjadnumerals	\abjadnumerals {...}
activatespacehandler	\activatespacehandler {...}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
acute	\acute {...}
adaptcollector	\adaptcollector [...] [..=..]
adaptedisposition	\adaptedisposition [...] [..=..]
adaptfontfeature	\adaptfontfeature [...] [..=..]
adaptpapersize	\adaptpapersize [...] [...]
addfeature	\addfeature [...]
addfeature:direct	\addfeature {...}
addfontpath	\addfontpath [...]
addtocommalist	\addtocommalist {...} \...
addtoJSreamble	\addtoJSreamble {...} {...}
addvalue	\addvalue {...} {...}
aftersplitstring	\aftersplitstring ... \at ... \to \...
aftertestandsplitstring	\aftertestandsplitstring ... \at ... \to \...
ajustechamp	\ajustechamp [...] [..=..]
alaligne	\alaligne {...} [...]
alapage	\alapage [...]
alignbottom	\alignbottom
aligneadroite	\aligneadroite {...}
aligneagauche	\aligneagauche {...}
aligneaumilieu	\aligneaumilieu {...}
aligned	\aligned [...] {...}
alignedbox	\alignedbox [...] \... {...}
alignedline	\alignedline {...} {...} {...}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {...}
alwayscitation	\alwayscitation [..=..] [...]
alwayscitation:alternative	\alwayscitation [...] [...]
alwayscitation:userdata	\alwayscitation [..=..] [..=..]
alwayscite	\alwayscite [..=..] [...]
alwayscite:alternative	\alwayscite [...] [...]
alwayscite:userdata	\alwayscite [..=..] [..=..]
ampersand	\ampersand
anchor	\anchor [...] [..=..] [..=..] {...}
appendetoks	\appendetoks ... \to \...
appendgvalue	\appendgvalue {...} {...}
appendtocommalist	\appendtocommalist {...} \...
appendtoks	\appendtoks ... \to \...
appendtoksonce	\appendtoksonce ... \to \...
appendvalue	\appendvalue {...} {...}
apply	\apply {...} {...}
applyalternativestyle	\applyalternativestyle {...}
applyprocessor	\applyprocessor {...} {...}
applytocharacters	\applytocharacters \... {...}
applytofirstcharacter	\applytofirstcharacter \... {...}
applytosplitstringchar	\applytosplitstringchar \... {...}
applytosplitstringcharspaced	\applytosplitstringcharspaced \... {...}
applytosplitstringline	\applytosplitstringline \... {...}
applytosplitstringlinespaced	\applytosplitstringlinespaced \... {...}
applytosplitstringword	\applytosplitstringword \... {...}
applytosplitstringwordspaced	\applytosplitstringwordspaced \... {...}
applytowords	\applytowords \... {...}
arabicdecimals	\arabicdecimals {...}
arabicexnumerals	\arabicexnumerals {...}
arabicnumerals	\arabicnumerals {...}
arg	\arg {...}
arriereplan	\arriereplan {...}
arriereplan:example	\ARRIEREPLAN {...}



asciistr	\asciistr {...}
assignalfadimension	\assignalfadimension {...} \... {...} {...} {...}
assignndimen	\assignndimen \... {...}
assignndimension	\assignndimension {...} \... {...} {...} {...}
assignnifempty	\assignnifempty \... {...}
assigntranslation	\assigntranslation [..=..] \to \...
assignvalue	\assignvalue {...} \... {...} {...} {...}
assignwidth	\assignwidth {...} \... {...} {...}
assumelongusagecs	\assumelongusagecs \... {...}
astype	\astype {...}
attachment:instance	\ATTACHMENT [...] [..=..]
attachment:instance:attachment	\attachment [...] [..=..]
autocap	\autocap {...}
autodirhbox	\autodirhbox ... {...}
autodirvbox	\autodirvbox ... {...}
autodirvtop	\autodirvtop ... {...}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {...} {...} {...}
automathematics	\automathematics {...}
autopagestaterealpage	\autopagestaterealpage {...}
autopagestaterealpageorder	\autopagestaterealpageorder {...}
autosetups	\autosetups {...}
autostarttexte	\autostarttexte ... \autostoptexte
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {...}
Big	\Big ...
Bigg	\Bigg ...
Biggl	\Biggl ...
Biggm	\Biggm ...
Biggr	\Biggr ...
Bigl	\Bigl ...
Bigm	\Bigm ...
Bigr	\Bigr ...
backgroundimage	\backgroundimage {...} {...} {...} {...}
backgroundimagefill	\backgroundimagefill {...} {...} {...} {...}
backgroundline	\backgroundline [...] {...}
baha	\baha [...] {...} {...}
bar	\bar {...}
barrecouleur	\barrecouleur [...]
barreinteraction	\barreinteraction [...] [..=..]
bar:instance	\BAR {...}
bar:instance:hiddenbar	\hiddenbar {...}
bar:instance:nobar	\nobar {...}
bar:instance:overbar	\overbar {...}
bar:instance:overbars	\overbars {...}
bar:instance:overstrike	\overstrike {...}
bar:instance:overstrikes	\overstrikes {...}
bar:instance:underbar	\underbar {...}
bar:instance:underbars	\underbars {...}
bar:instance:underdash	\underdash {...}
bar:instance:underdashes	\underdashes {...}
bar:instance:underdot	\underdot {...}
bar:instance:underdots	\underdots {...}
bar:instance:underrandom	\underrandom {...}
bar:instance:underrandoms	\underrandoms {...}
bar:instance:understrike	\understrike {...}
bar:instance:understrikes	\understrikes {...}
bas	\bas {...}
basegrid	\basegrid [..=..]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {...}
baselinemiddlebox	\baselinemiddlebox {...}
baselinerightbox	\baselinerightbox {...}
bas:instance	\LOW {...}
bas:instance:unitslow	\unitslow {...}
bbordermatrix	\bbordermatrix {...}
bbox	\bbox {...}
beforesplitstring	\beforesplitstring ... \at ... \to \...
beforetestandsplitstring	\beforetestandsplitstring ... \at ... \to \...
beginblock:example	\beginBLOCK [...] [..=..] ... \endBLOCK
beginhbox	\beginhbox ... \endhbox

beginofshapebox	\beginofshapebox ... \endofshapebox
beginvbox	\beginvbox ... \endvbox
beginvtop	\beginvtop ... \endvtop
begstrut	\begstrut ... \endstrut
bigg	\bigg ...
bigger	\bigger
biggl	\biggl ...
biggm	\biggm ...
biggr	\biggr ...
bigl	\bigl ...
bigm	\bigm ...
bigr	\bigr ...
bigskip	\bigskip
bitmapimage	\bitmapimage [..=..] {...}
blap	\blap {...}
bleed	\bleed [..=..] {...}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures [...]
blocksynctexfile	\blocksynctexfile [...]
blockuservariable	\blockuservariable {...}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {...}
bordermatrix	\bordermatrix {...}
bottombox	\bottombox {...}
bottomleftbox	\bottomleftbox {...}
bottomrightbox	\bottomrightbox {...}
bouton	\bouton [..=..] {...} [...]
boutonmenu:button	\boutonmenu [..=..] {...} {...}
boutonmenu:interactionmenu	\boutonmenu [...] [..=..] {...} {...}
boutonsinteraction	\boutonsinteraction [..=..] [...]
bouton:example	\BUTTON [..=..] {...} [...]
boxcursor	\boxcursor
boxmarker	\boxmarker {...} {...}
boxofsize	\boxofsize \... \... {...}
boxreference	\boxreference [...] \... {...}
bpar	\bpar ... \epar
bpos	\bpos {...}
breakhere	\breakhere
breve	\breve {...}
bTABLE	\bTABLE [..=..] ... \eTABLE
bTABLEbody	\bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot	\bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead	\bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext	\bTABLEnext [..=..] ... \eTABLEnext
bTC	\bTC [..=..] ... \eTC
bTD	\bTD [..=..] ... \eTD
bTDs	\bTDs [...] ... \eTDs
bTH	\bTH [..=..] ... \eTH
bTN	\bTN [..=..] ... \eTN
bTR	\bTR [..=..] ... \eTR
bTRs	\bTRs [...] ... \eTRs
bTX	\bTX [..=..] ... \eTX
bTY	\bTY [..=..] ... \eTY
btabbreviatedjournal	\btabbreviatedjournal {...}
btaddjournal	\btaddjournal [...] [...]
btalwayscitation	\btalwayscitation [..=..] [...]
btalwayscitation:alternative	\btalwayscitation [...] [...]
btalwayscitation:userdata	\btalwayscitation [..=..] [..=..]
btauthorfield	\btauthorfield {...}
btxdetail	\btxdetail {...}
btxdirect	\btxdirect {...}
btxdoif	\btxdoif {...} {...}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse	\btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable	\btxdoifelseuservariable {...} {...} {...}
btxdoifnot	\btxdoifnot {...} {...}

btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse	\btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal	\btxexpandedjournal {...}
btxfield	\btxfield {...}
btxfieldname	\btxfieldname {...}
btxfieldtype	\btxfieldtype {...}
btxfirstofrange	\btxfirstofrange {...}
btxflush	\btxflush {...}
btxflushauthor	\btxflushauthor [...] {...}
btxflushauthorinverted	\btxflushauthorinverted {...}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {...}
btxflushauthorname	\btxflushauthorname {...}
btxflushauthornormal	\btxflushauthornormal {...}
btxflushauthornormalshort	\btxflushauthornormalshort {...}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {...}
btxfoundtype	\btxfoundtype {...}
btxhiddencitation	\btxhiddencitation [...]
btxhybridcite	\btxhybridcite [..=..] [...]
btxhybridcite:alternative	\btxhybridcite [...] [...]
btxhybridcite:direct	\btxhybridcite {...}
btxhybridcite:userdata	\btxhybridcite [..=..] [..=..]
btxlistcitation	\btxlistcitation [..=..] [...]
btxlistcitation:alternative	\btxlistcitation [...] [...]
btxlistcitation:userdata	\btxlistcitation [..=..] [..=..]
btxloadjournalist	\btxloadjournalist [...]
btxoneorrange	\btxoneorrange {...} {...} {...}
btxremapauthor	\btxremapauthor [...] [...]
btxsavjournalist	\btxsavjournalist [...]
btxsetup	\btxsetup {...}
btxsingularorplural	\btxsingularorplural {...} {...} {...}
btxsingularplural	\btxsingularplural {...} {...} {...}
btxtextcitation	\btxtextcitation [..=..] [...]
btxtextcitation:alternative	\btxtextcitation [...] [...]
btxtextcitation:userdata	\btxtextcitation [..=..] [..=..]
buildmathaccent	\buildmathaccent {...} {...}
buildtextaccent	\buildtextaccent {...} {...}
buildtextbottomcomma	\buildtextbottomcomma {...}
buildtextbottomdot	\buildtextbottomdot {...}
buildtextcedilla	\buildtextcedilla {...}
buildtextgrave	\buildtextgrave {...}
buildtextmacron	\buildtextmacron {...}
buildtextognek	\buildtextognek {...}
Cap	\Cap {...}
Caps	\Caps {...}
Caractere	\Caractere {...}
Caracteres	\Caracteres {...}
Chiffresromains	\Chiffresromains {...}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \... {...} {...}
ConvertToConstant	\ConvertToConstant \... {...} {...}
cacheblocs	\cacheblocs [...] [...]
calligraphique	\calligraphique
camel	\camel {...}
cap	\cap {...}
capitale	\capitale {...}
caractere	\caractere {...}
caracteres	\caracteres {...}
catcodetablename	\catcodetablename
cbox	\cbox ... {...}
centraligned	\centraligned {...}
centerbox	\centerbox ... {...}
centeredbox	\centeredbox ... {...}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox ... {...}
centerline	\centerline {...}
cfrac	\cfrac [...] {...} {...}
champ	\champ [...] [...]
changepolicecorps	\changepolicecorps [...]

characterkerning:example	\CHARACTERKERNING [...] {...}
chardescription	\chardescription {...}
charwidthlanguage	\charwidthlanguage
check	\check {...}
checkcharacteralign	\checkcharacteralign {...}
checkedblank	\checkedblank [...]
checkedchar	\checkedchar {...} {...}
checkedfiller	\checkedfiller {...}
checkedstrippedcsname	\checkedstrippedcsname \...
checkedstrippedcsname:string	\checkedstrippedcsname ...
checkinjector	\checkinjector [...]
checknextindentation	\checknextindentation [...]
checknextinjector	\checknextinjector [...]
checkpage	\checkpage [...] [..=..]
checkparameters	\checkparameters [...]
checkpreviousinjector	\checkpreviousinjector [...]
checksoundtrack	\checksoundtrack {...}
checktwopassdata	\checktwopassdata {...}
checkvariables	\checkvariables [...] [..=..]
chem	\chem {...} {...} {...}
chemical	\chemical [...] [...] [...]
chemicalbottext	\chemicalbottext {...}
chemicalmidtext	\chemicalmidtext {...}
chemicalsymbol	\chemicalsymbol [...]
chemicaltext	\chemicaltext {...}
chemicaltoptext	\chemicaltoptext {...}
chiffresromains	\chiffresromains {...}
chineseallnumerals	\chineseallnumerals {...}
chinesecapnumerals	\chinesecapnumerals {...}
chinesenumerals	\chinesenumerals {...}
citation	\citation [..=..] [...]
citation:alternative	\citation [...] [...]
citation:direct	\citation {...}
citation:userdata	\citation [..=..] [..=..]
cite	\cite [..=..] [...]
cite:alternative	\cite [...] [...]
cite:direct	\cite {...}
cite:userdata	\cite [..=..] [..=..]
clap	\clap {...}
classfont	\classfont {...} {...}
cldcommand	\cldcommand {...}
cldcontext	\cldcontext {...}
cldloadfile	\cldloadfile {...}
cldprocessfile	\cldprocessfile {...}
clip	\clip [..=..] {...}
clippedoverlayimage	\clippedoverlayimage {...}
clonechamp	\clonechamp [...] [...] [...] [...]
collect	\collect {...}
collectedtext	\collectedtext [..=..] [..=..] {...} {...}
collectexpanded	\collectexpanded {...}
colonne	\colonne [...]
colorcomponents	\colorcomponents {...}
colored	\colored [..=..] {...}
colored:name	\colored [...] {...}
coloronly	\coloronly [...] {...}
columnbreak	\columnbreak [...]
columnsetspanwidth	\columnsetspanwidth {...}
combinepages	\combinepages [...] [..=..]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [...] [...]
commalistsize	\commalistsize
commentaire	\commentaire (...,...) (...,...) [..=..] {...}
commentaire:instance	\COMMENT [...] [..=..] {...}
commentaire:instance:comment	\comment [...] [..=..] {...}
comparedimension	\comparedimension {...} {...}
comparedimensioneps	\comparedimensioneps {...} {...}
comparegroupecouleur	\comparegroupecouleur [...]
comparepalette	\comparepalette [...]
completebt rendering	\completebt rendering [...] [..=..]
completecombinedlist:instance	\completeCOMBINEDLIST [..=..]
completecombinedlist:instance:content	\completecontent [..=..]
completelist	\completelist [...] [..=..]

completelistoffloats:instance	\completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals	\completelistofchemicals [..=..]
completelistoffloats:instance:figures	\completelistoffigures [..=..]
completelistoffloats:instance:graphics	\completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [..=..]
completelistoffloats:instance:tables	\completelistoftables [..=..]
completelistofpublications	\completelistofpublications [...] [..=..]
completelistofsorts	\completelistofsorts [...] [..=..]
completelistofsorts:instance	\completelistofSORTS [..=..]
completelistofsorts:instance:logos	\completelistoflogos [..=..]
completelistofsynonyms	\completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance	\completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [..=..]
completenumeropage	\completenumeropage
completeregistre	\completeregistre [...] [..=..]
completeregistre:instance	\completeREGISTER [..=..]
completeregistre:instance:index	\completeindex [..=..]
complexorsimple	\complexorsimple \...
complexorsimpleempty	\complexorsimpleempty \...
complexorsimpleempty:argument	\complexorsimpleempty {...}
complexorsimple:argument	\complexorsimple {...}
composant	\composant [...]
composant:string	\composant ...
composedcollector	\composedcollector {...}
composedlayer	\composedlayer {...}
compresult	\compresult
concernant	\concernant [...]
constantdimen	\constantdimen \...
constantdimenargument	\constantdimenargument \...
constantemptyargument	\constantemptyargument \...
constantnumber	\constantnumber \...
constantnumberargument	\constantnumberargument \...
contentreference	\contentreference [...] [..=..] {...}
continuednumber	\continuednumber {...}
continueifinputfile	\continueifinputfile {...}
convertargument	\convertargument ... \to \...
convertcommand	\convertcommand \... \to \...
convertedcounter	\convertedcounter [...] [..=..]
converteddimen	\converteddimen {...} {...}
convertedsubcounter	\convertedsubcounter [...] [...] [..=..]
convertitnumero	\convertitnumero {...} {...}
convertmonth	\convertmonth {...}
convertvalue	\convertvalue ... \to \...
convertvboxtohbox	\convertvboxtohbox
copitchamp	\copitchamp [...] [...]
copyboxfromcache	\copyboxfromcache {...} {...} ...
copylabeltext:instance	\copyLABELtexte [...] [..=..]
copylabeltext:instance:btxlabel	\copybtxlabeltexte [...] [..=..]
copylabeltext:instance:head	\copyheadtexte [...] [..=..]
copylabeltext:instance:label	\copylabeltexte [...] [..=..]
copylabeltext:instance:mathlabel	\copymathlabeltexte [...] [..=..]
copylabeltext:instance:operator	\copyoperatortexte [...] [..=..]
copylabeltext:instance:prefix	\copyprefixtexte [...] [..=..]
copylabeltext:instance:suffix	\copsuffixtexte [...] [..=..]
copylabeltext:instance:taglabel	\copytaglabeltexte [...] [..=..]
copylabeltext:instance:unit	\copyunittexte [...] [..=..]
copypages	\copypages [...] [..=..] [..=..]
copyparameters	\copyparameters [...] [...] [...]
copyposition	\copyposition {...} {...}
copysetups	\copysetups [...] [...]
corrigeespaceblanc	\corrigeespaceblanc {...}
couleur	\couleur [...] {...}
couleurgrise	\couleurgrise [...] {...}
countersubs	\countersubs [...] [...]
counttoken	\counttoken ... \in ... \to \...
counttokens	\counttokens ... \to \...
cramped	\cramped {...}
crampedclap	\crampedclap {...}
crampedllap	\crampedllap {...}
crampedrlap	\crampedrlap {...}
crlf	\crlf
crlfplaceholder	\crlfplaceholder

ctop	\ctop ... {...}
ctxcommand	\ctxcommand {...}
ctxdirectcommand	\ctxdirectcommand {...}
ctxdirectlua	\ctxdirectlua {...}
ctxfunction	\ctxfunction {...}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {...}
ctxlatelua	\ctxlatelua {...}
ctxloadluafile	\ctxloadluafile {...}
ctxlua	\ctxlua {...}
ctxluabuffer	\ctxluabuffer [...]
ctxluacode	\ctxluacode {...}
ctxreport	\ctxreport {...}
ctxsprint	\ctxsprint {...}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtbxuservariable	\currentbtbxuservariable {...}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETIQUETTE [...] {...}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {...}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {...}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlrendered	\currentlistentrytitlrendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {...}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {...}
currentresponses	\currentresponses
currenttime	\currenttime [...]
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {...}
dactylographier	\dactylographier [..=..] {...}
dactylographier:angles	\dactylographier [..=..] <<...>>
dactylographier:example	\TYPE [..=..] {...}
dactylographier:example:angles	\TYPE [..=..] <<...>>
dans	\dans {...} {...} [...]
datasetvariable	\datasetvariable {...} {...} {...}
date	\date [..=..] [...]
datecourante	\datecourante [...]
dayoftheweek	\dayoftheweek {...} {...} {...}
dayspermonth	\dayspermonth {...} {...}
dddot	\dddot {...}
ddot	\ddot {...}
de	\de [...]
decrement	\decrement \...
decrementcounter	\decrementcounter [...] [...]
decrementedcounter	\decrementedcounter [...]
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {...}
decrement:argument	\decrement (...)
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \... ... {...}
defconvertedargument	\defconvertedargument \... {...}

defconvertedcommand	\defconvertedcommand \... \...
defconvertedvalue	\defconvertedvalue \... {...}
defineactivecharacter	\defineactivecharacter ... {...}
definealternativestyle	\definealternativestyle [...] [...] [...]
defineanchor	\defineanchor [...] [...] [..=..] [..=..]
defineattachment	\defineattachment [...] [...] [..=..]
defineattribute	\defineattribute [...] [...]
definebackground	\definebackground [...] [...] [..=..]
definebar	\definebar [...] [...] [..=..]
definebodyfontswitch	\definebodyfontswitch [...] [...]
definebreakpoint	\definebreakpoint [...] [...] [..=..]
definebreakpoints	\definebreakpoints [...]
definebtx	\definebtx [...] [...] [..=..]
definebtxdataset	\definebtxdataset [...] [...] [..=..]
definebtxregister	\definebtxregister [...] [...] [..=..]
definebtxrendering	\definebtxrendering [...] [...] [..=..]
definebutton	\definebutton [...] [...] [..=..]
definecapitals	\definecapitals [...] [...] [..=..]
definecharacterkerning	\definecharacterkerning [...] [...] [..=..]
definecharacterspacing	\definecharacterspacing [...]
definechemical	\definechemical [...] {...}
definechemicals	\definechemicals [...] [...] [..=..]
definechemicalsymbol	\definechemicalsymbol [...] [...]
definecollector	\definecollector [...] [...] [..=..]
definecolumnsetarea	\definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan	\definecolumnsetspan [...] [...] [..=..]
definecombination	\definecombination [...] [...] [..=..]
definecomment	\definecomment [...] [...] [..=..]
definecomplexorsimple	\definecomplexorsimple \...
definecomplexorsimpleempty	\definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {...}
definecomplexorsimple:argument	\definecomplexorsimple {...}
defineconversionset	\defineconversionset [...] [...] [...]
definecounter	\definecounter [...] [...] [..=..]
definedataset	\definedataset [...] [...] [..=..]
definedelimitedtext	\definedelimitedtext [...] [...] [..=..]
definedfont	\definedfont [...]
defineeffect	\defineeffect [...] [...] [..=..]
defineexpandable	\defineexpandable [...] \... {...}
defineexternalfigure	\defineexternalfigure [...] [...] [..=..]
definefacingfloat	\definefacingfloat [...] [...] [..=..]
definefallbackfamily	\definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset	\definefallbackfamily [...] [...] [...] [...]
definefieldbody	\definefieldbody [...] [...] [..=..]
definefieldbodyset	\definefieldbodyset [...] [...]
definefieldcategory	\definefieldcategory [...] [...] [..=..]
definefileconstant	\definefileconstant {...} {...}
definefilefallback	\definefilefallback [...] [...]
definefilesynonym	\definefilesynonym [...] [...]
definefiller	\definefiller [...] [...] [..=..]
definefirstline	\definefirstline [...] [...] [..=..]
definefittingpage	\definefittingpage [...] [...] [..=..]
definefontalternative	\definefontalternative [...]
definefontfallback	\definefontfallback [...] [...] [...] [..=..]
definefontfamily	\definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset	\definefontfamilypreset [...] [..=..]
definefontfamilypreset:name	\definefontfamilypreset [...] [...]
definefontfamily:preset	\definefontfamily [...] [...] [...] [...]
definefontfeature	\definefontfeature [...] [...] [..=..]
definefontfile	\definefontfile [...] [...] [..=..]
definefontsize	\definefontsize [...]
definefontsolution	\definefontsolution [...] [...] [..=..]
defineformula	\defineformula [...] [...] [..=..]
defineformulaalternative	\defineformulaalternative [...] [...] [...] [...]
defineformulaframed	\defineformulaframed [...] [...] [..=..]
defineframed	\defineframed [...] [...] [..=..]
defineframedcontent	\defineframedcontent [...] [...] [..=..]
defineframedtable	\defineframedtable [...] [...]
defineframedtext	\defineframedtext [...] [...] [..=..]
definefrozenfont	\definefrozenfont [...] [...]
defineglobalcolor	\defineglobalcolor [...] [..=..]
defineglobalcolor:name	\defineglobalcolor [...] [...]

definegraphicstypesynonym	\definegraphicstypesynonym [...] [...]
definegridsnapping	\definegridsnapping [...] [...]
defineheadalternative	\defineheadalternative [...] [...] [..=..]
definehelp	\definehelp [...] [...] [..=..]
definehigh	\definehigh [...] [...] [..=..]
definehighlight	\definehighlight [...] [...] [..=..]
definehspace	\definehspace [...] [...] [...]
definehypenationfeatures	\definehypenationfeatures [...] [..=..]
defineindentedtext	\defineindentedtext [...] [...] [..=..]
defineindenting	\defineindenting [...] [...]
defineinitial	\defineinitial [...] [...] [..=..]
defineinsertion	\defineinsertion [...] [...] [..=..]
defineinteraction	\defineinteraction [...] [...] [..=..]
defineinteractionbar	\defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant	\defineinterfaceconstant {...} {...}
defineinterfaceelement	\defineinterfaceelement {...} {...}
defineinterfacevariable	\defineinterfacevariable {...} {...}
defineinterlinespace	\defineinterlinespace [...] [...] [..=..]
defineintermediatecolor	\defineintermediatecolor [...] [...] [..=..]
defineitemgroup	\defineitemgroup [...] [...] [..=..]
defineitems	\defineitems [...] [...] [..=..]
definelabelclass	\definelabelclass [...] [...]
definelayerpreset	\definelayerpreset [...] [..=..]
definelayerpreset:name	\definelayerpreset [...] [...]
definelinefiller	\definelinefiller [...] [...] [..=..]
definelinenote	\definelinenote [...] [...] [..=..]
definelinenumbering	\definelinenumbering [...] [...] [..=..]
definelines	\definelines [...] [...] [..=..]
definelistalternative	\definelistalternative [...] [...] [..=..]
definelistextra	\definelistextra [...] [...] [..=..]
definelow	\definelow [...] [...] [..=..]
definelowhigh	\definelowhigh [...] [...] [..=..]
definelowmidhigh	\definelowmidhigh [...] [...] [..=..]
defineMPinstance	\defineMPinstance [...] [...] [..=..]
definemarginblock	\definemarginblock [...] [...] [..=..]
definemargindata	\definemargindata [...] [...] [..=..]
definemarker	\definemarker [...]
definemathaccent	\definemathaccent ... ..
definemathalignment	\definemathalignment [...] [...] [..=..]
definemathcases	\definemathcases [...] [...] [..=..]
definemathcommand	\definemathcommand [...] [...] [...] {...}
definemathdouble	\definemathdouble [...] [...] [...] [...]
definemathdoubleextensible	\definemathdoubleextensible [...] [...] [...] [...]
definematematics	\definematematics [...] [...] [..=..]
definemathextensible	\definemathextensible [...] [...] [...]
definemathfence	\definemathfence [...] [...] [..=..]
definemathfraction	\definemathfraction [...] [...] [..=..]
definemathframed	\definemathframed [...] [...] [..=..]
definemathmatrix	\definemathmatrix [...] [...] [..=..]
definemathornament	\definemathornament [...] [...] [..=..]
definemathover	\definemathover [...] [...] [...]
definemathoverextensible	\definemathoverextensible [...] [...] [...]
definemathovertextextensible	\definemathovertextextensible [...] [...] [...]
definemathradical	\definemathradical [...] [...] [..=..]
definemathstackers	\definemathstackers [...] [...] [..=..]
definemathstyle	\definemathstyle [...] [...]
definemathtriplet	\definemathtriplet [...] [...] [...]
definemathunder	\definemathunder [...] [...] [...]
definemathunderextensible	\definemathunderextensible [...] [...] [...]
definemathundertextextensible	\definemathundertextextensible [...] [...] [...]
definemathunstacked	\definemathunstacked [...] [...] [...]
definemeasure	\definemeasure [...] [...]
definemessageconstant	\definemessageconstant {...}
definemixedcolumns	\definemixedcolumns [...] [...] [..=..]
definemode	\definemode [...] [...]
definemultitonecolor	\definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamecolor	\definenamecolor [...] [..=..]
definenamecolor:name	\definenamecolor [...] [...]
definenamespace	\definenamespace [...] [..=..]
definennarrower	\definennarrower [...] [...] [..=..]
definernote	\definernote [...] [...] [..=..]
defineornament:collector	\defineornament [...] [..=..] [..=..]



defineornament:layer	\defineornament [...] [..=..] [..=..]
defineoutputroutine	\defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand	\defineoutputroutinecommand [...]
definepage	\definepage [...] [...]
definepagechecker	\definepagechecker [...] [...] [..=..]
definepagecolumns	\definepagecolumns [...] [...] [..=..]
definepageinjection	\definepageinjection [...] [...] [..=..]
definepageinjectionalternative	\definepageinjectionalternative [...] [...] [..=..]
definepageshift	\definepageshift [...] [...] [...]
definepagestate	\definepagestate [...] [...] [..=..]
definepairedbox	\definepairedbox [...] [...] [..=..]
defineparagraph	\defineparagraph [...] [...] [..=..]
defineparallel	\defineparallel [...] [...]
defineparbuilder	\defineparbuilder [...]
defineperiodkerning	\defineperiodkerning [...] [...] [..=..]
defineplacement	\defineplacement [...] [...] [..=..]
definepositioning	\definepositioning [...] [...] [..=..]
defineprefixset	\defineprefixset [...] [...] [...]
defineprocesscolor	\defineprocesscolor [...] [...] [..=..]
defineprocessor	\defineprocessor [...] [...] [..=..]
definepushbutton	\definepushbutton [...] [..=..]
definepushsymbol	\definepushsymbol [...] [...]
definerenderingwindow	\definerenderingwindow [...] [...] [..=..]
defineresetset	\defineresetset [...] [...] [...]
defineruby	\defineruby [...] [...] [..=..]
definescale	\definescale [...] [...] [..=..]
definescript	\definescript [...] [...] [..=..]
definesectionlevels	\definesectionlevels [...] [...]
defineselector	\defineselector [...] [..=..]
defineseparatorset	\defineseparatorset [...] [...] [...]
defineshift	\defineshift [...] [...] [..=..]
definesidebar	\definesidebar [...] [...] [..=..]
definesort	\definesort [...] [...] [...] {...}
definespotcolor	\definespotcolor [...] [...] [..=..]
definestyleinstance	\definestyleinstance [...] [...] [...] [...]
definesubformula	\definesubformula [...] [...] [..=..]
definesynonym	\definesynonym [...] [...] [...] {...} {...}
definesystemattribute	\definesystemattribute [...] [...]
definesystemconstant	\definesystemconstant {...}
definesystemvariable	\definesystemvariable {...}
defineTABLEsetup	\defineTABLEsetup [...] [..=..]
definetabulation	\definetabulation [...] [...] [..=..]
definetextbackground	\definetextbackground [...] [...] [..=..]
definetextflow	\definetextflow [...] [...] [..=..]
definetextnote	\definetextnote [...] [...] [..=..]
definetokenlist	\definetokenlist [...]
definetooltip	\definetooltip [...] [...] [..=..]
definetransparency:1	\definetransparency [...] [...]
definetransparency:2	\definetransparency [...] [..=..]
definetransparency:3	\definetransparency [...] [...]
definetwopasslist	\definetwopasslist {...}
definetypeface	\definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix	\definetypescriptprefix [...] [...]
definetypescriptsynonym	\definetypescriptsynonym [...] [...]
definetypesetting	\definetypesetting [...] [...] [..=..]
defineunit	\defineunit [...] [...] [..=..]
defineuserdata	\defineuserdata [...] [...] [..=..]
defineuserdataalternative	\defineuserdataalternative [...] [...] [..=..]
defineviewerlayer	\defineviewerlayer [...] [...] [..=..]
definevspace	\definevspace [...] [...] [...]
definevspacing	\definevspacing [...] [...]
definevspacingamount	\definevspacingamount [...] [...] [...]
definextable	\definextable [...] [...] [..=..]
definicaractere	\definicaractere ... ..
definit	\definit [...] \... {...}
definitaccent	\definitaccent ... ..
definitbloc	\definitbloc [...] [...] [..=..]
definitblocsection	\definitblocsection [...] [...] [..=..]
definitbuffer	\definitbuffer [...] [...] [..=..]
definitcalque	\definitcalque [...] [...] [..=..]
definitchamp	\definitchamp [...] [...] [...] [...] [...]
definitcommande	\definitcommande ... ..

definitconversion	\definitconversion [...] [...] [...]
definitconversion:list	\definitconversion [...] [...] [...]
definitcouleur	\definitcouleur [...] [..=..]
definitcouleur:name	\definitcouleur [...] [...]
definitdactylo	\definitdactylo [...] [...] [..=..]
definitdemarrestoppe	\definitdemarrestoppe [...] [...] [..=..]
definitdescription	\definitdescription [...] [...] [..=..]
definitdisposition	\definitdisposition [...] [...] [..=..]
definitenumeration	\definitenumeration [...] [...] [..=..]
definitenvironnementpolicecorps	\definitenvironnementpolicecorps [...] [...] [..=..]
definitetiquette	\definitetiquette [...] [...] [..=..]
definitflottant	\definitflottant [...] [...] [..=..]
definitflottant:name	\definitflottant [...] [...] [...]
definitformatreference	\definitformatreference [...] [...] [..=..]
definitgroupecouleur	\definitgroupecouleur [...] [...] [x:y:z,..]
definit hbox	\definit hbox [...] [...]
definitjeucolonne	\definitjeucolonne [...] [...] [..=..]
definitliste	\definitliste [...] [...] [..=..]
definitlisteimbriquee	\definitlisteimbriquee [...] [...] [..=..]
definitmakeup	\definitmakeup [...] [...] [..=..]
definitmarquage	\definitmarquage [...] [...] [..=..]
definitmenuinteraction	\definitmenuinteraction [...] [...] [..=..]
definitpalette	\definitpalette [...] [..=..]
definitpalette:name	\definitpalette [...] [...]
definitparagraphes	\definitparagraphes [...] [...] [..=..]
definitpilechamp	\definitpilechamp [...] [...] [..=..]
definitpolice	\definitpolice [...] [...] [..=..]
definitpolicecorps	\definitpolicecorps [...] [...] [...] [..=..]
definitpolicecorps:argument	\definitpolicecorps [...] [...] [...] [...]
definitpolice:argument	\definitpolice [...] [...] [...]
definitprofil	\definitprofil [...] [...] [..=..]
definitprogramme	\definitprogramme [...] [...] [...]
definitreference	\definitreference [...] [...]
definitregistre	\definitregistre [...] [...] [..=..]
definitrevetement	\definitrevetement [...] [...] [...]
definit saut de colonne	\definit saut de colonne [...] [...]
definit saut de page	\definit saut de page [...] [...]
definitsection	\definitsection [...]
definit sous champ	\definit sous champ [...] [...] [...]
definitstyle	\definitstyle [...] [...] [..=..]
definitstylepolice	\definitstylepolice [...] [...]
definit symbole	\definit symbole [...] [...] [...]
definit symbole figure	\definit symbole figure [...] [...] [..=..]
definit synonyme police	\definit synonyme police [...] [...] [..=..]
definit synonymes	\definit synonymes [...] [...] [...] [...]
definit tabulation	\definit tabulation [...] [...] [/.../]
definit taille papier	\definit taille papier [...] [..=..] <sup>PPT</sup>
definit taille papier:name	\definit taille papier [...] [...] [...]
definit tete	\definit tete [...] [...] [..=..]
definit texte	\definit texte [...] [...] [...] [...] [...] [...] [...]
definit trame tableau	\definit trame tableau [...] [/.../] [...] [...]
definit tri	\definit tri [...] [...] [...]
definit type	\definit type [...] [...] [..=..]
definit vide	\definit vide [...]
delimited	\delimited [...] [...] {...}
delimited text	\delimited text [...] [...] {...}
delimited text:instance	\DELIMITEDTEXT [...] {...}
delimited text:instance:aside	\aside [...] {...}
delimited text:instance:blockquote	\blockquote [...] {...}
delimited text:instance:quotation	\quotation [...] {...}
delimited text:instance:quote	\quote [...] {...}
delimited text:instance:speech	\speech [...] {...}
demarre	\demarre [...] ... \stoppe
demarre aligne droite	\demarre aligne droite ... \stoppe aligne droite
demarre aligne gauche	\demarre aligne gauche ... \stoppe aligne gauche
demarre aligne au milieu	\demarre aligne au milieu ... \stoppe aligne au milieu
demarre alignement	\demarre alignement [...] ... \stoppe alignement
demarre all modes	\demarre all modes [...] ... \stoppe all modes
demarre arriere plan	\demarre arriere plan [..=..] ... \stoppe arriere plan
demarre arriere plan:exemple	\demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN
demarre attachment:instance	\demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT
demarre attachment:instance:attachment	\demarre attachment [...] [..=..] ... \stoppe attachment

demarrebar	\demarrebar [...] ... \stoppebar
demarrebbordermatrix	\demarrebbordermatrix ... \stoppebbordermatrix
demarrebitmapimage	\demarrebitmapimage [..=..] ... \stoppebitmapimage
demarrebbordermatrix	\demarrebbordermatrix ... \stoppebordermatrix
demarrebtxrenderingdefinitions	\demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions
demarrebuffer	\demarrebuffer [...] ... \stoppebuffer
demarrebuffer:instance	\demarreBUFFER ... \stoppeBUFFER
demarrebuffer:instance:hiding	\demarrehiding ... \stoppehiding
demarrecatcodetable	\demarrecatcodetable \... ... \stoppecatcodetable
demarrecenteraligned	\demarrecenteraligned ... \stoppecenteraligned
demarrecharacteralign	\demarrecharacteralign [..=..] ... \stoppecharacteralign
demarrecharacteralign:argument	\demarrecharacteralign [...] ... \stoppecharacteralign
demarrecheckedfences	\demarrecheckedfences ... \stoppecheckedfences
demarrechemical	\demarrechemical [...] [..=..] ... \stoppechemical
demarreciter	\demarreciter [..=..]
demarrecollect	\demarrecollect ... \stoppecollect
demarrecollecting	\demarrecollecting ... \stoppecollecting
demarrecolorintent	\demarrecolorintent [...] ... \stoppecolorintent
demarrecoloronly	\demarrecoloronly [...] ... \stoppecoloronly
demarrecolorset	\demarrecolorset [...] ... \stoppecolorset
demarrecolumnset	\demarrecolumnset [...] [..=..] ... \stoppecolumnset
demarrecolumnsetspan	\demarrecolumnsetspan [...] [..=..] ... \stoppecolumnsetspan
demarrecolumnset:example	\demarreCOLUMNSET [..=..] ... \stoppeCOLUMNSET
demarrecombination	\demarrecombination [...] [..=..] ... \stoppecombination
demarrecombination:matrix	\demarrecombination [...] [...] ... \stoppecombination
demarrecommentairepage	\demarrecommentairepage ... \stoppecommentairepage
demarrecommentaire:instance	\demarreCOMMENT [...] [..=..] ... \stoppeCOMMENT
demarrecommentaire:instance:comment	\demarrecomment [...] [..=..] ... \stoppecomment
demarrecomposant	\demarrecomposant [...] ... \stoppecomposant
demarrecomposant:string	\demarrecomposant ... ... \stoppecomposant
demarrecontextcode	\demarrecontextcode ... \stoppecontextcode
demarrecontextdefinitioncode	\demarrecontextdefinitioncode ... \stoppecontextdefinitioncode
demarrecouleur	\demarrecouleur [...] ... \stoppecouleur
demarrectxfuction	\demarrectxfuction ... ... \stoppectxfuction
demarrectxfuctiondefinition	\demarrectxfuctiondefinition ... ... \stoppectxfuctiondefinition
demarreccurrentcolor	\demarreccurrentcolor ... \stoppeccurrentcolor
demarreccurrentlistentrywrapper	\demarreccurrentlistentrywrapper ... \stoppeccurrentlistentrywrapper
demarredegrroupe	\demarredegrroupe ... \stoppedegrroupe
demarredelimited	\demarredelimited [...] [...] [...] ... \stoppedelimited
demarredelimitedtext	\demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext
demarredelimitedtext:instance	\demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT
demarredelimitedtext:instance:aside	\demarreaside [...] [...] ... \stoppeaside
demarredelimitedtext:instance:blockquote	\demarreblockquote [...] [...] ... \stoppeblockquote
demarredelimitedtext:instance:quotation	\demarrequotation [...] [...] ... \stoppequotation
demarredelimitedtext:instance:quote	\demarrequote [...] [...] ... \stoppequote
demarredelimitedtext:instance:speech	\demarrespeech [...] [...] ... \stoppespeech
demarredescription:example	\demarreDESCRIPTION [..=..] ... \stoppeDESCRIPTION
demarredescription:example:title	\demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION
demarredisplaymath	\demarredisplaymath ... \stoppedisplaymath
demarredmath	\demarredmath ... \stoppedmath
demarredocument	\demarredocument [..=..] ... \stoppedocument
demarreeffect	\demarreeffect [...] ... \stoppeeffect
demarreeffect:example	\demarreEFFECT ... \stoppeEFFECT
demarreelement	\demarreelement [...] ... \stoppeelement
demarreembeddedxtable	\demarreembeddedxtable [..=..] ... \stoppeembeddedxtable
demarreembeddedxtable:name	\demarreembeddedxtable [...] ... \stoppeembeddedxtable
demarreenumeration:example	\demarreENUMERATION [..=..] ... \stoppeENUMERATION
demarreenumeration:example:title	\demarreENUMERATION [...] {...} ... \stoppeENUMERATION
demarreenvironnement	\demarreenvironnement [...] ... \stoppeenvironnement
demarreenvironnementblocsection	\demarreenvironnementblocsection [...] ... \stoppeenvironnementblocsection
demarreenvironnement:string	\demarreenvironnement ... ... \stoppeenvironnement
demarreetroit	\demarreetroit [...] [..=..] ... \stoppeetroit
demarreetroit:assignment	\demarreetroit [..=..] [...] ... \stoppeetroit
demarreetroit:name	\demarreetroit [...] [...] ... \stoppeetroit
demarreexceptions	\demarreexceptions [...] ... \stoppeexceptions
demarreexpanded	\demarreexpanded ... \stoppeexpanded
demarreexpandedcollect	\demarreexpandedcollect ... \stoppeexpandedcollect
demarreextendedcatcodetable	\demarreextendedcatcodetable \... ... \stoppeextendedcatcodetable
demarreexternalfigurecollection	\demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection
demarrefacingfloat	\demarrefacingfloat [...] ... \stoppefacingfloat
demarrefigure	\demarrefigure [...] [...] [..=..] ... \stoppefigure
demarrefittingpage	\demarrefittingpage [...] [..=..] ... \stoppefittingpage

demarrefittingpage:instance	\demarreFITTINGPAGE [..=..] ... \stoppeFITTINGPAGE
demarrefittingpage:instance:MPPage	\demarreMPPage [..=..] ... \stoppeMPPage
demarrefittingpage:instance:TEXpage	\demarreTEXpage [..=..] ... \stoppeTEXpage
demarrefixe	\demarrefixe [...] ... \stoppefixe
demarrefloatcombination	\demarrefloatcombination [..=..] ... \stoppefloatcombination
demarrefloatcombination:matrix	\demarrefloatcombination [...] ... \stoppefloatcombination
demarrefloattext:instance	\demarreFLOATtexte [...] [...] {...} ... \stoppeFLOATtexte
demarrefloattext:instance:chemical	\demarrechemicaltexte [...] [...] {...} ... \stoppechemicaltexte
demarrefloattext:instance:figure	\demarrefiguretexte [...] [...] {...} ... \stoppefiguretexte
demarrefloattext:instance:graphic	\demarregraphictexte [...] [...] {...} ... \stoppegraphictexte
demarrefloattext:instance:intermezzo	\demarreintermezzotexte [...] [...] {...} ... \stoppeintermezzotexte
demarrefloattext:instance:table	\demarretabletexte [...] [...] {...} ... \stoppetabletexte
demarrefont	\demarrefont [...] ... \stoppefont
demarrefontclass	\demarrefontclass [...] ... \stoppefontclass
demarrefontsolution	\demarrefontsolution [...] ... \stoppefontsolution
demarreformule	\demarreformule [...] ... \stoppeformule
demarreformules	\demarreformules [...] ... \stoppeformules
demarreformule:assignment	\demarreformule [..=..] ... \stoppeformule
demarreformule:instance	\demarreFORMULAformula [...] ... \stoppeFORMULAformula
demarreformule:instance:md	\demarremdformula [...] ... \stoppendformula
demarreformule:instance:mp	\demarrempformula [...] ... \stoppempformula
demarreformule:instance:sd	\demarresdformula [...] ... \stoppesdformula
demarreformule:instance:sp	\demarrespformula [...] ... \stoppespformula
demarreframed	\demarreframed [...] [..=..] ... \stoppeframed
demarreframedcell	\demarreframedcell [..=..] ... \stoppeframedcell
demarreframedcontent	\demarreframedcontent [...] ... \stoppeframedcontent
demarreframedrow	\demarreframedrow [..=..] ... \stoppeframedrow
demarreframedtable	\demarreframedtable [...] [..=..] ... \stoppeframedtable
demarregridsnapping	\demarregridsnapping [...] ... \stoppegridsnapping
demarregridsnapping:list	\demarregridsnapping [...] ... \stoppegridsnapping
demarregruppe	\demarregruppe [...] ... \stoppegruppe
demarreboxestohbox	\demarreboxestohbox ... \stoppeboxestohbox
demarreboxregister	\demarreboxregister ... .. \stoppeboxregister
demarrehelp:instance	\demarreHELP [...] ... \stoppeHELP
demarrehelp:instance:helptext	\demarrehelptext [...] ... \stoppehelptext
demarrehighlight	\demarrehighlight [...] ... \stoppehighlight
demarrehyphenation	\demarrehyphenation [...] ... \stoppehyphenation
demarreimath	\demarreimath ... \stoppeimath
demarreindentedtext	\demarreindentedtext [...] ... \stoppeindentedtext
demarreindentedtext:example	\demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT
demarreinteraction	\demarreinteraction [...] ... \stoppeinteraction
demarreinterface	\demarreinterface ... .. \stoppeinterface
demarreintertext	\demarreintertext ... \stoppeintertext
demarreitemgroup	\demarreitemgroup [...] [...] [..=..] ... \stoppeitemgroup
demarreitemgroup:instance	\demarreITEMGROUP [...] [..=..] ... \stoppeITEMGROUP
demarreitemgroup:instance:itemize	\demarreitemize [...] [..=..] ... \stoppeitemize
demarreJScode	\demarreJScode ... .. \stoppeJScode
demarreJSreamble	\demarreJSreamble ... .. \stoppeJSreamble
demarreknockout	\demarreknockout ... \stoppeknockout
demarrelabeltexte:instance	\demarreLABELtexte [...] [...] ... \stoppeLABELtexte
demarrelabeltexte:instance:btxlabel	\demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte
demarrelabeltexte:instance:head	\demarreheadtexte [...] [...] ... \stoppeheadtexte
demarrelabeltexte:instance:label	\demarrelabeltexte [...] [...] ... \stoppelabeltexte
demarrelabeltexte:instance:mathlabel	\demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte
demarrelabeltexte:instance:operator	\demarreoperatortexte [...] [...] ... \stoppeoperatortexte
demarrelabeltexte:instance:prefix	\demarreprefixtexte [...] [...] ... \stoppeprefixtexte
demarrelabeltexte:instance:suffix	\demarresuffixtexte [...] [...] ... \stoppesuffixtexte
demarrelabeltexte:instance:taglabel	\demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte
demarrelabeltexte:instance:unit	\demarreunitttexte [...] [...] ... \stoppeunitttexte
demarrelangue	\demarrelangue [...] ... \stoppelangue
demarrelayout	\demarrelayout [...] ... \stoppelayout
demarreligne	\demarreligne [...]
demarreligneregleetexte	\demarreligneregleetexte {...} ... \stoppeligneregleetexte
demarrelignes:instance	\demarreLINES [..=..] ... \stoppeLINES
demarrelignes:instance:lines	\demarrelines [..=..] ... \stoppelines
demarrelinealignment	\demarrelinealignment [...] ... \stoppelinealignment
demarrelinecorrection	\demarrelinecorrection [...] ... \stoppelinecorrection
demarrelinefiller	\demarrelinefiller [...] [..=..] ... \stoppelinefiller
demarrelinenumbering	\demarrelinenumbering [...] [..=..] ... \stoppelinenumbering
demarrelinenumbering:argument	\demarrelinenumbering [...] [...] ... \stoppelinenumbering
demarrelinetable	\demarrelinetable ... \stoppelinetable
demarrelinetablebody	\demarrelinetablebody ... \stoppelinetablebody

demarrelinetablecell	\demarrelinetablecell [..=..] ... \stoppelinetablecell
demarrelinetablehead	\demarrelinetablehead ... \stoppelinetablehead
demarrellocalfootnotes	\demarrellocalfootnotes ... \stoppellocalfootnotes
demarrellocalheadsetup	\demarrellocalheadsetup ... \stoppellocalheadsetup
demarrellocallinecorrection	\demarrellocallinecorrection [...] ... \stoppellocallinecorrection
demarrellocalnotes	\demarrellocalnotes [...] ... \stoppellocalnotes
demarrellocalsetups	\demarrellocalsetups [...] [...] ... \stoppellocalsetups
demarrellocalsetups:string	\demarrellocalsetups ... ... \stoppellocalsetups
demarrelua	\demarrelua ... \stoppelua
demarreluacode	\demarreluacode ... \stoppeluacode
demarreluaparameterset	\demarreluaparameterset [...] ... \stoppeluaparameterset
demarreluasetsups	\demarreluasetsups [...] [...] ... \stoppeluasetsups
demarreluasetsups:string	\demarreluasetsups ... ... \stoppeluasetsups
demarreMPclip	\demarreMPclip {...} ... \stoppeMPclip
demarreMPcode	\demarreMPcode {...} ... \stoppeMPcode
demarreMPdefinitions	\demarreMPdefinitions {...} ... \stoppeMPdefinitions
demarreMPdrawing	\demarreMPdrawing [...] ... \stoppeMPdrawing
demarreMPenvironment	\demarreMPenvironment [...] ... \stoppeMPenvironment
demarreMPextensions	\demarreMPextensions {...} ... \stoppeMPextensions
demarreMPinclusions	\demarreMPinclusions [...] {...} ... \stoppeMPinclusions
demarreMPinitializations	\demarreMPinitializations ... \stoppeMPinitializations
demarreMPpositiongraphic	\demarreMPpositiongraphic {...} {...} ... \stoppeMPpositiongraphic
demarreMPpositionmethod	\demarreMPpositionmethod {...} ... \stoppeMPpositionmethod
demarreMPrun	\demarreMPrun {...} ... \stoppeMPrun
demarremakeup	\demarremakeup [...] [..=..] ... \stoppemakeup
demarremakeup:instance	\demarreMAKEUPmakeup [..=..] ... \stoppeMAKEUPmakeup
demarremakeup:instance:middle	\demarremiddlemakeup [..=..] ... \stoppemiddlemakeup
demarremakeup:instance:page	\demarrepagemakeup [..=..] ... \stoppepagemakeup
demarremakeup:instance:standard	\demarrestandardmakeup [..=..] ... \stoppestandardmakeup
demarremakeup:instance:text	\demarretextmakeup [..=..] ... \stoppetextmakeup
demarremargereglee	\demarremargereglee [...] ... \stoppemargereglee
demarremargereglee:assignment	\demarremargereglee [..=..] ... \stoppemargereglee
demarremarginblock	\demarremarginblock [...] ... \stoppemarginblock
demarremarkedcontent	\demarremarkedcontent [...] ... \stoppemarkedcontent
demarremarkpages	\demarremarkpages [...] ... \stoppebookmarkpages
demarremathalignment:instance	\demarreMATHALIGNMENT [..=..] ... \stoppeMATHALIGNMENT
demarremathalignment:instance:align	\demarrealign [..=..] ... \stoppealign
demarremathalignment:instance:mathalignment	\demarremathalignment [..=..] ... \stoppemathalignment
demarremathcases:instance	\demarreMATHCASES [..=..] ... \stoppeMATHCASES
demarremathcases:instance:cases	\demarrecases [..=..] ... \stoppecases
demarremathcases:instance:mathcases	\demarremathcases [..=..] ... \stoppemathcases
demarremathmatrix:instance	\demarreMATHMATRIX [..=..] ... \stoppeMATHMATRIX
demarremathmatrix:instance:mathmatrix	\demarremathmatrix [..=..] ... \stoppemathmatrix
demarremathmatrix:instance:matrix	\demarrematrix [..=..] ... \stoppematrix
demarremathmode	\demarremathmode ... \stoppemathmode
demarremathstyle	\demarremathstyle [...] ... \stoppemathstyle
demarrematrices	\demarrematrices [..=..] ... \stoppematrices
demarremaxaligned	\demarremaxaligned ... \stoppemaxaligned
demarremenuinteraction	\demarremenuinteraction [...] ... \stoppemenuinteraction
demarremiddlealigned	\demarremiddlealigned ... \stoppemiddlealigned
demarremixedcolumns	\demarremixedcolumns [...] [..=..] ... \stoppemixedcolumns
demarremixedcolumns:instance	\demarreMIXEDCOLUMNS [..=..] ... \stoppeMIXEDCOLUMNS
demarremixedcolumns:instance:boxedcolumns	\demarreboxedcolumns [..=..] ... \stoppeboxedcolumns
demarremixedcolumns:instance:columns	\demarrecolumns [..=..] ... \stoppecolumns
demarremixedcolumns:instance:itemgroupcolumns	\demarreitemgroupcolumns [..=..] ... \stoppeitemgroupcolumns
demarremode	\demarremode [...] ... \stoppemode
demarremodeset	\demarremodeset [...] {...} ... \stoppemodeset
demarremodule	\demarremodule [...] ... \stoppemodule
demarremoduletestsection	\demarremoduletestsection ... \stoppemoduletestsection
demarremodule:string	\demarremodule ... ... \stoppemodule
demarrenamedsection	\demarrenamedsection [...] [..=..] [..=..] ... \stoppenamedsection
demarrenamedsubformulas	\demarrenamedsubformulas [...] {...} ... \stoppenamedsubformulas
demarrenarrower	\demarrenarrower [...] ... \stoppenarrower
demarrenarrower:example	\demarreNARROWER [...] ... \stoppeNARROWER
demarrenegatif	\demarrenegatif ... \stoppenegatif
demarrenicelyfilledbox	\demarrenicelyfilledbox [..=..] ... \stoppenicelyfilledbox
demarrenointerference	\demarrenointerference ... \stoppenointerference
demarrenotallmodes	\demarrenotallmodes [...] ... \stoppenotallmodes
demarrenotext	\demarrenotext ... \stoppenotext
demarrenote:instance	\demarreNOTE [...] ... \stoppeNOTE
demarrenote:instance:assignment	\demarreNOTE [..=..] ... \stoppeNOTE
demarrenote:instance:assignment:endnote	\demarreendnote [..=..] ... \stoppeendnote

demarrenote:instance:assignment:footnote	\demarrefootnote [..=..] ... \stoppefootnote
demarrenote:instance:endnote	\demarreendnote [...] ... \stoppeendnote
demarrenote:instance:footnote	\demarrefootnote [...] ... \stoppefootnote
demarrenotmode	\demarrenotmode [...] ... \stoppenotmode
demarreopposition	\demarreopposition ... \stoppeopposition
demarreoutputstream	\demarreoutputstream [...] ... \stoppeoutputstream
demarreoverprint	\demarreoverprint ... \stoppeoverprint
demarrepagecolumns	\demarrepagecolumns [..=..] ... \stoppepagecolumns
demarrepagecolumns:instance	\demarrePAGECOLUMNS ... \stoppePAGECOLUMNS
demarrepagecolumns:name	\demarrepagecolumns [...] ... \stoppepagecolumns
demarrepagefigure	\demarrepagefigure [...] [..=..] ... \stoppepagefigure
demarrepagelayout	\demarrepagelayout [...] ... \stoppepagelayout
demarrepar	\demarrepar [...] [..=..] ... \stoppepar
demarreparagraphe	\demarreparagraphe [...] [..=..] ... \stoppeparagraphe
demarreparagraphs	\demarreparagraphs [...] ... \stoppeparagraphs
demarreparagraphscell	\demarreparagraphscell ... \stoppeparagraphscell
demarreparagraphs:example	\demarrePARAGRAPHS ... \stoppePARAGRAPHS
demarreparallel:example	\demarrePARALLEL ... \stoppePARALLEL
demarreparbuilder	\demarreparbuilder [...] ... \stoppeparbuilder
demarreplaceflottant	\demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant
demarreplaceflottant:instance	\demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT
demarreplaceflottant:instance:chemical	\demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical
demarreplaceflottant:instance:figure	\demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure
demarreplaceflottant:instance:graphic	\demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic
demarreplaceflottant:instance:intermezzo	\demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo
demarreplaceflottant:instance:table	\demarreplacetable [..=..] [..=..] ... \stoppeplacetable
demarreplaceformule	\demarreplaceformule [..=..] ... \stoppeplaceformule
demarreplaceformule:argument	\demarreplaceformule [...] ... \stoppeplaceformule
demarreplacepairedbox	\demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox
demarreplacepairedbox:instance	\demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX
demarreplacepairedbox:instance:legend	\demarreplacelegend [..=..] ... \stoppeplacelegend
demarrepositif	\demarrepositif ... \stoppepositif
demarrepositioning	\demarrepositioning [...] [..=..] ... \stoppepositioning
demarrepositionoverlay	\demarrepositionoverlay {...} ... \stoppepositionoverlay
demarrepostponing	\demarrepostponing [...] ... \stoppepostponing
demarrepostponingnotes	\demarrepostponingnotes ... \stoppepostponingnotes
demarreprocessassignmentcommand	\demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcommand
demarreprocessassignmentlist	\demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist
demarreprocesscommacommand	\demarreprocesscommacommand [...] ... \stoppeprocesscommacommand
demarreprocesscommalist	\demarreprocesscommalist [...] ... \stoppeprocesscommalist
demarreproduit	\demarreproduit [...] ... \stoppeproduit
demarreproduit:string	\demarreproduit ... ... \stoppeproduit
demarreprojet	\demarreprojet [...] ... \stoppeprojet
demarreprojet:string	\demarreprojet ... ... \stoppeprojet
demarreprotectedcolors	\demarreprotectedcolors ... \stoppeprotectedcolors
demarrepublication	\demarrepublication [...] [..=..] ... \stoppepublication
demarrequeueetableau	\demarrequeueetableau [...] ... \stoppequeueetableau
demarrequeueetabule	\demarrequeueetabule [...] ... \stoppequeueetabule
demarrerandomized	\demarrerandomized ... \stopperandomized
demarrerawsetups	\demarrerawsetups [...] [...] ... \stopperawsetups
demarrerawsetups:string	\demarrerawsetups ... ... \stopperawsetups
demarrerereadingfile	\demarrerereadingfile ... \stopperereadingfile
demarrereregime	\demarrereregime [...] ... \stoppereregime
demarrerereusableMPgraphic	\demarrerereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic
demarrererevetement	\demarrererevetement ... \stoppererevetement
demarrereruby	\demarrereruby [...] ... \stoppereruby
demarrescript	\demarrescript [...] ... \stoppescript
demarresectionblock	\demarresectionblock [...] [..=..] ... \stoppesectionblock
demarresectionblock:instance	\demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK
demarresectionblock:instance:appendices	\demarreappendices [..=..] ... \stoppeappendices
demarresectionblock:instance:backmatter	\demarrebackmatter [..=..] ... \stoppebackmatter
demarresectionblock:instance:bodymatter	\demarrebodymatter [..=..] ... \stoppebodymatter
demarresectionblock:instance:frontmatter	\demarrefrontmatter [..=..] ... \stoppefrontmatter
demarresectionlevel	\demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel
demarresection:instance	\demarreSECTION [..=..] [..=..] ... \stoppeSECTION
demarresection:instance:chapter	\demarrechapter [..=..] [..=..] ... \stoppechapter
demarresection:instance:part	\demarrepart [..=..] [..=..] ... \stoppepart
demarresection:instance:section	\demarresection [..=..] [..=..] ... \stoppesection
demarresection:instance:subject	\demarresubject [..=..] [..=..] ... \stoppesubject
demarresection:instance:subsection	\demarresubsection [..=..] [..=..] ... \stoppesubsection
demarresection:instance:subsubject	\demarresubsubject [..=..] [..=..] ... \stoppesubsubject
demarresection:instance:subsubsection	\demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection

demarresection:instance:subsubsubject	<code>\demarresubsubsubject [..=..] [..=..] ... \stoppesubsubsubject</code>
demarresection:instance:subsubsubsection	<code>\demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsection</code>
demarresection:instance:subsubsubsubject	<code>\demarresubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubject</code>
demarresection:instance:subsubsubsubsection	<code>\demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection</code>
demarresection:instance:subsubsubsubsubject	<code>\demarresubsubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubsubject</code>
demarresection:instance:title	<code>\demarretitle [..=..] [..=..] ... \stoppetitle</code>
demarresetups	<code>\demarresetups [...] [...] ... \stoppesetups</code>
demarresetups:string	<code>\demarresetups ... ... \stoppesetups</code>
demarreshift	<code>\demarreshift [...] ... \stoppeshift</code>
demarresidebar	<code>\demarresidebar [...] [..=..] ... \stoppesidebar</code>
demarresimplecolumns	<code>\demarresimplecolumns [..=..] ... \stoppesimplecolumns</code>
demarrespecialitem:item	<code>\demarrespecialitem [...] [...] ... \stoppespecialitem</code>
demarrespecialitem:none	<code>\demarrespecialitem [...] ... \stoppespecialitem</code>
demarrespecialitem:symbol	<code>\demarrespecialitem [...] {...} ... \stoppespecialitem</code>
demarresplitformula	<code>\demarresplitformula ... \stoppesplitformula</code>
demarresplittext	<code>\demarresplittext ... \stoppesplittext</code>
demarrespread	<code>\demarrespread ... \stoppespread</code>
demarrestartstop:example	<code>\demarreSTARTSTOP ... \stoppeSTARTSTOP</code>
demarrestaticMPfigure	<code>\demarrestaticMPfigure {...} ... \stoppestaticMPfigure</code>
demarrestaticMPgraphic	<code>\demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic</code>
demarrestrictinspectnextcharacter	<code>\demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter</code>
demarrestyle	<code>\demarrestyle [..=..] ... \stoppestyle</code>
demarrestyle:argument	<code>\demarrestyle [...] ... \stoppestyle</code>
demarrestyle:instance	<code>\demarreSTYLE ... \stoppeSTYLE</code>
demarresubformulas	<code>\demarresubformulas [...] ... \stoppesubformulas</code>
demarresubjectlevel	<code>\demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel</code>
demarresubsentence	<code>\demarresubsentence ... \stoppesubsentence</code>
demarresubstack	<code>\demarresubstack ... \stoppesubstack</code>
demarresuspend	<code>\demarresuspend [..=..] {...} ... \stoppesuspend</code>
demarresuspend:argument	<code>\demarresuspend [...] {...} ... \stoppesuspend</code>
demarresymbolset	<code>\demarresymbolset [...] [..=..] ... \stoppesymbolset</code>
demarreTABLE	<code>\demarreTABLE [..=..] ... \stoppeTABLE</code>
demarreTABLEbody	<code>\demarreTABLEbody [..=..] ... \stoppeTABLEbody</code>
demarreTABLEfoot	<code>\demarreTABLEfoot [..=..] ... \stoppeTABLEfoot</code>
demarreTABLEhead	<code>\demarreTABLEhead [..=..] ... \stoppeTABLEhead</code>
demarreTABLEnext	<code>\demarreTABLEnext [..=..] ... \stoppeTABLEnext</code>
demarretableau	<code>\demarretableau [ ... ] [..=..] ... \stoppetableau</code>
demarretableau:name	<code>\demarretableau [...] [..=..] ... \stoppetableau</code>
demarretables	<code>\demarretables [ ... ] ... \stoppetables</code>
demarretables:name	<code>\demarretables [...] ... \stoppetables</code>
demarretabulation:example	<code>\demarreTABULATION [...] [..=..] ... \stoppeTABULATION</code>
demarretabule	<code>\demarretabule [/.../] [..=..] ... \stoppetabule</code>
demarretabule:instance	<code>\demarreTABULATE <sup>P</sup>T. [..=..] ... \stoppeTABULATE</code>
demarretabule:instance:fact	<code>\demarrefact [...] [..=..] ... \stoppefact</code>
demarretabule:instance:legend	<code>\demarrelegend [...] [..=..] ... \stoppelegend</code>
demarretete	<code>\demarretete [...] {...} ... \stoppetete</code>
demarretetetableau	<code>\demarretetetetableau [...] ... \stoppetetetetableau</code>
demarretetetabule	<code>\demarretetetetabule [...] ... \stoppetetetabule</code>
demarretexcode	<code>\demarretexcode ... \stoppetexcode</code>
demarretexdefinition	<code>\demarretexdefinition ... .. \stoppetexdefinition</code>
demarretextbackground	<code>\demarretextbackground [...] [..=..] ... \stoppetextbackground</code>
demarretextbackgroundmanual	<code>\demarretextbackgroundmanual ... \stoppetextbackgroundmanual</code>
demarretextbackground:example	<code>\demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND</code>
demarretextcolor	<code>\demarretextcolor [...] ... \stoppetextcolor</code>
demarretextcolorintent	<code>\demarretextcolorintent ... \stoppetextcolorintent</code>
demarretexte	<code>\demarretexte ... \stoppetexte</code>
demarretexteaide	<code>\demarretexteaide [...] ... \stoppetexteaide</code>
demarretexteencadre:instance	<code>\demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT</code>
demarretexteencadre:instance:framedtext	<code>\demarreframedtext [...] [..=..] ... \stoppeframedtext</code>
demarretextflow	<code>\demarretextflow [...] ... \stoppetextflow</code>
demarretokenlist	<code>\demarretokenlist [...] ... \stoppetokenlist</code>
demarretokens	<code>\demarretokens [...] ... \stoppetokens</code>
demarretransparent	<code>\demarretransparent [...] ... \stoppetransparent</code>
demarretypescript	<code>\demarretypescript [...] [...] ... \stoppetypescript</code>
demarretypescriptcollection	<code>\demarretypescriptcollection [...] ... \stoppetypescriptcollection</code>
demarretyping:instance	<code>\demarreTYPING [..=..] ... \stoppeTYPING</code>
demarretyping:instance:argument	<code>\demarreTYPING [...] ... \stoppeTYPING</code>
demarretyping:instance:argument:LUA	<code>\demarreLUA [...] ... \stoppeLUA</code>
demarretyping:instance:argument:MP	<code>\demarreMP [...] ... \stoppeMP</code>
demarretyping:instance:argument:PARSEDXML	<code>\demarrePARSEDXML [...] ... \stoppePARSEDXML</code>
demarretyping:instance:argument:TEX	<code>\demarreTEX [...] ... \stoppeTEX</code>
demarretyping:instance:argument:typing	<code>\demarretyping [...] ... \stoppetyping</code>

demarretyping:instance:argument:XML	\demarreXML [...] ... \stoppeXML
demarretyping:instance:LUA	\demarreLUA [..=..] ... \stoppeLUA
demarretyping:instance:MP	\demarreMP [..=..] ... \stoppeMP
demarretyping:instance:PARSEDXML	\demarrePARSEDXML [..=..] ... \stoppePARSEDXML
demarretyping:instance:TEX	\demarreTEX [..=..] ... \stoppeTEX
demarretyping:instance:typing	\demarretyping [..=..] ... \stoppetyping
demarretyping:instance:XML	\demarreXML [..=..] ... \stoppeXML
demarreuniqueMPgraphic	\demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic
demarreuniqueMPpagegraphic	\demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic
demarreusableMPgraphic	\demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic
demarreuseMPgraphic	\demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic
demarreusemathstyleparameter	\demarreusemathstyleparameter \... ... \stoppeusemathstyleparameter
demarreuserdata	\demarreuserdata [...] [..=..] ... \stoppeuserdata
demarreusingbtxs specification	\demarreusingbtxs specification [...] ... \stoppeusingbtxs specification
demarreva	\demarreva [...] ... \stoppeva
demarrevboxregister	\demarrevboxregister ... ... \stoppevboxregister
demarrevboxtohbox	\demarrevboxtohbox ... \stoppevboxtohbox
demarrevboxtohboxseparator	\demarrevboxtohboxseparator ... \stoppevboxtohboxseparator
demarreviewerlayer	\demarreviewerlayer [...] ... \stoppeviewerlayer
demarreviewerlayer:example	\demarreVIEWERLAYER ... \stoppeVIEWERLAYER
demarrevtopregister	\demarrevtopregister ... ... \stoppevtopregister
demarrexcell	\demarrexcell [...] [..=..] ... \stoppexcell
demarrexcellgroup	\demarrexcellgroup [...] [..=..] ... \stoppexcellgroup
demarrexcolumn	\demarrexcolumn [..=..] ... \stoppexcolumn
demarrexcolumn:name	\demarrexcolumn [...] ... \stoppexcolumn
demarrexgroup	\demarrexgroup [...] [..=..] ... \stoppexgroup
demarrexmldisplayverbatim	\demarrexmldisplayverbatim [...] ... \stoppexmldisplayverbatim
demarrexmllineverbatim	\demarrexmllineverbatim [...] ... \stoppexmllineverbatim
demarrexmlraw	\demarrexmlraw ... \stoppexmlraw
demarrexmlsetups	\demarrexmlsetups [...] [...] ... \stoppexmlsetups
demarrexmlsetups:string	\demarrexmlsetups ... ... \stoppexmlsetups
demarrexrow	\demarrexrow [...] [..=..] ... \stoppexrow
demarrexrowgroup	\demarrexrowgroup [...] [..=..] ... \stoppexrowgroup
demarrextable	\demarrextable [..=..] ... \stoppex table
demarrextablebody	\demarrextablebody [..=..] ... \stoppex tablebody
demarrextablebody:name	\demarrextablebody [...] ... \stoppex tablebody
demarrextablefoot	\demarrextablefoot [..=..] ... \stoppex tablefoot
demarrextablefoot:name	\demarrextablefoot [...] ... \stoppex tablefoot
demarrextablehead	\demarrextablehead [..=..] ... \stoppex tablehead
demarrextablehead:name	\demarrextablehead [...] ... \stoppex tablehead
demarrextablenext	\demarrextablenext [..=..] ... \stoppex tablenext
demarrextablenext:name	\demarrextablenext [...] ... \stoppex tablenext
demarrextable:example	\demarreXTABLE [..=..] ... \stoppeXTABLE
demarrextable:name	\demarrextable [...] ... \stoppex table
depthofstring	\depthofstring {...}
depthonlybox	\depthonlybox {...}
depthspanningtext	\depthspanningtext {...} {...} {...}
depthstrut	\depthstrut
dernieresouspage	\dernieresouspage
description:example	\DESCRIPTION [...] {...} ... \par
determinecaracteristiqueliste	\determinecaracteristiqueliste [...] [..=..]
determinecaracteristiquesregistre	\determinecaracteristiquesregistre [...] [..=..]
determinenoflines	\determinenoflines {...}
determinenumberotete	\determinenumberotete [...]
devanagarinumerals	\devanagarinumerals {...}
digits	\digits {...}
digits:string	\digits ...
dimensiontocount	\dimensiontocount {...} \...
directboxfromcache	\directboxfromcache {...} {...}
directcolor	\directcolor [...]
directcolored	\directcolored [..=..]
directcolored:name	\directcolored [...]
directconvertedcounter	\directconvertedcounter {...} {...}
directcopyboxfromcache	\directcopyboxfromcache {...} {...}
directdummyparameter	\directdummyparameter {...}
directgetboxllx	\directgetboxllx ...
directgetboxlly	\directgetboxlly ...
directhighlight	\directhighlight {...} {...}
directlocalframed	\directlocalframed [...] {...}
directluacode	\directluacode {...}
directselect	\directselect {...} {...} {...} {...} {...}
directsetbar	\directsetbar {...} OPT OPT OPT OPT OPT



directsetup	\directsetup {...}
directsymbol	\directsymbol {...} {...}
directvspacing	\directvspacing {...}
dis	\dis {...}
disabledirectives	\disabledirectives [...]
disableexperiments	\disableexperiments [...]
disablemode	\disablemode [...]
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers [...]
displaymath	\displaymath {...}
displaymathematics	\displaymathematics {...}
displaymessage	\displaymessage {...}
distributedhsize	\distributedhsize {...} {...} {...}
dividedsize	\dividedsize {...} {...} {...}
doadaptleftskip	\doadaptleftskip {...}
doadaptrightskip	\doadaptrightskip {...}
doaddfeature	\doaddfeature {...}
doassign	\doassign [...] [..=..]
doassignempty	\doassignempty [...] [..=..]
doboundtext	\doboundtext {...} {...} {...}
docheckassignment	\docheckassignment {...}
docheckedpagestate	\docheckedpagestate {...} {...} {...} {...} {...} {...} {...}
docheckedpair	\docheckedpair {...}
documentvariable	\documentvariable {...}
dodoubleargument	\dodoubleargument \... [...] [...]
dodoubleargumentwithset	\dodoubleargumentwithset \... [...] [...]
dodoubleempty	\dodoubleempty \... [...] [...]
dodoubleemptywithset	\dodoubleemptywithset \... [...] [...]
dodoublegroupempty	\dodoublegroupempty \... {...} {...}
doeassign	\doeassign [...] [..=..]
doexpandedrecurse	\doexpandedrecurse {...} {...}
dofastloopcs	\dofastloopcs {...} \...
dogetattribute	\dogetattribute {...}
dogetattributeid	\dogetattributeid {...}
dogetcommacommandelement	\dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty	\dogobbledoubleempty [...] [...]
dogobblesingleempty	\dogobblesingleempty [...]
doif	\doif {...} {...} {...}
doifallcommon	\doifallcommon {...} {...} {...}
doifallcommonelse	\doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse	\doifalldefinedelse {...} {...} {...}
doifallmodes	\doifallmodes {...} {...} {...}
doifallmodeselse	\doifallmodeselse {...} {...} {...}
doifassignmentelse	\doifassignmentelse {...} {...} {...}
doifassignmentelsecs	\doifassignmentelsecs {...} \... \...
doifblackelse	\doifblackelse {...} {...} {...}
doifbothsides	\doifbothsides {...} {...} {...}
doifbothsidesoverruled	\doifbothsidesoverruled {...} {...} {...}
doifboxelse	\doifboxelse {...} {...} {...} {...}
doifbufferelse	\doifbufferelse {...} {...} {...}
doifcolor	\doifcolor {...} {...}
doifcolorelse	\doifcolorelse {...} {...} {...}
doifcommandhandler	\doifcommandhandler \... {...} {...}
doifcommandhandlerelse	\doifcommandhandlerelse \... {...} {...} {...}
doifcommon	\doifcommon {...} {...} {...}
doifcommonelse	\doifcommonelse {...} {...} {...} {...}
doifcontent	\doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse	\doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse	\doifconversionnumberelse {...} {...} {...} {...}
doifcounter	\doifcounter {...} {...}
doifcounterelse	\doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined	\doifdefined {...} {...}
doifdefinedcounter	\doifdefinedcounter {...} {...}
doifdefinedcounterelse	\doifdefinedcounterelse {...} {...} {...}
doifdefinedelse	\doifdefinedelse {...} {...} {...}
doifdimensionelse	\doifdimensionelse {...} {...} {...}
doifdimenstringelse	\doifdimenstringelse {...} {...} {...}
doifdocumentargument	\doifdocumentargument {...} {...}
doifdocumentargumentelse	\doifdocumentargumentelse {...} {...} {...}

doifdocumentfilename	\doifdocumentfilename {...} {...}
doifdocumentfilenameelse	\doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable	\doifdocumentvariable {...} {...}
doifdocumentvariableelse	\doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse	\doifdrawingblackelse {...} {...}
doifelse	\doifelse {...} {...} {...} {...}
doifelseallcommon	\doifelseallcommon {...} {...} {...} {...}
doifelsealldefined	\doifelsealldefined {...} {...} {...}
doifelseallmodes	\doifelseallmodes {...} {...} {...}
doifelseassignment	\doifelseassignment {...} {...} {...}
doifelseassignmentcs	\doifelseassignmentcs {...} \... \...
doifelseblack	\doifelseblack {...} {...} {...}
doifelsebox	\doifelsebox {...} {...} {...} {...}
doifelseboxincache	\doifelseboxincache {...} {...} {...} {...}
doifelsebuffer	\doifelsebuffer {...} {...} {...}
doifelsecolor	\doifelsecolor {...} {...} {...}
doifelsecommandhandler	\doifelsecommandhandler \... {...} {...} {...}
doifelsecommon	\doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined	\doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber	\doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter	\doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingtonused	\doifelsecurrentsortingtonused {...} {...}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {...} {...}
doifelsedefined	\doifelsedefined {...} {...} {...}
doifelsedefinedcounter	\doifelsedefinedcounter {...} {...} {...}
doifelsedimension	\doifelsedimension {...} {...} {...}
doifelsedimenstring	\doifelsedimenstring {...} {...} {...}
doifelsedocumentargument	\doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename	\doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable	\doifelsedocumentvariable {...} {...} {...}
doifelsedrawingblack	\doifelsedrawingblack {...} {...}
doifelseempty	\doifelseempty {...} {...} {...}
doifelseemptyvalue	\doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable	\doifelseemptyvariable {...} {...} {...} {...}
doifelseenv	\doifelseenv {...} {...} {...}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \... \...
doifelsefielddbody	\doifelsefielddbody {...} {...} {...}
doifelsefieldcategory	\doifelsefieldcategory {...} {...} {...}
doifelsefigure	\doifelsefigure {...} {...} {...}
doifelsefile	\doifelsefile {...} {...} {...}
doifelsefiledefined	\doifelsefiledefined {...} {...} {...}
doifelsefileexists	\doifelsefileexists {...} {...} {...}
doifelsefirstchar	\doifelsefirstchar {...} {...} {...} {...}
doifelseflagged	\doifelseflagged {...} {...} {...}
doifelsefontchar	\doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature	\doifelsefontfeature {...} {...} {...}
doifelsefontpresent	\doifelsefontpresent {...} {...} {...}
doifelsefontsynonym	\doifelsefontsynonym {...} {...} {...}
doifelseframed	\doifelseframed \... {...} {...}
doifelsehasspace	\doifelsehasspace {...} {...} {...}
doifelsehelp	\doifelsehelp {...} {...}
doifelseincsnname	\doifelseincsnname {...} {...} {...} {...}
doifelseinelement	\doifelseinelement {...} {...} {...}
doifelseinputfile	\doifelseinputfile {...} {...} {...}
doifelseinsertion	\doifelseinsertion {...} {...} {...}
doifelseinset	\doifelseinset {...} {...} {...} {...}
doifelseinstring	\doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset	\doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks	\doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata	\doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic	\doifelseitalic {...} {...}
doifelselanguage	\doifelselanguage {...} {...} {...}
doifelselayerdata	\doifelselayerdata {...} {...} {...}
doifelselayoutdefined	\doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline	\doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline	\doifelselayouttextline {...} {...} {...}
doifelseleapyear	\doifelseleapyear {...} {...} {...}
doifselist	\doifselist {...} {...} {...}
doifselocation	\doifselocation {...} {...}

doifelselocfile	\doifelselocfile {...} {...} {...}
doifelseMPgraphic	\doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody	\doifelsemainfloatbody {...} {...}
doifelsemarkedpage	\doifelsemarkedpage {...} {...} {...}
doifelsemarking	\doifelsemarking {...} {...} {...}
doifelsemeaning	\doifelsemeaning \... \... {...} {...}
doifelsemessage	\doifelsemessage {...} {...} {...} {...}
doifelsemode	\doifelsemode {...} {...} {...}
doifelsenextbgroup	\doifelsenextbgroup {...} {...}
doifelsenextbgroupcs	\doifelsenextbgroupcs \... \...
doifelsenextchar	\doifelsenextchar {...} {...} {...}
doifelsenextoptional	\doifelsenextoptional {...} {...}
doifelsenextoptionalcs	\doifelsenextoptionalcs \... \...
doifelsenextparenthesis	\doifelsenextparenthesis {...} {...}
doifelsenonzeropositive	\doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage	\doifelsenoteonsamepage {...} {...} {...}
doifelsenothing	\doifelsenothing {...} {...} {...}
doifelsenumber	\doifelsenumber {...} {...} {...}
doifelseobjectfound	\doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound	\doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpag	\doifelseoddpag {...} {...}
doifelseoddpagfloat	\doifelseoddpagfloat {...} {...}
doifelseoldercontext	\doifelseoldercontext {...} {...} {...}
doifelseolderversion	\doifelseolderversion {...} {...} {...} {...}
doifelseoverlapping	\doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay	\doifelseoverlay {...} {...} {...}
doifelseparallel	\doifelseparallel {...} {...} {...} {...}
doifelseparentfile	\doifelseparentfile {...} {...} {...}
doifelsepath	\doifelsepath {...} {...} {...}
doifelsepathexists	\doifelsepathexists {...} {...} {...}
doifelsepatterns	\doifelsepatterns {...} {...} {...}
doifelseposition	\doifelseposition {...} {...} {...}
doifelsepositionaction	\doifelsepositionaction {...} {...} {...}
doifelsepositiononpage	\doifelsepositiononpage {...} {...} {...} {...}
doifelsepositiononsamepage	\doifelsepositiononsamepage {...} {...} {...}
doifelsepositionsonthispage	\doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused	\doifelsepositionsused {...} {...}
doifelsereferencefound	\doifelsereferencefound {...} {...} {...}
doifelserightpag	\doifelserightpag {...} {...}
doifelserightpagfloat	\doifelserightpagfloat {...} {...}
doifelserighttoleftinbox	\doifelserighttoleftinbox ... {...} {...}
doifelsesamelinreference	\doifelsesamelinreference {...} {...} {...}
doifelsesamestring	\doifelsesamestring {...} {...} {...} {...}
doifelsesetups	\doifelsesetups {...} {...} {...}
doifelsesomebackground	\doifelsesomebackground {...} {...} {...}
doifelsesomespace	\doifelsesomespace {...} {...} {...}
doifelsesomething	\doifelsesomething {...} {...} {...}
doifelsesometoks	\doifelsesometoks \... {...} {...}
doifelsestringinstr	\doifelsestringinstr {...} {...} {...} {...}
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber {...} {...}
doifelsestructurelisthaspag	\doifelsestructurelisthaspag {...} {...}
doifelsesymboldefined	\doifelsesymboldefined {...} {...} {...}
doifelsesymbolset	\doifelsesymbolset {...} {...} {...}
doifelsetext	\doifelsetext {...} {...} {...}
doifelsetextflow	\doifelsetextflow {...} {...} {...}
doifelsetextflowcollector	\doifelsetextflowcollector {...} {...} {...}
doifelsetopofpag	\doifelsetopofpag {...} {...}
doifelsetypingfile	\doifelsetypingfile {...} {...} {...}
doifelseundefined	\doifelseundefined {...} {...} {...}
doifelseurldefined	\doifelseurldefined {...} {...} {...}
doifelsevalue	\doifelsevalue {...} {...} {...} {...}
doifelsevaluenothing	\doifelsevaluenothing {...} {...} {...}
doifelsevariable	\doifelsevariable {...} {...} {...} {...}
doifempty	\doifempty {...} {...}
doifemptyelse	\doifemptyelse {...} {...} {...}
doifemptytoks	\doifemptytoks \... {...}
doifemptyvalue	\doifemptyvalue {...} {...}
doifemptyvalueelse	\doifemptyvalueelse {...} {...} {...}
doifemptyvariable	\doifemptyvariable {...} {...} {...}
doifemptyvariableelse	\doifemptyvariableelse {...} {...} {...} {...}
doifenv	\doifenv {...} {...}
doifenvelse	\doifenvelse {...} {...} {...}

doiffastoptionalcheckcse	\doiffastoptionalcheckcse \... \...
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {...} {...}
doiffielddbbodyelse	\doiffielddbbodyelse {...} {...} {...}
doiffielddcategoryelse	\doiffielddcategoryelse {...} {...} {...}
doiffigureelse	\doiffigureelse {...} {...} {...}
doiffile	\doiffile {...} {...}
doiffiledefinedelse	\doiffiledefinedelse {...} {...} {...}
doiffileelse	\doiffileelse {...} {...} {...}
doiffileexistse	\doiffileexistse {...} {...} {...}
doiffirstcharelse	\doiffirstcharelse {...} {...} {...} {...}
doiffaggedelse	\doiffaggedelse {...} {...} {...}
doiffontcharelse	\doiffontcharelse {...} {...} {...} {...}
doiffontfeatureelse	\doiffontfeatureelse {...} {...} {...}
doiffontpresentelse	\doiffontpresentelse {...} {...} {...}
doiffontsynonymelse	\doiffontsynonymelse {...} {...} {...}
doifhasspaceelse	\doifhasspaceelse {...} {...} {...}
doifhelpelse	\doifhelpelse {...} {...}
doifincsnamelse	\doifincsnamelse {...} {...} {...} {...}
doifinelementelse	\doifinelementelse {...} {...} {...}
doifinputfileelse	\doifinputfileelse {...} {...} {...}
doifinsertionelse	\doifinsertionelse {...} {...} {...}
doifinset	\doifinset {...} {...} {...}
doifinsetelse	\doifinsetelse {...} {...} {...} {...}
doifinstring	\doifinstring {...} {...} {...}
doifinstringelse	\doifinstringelse {...} {...} {...} {...}
doifinsymbolset	\doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse	\doifinsymbolsetelse {...} {...} {...} {...}
doifintokse	\doifintokse {...} {...} {...} {...}
doifintwopassdataelse	\doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse	\doifitalicelse {...} {...}
doiflanguageelse	\doiflanguageelse {...} {...} {...}
doiflayerdataelse	\doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse	\doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse	\doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse	\doiflayouttextlineelse {...} {...} {...}
doifleapyearelse	\doifleapyearelse {...} {...} {...}
doiflistelse	\doiflistelse {...} {...} {...}
doiflocationelse	\doiflocationelse {...} {...}
doiflocfileelse	\doiflocfileelse {...} {...} {...}
doifMPgraphicelse	\doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse	\doifmainfloatbodyelse {...} {...}
doifmarkingelse	\doifmarkingelse {...} {...} {...}
doifmeaningelse	\doifmeaningelse \... \... {...} {...}
doifmessageelse	\doifmessageelse {...} {...} {...} {...}
doifmode	\doifmode {...} {...}
doifmodeelse	\doifmodeelse {...} {...} {...}
doifnextbgroupcse	\doifnextbgroupcse \... \...
doifnextbgroupelse	\doifnextbgroupelse {...} {...}
doifnextcharelse	\doifnextcharelse {...} {...} {...}
doifnextoptionalcse	\doifnextoptionalcse \... \...
doifnextoptionalelse	\doifnextoptionalelse {...} {...}
doifnextparenthesiselse	\doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse	\doifnonzeropositiveelse {...} {...} {...}
doifnot	\doifnot {...} {...} {...}
doifnotallcommon	\doifnotallcommon {...} {...} {...}
doifnotallmodes	\doifnotallmodes {...} {...} {...}
doifnotcommandhandler	\doifnotcommandhandler \... {...} {...}
doifnotcommon	\doifnotcommon {...} {...} {...}
doifnotcounter	\doifnotcounter {...} {...}
doifnotdocumentargument	\doifnotdocumentargument {...} {...}
doifnotdocumentfilename	\doifnotdocumentfilename {...} {...}
doifnotdocumentvariable	\doifnotdocumentvariable {...} {...}
doifnotempty	\doifnotempty {...} {...}
doifnotemptyvalue	\doifnotemptyvalue {...} {...}
doifnotemptyvariable	\doifnotemptyvariable {...} {...} {...}
doifnotenv	\doifnotenv {...} {...}
doifnoteonsamepageelse	\doifnoteonsamepageelse {...} {...} {...}
doifnotescollected	\doifnotescollected {...} {...}
doifnotfile	\doifnotfile {...} {...}
doifnotflagged	\doifnotflagged {...} {...}
doifnothing	\doifnothing {...} {...}
doifnothingelse	\doifnothingelse {...} {...} {...}

doifnotinset	\doifnotinset {...} {...} {...}
doifnotinidesplitfloat	\doifnotinidesplitfloat {...}
doifnotinstring	\doifnotinstring {...} {...} {...}
doifnotmode	\doifnotmode {...} {...}
doifnotnumber	\doifnotnumber {...} {...}
doifnotsamestring	\doifnotsamestring {...} {...} {...}
doifnotsetups	\doifnotsetups {...} {...}
doifnotvalue	\doifnotvalue {...} {...} {...}
doifnotvariable	\doifnotvariable {...} {...} {...}
doifnumber	\doifnumber {...} {...}
doifnumberelse	\doifnumberelse {...} {...} {...}
doifobjectfoundelse	\doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse	\doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpagelse	\doifoddpagelse {...} {...}
doifoddpagefloatelse	\doifoddpagefloatelse {...} {...}
doifoldercontextelse	\doifoldercontextelse {...} {...} {...}
doifolderversionelse	\doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse	\doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse	\doifoverlayelse {...} {...} {...}
doifparallelelse	\doifparallelelse {...} {...} {...} {...}
doifparentfileelse	\doifparentfileelse {...} {...} {...}
doifpathelse	\doifpathelse {...} {...} {...}
doifpathexistselse	\doifpathexistselse {...} {...} {...}
doifpatternself	\doifpatternself {...} {...} {...}
doifposition	\doifposition {...} {...} {...}
doifpositionaction	\doifpositionaction {...} {...} {...}
doifpositionactionelse	\doifpositionactionelse {...} {...} {...}
doifpositionelse	\doifpositionelse {...} {...} {...}
doifpositiononpageelse	\doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse	\doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse	\doifpositionsusedelse {...} {...}
doifreferencefoundelse	\doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse	\doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse	\doifsamelinereferenceelse {...} {...} {...}
doifsamestring	\doifsamestring {...} {...} {...}
doifsamestringelse	\doifsamestringelse {...} {...} {...} {...}
doifsetups	\doifsetups {...} {...}
doifsetupselse	\doifsetupselse {...} {...} {...}
doifsomebackground	\doifsomebackground {...} {...} {...}
doifsomebackgroundelse	\doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse	\doifsomespaceelse {...} {...} {...}
doifsomething	\doifsomething {...} {...}
doifsomethingelse	\doifsomethingelse {...} {...} {...}
doifsometoks	\doifsometoks \... {...}
doifsometokselse	\doifsometokselse \... {...} {...}
doifstringinstringelse	\doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {...} {...}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse	\doifsymboldefinedelse {...} {...} {...}
doifsymbolsetelse	\doifsymbolsetelse {...} {...} {...}
doiftext	\doiftext {...} {...} {...}
doiftextelse	\doiftextelse {...} {...} {...}
doiftextflowcollectorelse	\doiftextflowcollectorelse {...} {...} {...}
doiftextflowelse	\doiftextflowelse {...} {...} {...}
doiftopofpageelse	\doiftopofpageelse {...} {...}
doiftypingfileelse	\doiftypingfileelse {...} {...} {...}
doifundefined	\doifundefined {...} {...}
doifundefinedcounter	\doifundefinedcounter {...} {...}
doifundefinedelse	\doifundefinedelse {...} {...} {...}
doifunknownfontfeature	\doifunknownfontfeature {...} {...} {...}
doifurldefinedelse	\doifurldefinedelse {...} {...} {...}
doifvalue	\doifvalue {...} {...} {...}
doifvalueelse	\doifvalueelse {...} {...} {...} {...}
doifvaluenothing	\doifvaluenothing {...} {...}
doifvaluenothingelse	\doifvaluenothingelse {...} {...} {...}
doifvaluesomething	\doifvaluesomething {...} {...}
doifvariable	\doifvariable {...} {...} {...}
doifvariableelse	\doifvariableelse {...} {...} {...} {...}
doindentation	\doindentation
dollar	\dollar

doloop	\doloop {...}
doloopoverlist	\doloopoverlist {...} {...}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {...}
doprocesslocalsetups	\doprocesslocalsetups {...}
doquadrupleargument	\doquadrupleargument \... [...] [...] [...] [...]
doquadrupleempty	\doquadrupleempty \... [...] [...] [...] [...]
doquadruplegroupempty	\doquadruplegroupempty \... {...} {...} {...} {...}
doquintupleargument	\doquintupleargument \... [...] [...] [...] [...] [...]
doquintupleempty	\doquintupleempty \... [...] [...] [...] [...] [...]
doquintuplegroupempty	\doquintuplegroupempty \... {...} {...} {...} {...} {...}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {...} {...}
dorepeatwithcommand	\dorepeatwithcommand [...] \...
doreplacefeature	\doreplacefeature {...}
doresetandafffeature	\doresetandafffeature {...}
doresetattribute	\doresetattribute {...}
dorotatebox	\dorotatebox {...} \... {...}
dosetattribute	\dosetattribute {...} {...}
dosetleftskipadaption	\dosetleftskipadaption {...}
dosetrighskipadaption	\dosetrighskipadaption {...}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {..=..}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {...}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {...}
doseventupleargument	\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]
doseventupleempty	\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]
dosingleargument	\dosingleargument \... [...]
dosingleempty	\dosingleempty \... [...]
dosinglegroupempty	\dosinglegroupempty \... {...}
dosixtupleargument	\dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]
dosixtupleempty	\dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...]
dostarttagged	\dostarttagged {...} {...} ... \dostoptagged
dostepwiserecurse	\dostepwiserecurse {...} {...} {...} {...}
dosubtractfeature	\dosubtractfeature {...}
dotfskip	\dotfskip {...}
dotoks	\dotoks \...
dotripleargument	\dotripleargument \... [...] [...] [...] [...]
dotripleargumentwithset	\dotripleargumentwithset \... [...] [...] [...] [...]
dotripleempty	\dotripleempty \... [...] [...] [...] [...]
dotripleemptywithset	\dotripleemptywithset \... [...] [...] [...] [...]
dotriplegroupempty	\dotriplegroupempty \... {...} {...} {...}
doublebond	\doublebond
dowith	\dowith {...} {...}
dowithnextbox	\dowithnextbox {...} \... {...}
dowithnextboxcontent	\dowithnextboxcontent {...} {...} \... {...}
dowithnextboxcontentcs	\dowithnextboxcontentcs \... \... \... {...}
dowithnextboxcs	\dowithnextboxcs \... \... {...}
dowithpargument	\dowithpargument \...
dowithrange	\dowithrange {...} \...
dowithwargument	\dowithwargument \...
dpofstring	\dpofstring {...}
droite	\droite ...
dummydigit	\dummydigit
dummyparameter	\dummyparameter {...}
ETEX	\ETEX
EveryLine	\EveryLine {...}
EveryPar	\EveryPar {...}
echelle	\echelle [...] [..=..] {...}
ecran	\ecran [...]
ecritdansliste	\ecritdansliste [...] [..=..] {...} {...}
ecritentreliste	\ecritentreliste [...] [..=..] {...}
edefconvertedargument	\edefconvertedargument \... {...}
efcmaxheight	\efcmaxheight {...}
efcmaxwidth	\efcmaxwidth {...}
efcminheight	\efcminheight {...}
efcminwidth	\efcminwidth {...}
efcparameter	\efcparameter {...} {...}
effect	\effect [...] {...}
elapsedseconds	\elapsedseconds

elapsedtime	\elapsedtime
element	\element [...]
elements	\elements [..=..] {...}
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines [...]
emspace	\emspace
enabledirectives	\enabledirectives [...]
enableexperiments	\enableexperiments [...]
enablemode	\enablemode [...]
enableoutputstream	\enableoutputstream [...]
enableparpositions	\enableparpositions
enableregime	\enableregime [...]
enabletrackers	\enabletrackers [...]
enskip	\enskip
enspace	\enspace
enumeration:example	\ENUMERATION [...] {...} ... \par
env	\env {...}
environement	\environement [...]
environement:string	\environement ...
envvar	\envvar {...} {...}
epos	\epos {...}
equaldigits	\equaldigits {...}
espace	\espace
espacefixe	\espacefixe
espacesfixes	\espacesfixes
eTeX	\eTeX
etiquette:example	\ETIQUETTE [...] {...}
etire	\etire [..=..] {...}
executeifdefined	\executeifdefined {...} {...}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \... {...} {...}
expanded	\expanded {...}
expandeddoif	\expandeddoif {...} {...} {...}
expandeddoifelse	\expandeddoifelse {...} {...} {...} {...}
expandeddoifnot	\expandeddoifnot {...} {...} {...}
expandfontsynonym	\expandfontsynonym \... {...}
expdoif	\expdoif {...} {...} {...}
expdoifcommonelse	\expdoifcommonelse {...} {...} {...} {...}
expdoifelse	\expdoifelse {...} {...} {...} {...}
expdoifelsecommon	\expdoifelsecommon {...} {...} {...} {...}
expdoifelseinset	\expdoifelseinset {...} {...} {...} {...}
expdoifinsetelse	\expdoifinsetelse {...} {...} {...} {...}
expdoifnot	\expdoifnot {...} {...} {...}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight	\externalfigurecollectionminheight {...}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {...}
externalfigurecollectionparameter	\externalfigurecollectionparameter {...} {...}
faitreference	\faitreference (...,...) (...,...) [...]
fakebox	\fakebox ...
fastdecrement	\fastdecrement \...
fastincrement	\fastincrement \...
fastlocalframed	\fastlocalframed [...] [..=..] {...}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {...} {...}
fastsetup	\fastsetup {...}
fastsetupwithargument	\fastsetupwithargument {...} {...}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont	\fastswitchtobodyfont {...}
fastxsxy	\fastxsxy {...} {...} {...}
feature	\feature [...] [...]
feature:direct	\feature {...} {...}
fence	\fence
fenced	\fenced [...] {...}
fence:example	\FENCE {...}
fetchallmarkings	\fetchallmarkings [...] [...]
fetchallmarks	\fetchallmarks [...]
fetchmark	\fetchmark [...] [...]

fetchmarking	\fetchmarking [...] [...] [...]
fetchonemark	\fetchonemark [...] [...]
fetchonemarking	\fetchonemarking [...] [...] [...]
fetchruntinecommand	\fetchruntinecommand \... {...}
fetchtwomarkings	\fetchtwomarkings [...] [...]
fetchtwomarks	\fetchtwomarks [...]
fichierdactylo	\fichierdactylo [...] [..=..] {...}
fieldbody	\fieldbody [...] [..=..]
fifthoffivearguments	\fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments	\fifthofsixarguments {...} {...} {...} {...} {...} {...}
figureexterne	\figureexterne [...] [...] [..=..]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [...] [..=..]
figurewidth	\figurewidth
filename	\filename {...}
filledhboxb	\filledhboxb ... {...}
filledhboxc	\filledhboxc ... {...}
filledhboxg	\filledhboxg ... {...}
filledhboxk	\filledhboxk ... {...}
filledhboxm	\filledhboxm ... {...}
filledhboxr	\filledhboxr ... {...}
filledhboxy	\filledhboxy ... {...}
filler	\filler [...]
fillupto	\fillupto [...] {...}
filterfromnext	\filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue	\filterfromvalue {...} {...} { <sup>OPT</sup> ...} <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup>
filterpages	\filterpages [...] [...] [..=..]
filterreference	\filterreference {...}
findtwopassdata	\findtwopassdata {...} {...}
finishregisterentry	\finishregisterentry [...] [..=..] [..=..]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [...] [...]
firstcountervalue	\firstcountervalue [...]
firstinlist	\firstinlist [...]
firstoffivearguments	\firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments	\firstoffourarguments {...} {...} {...} {...}
firstofoneargument	\firstofoneargument {...}
firstofoneunexpanded	\firstofoneunexpanded {...}
firstofsixarguments	\firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments	\firstofthreearguments {...} {...} {...}
firstofthreeunexpanded	\firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments	\firstoftwoarguments {...} {...}
firstoftwounexpanded	\firstoftwounexpanded {...} {...}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [...] [...]
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [..=..] {...}
fittopbaselinegrid	\fittopbaselinegrid {...}
flag	\flag {...}
floatuserdataparameter	\floatuserdataparameter {...}
flushbox	\flushbox {...} {...}
flushboxregister	\flushboxregister ...
flushcollector	\flushcollector [...]
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer [...]
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream [...]
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {...}
flushtokens	\flushtokens [...]
flushtoks	\flushtoks \...



fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {...}
fontcharbyindex	\fontcharbyindex {...}
fontclass	\fontclass
fontclassname	\fontclassname {...} {...}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [...] [...]
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [...] [..=..]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formule	\formule [...] {...}
foundbox	\foundbox {...} {...}
fourthoffivearguments	\fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments	\fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments	\fourthofsixarguments {...} {...} {...} {...} {...} {...}
fraction:instance	\FRACTION {...} {...}
fraction:instance:binom	\binom {...} {...}
fraction:instance:dbinom	\dbinom {...} {...}
fraction:instance:dfrac	\dfrac {...} {...}
fraction:instance:frac	\frac {...} {...}
fraction:instance:sfrac	\sfrac {...} {...}
fraction:instance:tbinom	\tbinom {...} {...}
fraction:instance:xfrac	\xfrac {...} {...}
fraction:instance:xxfrac	\xxfrac {...} {...}
framed	\framed [..=..] {...}
frameddimension	\frameddimension {...}
framedparameter	\framedparameter {...}
framed:instance	\FRAMED [..=..] {...}
framed:instance:fitfieldframed	\fitfieldframed [..=..] {...}
framed:instance:unframed	\unframed [..=..] {...}
freezedimenmacro	\freezedimenmacro \... \...
freezemeasure	\freezemeasure [...] [...]
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [...] {...}
frozenhbox	\frozenhbox {...}
frule	\frule ... \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {...}
gardeblocs	\gardeblocs [...] [...]
gauche	\gauche ...
gdefconvertedargument	\gdefconvertedargument \... {...}
gdefconvertedcommand	\gdefconvertedcommand \... \...
getboxfromcache	\getboxfromcache {...} {...} ...
getboxllx	\getboxllx ...
getboxlly	\getboxlly ...
getbufferdata	\getbufferdata [...]
getcommacommandsize	\getcommacommandsize [...]
getcommalistsize	\getcommalistsize [...]
getdayoftheweek	\getdayoftheweek {...} {...} {...}
getdayspermonth	\getdayspermonth {...} {...}
getdefinedbuffer	\getdefinedbuffer [...]
getdocumentargument	\getdocumentargument {...}
getdocumentargumentdefault	\getdocumentargumentdefault {...} {...}
getdocumentfilename	\getdocumentfilename {...}
getdummyparameters	\getdummyparameters [..=..]
getemptyparameters	\getemptyparameters [...] [..=..]
geteparameters	\geteparameters [...] [..=..]
getexpandedparameters	\getexpandedparameters [...] [..=..]
getfiguredimensions	\getfiguredimensions [...] [..=..]
getfirstcharacter	\getfirstcharacter {...}
getfirsttwopassdata	\getfirsttwopassdata {...}
getfromcommacommand	\getfromcommacommand [...] [...]
getfromcommalist	\getfromcommalist [...] [...]
getfromtwopassdata	\getfromtwopassdata {...} {...}
getglyphdirect	\getglyphdirect {...} {...}

getglyphstyled	\getglyphstyled {...} {...}
getgparameters	\getgparameters [...] [..=..]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {...}
getlocalfloat	\getlocalfloat {...}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [...] [..=..] {...}
getmessage	\getmessage {...} {...}
getnamedglyphdirect	\getnamedglyphdirect {...} {...}
getnamedglyphstyled	\getnamedglyphstyled {...} {...}
getnamedtwopassdatalist	\getnamedtwopassdatalist \... {...}
getnaturaldimensions	\getnaturaldimensions ...
getnoflines	\getnoflines {...}
getobject	\getobject {...} {...}
getobjectdimensions	\getobjectdimensions {...} {...}
getpaletsize	\getpaletsize [...]
getparameters	\getparameters [...] [..=..]
getprivatechar	\getprivatechar {...}
getprivateslot	\getprivateslot {...}
getrandomcount	\getrandomcount \... {...} {...}
getrandomdimen	\getrandomdimen \... {...} {...}
getrandomfloat	\getrandomfloat \... {...} {...}
getrandomnumber	\getrandomnumber \... {...} {...}
getrandomseed	\getrandomseed \...
getraweparameters	\getraweparameters [...] [..=..]
getrawgparameters	\getrawgparameters [...] [..=..]
getrawnoflines	\getrawnoflines {...}
getrawparameters	\getrawparameters [...] [..=..]
getrawxparameters	\getrawxparameters [...] [..=..]
getreference	\getreference [...] [...]
getreferenceentry	\getreferenceentry {...}
getroundednoflines	\getroundednoflines {...}
getsubstring	\getsubstring {...} {...} {...}
gettokenlist	\gettokenlist [...]
gettwopassdata	\gettwopassdata {...}
gettwopassdatalist	\gettwopassdatalist {...}
getuserdata	\getuserdata
getuvalue	\getuvalue {...}
getvalue	\getvalue {...}
getvariable	\getvariable {...} {...}
getvariabledefault	\getvariabledefault {...} {...} {...}
getxparameters	\getxparameters [...] [..=..]
globaldisablemode	\globaldisablemode [...]
globalenablemode	\globalenablemode [...]
globalletempty	\globalletempty \...
globalpopbox	\globalpopbox ...
globalpopmacro	\globalpopmacro \...
globalpreventmode	\globalpreventmode [...]
globalprocesscommalist	\globalprocesscommalist [...] \...
globalpushbox	\globalpushbox ...
globalpushmacro	\globalpushmacro \...
globalpushreferenceprefix	\globalpushreferenceprefix {...} ... \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \... \...
globalswapdimens	\globalswapdimens \... \...
globalswapmacros	\globalswapmacros \... \...
globalundefine	\globalundefine {...}
glyphfontfile	\glyphfontfile {...}
gobbledoubleempty	\gobbledoubleempty [...] [...]
gobbleeightarguments	\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}
gobblefivearguments	\gobblefivearguments {...} {...} {...} {...} {...}
gobblefiveoptionals	\gobblefiveoptionals [...] [...] [...] [...] [...]
gobblefourarguments	\gobblefourarguments {...} {...} {...} {...}
gobblefouroptionals	\gobblefouroptionals [...] [...] [...] [...]
gobbleninearguments	\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...}
gobbleoneargument	\gobbleoneargument {...}
gobbleoneoptional	\gobbleoneoptional [...]
gobblesevenarguments	\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}
gobblesingleempty	\gobblesingleempty [...]
gobblesixarguments	\gobblesixarguments {...} {...} {...} {...} {...} {...}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...}

gobblethreearguments	\gobblethreearguments {...} {...} {...}
gobblethreepoptionals	\gobblethreepoptionals [...] [...] [...]
gobbletwoarguments	\gobbletwoarguments {...} {...}
gobbletwooptionals	\gobbletwooptionals [...] [...]
gobbleuntil	\gobbleuntil \...
gobbleuntilrelax	\gobbleuntilrelax ... \relax
grabbufferdata	\grabbufferdata [...] [...] [...] [...]
grabbufferdatadirect	\grabbufferdatadirect {...} {...} {...}
grabuntil	\grabuntil {...} \...
grand	\grand ...
grandepolicecorp	\grandepolicecorp
gras	\gras
grasincline	\grasincline
grasinclinepetit	\grasinclinepetit
grasitalique	\grasitalique
grasitaliquepetit	\grasitaliquepetit
graspetit	\graspetit
grave	\grave {...}
grayvalue	\grayvalue {...}
greedysplitstring	\greedysplitstring ... \at ... \to ... \and \...
greeknumerals	\greeknumerals {...}
grille	\grille [..=..]
groupedcommand	\groupedcommand {...} {...}
gsetboxllx	\gsetboxllx ... {...}
gsetboxlly	\gsetboxlly ... {...}
gujaratinumerals	\gujaratinumerals {...}
gurmurkhinumerals	\gurmurkhinumerals {...}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {...}
handletokens	\handletokens ... \with \...
hash	\hash
hat	\hat {...}
haut	\haut {...}
haut:instance	\HIGH {...}
haut:instance:unitshigh	\unitshigh {...}
hboxofvbox	\hboxofvbox ...
hboxreference	\hboxreference [...] {...}
hbox:example	\hboxBOX {...}
hdofstring	\hdofstring {...}
headhbox	\headhbox ... {...}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox ... {...}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {...}
heightofstring	\heightofstring {...}
heightspanningtext	\heightspanningtext {...} {...} {...}
help:instance	\HELP [...] {...} {...}
help:instance:helptext	\helptext [...] {...} {...}
hglue	\hglue ...
hiddencitation	\hiddencitation [...]
hiddencite	\hiddencite [...]
highlight	\highlight [...] {...}
highlight:example	\HIGHLIGHT {...}
highordinalstr	\highordinalstr {...}
hilo	\hilo [...] {...} {...}
himilo	\himilo {...} {...} {...}
hl	\hl [...]
horizontalgrowingbar	\horizontalgrowingbar [..=..]
horizontalpositionbar	\horizontalpositionbar [..=..]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
hphantom	\hphantom {...}
hpos	\hpos {...} {...}

hsizefraction	\hsizefraction {...} {...}
hsmash	\hsmash {...}
hsmashbox	\hsmashbox ...
hsmashed	\hsmashed {...}
hspace	\hspace [...] [...]
htdpofstring	\htdpofstring {...}
htofstring	\htofstring {...}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {...}
hyphenatedfile	\hyphenatedfile {...}
hyphenatedfilename	\hyphenatedfilename {...}
hyphenatedhbox	\hyphenatedhbox {...}
hyphenatedpar	\hyphenatedpar {...}
hyphenatedurl	\hyphenatedurl {...}
hyphenatedword	\hyphenatedword {...}
INRSTEX	\INRSTEX
ibox	\ibox {...}
ifassignment	\ifassignment ... \else ... \fi
iff	\iff
ifinobject	\ifinobject ... \else ... \fi
ifinoutputstream	\ifinoutputstream ... \else ... \fi
ifparameters	\ifparameters ... \else ... \fi
iftrialtypesetting	\iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport [...]
ignorevalue	\ignorevalue {...}
immediatesavetwopassdata	\immediatesavetwopassdata {...} {...} {...}
impliedby	\impliedby
implies	\implies
incline	\incline
inclinegras	\inclinegras
inclinegraspetit	\inclinegraspetit
inclinepetit	\inclinepetit
includemenu	\includemenu [...]
includeversioninfo	\includeversioninfo {...}
inconnu	\inconnu
incrementcounter	\incrementcounter [...] [...]
incremente	\incremente \...
incrementedcounter	\incrementedcounter [...]
incremente:argument	\incremente (...)
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {...}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inframed	\inframed [..=..] {...}
infull	\infull {...}
inheritparameter	\inheritparameter [...] [...] [...]
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {...}
inlinebuffer	\inlinebuffer [...]
inlinedbox	\inlinedbox {...}
inlinemath	\inlinemath {...}
inlinemathematics	\inlinemathematics {...}
inlinemessage	\inlinemessage {...}
inlineordisplaymath	\inlineordisplaymath {...} {...}
inlineprettyprintbuffer	\inlineprettyprintbuffer {...} {...}
inlinerange	\inlinerange [...]
innerflushshapebox	\innerflushshapebox
input	\input {...}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {...}
input:string	\input ...
insertpages	\insertpages [...] [...] [..=..]
installactionhandler	\installactionhandler {...}
installactivecharacter	\installactivecharacter ...
installanddefineactivecharacter	\installanddefineactivecharacter ... {...}
installattributestack	\installattributestack \...

installautocommandhandler	\installautocommandhandler \... {...} \...
installautosetuphandler	\installautosetuphandler \... {...}
installbasicautosetuphandler	\installbasicautosetuphandler \... {...} \...
installbasicparameterhandler	\installbasicparameterhandler \... {...}
installbottomframerenderer	\installbottomframerenderer {...} {...}
installcommandhandler	\installcommandhandler \... {...} \...
installcorenamespace	\installcorenamespace {...}
installdefinehandler	\installdefinehandler \... {...} \...
installdefinitionset	\installdefinitionset \... {...}
installdefinitionsetmember	\installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler	\installdirectcommandhandler \... {...}
installdirectparameterhandler	\installdirectparameterhandler \... {...}
installdirectparametersethandler	\installdirectparametersethandler \... {...}
installdirectsetuphandler	\installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \... {...}
installelanguae	\installelanguae [...] [.=..]
installelanguae:name	\installelanguae [...] [...]
installframedautocommandhandler	\installframedautocommandhandler \... {...} \...
installframedcommandhandler	\installframedcommandhandler \... {...} \...
installglobalmacrostack	\installglobalmacrostack \...
installleftframerenderer	\installleftframerenderer {...} {...}
installmacrostack	\installmacrostack \...
installnamespace	\installnamespace {...}
installoutputroutine	\installoutputroutine \... {...}
installpagearrangement	\installpagearrangement ... {...}
installparameterhandler	\installparameterhandler \... {...}
installparameterhashhandler	\installparameterhashhandler \... {...}
installparametersethandler	\installparametersethandler \... {...}
installparentinjector	\installparentinjector \... {...}
installrightframerenderer	\installrightframerenderer {...} {...}
installrootparameterhandler	\installrootparameterhandler \... {...}
installsetuphandler	\installsetuphandler \... {...}
installsetuponlycommandhandler	\installsetuponlycommandhandler \... {...}
installshipoutmethod	\installshipoutmethod {...} {...}
installsimplecommandhandler	\installsimplecommandhandler \... {...} \...
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \... {...} \...
installstyleandcolorhandler	\installstyleandcolorhandler \... {...}
installswitchcommandhandler	\installswitchcommandhandler \... {...} \...
installswitchsetuphandler	\installswitchsetuphandler \... {...}
installtexdirective	\installtexdirective {...} {...} {...}
installtextracker	\installtextracker {...} {...} {...}
installtopframerenderer	\installtopframerenderer {...} {...}
installunitsseparator	\installunitsseparator {...} {...}
installunitsspace	\installunitsspace {...} {...}
installversioninfo	\installversioninfo {...} {...}
integerrounding	\integerrounding {...}
intertext	\intertext {...}
invokepageheandler	\invokepageheandler {...} {...}
italiccorrection	\italiccorrection
italicface	\italicface
italique	\italique
italiquegras	\italiquegras
italiquegraspetit	\italiquegraspetit
itemtag	\itemtag [...]
JOURSEMAINE	\JOURSEMAINE {...}
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
joursemaine	\joursemaine {...}
kap	\kap {...}
keeplinestogether	\keeplinestogether {...}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [...] {...}
koreancirclemnuerals	\koreancirclemnuerals {...}
koreannumerals	\koreannumerals {...}
koreannumeralsc	\koreannumeralsc {...}
koreannumeralsp	\koreannumeralsp {...}
koreanparentnumerals	\koreanparentnumerals {...}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX

LUAMETATEX	\LUAMETATEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaMetaTeX	\LuaMetaTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlanguage
labellanguage:instance:btxlabel	\btxlabellanguage
labellanguage:instance:head	\headlanguage
labellanguage:instance:label	\labellanguage
labellanguage:instance:mathlabel	\mathlabellanguage
labellanguage:instance:operator	\operatorlanguage
labellanguage:instance:prefix	\prefixlanguage
labellanguage:instance:suffix	\suffixlanguage
labellanguage:instance:taglabel	\taglabellanguage
labellanguage:instance:unit	\unitlanguage
labeltexte:instance	\LABELtexte {...}
labeltexte:instance:btxlabel	\btxlabeltexte {...}
labeltexte:instance:head	\headtexte {...}
labeltexte:instance:label	\labeltexte {...}
labeltexte:instance:mathlabel	\mathlabeltexte {...}
labeltexte:instance:operator	\operatorortexte {...}
labeltexte:instance:prefix	\prefixtexte {...}
labeltexte:instance:suffix	\suffixtexte {...}
labeltexte:instance:taglabel	\taglabeltexte {...}
labeltexte:instance:unit	\unittexte {...}
labeltexts:instance	\LABELtexts {...} {...}
labeltexts:instance:head	\headtexts {...} {...}
labeltexts:instance:label	\labeltexts {...} {...}
labeltexts:instance:mathlabel	\mathlabeltexts {...} {...}
languageCharacters	\languageCharacters {...}
languagecharacters	\languagecharacters {...}
languagecharwidth	\languagecharwidth {...}
langue	\langue [...]
langueprincipale	\langueprincipale [...]
langue:example	\LANGUAGE
largeurligne	\largeurligne
lastcounter	\lastcounter [...] [...]
lastcountervalue	\lastcountervalue [...]
lastdigit	\lastdigit {...}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [...] [...]
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {...}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {...}
layeredtext	\layeredtext [..=..] [..=..] {...} {...}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata	\lazysavetwopassdata {...} {...} {...}
lbox	\lbox ... {...}
leftbottombox	\leftbottombox {...}
leftbox	\leftbox {...}
lefthbox	\lefthbox {...}
leftlabeltext:instance	\leftLABELtexte {...}
leftlabeltext:instance:head	\leftheadtexte {...}
leftlabeltext:instance:label	\leftlabeltexte {...}
leftlabeltext:instance:mathlabel	\leftmathlabeltexte {...}
leftline	\leftline {...}
lefttorrighthbox	\lefttorrighthbox ... {...}
lefttorrightvbox	\lefttorrightvbox ... {...}
lefttorrightvtop	\lefttorrightvtop ... {...}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot

lefttopbox	\lefttopbox {...}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox ... {...}
lefttorightvbox	\lefttorightvbox ... {...}
lefttorightvtop	\lefttorightvtop ... {...}
letbeundefined	\letbeundefined {...}
letcatcodecommand	\letcatcodecommand \... \... \...
letcscsname	\letcscsname \... \csname ... \endcsname
letcsnamecs	\letcsnamecs \csname ... \endcsname \...
letcsnamecsname	\letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter	\letdummyparameter {...} \...
letempty	\letempty \...
letgvalue	\letgvalue {...} \...
letgvalueempty	\letgvalueempty {...}
letgvalurelax	\letgvalurelax {...}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [...] {...}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {...} \...
letvalueempty	\letvalueempty {...}
letvaluerelax	\letvaluerelax {...}
lfence	\lfence {...}
lhbox	\lhbox {...}
ligne	\ligne {...}
ligneh	\ligneh
lignenoire	\lignenoire [..=..]
ligneregleetexte	\ligneregleetexte [...] {...}
lignesnoires	\lignesnoires [..=..]
limitatefirstline	\limitatefirstline [...] [...] {...}
limitatelines	\limitatelines [...] [...] {...}
limitatetext	\limitatetext [...] [...] {...}
limitatetext:list	\limitatetext [...] [...] {...}
linebox	\linebox {...}
linespanningtext	\linespanningtext [...] [...] {...}
listcitation	\listcitation [..=..] [...]
listcitation:alternative	\listcitation [...] [...]
listcitation:userdata	\listcitation [..=..] [..=..]
listcite	\listcite [..=..] [...]
listcite:alternative	\listcite [...] [...]
listcite:userdata	\listcite [..=..] [..=..]
listnamespaces	\listnamespaces
llap	\llap {...}
llongueurliste	\llongueurliste
loadanyfile	\loadanyfile [...]
loadanyfileonce	\loadanyfileonce [...]

loadbtxdefinitionfile	\loadbtxdefinitionfile [...]
loadbtxreplacementfile	\loadbtxreplacementfile [...]
loadcldfile	\loadcldfile [...]
loadcldfileonce	\loadcldfileonce [...]
loadfontgoodies	\loadfontgoodies [...]
loadluafile	\loadluafile [...]
loadluafileonce	\loadluafileonce [...]
loadspellchecklist	\loadspellchecklist [...] [...]
loadtexfile	\loadtexfile [...]
loadtexfileonce	\loadtexfileonce [...]
loadtypescriptfile	\loadtypescriptfile [...]
localframed	\localframed [...] [...=.] {...}
localframedwithsettings	\localframedwithsettings [...] [...=.] {...}
localhsize	\localhsize
localpopbox	\localpopbox ...
localpopmacro	\localpopmacro \...
localpushbox	\localpushbox ...
localpushmacro	\localpushmacro \...
localundefine	\localundefine {...}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {...}
locfilename	\locfilename {...}
lomihi	\lomihi {...} {...} {...}
lowerbox	\lowerbox {...} \... {...}
lowercased	\lowercased {...}
lowercasestring	\lowercasestring ... \to \...
lowerlefthdoubleninequote	\lowerlefthdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrighthdoubleninequote	\lowerrighthdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [...] {...} {...}
lowmidhigh:instance	\LOWMIDHIGH [...] {...} {...} {...}
lrbbox	\lrbbox [...] {...} {...} {...} {...} {...}
ltop	\ltop ... {...}
ltrhbox	\ltrhbox ... {...}
ltrvbox	\ltrvbox ... {...}
ltrvtop	\ltrvtop ... {...}
luacode	\luacode {...}
luaconditional	\luaconditional \...
luaenvironment	\luaenvironment ...
luaexpanded	\luaexpanded {...}
luaexpr	\luaexpr {...}
luafunction	\luafunction {...}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {...} {...}
luasetup	\luasetup {...}
luaTeX	\luaTeX
luaversion	\luaversion
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MOIS	\MOIS {...}
MONTHLONG	\MONTHLONG {...}
MONTHSHORT	\MONTHSHORT {...}
MOT	\MOT {...}
MOTS	\MOTS {...}
Mot	\Mot {...}
Mots	\Mots {...}
MPAnchor	\MPAnchor {...}
MPbetex	\MPbetex {...}
MPc	\MPc {...}



MPcode	\MPcode {...} {...}
MPcolor	\MPcolor {...}
MPcoloronly	\MPcoloronly {...}
MPcolumn	\MPcolumn {...}
MPd	\MPd {...}
MPdrawing	\MPdrawing {...}
MPfontsizehskip	\MPfontsizehskip {...}
MPgetmultipars	\MPgetmultipars {...} {...}
MPgetmultishape	\MPgetmultishape {...} {...}
MPgetposboxes	\MPgetposboxes {...} {...}
MPh	\MPh {...}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [...] [...] {...}
MPleftskip	\MPleftskip {...}
MPll	\MPll {...}
MPlr	\MPlr {...}
MPls	\MPls {...}
MPmenubuttons	\MPmenubuttons {...}
MPn	\MPn {...}
MPOptions	\MPOptions {...}
MPOverlayanchor	\MPOverlayanchor {...}
MPp	\MPp {...}
MPpage	\MPpage {...}
MPpardata	\MPpardata {...}
MPplus	\MPplus {...} [...] {...}
MPpos	\MPpos {...}
MPpositiongraphic	\MPpositiongraphic [...] {...}
MPposset	\MPposset {...}
MPr	\MPr {...}
MPrawvar	\MPrawvar [...] {...}
MPregion	\MPregion {...}
MPrest	\MPrest [...] {...}
MPrightskip	\MPrightskip {...}
MPrs	\MPrs {...}
MPstring	\MPstring {...}
MPtext	\MPtext {...}
MPtransparency	\MPtransparency {...}
MPul	\MPul {...}
MPur	\MPur {...}
MPVI	\MPVI
MPv	\MPv [...] [...] {...}
MPvar	\MPvar {...}
MPvariable	\MPvariable {...}
MPvv	\MPvv [...] [...] {...}
MPw	\MPw {...}
MPwhd	\MPwhd {...}
MPx	\MPx {...}
MPxy	\MPxy {...}
MPxywhd	\MPxywhd {...}
MPy	\MPy {...}
m	\m [...] [...] {...}
makecharacteractive	\makecharacteractive ...
makerawcommalist	\makerawcommalist [...] \...
makestrutofbox	\makestrutofbox ...
manuscript	\manuscript
mapfontsize	\mapfontsize [...] [...] [...]
margindata	\margindata [...] [...] [...] [...] [...]
margindata:instance	\MARGINDATA [...] [...] [...] [...]
margindata:instance:atleftmargin	\atleftmargin [...] [...] [...] [...]
margindata:instance:atrightmargin	\atrightmargin [...] [...] [...] [...] [...]
margindata:instance:ininner	\ininner [...] [...] [...] [...] [...]
margindata:instance:ininneredge	\ininneredge [...] [...] [...] [...] [...]
margindata:instance:ininnermargin	\ininnermargin [...] [...] [...] [...] [...] [...]
margindata:instance:inleft	\inleft [...] [...] [...] [...] [...] [...]
margindata:instance:inleftedge	\inleftedge [...] [...] [...] [...] [...] [...]
margindata:instance:inleftmargin	\inleftmargin [...] [...] [...] [...] [...] [...]
margindata:instance:inmargin	\inmargin [...] [...] [...] [...] [...] [...] [...]
margindata:instance:inoth	\inoth [...] [...] [...] [...] [...] [...] [...]
margindata:instance:inouter	\inouter [...] [...] [...] [...] [...] [...] [...]
margindata:instance:inouteredge	\inouteredge [...] [...] [...] [...] [...] [...] [...]
margindata:instance:inoutermargin	\inoutermargin [...] [...] [...] [...] [...] [...] [...]

margindata:instance:inright	<code>\inright [..=..] [..=..] {...}</code>
margindata:instance:inrightedge	<code>\inrightedge [..=..] [..=..] {...}</code>
margindata:instance:inrightmargin	<code>\inrightmargin [..=..] [..=..] {...}</code>
margindata:instance:margintext	<code>\margintext [..=..] [..=..] {...}</code>
markcontent	<code>\markcontent [...] {...}</code>
markedpages	<code>\markedpages [...]</code>
markinjector	<code>\markinjector [...]</code>
markpage	<code>\markpage [...] [...]</code>
marquage	<code>\marquage (...,...) (...,...) [...]</code>
marquepage	<code>\marquepage [...] {...}</code>
mat	<code>\mat {...}</code>
math	<code>\math [...] {...}</code>
mathbf	<code>\mathbf</code>
mathbi	<code>\mathbi</code>
mathblackboard	<code>\mathblackboard</code>
mathbs	<code>\mathbs</code>
mathcommand:example	<code>\MATHCOMMAND {...} {...}</code>
mathdefault	<code>\mathdefault</code>
mathdouble	<code>\mathdouble [...] {...} {...} {...}</code>
mathdoubleextensible:instance	<code>\MATHDOUBLEEXTENSIBLE {...} {...}</code>
mathdoubleextensible:instance:doublebar	<code>\doublebar {...} {...}</code>
mathdoubleextensible:instance:doublebrace	<code>\doublebrace {...} {...}</code>
mathdoubleextensible:instance:doublebracket	<code>\doublebracket {...} {...}</code>
mathdoubleextensible:instance:doubleparent	<code>\doubleparent {...} {...}</code>
mathdoubleextensible:instance:overbarunderbar	<code>\overbarunderbar {...} {...}</code>
mathdoubleextensible:instance:overbraceunderbrace	<code>\overbraceunderbrace {...} {...}</code>
mathdoubleextensible:instance:overbracketunderbracket	<code>\overbracketunderbracket {...} {...}</code>
mathdoubleextensible:instance:overparentunderparent	<code>\overparentunderparent {...} {...}</code>
mathematique	<code>\mathematique [...] {...}</code>
mathematique:assignment	<code>\mathematique [..=..] {...}</code>
mathextensible:instance	<code>\MATHEXTENSIBLE {...} {...}</code>
mathextensible:instance:cleftarrow	<code>\cleftarrow {...} {...}</code>
mathextensible:instance:crightarrow	<code>\crightarrow {...} {...}</code>
mathextensible:instance:crightoverleftarrow	<code>\crightoverleftarrow {...} {...}</code>
mathextensible:instance:elleftarrowfill	<code>\elleftarrowfill {...} {...}</code>
mathextensible:instance:elleftharpoondownfill	<code>\elleftharpoondownfill {...} {...}</code>
mathextensible:instance:elleftharpoonupfill	<code>\elleftharpoonupfill {...} {...}</code>
mathextensible:instance:elleftrightarrowfill	<code>\elleftrightarrowfill {...} {...}</code>
mathextensible:instance:eoverbarfill	<code>\eoverbarfill {...} {...}</code>
mathextensible:instance:eoverbracefill	<code>\eoverbracefill {...} {...}</code>
mathextensible:instance:eoverbracketfill	<code>\eoverbracketfill {...} {...}</code>
mathextensible:instance:eoverparentfill	<code>\eoverparentfill {...} {...}</code>
mathextensible:instance:erightarrowfill	<code>\erightarrowfill {...} {...}</code>
mathextensible:instance:erightharpoondownfill	<code>\erightharpoondownfill {...} {...}</code>
mathextensible:instance:erightharpoonupfill	<code>\erightharpoonupfill {...} {...}</code>
mathextensible:instance:etwoheadrightarrowfill	<code>\etwoheadrightarrowfill {...} {...}</code>
mathextensible:instance:eunderbarfill	<code>\eunderbarfill {...} {...}</code>
mathextensible:instance:eunderbracefill	<code>\eunderbracefill {...} {...}</code>
mathextensible:instance:eunderbracketfill	<code>\eunderbracketfill {...} {...}</code>
mathextensible:instance:eunderparentfill	<code>\eunderparentfill {...} {...}</code>
mathextensible:instance:mequal	<code>\mequal {...} {...}</code>
mathextensible:instance:mhookleftarrow	<code>\mhookleftarrow {...} {...}</code>
mathextensible:instance:mhookrightarrow	<code>\mhookrightarrow {...} {...}</code>
mathextensible:instance:mLeftarrow	<code>\mLeftarrow {...} {...}</code>
mathextensible:instance:mLeftrightarrow	<code>\mLeftrightarrow {...} {...}</code>
mathextensible:instance:mleftarrow	<code>\mleftarrow {...} {...}</code>
mathextensible:instance:mleftharpoondown	<code>\mleftharpoondown {...} {...}</code>
mathextensible:instance:mleftharpoonup	<code>\mleftharpoonup {...} {...}</code>
mathextensible:instance:mleftrightarrow	<code>\mleftrightarrow {...} {...}</code>
mathextensible:instance:mleftrightharpoons	<code>\mleftrightharpoons {...} {...}</code>
mathextensible:instance:mmapsto	<code>\mmapsto {...} {...}</code>
mathextensible:instance:mRightarrow	<code>\mRightarrow {...} {...}</code>
mathextensible:instance:mrel	<code>\mrel {...} {...}</code>
mathextensible:instance:mrightarrow	<code>\mrightarrow {...} {...}</code>
mathextensible:instance:mrightharpoondown	<code>\mrightharpoondown {...} {...}</code>
mathextensible:instance:mrightharpoonup	<code>\mrightharpoonup {...} {...}</code>
mathextensible:instance:mrightleftharpoons	<code>\mrightleftharpoons {...} {...}</code>
mathextensible:instance:mrightoverleftarrow	<code>\mrightoverleftarrow {...} {...}</code>
mathextensible:instance:mtriplerele	<code>\mtriplerele {...} {...}</code>
mathextensible:instance:mtwoheadleftarrow	<code>\mtwoheadleftarrow {...} {...}</code>
mathextensible:instance:mtwoheadrightarrow	<code>\mtwoheadrightarrow {...} {...}</code>
mathextensible:instance:tequal	<code>\tequal {...} {...}</code>

mathextensible:instance:thookleftarrow	\thookleftarrow {...} {...}
mathextensible:instance:thookrightarrow	\thookrightarrow {...} {...}
mathextensible:instance:tleftarrow	\tleftarrow {...} {...}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {...} {...}
mathextensible:instance:tleftarrow	\tleftarrow {...} {...}
mathextensible:instance:tlefttharpoondown	\tlefttharpoondown {...} {...}
mathextensible:instance:tlefttharpoonup	\tlefttharpoonup {...} {...}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {...} {...}
mathextensible:instance:tlefttrightharpoons	\tlefttrightharpoons {...} {...}
mathextensible:instance:tmapsto	\tmapsto {...} {...}
mathextensible:instance:trightarrow	\trightarrow {...} {...}
mathextensible:instance:trel	\trel {...} {...}
mathextensible:instance:trightarrow	\rightarrow {...} {...}
mathextensible:instance:trightharpoondown	\trightharpoondown {...} {...}
mathextensible:instance:trightharpoonup	\trightharpoonup {...} {...}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {...} {...}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {...} {...}
mathextensible:instance:ttriplerel	\ttriplerel {...} {...}
mathextensible:instance:twoheadleftarrow	\twoheadleftarrow {...} {...}
mathextensible:instance:twoheadrightarrow	\twoheadrightarrow {...} {...}
mathextensible:instance:xequal	\xequal {...} {...}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {...} {...}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {...} {...}
mathextensible:instance:xleftarrow	\xleftarrow {...} {...}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {...} {...}
mathextensible:instance:xleftarrow	\xleftarrow {...} {...}
mathextensible:instance:xlefttharpoondown	\xlefttharpoondown {...} {...}
mathextensible:instance:xlefttharpoonup	\xlefttharpoonup {...} {...}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {...} {...}
mathextensible:instance:xlefttrightharpoons	\xlefttrightharpoons {...} {...}
mathextensible:instance:xmapsto	\xmapsto {...} {...}
mathextensible:instance:xrightarrow	\xrightarrow {...} {...}
mathextensible:instance:xrel	\xrel {...} {...}
mathextensible:instance:xrightarrow	\xrightarrow {...} {...}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {...} {...}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {...} {...}
mathextensible:instance:xtriplerel	\xtriplerel {...} {...}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {...} {...}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [...] {...}
mathframed:instance:inmframed	\inmframed [...] {...}
mathframed:instance:mcfamed	\mcfamed [...] {...}
mathframed:instance:mframed	\mframed [...] {...}
mathfunction	\mathfunction {...}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {...}
mathop	\mathop {...}
mathornament:example	\MATHORNAMENT {...}
mathover	\mathover [...] {...} {...}
mathoverextensible:example	\MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance	\MATHOVERTEXTTEXTENSIBLE [...] {...}
mathradical:example	\MATHRADICAL [...] {...}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext ... {...}
mathtextbf	\mathtextbf ... {...}
mathtextbi	\mathtextbi ... {...}
mathtextbs	\mathtextbs ... {...}
mathtextit	\mathtextit ... {...}
mathtextsl	\mathtextsl ... {...}
mathtexttf	\mathtexttf ... {...}
mathtf	\mathtf
mathtriplet	\mathtriplet [...] [...] [...] [...]
mathtriplet:example	\MATHTRIPLET [...] [...] [...] [...]
mathtt	\mathtt
mathunder	\mathunder [...] [...] [...]

mathunderextensible:example	<code>\MATHUNDEREXTENSIBLE {...}</code>
mathundertextextensible:instance	<code>\MATHUNDERTEXTEXTENSIBLE {...} {...}</code>
mathunstacked:example	<code>\MATHUNSTACKED</code>
mathupright	<code>\mathupright</code>
mathword	<code>\mathword ... {...}</code>
mathwordbf	<code>\mathwordbf ... {...}</code>
mathwordbi	<code>\mathwordbi ... {...}</code>
mathwordbs	<code>\mathwordbs ... {...}</code>
mathwordit	<code>\mathwordit ... {...}</code>
mathwordsl	<code>\mathwordsl ... {...}</code>
mathwordtf	<code>\mathwordtf ... {...}</code>
math:assignment	<code>\math [..=..] {...}</code>
maxaligned	<code>\maxaligned {...}</code>
mbox	<code>\mbox {...}</code>
measure	<code>\measure {...}</code>
measured	<code>\measured {...}</code>
medskip	<code>\medskip</code>
medspace	<code>\medspace</code>
menuinteraction	<code>\menuinteraction [...] [..=..]</code>
message	<code>\message {...}</code>
mfence	<code>\mfence {...}</code>
mfunction	<code>\mfunction {...}</code>
mfunctionlabeltext	<code>\mfunctionlabeltext {...}</code>
mhbox	<code>\mhbox {...}</code>
middlealigned	<code>\middlealigned {...}</code>
middlebox	<code>\middlebox {...}</code>
midhbox	<code>\midhbox {...}</code>
midsubsentence	<code>\midsubsentence</code>
milieu	<code>\milieu ...</code>
minimalhbox	<code>\minimalhbox ... {...}</code>
mixedcaps	<code>\mixedcaps {...}</code>
mkvibuffer	<code>\mkvibuffer [...]</code>
moduleparameter	<code>\moduleparameter {...} {...}</code>
mois	<code>\mois {...}</code>
molecule	<code>\molecule {...}</code>
mono	<code>\mono</code>
monogras	<code>\monogras</code>
mononormal	<code>\mononormal</code>
monthlong	<code>\monthlong {...}</code>
monthshort	<code>\monthshort {...}</code>
montrecadre	<code>\montrecadre [...] [...]</code>
montrecoleur	<code>\montrecoleur [...]</code>
montredisposition	<code>\montredisposition [...]</code>
montreedition	<code>\montreedition [...] [...] [..=..]</code>
montreenvironnementpolicecorps	<code>\montreenvironnementpolicecorps [...]</code>
montreguille	<code>\montreguille [...]</code>
montregroupecoleur	<code>\montregroupecoleur [...] [...]</code>
montrejeusymboles	<code>\montrejeusymboles [...]</code>
montremakeup	<code>\montremakeup [...]</code>
montrepalette	<code>\montrepalette [...] [...]</code>
montrepolicecorps	<code>\montrepolicecorps [...]</code>
montrereglages	<code>\montrereglages [...]</code>
montrestruts	<code>\montrestruts</code>
mot	<code>\mot {...}</code>
motdroit	<code>\motdroit [...] {...}</code>
mpandomnumber	<code>\mpandomnumber</code>
mtext	<code>\mtext {...}</code>
m:assignment	<code>\m [..=..] {...}</code>
NormalizeFontHeight	<code>\NormalizeFontHeight \... {...} {...} {...}</code>
NormalizeFontWidth	<code>\NormalizeFontWidth \... {...} {...} {...}</code>
NormalizeTextHeight	<code>\NormalizeTextHeight {...} {...} {...}</code>
NormalizeTextWidth	<code>\NormalizeTextWidth {...} {...} {...}</code>
Numeros	<code>\Numeros {...}</code>
namedheadnumber	<code>\namedheadnumber {...}</code>
namedstructureheadlocation	<code>\namedstructureheadlocation {...}</code>
namedstructureuservariable	<code>\namedstructureuservariable {...} {...}</code>
namedstructurevariable	<code>\namedstructurevariable {...} {...}</code>
namedtaggedlabeltexts	<code>\namedtaggedlabeltexts {...} {...} {...} {...} {...}</code>
naturalhbox	<code>\naturalhbox ... {...}</code>
naturalhpack	<code>\naturalhpack ... {...}</code>
naturaltpack	<code>\naturaltpack ... {...}</code>
naturalvbox	<code>\naturalvbox ... {...}</code>

naturalvcenter	\naturalvcenter ... {...}
naturalvpack	\naturalvpack ... {...}
naturalvtop	\naturalvtop ... {...}
naturalwd	\naturalwd ...
negatecolorbox	\negatecolorbox ...
negated	\negated {...}
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
newattribute	\newattribute \...
newcatcodetable	\newcatcodetable \...
newcounter	\newcounter \...
newevery	\newevery \... \...
newfrenchspacing	\newfrenchspacing
newmode	\newmode {...}
newsignal	\newsignal \...
newsystemmode	\newsystemmode {...}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [...] [...]
nextcountervalue	\nextcountervalue [...]
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\suivantPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [...] [...]
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nocap	\nocap {...}
nocharacteralign	\nocharacteralign
nocitation	\nocitation [...]
nocitation:direct	\nocitation {...}
nocite	\nocite [...]
nocite:direct	\nocite {...}
nodetostring	\nodetostring \... {...}
nofffigurepages	\nofffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {...}
normal	\normal
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [..=..] {...}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \... {...}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \... {...} {...} {...}
normalizefontheight	\normalizefontheight \... {...} {...} {...}
normalizefontline	\normalizefontline \... {...} {...} {...}
normalizefontwidth	\normalizefontwidth \... {...} {...} {...}
normalizetextdepth	\normalizetextdepth {...} {...} {...}
normalizetextheight	\normalizetextheight {...} {...} {...}
normalizetextline	\normalizetextline {...} {...} {...}
normalizetextwidth	\normalizetextwidth {...} {...} {...}
normalpetit	\normalpetit
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
note	\note [...] [...]
noteligne:instance	\LINENOTE {...}
noteligne:instance:linenote	\linenote {...}
notesymbol	\notesymbol [...] [...]
note:instance	\NOTE [...] {...}
note:instance:assignment	\NOTE [..=..]
note:instance:assignment:endnote	\endnote [..=..]

note:instance:assignment:footnote	\footnote [..=..]
note:instance:endnote	\endnote [...] {...}
note:instance:footnote	\footnote [...] {...}
notragged	\notragged
ntimes	\ntimes {...} {...}
numberofpoints	\numberofpoints {...}
numeroformule	\numeroformule [...]
numeropage	\numeropage
numeros	\numeros {...}
numerotete	\numerotete [...] [...]
numerotetecourant	\numerotetecourant
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {...}
obtientmarquage	\obtientmarquage [...] [...] [...]
offset	\offset [..=..] {...}
offsetbox	\offsetbox [..=..] \... {...}
onedigitrounding	\onedigitrounding {...}
ordinaldaynumber	\ordinaldaynumber {...}
ordinalstr	\ordinalstr {...}
oriente	\oriente [..=..] {...}
ornamenttext:collector	\ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct	\ornamenttext [...] {...} {...}
ornamenttext:layer	\ornamenttext [..=..] [..=..] {...} {...}
ornament:example	\ORNAMENT {...} {...}
outputfilename	\outputfilename
outputstreambox	\outputstreambox [...]
outputstreamcopy	\outputstreamcopy [...]
outputstreamunvbox	\outputstreamunvbox [...]
outputstreamunvcopy	\outputstreamunvcopy [...]
over	\over [...]
overlaybutton	\overlaybutton [...]
overlaybutton:direct	\overlaybutton {...}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {...}
overlayheight	\overlayheight
overlayimage	\overlayimage {...}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [...] [...]
overlaywidth	\overlaywidth
overloadererror	\overloadererror
overset	\overset {...} {...}
PDFcolor	\PDFcolor {...}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PCTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {...} \...
PointsToReal	\PointsToReal {...} \...
PointsToWholeBigPoints	\PointsToWholeBigPoints {...} \...
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {...}
page	\page [...]
pagearea	\pagearea [...] [...] [...]
pagebreak	\pagebreak [...]
pagefigure	\pagefigure [...] [..=..]
pageinjection	\pageinjection [...] [..=..]
pageinjection:assignment	\pageinjection [..=..] [..=..]
pagestaterealpage	\pagestaterealpage {...} {...}
pagestaterealpageorder	\pagestaterealpageorder {...} {...}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {...} {...}
pdfbackendactualtext	\pdfbackendactualtext {...} {...}

pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {...} {...}
pdfbackendsettextgstate	\pdfbackendsettextgstate {...} {...}
pdfbackendsetinfo	\pdfbackendsetinfo {...} {...}
pdfbackendsetname	\pdfbackendsetname {...} {...}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource	\pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern	\pdfbackendsetpattern {...} {...}
pdfbackendsetshade	\pdfbackendsetshade {...} {...}
pdfcolor	\pdfcolor {...}
pdfTeX	\pdfTeX
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen {...} {...}
periodes	\periodes [...]
periodes:assignment	\periodes [..=..]
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweenegroups	\permitspacesbetweenegroups
persiandecimals	\persiandecimals {...}
persiannumerals	\persiannumerals {...}
petit	\petit
petitepolicecorps	\petitepolicecorps
petitescapitales	\petitescapitales {...}
petittyte	\petittyte
phantom	\phantom {...}
phantombox	\phantombox [..=..]
pickupgroupedcommand	\pickupgroupedcommand {...} {...} {...}
pilechamp	\pilechamp [...] [...] [..=..]
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [...] [..=..]
placecitation	\placecitation [...]
placecomments	\placecomments
placecoteacote	\placecoteacote {...} {...}
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {...}
placefloatwithsetups	\placefloatwithsetups [...] [...] [...] {...} {...}
placeflottant	\placeflottant [...] [...] [...] {...} {...}
placeflottant:instance	\placeFLOAT [...] [...] {...} {...}
placeflottant:instance:chemical	\placechemical [...] [...] {...} {...}
placeflottant:instance:figure	\placefigure [...] [...] {...} {...}
placeflottant:instance:graphic	\placegraphic [...] [...] {...} {...}
placeflottant:instance:intermezzo	\placeintermezzo [...] [...] {...} {...}
placeflottant:instance:table	\placetable [...] [...] {...} {...}
placeformule	\placeformule [...] {...}
placeframed	\placeframed [...] [..=..] {...}
placehelp	\placehelp
placeinitial	\placeinitial [...]
placelayer	\placelayer [...]
placelayeredtext	\placelayeredtext [...] [..=..] [..=..] {...} {...}
placelesunsaudessusdesautres	\placelesunsaudessusdesautres {...} {...}
placeliste	\placeliste [...] [..=..]
placelisteimbriquee	\placelisteimbriquee [...] [..=..]
placelisteimbriquee:instance	\placeCOMBINEDLIST [..=..]
placelisteimbriquee:instance:content	\placecontent [..=..]
placelistoffloats:instance	\placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals	\placelistofchemicals [..=..]
placelistoffloats:instance:figures	\placelistoffigures [..=..]
placelistoffloats:instance:graphics	\placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [..=..]
placelistoffloats:instance:tables	\placelistoftables [..=..]
placelistofpublications	\placelistofpublications [...] [..=..]
placelistofsorts	\placelistofsorts [...] [..=..]
placelistofsorts:instance	\placelistofSORTS [..=..]
placelistofsorts:instance:logos	\placelistoflogos [..=..]
placelistofsynonyms	\placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance	\placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [..=..]
placelocalnotes	\placelocalnotes [...] [..=..]
placemarquespages	\placemarquespages [...] [...] [..=..]

placement	\placement [...] [..=..] {...}
placement:example	\PLACEMENT [..=..] {...}
placenamefloat	\placenamefloat [...] [...]
placenameformula	\placenameformula [...] {...} {...}
placenames	\placenames [...] [..=..]
placenamespdp	\placenamespdp [..=..]
placenamespdplocales	\placenamespdplocales [..=..]
placenumeropage	\placenumeropage
placenumerotete	\placenumerotete [...]
placepairedbox	\placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance	\placePAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend	\placelegend [..=..] {...} {...}
placeparallel	\placeparallel [...] [...] [..=..]
placeraheaddata	\placeraheaddata [...]
placeraheadnumber	\placeraheadnumber [...]
placeraheadtext	\placeraheadtext [...]
placeraheadlist	\placeraheadlist [...] [..=..]
placeregistre	\placeregistre [...] [..=..]
placeregistre:instance	\placeREGISTER [..=..]
placeregistre:instance:index	\placeindex [..=..]
placereadingwindow	\placereadingwindow [...] [...]
placesousformule	\placesousformule [...] {...}
placesurgrille	\placesurgrille [...] {...}
placesurgrille:list	\placesurgrille [...] {...}
placetextetete	\placetextetete [...]
point	\point {...}
popattribute	\popattribute \...
popmacro	\popmacro \...
popmode	\popmode [...]
popsystemmode	\popsystemmode {...}
position	\position [..=..] (...,...) {...}
positionoverlay	\positionoverlay {...}
positionregionoverlay	\positionregionoverlay {...} {...}
postponenotes	\postponenotes
predefinedfont	\predefinedfont [...]
predefinefont	\predefinefont [...] [...]
predefinesymbol	\predefinesymbol [...]
prefixedpagenumber	\prefixedpagenumber
premieresouspage	\premieresouspage
prendbuffer	\prendbuffer [...]
prendbuffer:instance	\obtientBUFFER
prependetoks	\prependetoks ... \to \...
prependgvalue	\prependgvalue {...} {...}
prependtocommalist	\prependtocommalist {...} \...
prependtoks	\prependtoks ... \to \...
prependtoksonce	\prependtoksonce ... \to \...
prependvalue	\prependvalue {...} {...}
prerollblank	\prerollblank [...]
presetdocument	\presetdocument [..=..]
presetfieldsymbols	\presetfieldsymbols [...]
presetlabeltext:instance	\presetLABELtexte [...] [..=..]
presetlabeltext:instance:btxlabel	\presetbtxlabeltexte [...] [..=..]
presetlabeltext:instance:head	\presetheadtexte [...] [..=..]
presetlabeltext:instance:label	\presetlabeltexte [...] [..=..]
presetlabeltext:instance:mathlabel	\presetmathlabeltexte [...] [..=..]
presetlabeltext:instance:operator	\presetoperatortexte [...] [..=..]
presetlabeltext:instance:prefix	\presetprefixtexte [...] [..=..]
presetlabeltext:instance:suffix	\presetsuffixtexte [...] [..=..]
presetlabeltext:instance:taglabel	\presettaglabeltexte [...] [..=..]
presetlabeltext:instance:unit	\presetunittexte [...] [..=..]
pretocommalist	\pretocommalist {...} \...
prettyprintbuffer	\prettyprintbuffer {...} {...}
prevcounter	\prevcounter [...] [...]
prevcountervalue	\prevcountervalue [...]
preventmode	\preventmode [...]
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [...] [...]
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber



procent	\procent
processaction	\processaction [...] [...,>=>...]
processallactionsinset	\processallactionsinset [...] [...,>=>...]
processassignlist	\processassignlist [...] \...
processassignmentcommand	\processassignmentcommand [..=..] \...
processassignmentlist	\processassignmentlist [..=..] \...
processbetween	\processbetween {...} \...
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \...
processcolorcomponents	\processcolorcomponents {...}
processcommacommand	\processcommacommand [...] \...
processcommalist	\processcommalist [...] \...
processcommalistwithparameters	\processcommalistwithparameters [...] \...
processcontent	\processcontent {...} \...
processfile	\processfile {...}
processfilemany	\processfilemany {...}
processfilenone	\processfilenone {...}
processfileonce	\processfileonce {...}
processfirstactioninset	\processfirstactioninset [...] [...,>=>...]
processisolatedchars	\processisolatedchars {...} \...
processisolatedwords	\processisolatedwords {...} \...
processlinetablebuffer	\processlinetablebuffer [...]
processlinetablefile	\processlinetablefile {...}
processlist	\processlist {...} {...} {...} \...
processMPbuffer	\processMPbuffer [...]
processMPfigurefile	\processMPfigurefile {...}
processmonth	\processmonth {...} {...} {...}
processranges	\processranges [...] \...
processseparatedlist	\processseparatedlist [...] [...] {...}
processtexbuffer	\processtexbuffer [...]
processtokens	\processtokens {...} {...} {...} {...} {...}
processuntil	\processuntil \...
processxtablebuffer	\processxtablebuffer [...]
processyear	\processyear {...} {...} {...} {...}
produit	\produit [...]
produit:string	\produit ...
profiledbox	\profiledbox [...] [..=..] {...}
profilegivenbox	\profilegivenbox {...} ...
programme	\programme [...]
projet	\projet [...]
projet:string	\projet ...
pseudoMixedCapped	\pseudoMixedCapped {...}
pseudoSmallCapped	\pseudoSmallCapped {...}
pseudoSmallcapped	\pseudoSmallcapped {...}
pseudosmallcapped	\pseudosmallcapped {...}
purenumber	\purenumber {...}
pusharrangedpages	\pusharrangedpages ... \poparrangedpages
pushharriereplan	\pushharriereplan [...] ... \poparriereplan
pushattribute	\pushattribute \...
pushbar	\pushbar [...] ... \popbar
pushbutton	\pushbutton [...] [...]
pushcatcodetable	\pushcatcodetable ... \popcatcodetable
pushcouleur	\pushcouleur [...] ... \popcouleur
pushendofline	\pushendofline ... \popendofline
pushindentation	\pushindentation ... \popindentation
pushMPdrawing	\pushMPdrawing ... \popMPdrawing
pushmacro	\pushmacro \...
pushmathstyle	\pushmathstyle ... \popmathstyle
pushmode	\pushmode [...]
pushoutputstream	\pushoutputstream [...]
pushpath	\pushpath [...] ... \poppath
pushpunctuation	\pushpunctuation ... \poppunctuation
pushrandomseed	\pushrandomseed ... \poprandomseed
pushreferenceprefix	\pushreferenceprefix {...} ... \popreferenceprefix
pushsystemmode	\pushsystemmode {...}
putboxincache	\putboxincache {...} {...} ...
putnextboxincache	\putnextboxincache {...} {...} \... {...}
qqpart	\qqpart {...} {...} [...]
qquad	\qquad
quad	\quad
quads	\quads [...]
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist

quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {...}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {...} \... {...}
randomizetext	\randomizetext {...}
randomnumber	\randomnumber {...} {...}
rawcounter	\rawcounter [...] [...]
rawcountervalue	\rawcountervalue [...]
rawdate	\rawdate [...]
rawdoifelseinset	\rawdoifelseinset {...} {...} {...} {...}
rawdoifinset	\rawdoifinset {...} {...} {...}
rawdoifinsetelse	\rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters	\rawgetparameters [...] [...=..]
rawprocessaction	\rawprocessaction [...] [...,..=>...]
rawprocesscommacommand	\rawprocesscommacommand [...] \...
rawprocesscommalist	\rawprocesscommalist [...] \...
rawstructurelistuservariable	\rawstructurelistuservariable {...}
rawsubcountervalue	\rawsubcountervalue [...] [...]
razmarquage	\razmarquage [...]
rbox	\rbox ... {...}
readfile	\readfile {...} {...} {...}
readfixfile	\readfixfile {...} {...} {...} {...}
readjobfile	\readjobfile {...} {...} {...}
readlocfile	\readlocfile {...} {...} {...}
readsetfile	\readsetfile {...} {...} {...} {...}
readsysfile	\readsysfile {...} {...} {...}
readtexfile	\readtexfile {...} {...} {...}
readxmlfile	\readxmlfile {...} {...} {...}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {...}
realSmallcapped	\realSmallcapped {...}
realsmallcapped	\realsmallcapped {...}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [...] [...]
reference	\reference [...] {...}
referenceformat:example	\REFERENCEFORMAT {...} {...} [...]
referencepage	\referencepage [...]
referenceprefix	\referenceprefix
referencetexte	\referencetexte [...] {...}
reflete	\reflete {...}
registerattachment	\registerattachment [...] [...=..]
registercxtluafile	\registercxtluafile {...} {...}
registerexternalfigure	\registerexternalfigure [...] [...] [...=..]
registerfontclass	\registerfontclass {...}
registerhyphenationexception	\registerhyphenationexception [...] [...]
registerhyphenationpattern	\registerhyphenationpattern [...] [...]
registermenubuttons	\registermenubuttons [...] [...]
registersort	\registersort [...] [...]
registersynonym	\registersynonym [...] [...]
registerunit	\registerunit [...] [...=..]
registre:instance	\REGISTER [...] {...+...+..}
registre:instance:index	\index [...] {...+...+..}
registre:instance:ownnumber	\REGISTER [...] {...} {...+...+..}
registre:instance:ownnumber:index	\index [...] {...} {...} {...+...+..}
regle	\regle [...]
reglealignement	\reglealignement [...]
reglearrangement	\reglearrangement [...]
reglearriereplan	\reglearriereplan [...] [...=..]
reglearriereplans	\reglearriereplans [...] [...] [...=..]
reglearriereplans:page	\reglearriereplans [...] [...=..]
reglebarreinteraction	\reglebarreinteraction [...] [...=..]
reglebloc	\reglebloc [...] [...=..]
regleblocsection	\regleblocsection [...] [...=..]
reglebuffer	\reglebuffer [...] [...=..]

reglecapitales	\reglecapitales [...] [..=..]
reglechamp	\reglechamp [...] [...] [..=..] [..=..] [..=..]
reglechamps	\reglechamps [...] [..=..] [..=..] [..=..]
regleclipping	\regleclipping [..=..]
reglecolonnes	\reglecolonnes [..=..]
reglecommentaire	\reglecommentaire [...] [..=..]
reglecommentairepage	\reglecommentairepage [..=..]
reglecompoetroite	\reglecompoetroite [...] [..=..]
reglecomposeenalinea	\reglecomposeenalinea [...]
reglecouleur	\reglecouleur [...]
reglecouleurs	\reglecouleurs [..=..]
regledactylo	\regledactylo [...] [..=..]
regledemarrestoppe	\regledemarrestoppe [...] [..=..]
regledisposition	\regledisposition [...] [..=..]
regledisposition:name	\regledisposition [...]
regleecraninteraction	\regleecraninteraction [..=..]
regleelements	\regleelements [...] [..=..]
regleencadre	\regleencadre [...] [..=..]
regleentete	\regleentete [...] [..=..]
regleenumerations	\regleenumerations [...] [..=..]
regleepaisseurligne	\regleepaisseurligne [...]
regleespaceblanc	\regleespaceblanc [...]
regleesplacement	\regleesplacement [...]
regleesplacementinterligne	\regleesplacementinterligne [...] [..=..]
regleesplacementinterligne:argument	\regleesplacementinterligne [...]
regleesplacementinterligne:name	\regleesplacementinterligne [...]
regleflottant	\regleflottant [...] [..=..]
regleflottants	\regleflottants [...] [..=..]
regleformulaires	\regleformulaires [..=..]
regleformules	\regleformules [...] [..=..]
reglegroupeselements	\reglegroupeselements [...] [..=..]
regleinf	\regleinf [...] [..=..]
regleinteraction	\regleinteraction [...] [..=..]
regleinteraction:name	\regleinteraction [...]
regleintitule	\regleintitule [...] [..=..]
regleintitules	\regleintitules [...] [..=..]
reglejeucolonne	\reglejeucolonne [...] [..=..]
reglejeusymboles	\reglejeusymboles [...]
reglelabeltexte:instance	\regleLABELtexte [...] [..=..]
reglelabeltexte:instance:btxlabel	\reglebtxlabeltexte [...] [..=..]
reglelabeltexte:instance:head	\regleheadtexte [...] [..=..]
reglelabeltexte:instance:label	\reglelabeltexte [...] [..=..]
reglelabeltexte:instance:mathlabel	\reglemathlabeltexte [...] [..=..]
reglelabeltexte:instance:operator	\regleoperatortexte [...] [..=..]
reglelabeltexte:instance:prefix	\regleprefixtexte [...] [..=..]
reglelabeltexte:instance:suffix	\reglesuffixtexte [...] [..=..]
reglelabeltexte:instance:taglabel	\regletaglabeltexte [...] [..=..]
reglelabeltexte:instance:unit	\regleunitttexte [...] [..=..]
reglelangue	\reglelangue [...] [..=..]
reglelignes	\reglelignes [...] [..=..]
reglelignesnoires	\reglelignesnoires [..=..]
reglelignesreglestexte	\reglelignesreglestexte [..=..]
regleliste	\regleliste [...] [..=..]
reglelisteimbriquee	\reglelisteimbriquee [...] [..=..]
reglelisteimbriquee:instance	\regleCOMBINEDLIST [..=..]
reglelisteimbriquee:instance:content	\reglecontent [..=..]
reglemakeup	\reglemakeup [...] [..=..]
reglemargereglee	\reglemargereglee [...] [..=..]
reglemarquage	\reglemarquage [...] [..=..]
reglemarquagehyphenation	\reglemarquagehyphenation [..=..]
reglenuinteraction	\reglenuinteraction [...] [..=..]
reglenotepdp	\reglenotepdp [..=..]
reglenumeropage	\reglenumeropage [..=..]
reglenumerotationligne	\reglenumerotationligne [...] [..=..]
reglenumerotationpage	\reglenumerotationpage [..=..]
reglenumerotationparagraphe	\reglenumerotationparagraphe [..=..]
reglenumerotete	\reglenumerotete [...] [...]
regleorientee	\regleorientee [..=..]
reglepalette	\reglepalette [...]
reglepapier	\reglepapier [..=..]
regleparagraphe	\regleparagraphe [...] [...] [..=..]
regleparagraphe:assignment	\regleparagraphe [...] [..=..]

reglepdp	\reglepdp [...] [..=..]
regleplacementopposition	\regleplacementopposition [..=..]
reglepolicecorps	\reglepolicecorps [...]
reglepositionnement	\reglepositionnement [...] [..=..]
regleprogrammes	\regleprogrammes [..=..]
reglereferencage	\reglereferencage [..=..]
regleregistre	\regleregistre [...] [..=..]
regleregistre:argument	\regleregistre [...] [...] [..=..]
regleregistre:instance	\regleREGISTER [...] [..=..]
regleregistre:instance:index	\regleindex [...] [..=..]
regleremplitligne	\regleremplitligne [..=..]
regleremplitlignesreglees	\regleremplitlignesreglees [..=..]
regleseparationflottant	\regleseparationflottant [..=..]
reglesousnumeropage	\reglesousnumeropage [..=..]
reglesup	\reglesup [...] [..=..]
reglesynonymes	\reglesynonymes [...] [..=..]
regletableaux	\regletableaux [..=..]
regletabulation	\regletabulation [...] [...] [..=..]
regletaillepapier	\regletaillepapier [...] [..=..]
regletaillepapier:name	\regletaillepapier [...] [...]
regletete	\regletete [...] [..=..]
regletetes	\regletetes [...] [..=..]
regletexte	\regletexte [...] [..=..]
regletextesentete	\regletextesentete [...] [...] [...] [...] [...]
regletextesinf	\regletextesinf [...] [...] [...] [...] [...]
regletextesdpdp	\regletextesdpdp [...] [...] [...] [...] [...]
regletextessup	\regletextessup [...] [...] [...] [...] [...]
regletextestexte	\regletextestexte [...] [...] [...] [...] [...]
regletolerance	\regletolerance [...]
regletraitsfins	\regletraitsfins [..=..]
regletransitionspace	\regletransitionspace [...]
regletri	\regletri [...] [..=..]
regletype	\regletype [...] [..=..]
regleurl	\regleurl [..=..]
regle:direct	\regle {...}
regulier	\regulier
relatemarking	\relatemarking [...] [...]
relateparameterhandlers	\relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined	\relaxvalueifundefined {...}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {...} \...
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent [...]
removepunctuation	\removepunctuation
removesubstring	\removesubstring ... \from ... \to \...
removetoks	\removetoks ... \from \...
removeunwantedspaces	\removeunwantedspaces
remplitligne	\remplitligne [..=..]
remplitlignesreglees	\remplitlignesreglees [..=..] {...} {...}
remplittexte	\remplittexte [..=..] {...} {...}
repeathead	\repeathead [...]
replacefeature	\replacefeature [...]
replacefeature:direct	\replacefeature {...}
replaceincommalist	\replaceincommalist \... {...}
replaceword	\replaceword [...] [...] [...]
rescan	\rescan {...}
rescanwithsetup	\rescanwithsetup {...} {...}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature [...]
resetandaddfeature:direct	\resetandaddfeature {...}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {...}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer [...]
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector [...]

resetcounter	\resetcounter [...] [...]
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {...}
resetfontcolorscheme	\resetfontcolorscheme
resetfontfallback	\resetfontfallback [...] [...]
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector [...]
resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups [...]
resetshownsynonyms	\resetshownsynonyms [...]
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {...}
resettimer	\resettimer
resettokenlist	\resettokenlist [...]
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [...]
resetusedsynonyms	\resetusedsynonyms [...]
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {...}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {...}
resolvedglyphdirect	\resolvedglyphdirect {...} {...}
resolvedglyphstyled	\resolvedglyphstyled {...} {...}
restartcounter	\restartcounter [...] [...] [...]
restorebox	\restorebox {...} {...}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter [...]
restorecurrentattributes	\restorecurrentattributes {...}
restoreendoffline	\restoreendoffline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {...} {...=..}
reuseMPgraphic	\reuseMPgraphic {...} {...=..}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox ... {...}
reversehpack	\reversehpack ... {...}
reversetpack	\reversetpack ... {...}
reversevbox	\reversevbox ... {...}
reversevpack	\reversevpack ... {...}
reversevtop	\reversevtop ... {...}
revivefeature	\revivefeature
rfence	\rfence {...}
rhbox	\rhbox {...}
rightbottombox	\rightbottombox {...}
rightbox	\rightbox {...}
righthbox	\righthbox {...}
rightlabeltext:instance	\rightLABELtexte {...}
rightlabeltext:instance:head	\righttheadtexte {...}
rightlabeltext:instance:label	\rightlabeltexte {...}
rightlabeltext:instance:mathlabel	\rightmathlabeltexte {...}

rightline	\rightline {...}
rightorleftpageaction	\rightorleftpageaction {...} {...}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttopleft	\righttopleft
righttopleftthbox	\righttopleftthbox ... {...}
righttopleftvbox	\righttopleftvbox ... {...}
righttopleftvtop	\righttopleftvtop ... {...}
righttopbox	\righttopbox {...}
ring	\ring {...}
rlap	\rlap {...}
robustaddtocommalist	\robustaddtocommalist {...} \...
robustdoifelseinset	\robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse	\robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist	\robustpretocommalist {...} \...
rollbutton:button	\rollbutton [..=..] ... [...]
rollbutton:interactionmenu	\rollbutton [...] [..=..] ... [...]
roman	\roman
rtlhbox	\rtlhbox ... {...}
rtlvbox	\rtlvbox ... {...}
rtlvtop	\rtlvtop ... {...}
rtop	\rtop ... {...}
ruby	\ruby [...] {...} {...}
ruledhbox	\ruledhbox ... {...}
ruledhpack	\ruledhpack ... {...}
ruledmbox	\ruledmbox {...}
ruledtopv	\ruledtopv ... {...}
ruledtpack	\ruledtpack ... {...}
ruledvbox	\ruledvbox ... {...}
ruledvpack	\ruledvpack ... {...}
ruledvtop	\ruledvtop ... {...}
runMPbuffer	\runMPbuffer [...]
runninghbox	\runninghbox {...}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {...} \...
Smallcapped	\Smallcapped {...}
safechar	\safechar {...}
samplefile	\samplefile {...}
sans	\sans
sansespace	\sansespace
sansgras	\sansgras
sanslignesenteteetpdp	\sanslignesenteteetpdp
sanslignessupetinf	\sanslignessupetinf
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {...} {...} {...}
savebtxdataset	\savebtxdataset [...] [...] [..=..]
savebuffer	\savebuffer [..=..]
savebuffer:list	\savebuffer [...] [...]
savecouleur	\savecouleur ... \restorecouleur
savecounter	\savecounter [...]
savecurrentattributes	\savecurrentattributes {...}
savenormalmeaning	\savenormalmeaning \...
savetaggedtwopassdata	\savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata	\savetwopassdata {...} {...} {...}
sbox	\sbox {...}
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments	\secondoffourarguments {...} {...} {...} {...}
secondofsixarguments	\secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments	\secondofthreearguments {...} {...} {...}
secondofthreeunexpanded	\secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments	\secondoftwoarguments {...} {...}
secondoftwounexpanded	\secondoftwounexpanded {...} {...}

section:instance	\SECTION [...] {...}
section:instance:assignment	\SECTION [..=..]
section:instance:assignment:chapter	\chapter [..=..]
section:instance:assignment:part	\part [..=..]
section:instance:assignment:section	\section [..=..]
section:instance:assignment:subject	\subject [..=..]
section:instance:assignment:subsection	\subsection [..=..]
section:instance:assignment:subsubject	\subsubject [..=..]
section:instance:assignment:subsubsection	\subsubsection [..=..]
section:instance:assignment:subsubsubject	\subsubsubject [..=..]
section:instance:assignment:subsubsubsection	\subsubsubsection [..=..]
section:instance:assignment:subsubsubsubject	\subsubsubsubject [..=..]
section:instance:assignment:subsubsubsubsection	\subsubsubsubsection [..=..]
section:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [..=..]
section:instance:assignment:title	\title [..=..]
section:instance:chapter	\chapter [...] {...}
section:instance:ownnumber	\SECTION [...] {...} {...}
section:instance:ownnumber:chapter	\chapter [...] {...} {...}
section:instance:ownnumber:part	\part [...] {...} {...}
section:instance:ownnumber:section	\section [...] {...} {...}
section:instance:ownnumber:subject	\subject [...] {...} {...}
section:instance:ownnumber:subsection	\subsection [...] {...} {...}
section:instance:ownnumber:subsubject	\subsubject [...] {...} {...}
section:instance:ownnumber:subsubsection	\subsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubject	\subsubsubject [...] {...} {...}
section:instance:ownnumber:subsubsubsection	\subsubsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubsubject	\subsubsubsubject [...] {...} {...}
section:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [...] {...} {...}
section:instance:ownnumber:title	\title [...] {...} {...}
section:instance:part	\part [...] {...}
section:instance:section	\section [...] {...}
section:instance:subject	\subject [...] {...}
section:instance:subsection	\subsection [...] {...}
section:instance:subsubject	\subsubject [...] {...}
section:instance:subsubsection	\subsubsection [...] {...}
section:instance:subsubsubject	\subsubsubject [...] {...}
section:instance:subsubsubsection	\subsubsubsection [...] {...}
section:instance:subsubsubsubject	\subsubsubsubject [...] {...}
section:instance:subsubsubsubsection	\subsubsubsubsection [...] {...}
section:instance:subsubsubsubsubject	\subsubsubsubsubject [...] {...}
section:instance:title	\title [...] {...}
seeregister:instance	\voitREGISTER [...] {...+...+...} {...}
seeregister:instance:index	\voitindex [...] {...+...+...} {...}
select	\select [...] {...} {...} {...} {...} {...}
selectionneblocs	\selectionneblocs [...] <sup>OPT</sup> [...] <sup>OPT</sup> [...] <sup>OPT</sup> <sup>OPT</sup>
separeflottant	\separeflottant [..=..] {...} {...}
serializecommalist	\serializecommalist [...]
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {...}
setbar	\setbar [...]
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx ... {...}
setboxlly	\setboxlly ... {...}
setbreakpoints	\setbreakpoints [...]
setbuffer	\setbuffer [...] ... \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \...
setcharacteralign	\setcharacteralign [...] {...}
setcharacteraligndetail	\setcharacteraligndetail [...] {...} {...} {...} {...}
setcharactercasing	\setcharactercasing [...]
setcharactercleaning	\setcharactercleaning [...]
setcharacterkerning	\setcharacterkerning [...]
setcharacterspacing	\setcharacterspacing [...]
setcharacterstripping	\setcharacterstripping [...]
setcharstrut	\setcharstrut {...}
setcollector	\setcollector [...] [..=..] {...}
setcolormodell	\setcolormodell [...]
setcounter	\setcounter [...] [...] [...]

setcounterown	\setcounterown [...] [...] [...]
setcurrentfontclass	\setcurrentfontclass {...}
setdataset	\setdataset [...] [...] [...=..]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation [...]
setdirection	\setdirection [...]
setdocumentargument	\setdocumentargument {...} {...}
setdocumentargumentdefault	\setdocumentargumentdefault {...} {...}
setdocumentfilename	\setdocumentfilename {...} {...}
setdummyparameter	\setdummyparameter {...} {...}
setelementexporttag	\setelementexporttag [...] [...] [...]
setemeasure	\setemeasure {...} {...}
setevalue	\setevalue {...} {...}
setevariable	\setevariable {...} {...} {...}
setevariables	\setevariables [...] [...=..]
setfirstline	\setfirstline [...]
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {...}
setfont	\setfont ...
setfontcolorscheme	\setfontcolorscheme [...]
setfontfeature	\setfontfeature {...}
setfontsolution	\setfontsolution [...]
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript [...]
setgmeasure	\setgmeasure {...} {...}
setgvalue	\setgvalue {...} {...}
setgvariable	\setgvariable {...} {...} {...}
setgvariables	\setgvariables [...] [...=..]
sethboxregister	\sethboxregister ...{...}
sethyphenatedurlafter	\sethyphenatedurlafter {...}
sethyphenatedurlbefore	\sethyphenatedurlbefore {...}
sethyphenatedurlnormal	\sethyphenatedurlnormal {...}
sethyphenationfeatures	\sethyphenationfeatures [...]
setinitial	\setinitial [...] [...=..]
setinjector	\setinjector [...] [...] [...]
setinteraction	\setinteraction [...]
setinterfacecommand	\setinterfacecommand {...} {...}
setinterfaceconstant	\setinterfaceconstant {...} {...}
setinterfaceelement	\setinterfaceelement {...} {...}
setinterfacemessage	\setinterfacemessage {...} {...} {...}
setinterfacevariable	\setinterfacevariable {...} {...}
setinternalrendering	\setinternalrendering [...] [...] {...}
setitaliccorrection	\setitaliccorrection [...]
setJSreamble	\setJSreamble {...} {...}
setlayer	\setlayer [...] [...] [...=..] {...}
setlayerframed	\setlayerframed [...] [...=..] [...=..] {...}
setlayerframed:combination	\setlayerframed [...] [...=..] {...}
setlayertext	\setlayertext [...] [...=..] [...=..] {...}
setlinefiller	\setlinefiller [...]
setlocalhsize	\setlocalhsize [...]
setlocalscript	\setlocalscript [...]
setMPlayer	\setMPlayer [...] [...] [...=..] {...}
setMPpositiongraphic	\setMPpositiongraphic {...} {...} {...=..}
setMPpositiongraphicrange	\setMPpositiongraphicrange {...} {...} {...} {...=..}
setMPtext	\setMPtext {...} {...}
setMPvariable	\setMPvariable [...] [...=..]
setMPvariables	\setMPvariables [...] [...=..]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder [...]
setmarker	\setmarker [...] [...]
setmarking	\setmarking [...] {...}
setmathstyle	\setmathstyle {...}
setmeasure	\setmeasure {...} {...}
setmessagetext	\setmessagetext {...} {...}
setmode	\setmode {...}
setnostrut	\setnostrut
setnote	\setnote [...] [...] {...}
setnotetext	\setnotetext [...] [...] {...}
setnotetext:assignment	\setnotetext [...] [...=..]
setnote:assignment	\setnote [...] [...=..]
setobject	\setobject {...} {...} \... {...}
setoldstyle	\setoldstyle



setpagereference	\setpagereference {...} {...}
setpagestate	\setpagestate [...] [...]
setpagestaterealpageno	\setpagestaterealpageno {...} {...}
setpenalties	\setpenalties \... {...} {...}
setpercentdimen	\setpercentdimen {...} {...}
setperiodkerning	\setperiodkerning [...]
setposition	\setposition {...}
setpositionbox	\setpositionbox {...} \... {...}
setpositiondata	\setpositiondata {...} {...} {...} {...}
setpositiondataplus	\setpositiondataplus {...} {...} {...} {...} {...}
setpositiononly	\setpositiononly {...}
setpositionplus	\setpositionplus {...} {...} \... {...}
setpositionstrut	\setpositionstrut {...}
setprofile	\setprofile [...]
setrandomseed	\setrandomseed {...}
setreference	\setreference [...] [..=..]
setreferencedobject	\setreferencedobject {...} {...} \... {...}
setregisterentry	\setregisterentry [...] [..=..] [..=..]
setreplacement	\setreplacement [...]
setrigidcolumnbalance	\setrigidcolumnbalance ...
setrigidcolumnhsize	\setrigidcolumnhsize {...} {...} {...}
setscript	\setscript [...]
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [...] [..=..]
setsimplecolumnhsize	\setsimplecolumnhsize [..=..]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {...} {...} {...}
setstructurepageregister	\setstructurepageregister [...] [..=..] [..=..]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {...}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [..=..]
settestcrlf	\settestcrlf
settext	\settext [...] [...] [...] [...] [...]
settightobject	\settightobject {...} {...} \... {...}
settightreferencedobject	\settightreferencedobject {...} {...} \... {...}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {...} {...} \... {...}
settokenlist	\settokenlist [...] {...}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {...} {...}
setugvalue	\setugvalue {...} {...}
setunreferencedobject	\setunreferencedobject {...} {...} \... {...}
setupalternativestyles	\setupalternativestyles [..=..]
setupattachment	\setupattachment [...] [..=..]
setupattachments	\setupattachments [...] [..=..]
setupbackend	\setupbackend [..=..]
setupbar	\setupbar [...] [..=..]
setupbars	\setupbars [...] [..=..]
setupbleeding	\setupbleeding [..=..]
setupbookmark	\setupbookmark [..=..]
setupbtx	\setupbtx [...] [..=..]
setupbtxdataset	\setupbtxdataset [...] [..=..]
setupbtxlist	\setupbtxlist [...] [..=..]
setupbtxregister	\setupbtxregister [...] [..=..]
setupbtxrendering	\setupbtxrendering [...] [..=..]
setupbtx:name	\setupbtx [...]
setupbutton	\setupbutton [...] [..=..]
setupcharacteralign	\setupcharacteralign [..=..]
setupcharacterkerning	\setupcharacterkerning [...] [..=..]
setupcharacterspacing	\setupcharacterspacing [...] [...] [..=..]
setupchemical	\setupchemical [...] [..=..]
setupchemicalframed	\setupchemicalframed [...] [..=..]
setupcollector	\setupcollector [...] [..=..]
setupcolumnsetarea	\setupcolumnsetarea [...] [..=..]
setupcolumnsetareatext	\setupcolumnsetareatext [...] [...]
setupcolumnsetlines	\setupcolumnsetlines [...] [...] [...] [...]
setupcolumnsetspan	\setupcolumnsetspan [...] [..=..]
setupcolumnsetstart	\setupcolumnsetstart [...] [...] [...] [...]
setupcombination	\setupcombination [...] [..=..]

setupcounter	\setupcounter [...] [..=..]
setupdataset	\setupdataset [...] [..=..]
setupdelimitedtext	\setupdelimitedtext [...] [..=..]
setupdescription	\setupdescription [...] [..=..]
setupdirections	\setupdirections [..=..]
setupdocument	\setupdocument [..=..]
setupeffect	\setupeffect [...] [..=..]
setupenumeration	\setupenumeration [...] [..=..]
setupenv	\setupenv [..=..]
setupexport	\setupexport [..=..]
setupexternalfigure	\setupexternalfigure [...] [..=..]
setupexternalsoundtracks	\setupexternalsoundtracks [..=..]
setupfacingfloat	\setupfacingfloat [...] [..=..]
setupfieldbody	\setupfieldbody [...] [..=..]
setupfieldcategory	\setupfieldcategory [...] [..=..]
setupfieldcontentframed	\setupfieldcontentframed [...] [..=..]
setupfieldlabelframed	\setupfieldlabelframed [...] [..=..]
setupfieldtotalframed	\setupfieldtotalframed [...] [..=..]
setupfiller	\setupfiller [...] [..=..]
setupfirstline	\setupfirstline [...] [..=..]
setupfittingpage	\setupfittingpage [...] [..=..]
setupfloatframed	\setupfloatframed [...] [..=..]
setupfontexpansion	\setupfontexpansion [...] [..=..]
setupfontprotrusion	\setupfontprotrusion [...] [..=..]
setupfonts	\setupfonts [..=..]
setupfontsolution	\setupfontsolution [...] [..=..]
setupformula	\setupformula [...] [..=..]
setupformulaframed	\setupformulaframed [...] [..=..]
setupframedcontent	\setupframedcontent [...] [..=..]
setupframedtable	\setupframedtable [...] [..=..]
setupframedtablecolumn	\setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow	\setupframedtablerow [...] [...] [..=..]
setupframedtext	\setupframedtext [...] [..=..]
setupframedtexts	\setupframedtexts [...] [..=..]
setupglobalreferenceprefix	\setupglobalreferenceprefix [...]
setupheadalternative	\setupheadalternative [...] [..=..]
setuphelp	\setuphelp [...] [..=..]
setuphigh	\setuphigh [...] [..=..]
setuphighlight	\setuphighlight [...] [..=..]
setuphyphenation	\setuphyphenation [..=..]
setupindentedtext	\setupindentedtext [...] [..=..]
setupinitial	\setupinitial [...] [..=..]
setupinsertion	\setupinsertion [...] [..=..]
setupitaliccorrection	\setupitaliccorrection [...]
setupitemgroup	\setupitemgroup [...] [...] [...] [..=..]
setupitemgroup:assignment	\setupitemgroup [...] [..=..]
setupitemgroup:instance	\regleITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize	\regleitemize [...] [...] [..=..]
setuplabel	\setuplabel [...] [..=..]
setupplayer	\setupplayer [...] [..=..]
setupplayeredtext	\setupplayeredtext [...] [..=..]
setuplayouttext	\setuplayouttext [...] [...] [..=..]
setuplinefiller	\setuplinefiller [...] [..=..]
setuplinefillers	\setuplinefillers [...] [..=..]
setuplinenote	\setuplinenote [...] [..=..]
setuplinetable	\setuplinetable [...] [...] [..=..]
setuplistalternative	\setuplistalternative [...] [..=..]
setuplistextra	\setuplistextra [...] [..=..]
setuplocalfloats	\setuplocalfloats [..=..]
setuplocalinterlinespace	\setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument	\setuplocalinterlinespace [...]
setuplocalinterlinespace:name	\setuplocalinterlinespace [...]
setuplow	\setuplow [...] [..=..]
setuplowhigh	\setuplowhigh [...] [..=..]
setuplowmidhigh	\setuplowmidhigh [...] [..=..]
setupMPgraphics	\setupMPgraphics [..=..]
setupMPinstance	\setupMPinstance [...] [..=..]
setupMPpage	\setupMPpage [..=..]
setupMPvariables	\setupMPvariables [...] [..=..]
setupmarginblock	\setupmarginblock [...] [..=..]
setupmargindata	\setupmargindata [...] [..=..]
setupmarginframed	\setupmarginframed [...] [..=..]

setupmarginrule	\setupmarginrule [...] [..=..]
setupmathalignment	\setupmathalignment [...] [..=..]
setupmathcases	\setupmathcases [...] [..=..]
setupmathematics	\setupmathematics [...] [..=..]
setupmathfence	\setupmathfence [...] [..=..]
setupmathfraction	\setupmathfraction [...] [..=..]
setupmathfractions	\setupmathfractions [...] [..=..]
setupmathframed	\setupmathframed [...] [..=..]
setupmathmatrix	\setupmathmatrix [...] [..=..]
setupmathornament	\setupmathornament [...] [..=..]
setupmathradical	\setupmathradical [...] [..=..]
setupmathstackers	\setupmathstackers [...] [..=..]
setupmathstyle	\setupmathstyle [...]
setupmixedcolumns	\setupmixedcolumns [...] [..=..]
setupmodule	\setupmodule [...] [..=..]
setupnotation	\setupnotation [...] [..=..]
setupnotations	\setupnotations [...] [..=..]
setupnote	\setupnote [...] [..=..]
setupnotes	\setupnotes [...] [..=..]
setupoffset	\setupoffset [..=..]
setupoffsetbox	\setupoffsetbox [..=..]
setupoutputroutine	\setupoutputroutine [...] [..=..]
setupoutputroutine:name	\setupoutputroutine [...]
setuppagechecker	\setuppagechecker [...] [..=..]
setuppagecolumns	\setuppagecolumns [...] [..=..]
setuppageinjection	\setuppageinjection [...] [..=..]
setuppageinjectionalternative	\setuppageinjectionalternative [...] [..=..]
setuppageshift	\setuppageshift [...] [...] [...]
setuppagestate	\setuppagestate [...] [..=..]
setuppairedbox	\setuppairedbox [...] [..=..]
setuppairedbox:instance	\reglePAIREDBOX [..=..]
setuppairedbox:instance:legend	\reglelegend [..=..]
setupparagraph	\setupparagraph [...] [..=..]
setupparagraphintro	\setupparagraphintro [...] [...]
setupparallel	\setupparallel [...] [...] [..=..]
setupperiodkerning	\setupperiodkerning [...] [..=..]
setupperiods	\setupperiods [..=..]
setupplacement	\setupplacement [...] [..=..]
setuppositionbar	\setuppositionbar [..=..]
setupprocessor	\setupprocessor [...] [..=..]
setupprofile	\setupprofile [...] [..=..]
setupquotation	\setupquotation [..=..]
setuprealpagenumber	\setuprealpagenumber [..=..]
setupreferenceformat	\setupreferenceformat [...] [..=..]
setupreferenceprefix	\setupreferenceprefix [...]
setupreferencestructureprefix	\setupreferencestructureprefix [...] [...] [..=..]
setupregisters	\setupregisters [...] [..=..]
setupregisters:argument	\setupregisters [...] [...] [..=..]
setuprenderingwindow	\setuprenderingwindow [...] [..=..]
setupruby	\setupruby [...] [..=..]
setups	\setups [...]
setupscale	\setupscale [...] [..=..]
setupscript	\setupscript [...] [..=..]
setupscripts	\setupscripts [...] [..=..]
setupselector	\setupselector [...] [..=..]
setupshift	\setupshift [...] [..=..]
setupsidebar	\setupsidebar [...] [..=..]
setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstruts	\setupstruts [...]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsymbols	\setupsymbols [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptabulation	\setuptabulation [...] [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]

setuptextnote	\setuptextnote [...] [..=..]
setuptooltip	\setuptooltip [...] [..=..]
setupunit	\setupunit [...] [..=..]
setupuserdata	\setupuserdata [...] [..=..]
setupuserdataalternative	\setupuserdataalternative [...] [..=..]
setupuserpagenumber	\setupuserpagenumber [..=..]
setupversion	\setupversion [...]
setupviewerlayer	\setupviewerlayer [..=..]
setupvspacing	\setupvspacing [...]
setupwithargument	\setupwithargument {...} {...}
setupwithargumentswapped	\setupwithargumentswapped {...} {...}
setupxml	\setupxml [..=..]
setupxtable	\setupxtable [...] [..=..]
setuvalue	\setuvalue {...} {...}
setuxvalue	\setuxvalue {...} {...}
setvalue	\setvalue {...} {...}
setvariable	\setvariable {...} {...} {...}
setvariables	\setvariables [...] [..=..]
setvboxregister	\setvboxregister ... {...}
setvisualizerfont	\setvisualizerfont [...]
setvtopregister	\setvtopregister ... {...}
setwidthof	\setwidthof ... \to ...
setxmeasure	\setxmeasure {...} {...}
setxvalue	\setxvalue {...} {...}
setxvariable	\setxvariable {...} {...} {...}
setxvariables	\setxvariables [...] [..=..]
shapedhbox	\shapedhbox {...}
shiftbox	\shiftbox {...}
shift:instance	\SHIFT {...}
shift:instance:shiftdown	\shiftdown {...}
shift:instance:shiftup	\shiftup {...}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument	\showbtxdatasetauthors [...]
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness [...]
showbtxdatasetfields	\showbtxdatasetfields [..=..]
showbtxdatasetfields:argument	\showbtxdatasetfields [...]
showbtxfields	\showbtxfields [..=..]
showbtxfields:argument	\showbtxfields [...]
showbtxhashedauthors	\showbtxhashedauthors [...]
showbtxtables	\showbtxtables [...]
showchardata	\showchardata {...}
showcharratio	\showcharratio {...}
showcolorbar	\showcolorbar [...]
showcolorcomponents	\showcolorcomponents [...]
showcolorset	\showcolorset [...]
showcolorstruts	\showcolorstruts
showcounter	\showcounter [...]
showdirectives	\showdirectives
showdirsmargin	\showdirsmargin
showdebuginfo	\showdebuginfo
showexperiments	\showexperiments
showfont	\showfont [...] [...]
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip [...]
showfontstyle	\showfontstyle [...] [...] [...] [...]
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {...} [...]
showhyphenationtrace	\showhyphenationtrace [...] [...]
showhyphens	\showhyphens {...}
showinjector	\showinjector [...]
showjustification	\showjustification
showkerning	\showkerning {...}

showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {...}
showligatures	\showligatures [...]
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {...} {...} {...}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox ... {...}
showotfcomposition	\showotfcomposition {...} {...} {...}
showparentchain	\showparentchain ... {...}
showsetupsdefinition	\showsetupsdefinition [...]
showtimer	\showtimer {...}
showtokens	\showtokens [...]
showtrackers	\showtrackers
showvalue	\showvalue {...}
showvariable	\showvariable {...} {...}
showwarning	\showwarning {...} {...} {...}
signalrightpage	\signalrightpage
simplealignedbox	\simplealignedbox {...} {...} {...}
simplealignedboxplus	\simplealignedboxplus {...} {...} {...} {...}
simplealignedspreadbox	\simplealignedspreadbox {...} {...} {...}
simplegroupedcommand	\simplegroupedcommand {...} {...}
simplereversealignedbox	\simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus	\simplereversealignedboxplus {...} {...} {...} {...}
singalcharacteralign	\singalcharacteralign {...} {...}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments {...} {...} {...} {...} {...} {...}
slantedface	\slantedface
slicepages	\slicepages [...] [..=.] [..=.]
slovenianNumerals	\slovenianNumerals {...}
sloveniannumerals	\sloveniannumerals {...}
smallcappedcharacters	\smallcappedcharacters {...}
smallcappedromannumerals	\smallcappedromannumerals {...}
smaller	\smaller
smallskip	\smallskip
smash	\smash [...] {...}
smashbox	\smashbox ...
smashboxed	\smashboxed ...
smashedhbox	\smashedhbox ... {...}
smashedvbox	\smashedvbox ... {...}
snaptogrid	\snaptogrid [...] \... {...}
snaptogrid:list	\snaptogrid [...] \... {...}
someheadnumber	\someheadnumber [...] [...]
somekindoftab	\somekindoftab [..=.]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {...} {...}
someplace	\someplace {...} {...} {...} {...} {...} [...]
sorting:instance	\SORTING [...] {...}
sorting:instance:logo	\logo [...] {...}
sousnumeropage	\sousnumeropage
souspagesuivante	\souspagesuivante
spaceddigits	\spaceddigits {...}
spaceddigitismethod	\spaceddigitismethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {...}
spanishnumerals	\spanishnumerals {...}
splitatasterisk	\splitatasterisk ... \... \...
splitatcolon	\splitatcolon ... \... \...
splitatcolons	\splitatcolons ... \... \...
splitatcomma	\splitatcomma ... \... \...
splitatperiod	\splitatperiod ... \... \...
splitddfrac	\splitddfrac {...} {...}
splitfilename	\splitfilename {...}
splitfrac	\splitfrac {...} {...}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens ... \from ... \to \...

splitofftype	\splitofftype
splitstring	\splitstring ... \at ... \to \... \and \...
spreadhbox	\spreadhbox ...
sqrtd	\sqrt [...] {...}
stackrel	\stackrel {...} {...}
stackscripts	\stackscripts
startlinenote:instance	\demarreLINENOTE [...] {...}
startlinenote:instance:linenote	\demarrelinenote [...] {...}
startregister	\startregister [...] [...] [...] [...] {..+...+..} ... \stopregister [..]
startstop:example	\STARTSTOP {...}
startstructurepageregister	\startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstructur...
stoplinenote:instance	\stoppeLINENOTE [...]
stoplinenote:instance:linenote	\stoppelinenote [...]
stoppeline	\stoppeline [...]
strictdoifelsenextoptional	\strictdoifelsenextoptional {...} {...}
strictdoifnnextoptionalelse	\strictdoifnnextoptionalelse {...} {...}
stripcharacter	\stripcharacter ... \from ... \to \...
strippedcsname	\strippedcsname \...
strippedcsname:string	\strippedcsname ...
stripspaces	\stripspaces \from ... \to \...
structurelistuservariable	\structurelistuservariable {...}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {...}
structurevariable	\structurevariable {...}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {...}
strutwd	\strutwd
style	\style [..=..] {...}
styleinstance	\styleinstance [...]
style:argument	\style [...] {...}
style:instance	\STYLE {...}
subsentence	\subsentence {...}
substituteincommalist	\substituteincommalist {...} {...} \...
subtractfeature	\subtractfeature [...]
subtractfeature:direct	\subtractfeature {...}
suggestion:instance	\TOOLTIP [..=..] {...} {...}
suggestion:instance:argument	\TOOLTIP [...] {...} {...}
suggestion:instance:argument:tooltip	\tooltip [...] {...} {...}
suggestion:instance:tooltip	\tooltip [..=..] {...} {...}
swapcounts	\swapcounts \... \...
swapdimens	\swapdimens \... \...
swapface	\swapface
swapmacros	\swapmacros \... \...
swaptypesface	\swaptypesface
switchstyleonly	\switchstyleonly [...]
switchstyleonly:command	\switchstyleonly \...
switchtocolor	\switchtocolor [...]
switchtointerlinespace	\switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument	\switchtointerlinespace [...]
switchtointerlinespace:name	\switchtointerlinespace [...]
symbole	\symbole [...] [...]
symbole:direct	\symbole {...}
symbolreference	\symbolreference [...]
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [...] [...] [...]
synchronizeoutputstreams	\synchronizeoutputstreams [...]
synchronizestrut	\synchronizestrut {...}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {...}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {...}
synonym:instance	\SYNONYM [...] {...} {...}
synonym:instance:abbreviation	\abbreviation [...] {...} {...}
systemlog	\systemlog {...} {...} {...}
systemlogfirst	\systemlogfirst {...} {...} {...}
systemloglast	\systemloglast {...} {...} {...}

systemsetups	\systemsetups {...}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {...}
taggedlabeltexts	\taggedlabeltexts {...} {...} {...}
tapebuffer	\tapebuffer [...] [..=..]
tapebuffer:instance	\dactylographierBUFFER [..=..]
tbox	\tbox {...}
testandsplitstring	\testandsplitstring ... \at ... \to \... \and \...
testcolumn	\testcolumn [...] [...]
testfeature	\testfeature {...} {...}
testfeatureonce	\testfeatureonce {...} {...}
testpage	\testpage [...] [...]
testpageonly	\testpageonly [...] [...]
testpagesync	\testpagesync [...] [...]
testtokens	\testtokens [...]
tex	\tex {...}
texdefinition	\texdefinition {...}
texsetup	\texsetup {...}
textbackground:example	\TEXTBACKGROUND {...}
textcitation	\textcitation [..=..] [...]
textcitation:alternative	\textcitation [...] [...]
textcitation:userdata	\textcitation [..=..] [..=..]
textcite	\textcite [..=..] [...]
textcite:alternative	\textcite [...] [...]
textcite:userdata	\textcite [..=..] [..=..]
textcontrolspace	\textcontrolspace
texteaide	\texteaide [...] {...} {...}
texteencadre:instance	\FRAMEDTEXT [..=..] {...}
texteencadre:instance:framedtext	\framedtext [..=..] {...}
textenotepdp	\textenotepdp [...] {...}
textenotepdp:assignment	\textenotepdp [..=..]
textflowcollector	\textflowcollector {...}
textmath	\textmath {...}
textminus	\textminus
textnote	\textnote [..=..] {...}
textormathchar	\textormathchar {...}
textormathchars	\textormathchars {...}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {...}
thefirstcharacter	\thefirstcharacter {...}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {...}
theremainingcharacters	\theremainingcharacters {...}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {...} {...} {...} {...} {...}
thirdoffourarguments	\thirdoffourarguments {...} {...} {...} {...}
thirdofsixarguments	\thirdofsixarguments {...} {...} {...} {...} {...} {...}
thirdofthreearguments	\thirdofthreearguments {...} {...} {...}
thirdofthreeunexpanded	\thirdofthreeunexpanded {...} {...} {...}
threedigitrounding	\threedigitrounding {...}
tibetannumerals	\tibetannumerals {...}
tightlayer	\tightlayer [...]
tilde	\tilde {...}
tinyfont	\tinyfont
tlap	\tlap {...}
tochar	\tochar {...}
tolinenote	\tolinenote [...]
topbox	\topbox {...}
toleftbox	\toleftbox {...}
toplinebox	\toplinebox {...}
toprightbox	\toprightbox {...}
topskippedbox	\topskippedbox {...}

tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {...}
traceoutputtroutines	\traceoutputtroutines
tracepositions	\tracepositions
traduire	\traduire [..=..]
traiteblocs	\traiteblocs [...] [...] [..=..]
traitfin	\traitfin
traitsfins	\traitsfins [..=..]
transparencycomponents	\transparencycomponents {...}
transparent	\transparent [...] {...}
triplebond	\triplebond
truefilename	\truefilename {...}
truefontname	\truefontname {...}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {...}
tx	\tx
txx	\txx
typ	\typ [..=..] {...}
typedefinedbuffer	\typedefinedbuffer [...] [..=..]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [...] [..=..]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {...}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [...] [..=..]
typesetfile	\typesetfile [...] [...] [..=..]
typ:angles	\typ [..=..] <<...>>
uconvertnumber	\uconvertnumber {...} {...}
uedcatcodecommand	\uedcatcodecommand \... ... {...}
undefinevalue	\undefinevalue {...}
undepthed	\undepthed {...}
underset	\underset {...} {...}
undoassign	\undoassign [...] [..=..]
uneligne	\uneligne [...]
unexpandeddocumentvariable	\unexpandeddocumentvariable {...}
unhhbox	\unhhbox ... \with {...}
unihex	\unihex {...}
uniqueMPgraphic	\uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic	\uniqueMPpagegraphic {...} {..=..}
unite:instance	\UNIT {...}
unite:instance:unit	\unit {...}
unprotect	\unprotect ... \protect
unprotected	\unprotected ... \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [...] [...]
unspaceafter	\unspaceafter \... {...}
unspaceargument	\unspaceargument ... \to \...
unspaced	\unspaced {...}
unspacestring	\unspacestring ... \to \...
unstackscripts	\unstackscripts
untexargument	\untexargument {...} \to \...
untexcommand	\untexcommand {...} \to \...
uppercased	\uppercased {...}
uppercasestring	\uppercasestring ... \to \...
upperlefthdoubleninequote	\upperlefthdoubleninequote
upperlefthdoublesixquote	\upperlefthdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url [...]
usealignparameter	\usealignparameter \...
useblankparameter	\useblankparameter \...
usebodyfont	\usebodyfont [...]
usebodyfontparameter	\usebodyfontparameter \...
usebtxdataset	\usebtxdataset [...] [...] [..=..]
usebtxdefinitions	\usebtxdefinitions [...]
usecitation	\usecitation [...]
usecitation:direct	\usecitation {...}
usecolors	\usecolors [...]



usecomponent	\usecomponent [...]
usedummycolorparameter	\usedummycolorparameter {...}
usedummystyleandcolor	\usedummystyleandcolor {...} {...}
usedummystyleparameter	\usedummystyleparameter {...}
useenvironment	\useenvironment [...]
useexternalrendering	\useexternalrendering [...] [...] [...] [...]
usefigurebase	\usefigurebase [...]
usefile	\usefile [...] [...] [...]
usegridparameter	\usegridparameter \...
useindentingparameter	\useindentingparameter \...
useindentnextparameter	\useindentnextparameter \...
useinterlinespaceparameter	\useinterlinespaceparameter \...
uselanguageparameter	\uselanguageparameter \...
useluamodule	\useluamodule [...]
useMPenvironmentbuffer	\useMPenvironmentbuffer [...]
useMPgraphic	\useMPgraphic {...} {..=..}
useMPlibrary	\useMPlibrary [...]
useMPrun	\useMPrun {...} {...}
useMPvariables	\useMPvariables [...] [...]
usemathstyleparameter	\usemathstyleparameter \...
useproduct	\useproduct [...]
useprofileparameter	\useprofileparameter \...
useproject	\useproject [...]
userreferenceparameter	\userreferenceparameter \...
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \...
usestaticMPfigure	\usestaticMPfigure [..=..] [...]
usesubpath	\usesubpath [...]
usetexmodule	\usetexmodule [...] [...] [..=..]
usetypescript	\usetypescript [...] [...] [...]
usetypescriptfile	\usetypescriptfile [...]
usezipfile	\usezipfile [...] [...]
utfchar	\utfchar {...}
utflower	\utflower {...}
utfupper	\utfupper {...}
utiliseblobs	\utiliseblobs [...] [...] [..=..]
utilisechemin	\utilisechemin [...]
utilisedocumentexterne	\utilisedocumentexterne [...] [...] [...]
utilisefigureexterne	\utilisefigureexterne [...] [...] [...] [..=..]
utiliseJSscripts	\utiliseJSscripts [...] [...]
utilisemodule	\utilisemodule [...] [...] [..=..]
utilisepsiteaudioexterne	\utilisepsiteaudioexterne [...] [...]
utilisesymboles	\utilisesymboles [...]
utiliseURL	\utiliseURL [...] [...] [...] [...]
utiliseurl	\utiliseurl [...] [...] [...] [...]
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {...}
va	\va {...} [...]
vaalaboite	\vaalaboite {...} [...]
vaalapage	\vaalapage {...} [...]
vaenbas	\vaenbas [...]
valeurcouleur	\valeurcouleur {...}
vboxreference	\vboxreference [...] {...}
vec	\vec {...}
verbatim	\verbatim {...}
verbatimstring	\verbatimstring {...}
verbosenum	\verbosenum {...}
version	\version [...]
verticalgrowingbar	\verticalgrowingbar [..=..]
verticalpositionbar	\verticalpositionbar [..=..]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue ...
vide	\vide [...]
viewerlayer	\viewerlayer [...] {...}
v1	\v1 [...]
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {...}
vpos	\vpos {...} {...}
vsmash	\vsmash {...}

vsmashbox	\vsmashbox ...
vsmashed	\vsmashed {...}
vspace	\vspace [...] [...]
vspacing	\vspacing [...]
WidthSpanningText	\WidthSpanningText {...} {...} {...}
wdofstring	\wdofstring {...}
widthofstring	\widthofstring {...}
widthspanningtext	\widthspanningtext {...} {...} {...}
withoutpt	\withoutpt {...}
words	\words {...}
wordtonumber	\wordtonumber {...} {...}
writedatatolist	\writedatatolist [...] [...=..] [...=..]
writestatus	\writestatus {...} {...}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \... {...}
xmladdindex	\xmladdindex {...}
xmlafterdocumentsetup	\xmlafterdocumentsetup {...} {...} {...}
xmlafterssetup	\xmlafterssetup {...} {...}
xmlall	\xmlall {...} {...}
xmlappenddocumentsetup	\xmlappenddocumentsetup {...} {...}
xmlappendsetup	\xmlappendsetup {...}
xmlapplyselectors	\xmlapplyselectors {...}
xmlatt	\xmlatt {...} {...}
xmlattdef	\xmlattdef {...} {...} {...}
xmlattribute	\xmlattribute {...} {...} {...}
xmlattributedef	\xmlattributedef {...} {...} {...} {...}
xmlbadinclusions	\xmlbadinclusions {...}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup	\xmlbeforesetup {...} {...}
xmlchainatt	\xmlchainatt {...} {...}
xmlchainattdef	\xmlchainattdef {...} {...} {...}
xmlchecknamespace	\xmlchecknamespace {...} {...}
xmlcommand	\xmlcommand {...} {...} {...}
xmlconcat	\xmlconcat {...} {...} {...}
xmlconcatrange	\xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext	\xmlcontext {...} {...}
xmlcount	\xmlcount {...}
xmldefaulttotext	\xmldefaulttotext {...}
xmldirectives	\xmldirectives {...}
xmldirectivesafter	\xmldirectivesafter {...}
xmldirectivesbefore	\xmldirectivesbefore {...}
xmldisplayverbatim	\xmldisplayverbatim {...}
xmldoif	\xmldoif {...} {...} {...}
xmldoifatt	\xmldoifatt {...} {...}
xmldoifelse	\xmldoifelse {...} {...} {...} {...}
xmldoifelseatt	\xmldoifelseatt {...} {...} {...}
xmldoifelseempty	\xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty	\xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext	\xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue	\xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot	\xmldoifnot {...} {...} {...}
xmldoifnotatt	\xmldoifnotatt {...} {...}
xmldoifnotselfempty	\xmldoifnotselfempty {...} {...}
xmldoifnottext	\xmldoifnottext {...} {...} {...}
xmldoifselfempty	\xmldoifselfempty {...} {...}
xmldoiftext	\xmldoiftext {...} {...} {...}
xmlelement	\xmlelement {...} {...}
xmlfilter	\xmlfilter {...} {...}
xmlfirst	\xmlfirst {...} {...}
xmlflush	\xmlflush {...}
xmlflushcontext	\xmlflushcontext {...}
xmlflushdocumentsetups	\xmlflushdocumentsetups {...} {...}
xmlflushlinewise	\xmlflushlinewise {...}
xmlflushpure	\xmlflushpure {...}
xmlflushspacewise	\xmlflushspacewise {...}
xmlflushtext	\xmlflushtext {...}
xmlinclude	\xmlinclude {...} {...} {...}
xmlinclusion	\xmlinclusion {...}
xmlinclusions	\xmlinclusions {...}
xmlinfo	\xmlinfo {...}
xmlinjector	\xmlinjector {...}

xmlinlineprettyprint	\xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim	\xmlinlineverbatim {...}
xmlinstalldirective	\xmlinstalldirective {...} {...}
xmllast	\xmllast {...} {...}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {...} {...} {...}
xmlloaddata	\xmlloaddata {...} {...} {...}
xmlloaddirectives	\xmlloaddirectives {...}
xmlloadfile	\xmlloadfile {...} {...} {...}
xmlloadonly	\xmlloadonly {...} {...} {...}
xmlmain	\xmlmain {...}
xmlmapvalue	\xmlmapvalue {...} {...} {...}
xmlname	\xmlname {...}
xmlnamespace	\xmlnamespace {...}
xmlnonamespace	\xmlnonamespace {...} {...}
xmlpar	\xmlpar {...} {...}
xmlparam	\xmlparam {...} {...} {...}
xmlpath	\xmlpath {...}
xmlpos	\xmlpos {...}
xmlposition	\xmlposition {...} {...} {...}
xmlprependdocumentsetup	\xmlprependdocumentsetup {...} {...}
xmlprependsetup	\xmlprependsetup {...}
xmlprettyprint	\xmlprettyprint {...} {...}
xmlprettyprinttext	\xmlprettyprinttext {...} {...}
xmlprocessbuffer	\xmlprocessbuffer {...} {...} {...}
xmlprocessdata	\xmlprocessdata {...} {...} {...}
xmlprocessfile	\xmlprocessfile {...} {...} {...}
xmlpure	\xmlpure {...} {...}
xmlraw	\xmlraw {...}
xmlrefatt	\xmlrefatt {...} {...}
xmlregistereddokumentsetups	\xmlregistereddokumentsetups {...} {...}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {...} {...}
xmlremapname	\xmlremapname {...} {...} {...} {...}
xmlremapnamespace	\xmlremapnamespace {...} {...} {...}
xmlremoveddocumentsetup	\xmlremoveddocumentsetup {...} {...}
xmlremovesetup	\xmlremovesetup {...}
xmlresetdocumentsetups	\xmlresetdocumentsetups {...}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {...}
xmlsave	\xmlsave {...} {...}
xmlsetatt	\xmlsetatt {...} {...} {...}
xmlsetattribute	\xmlsetattribute {...} {...} {...} {...}
xmlsetentity	\xmlsetentity {...} {...}
xmlsetfunction	\xmlsetfunction {...} {...} {...}
xmlsetinjectors	\xmlsetinjectors [...]
xmlsetpar	\xmlsetpar {...} {...} {...}
xmlsetparam	\xmlsetparam {...} {...} {...} {...}
xmlsetsetup	\xmlsetsetup {...} {...} {...}
xmlsetup	\xmlsetup {...} {...}
xmlshow	\xmlshow {...}
xmlsnippet	\xmlsnippet {...} {...}
xmlstrip	\xmlstrip {...} {...}
xmlstripnolines	\xmlstripnolines {...} {...}
xmlstripped	\xmlstripped {...} {...}
xmlstrippednolines	\xmlstrippednolines {...} {...}
xmltag	\xmltag {...}
xmltexentity	\xmltexentity {...} {...}
xmltext	\xmltext {...} {...}
xmltobuffer	\xmltobuffer {...} {...} {...}
xmltobufferverbose	\xmltobufferverbose {...} {...} {...}
xmltofile	\xmltofile {...} {...} {...}
xmlvalue	\xmlvalue {...} {...} {...}
xmlverbatim	\xmlverbatim {...}
xsplittstring	\xsplittstring \... {...}
xypos	\xypos {...}
zeronumberconversion	\zeronumberconversion {...}





PRAGMA ADE  
Ridderstraat 27  
8061GH Hasselt NL  
[www.pragma-ade.com](http://www.pragma-ade.com)