



ConTeXt

commandes

FR



ConTeXt

commandes

fr / français
3 janvier 2019

| | |
|------------------------------|---|
| AfterPar | \AfterPar {...} |
| Alphabeticnumerals | \Alphabeticnumerals {...} |
| AMSTEX | \AMSTEX |
| AmSTeX | \AmSTeX |
| And | \And |
| a | \a {...} {...} [...] |
| abjadnaivenumerals | \abjadnaivenumerals {...} |
| abjadnodotnumerals | \abjadnodotnumerals {...} |
| abjadnumerals | \abjadnumerals {...} |
| activatespacehandler | \activatespacehandler {...} |
| acute | \acute {...} |
| adaptcollector | \adaptcollector [...] [..=..] |
| adaptedisposition | \adaptedisposition [...] [..=..] |
| adaptfontfeature | \adaptfontfeature [...] [..=..] |
| adaptpapersize | \adaptpapersize [...] [...] |
| addfeature | \addfeature [...] |
| addfeature:direct | \addfeature {...} |
| addfontpath | \addfontpath [...] |
| addtocommalist | \addtocommalist {...} \... |
| addtoJSreamble | \addtoJSreamble {...} {...} |
| addvalue | \addvalue {...} {...} |
| aftersplitstring | \aftersplitstring ... \at ... \to \... |
| aftertestandsplitstring | \aftertestandsplitstring ... \at ... \to \... |
| ajustechamp | \ajustechamp [...] [..=..] |
| alaligne | \alaligne {...} [...] |
| alapage | \alapage [...] |
| alignbottom | \alignbottom |
| aligneadroite | \aligneadroite {...} |
| aligneagauche | \aligneagauche {...} |
| aligneaumilieu | \aligneaumilieu {...} |
| aligned | \aligned [...] {...} |
| alignedbox | \alignedbox [...] \... {...} |
| alignedline | \alignedline {...} {...} {...} |
| alignhere | \alignhere |
| alignmentcharacter | \alignmentcharacter |
| allinputpaths | \allinputpaths |
| alphabeticnumerals | \alphabeticnumerals {...} |
| alwayscitation | \alwayscitation [..=..] [...] |
| alwayscitation:alternative | \alwayscitation [...] [...] |
| alwayscitation:userdata | \alwayscitation [..=..] [..=..] |
| alwayscite | \alwayscite [..=..] [...] |
| alwayscite:alternative | \alwayscite [...] [...] |
| alwayscite:userdata | \alwayscite [..=..] [..=..] |
| ampersand | \ampersand |
| anchor | \anchor [...] [..=..] [..=..] {...} |
| appendetoks | \appendetoks ... \to \... |
| appendgvalue | \appendgvalue {...} {...} |
| appendtocommalist | \appendtocommalist {...} \... |
| appendtoks | \appendtoks ... \to \... |
| appendtoksonce | \appendtoksonce ... \to \... |
| appendvalue | \appendvalue {...} {...} |
| apply | \apply {...} {...} |
| applyalternativestyle | \applyalternativestyle {...} |
| applyprocessor | \applyprocessor {...} {...} |
| applytocharacters | \applytocharacters \... {...} |
| applytofirstcharacter | \applytofirstcharacter \... {...} |
| applytosplitstringchar | \applytosplitstringchar \... {...} |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...} |
| applytosplitstringline | \applytosplitstringline \... {...} |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...} |
| applytosplitstringword | \applytosplitstringword \... {...} |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...} |
| applytowords | \applytowords \... {...} |
| arabicdecimals | \arabicdecimals {...} |
| arabicexnumerals | \arabicexnumerals {...} |
| arabicnumerals | \arabicnumerals {...} |
| arg | \arg {...} |
| arriereplan | \arriereplan {...} |
| arriereplan:example | \ARRIEREPLAN {...} |
| asciistr | \asciistr {...} |
| assignalfadimension | \assignalfadimension {...} \... {...} {...} {...} |
| assignndimen | \assignndimen \... {...} |

| | |
|--------------------------------|--|
| assigndimension | \assigndimension {...} \... {...} {...} {...} |
| assignifempty | \assignifempty \... {...} |
| assigntranslation | \assigntranslation [..=..] \to \... |
| assignvalue | \assignvalue {...} \... {...} {...} {...} |
| assignwidth | \assignwidth {...} \... {...} {...} |
| assumelongusagecs | \assumelongusagecs \... {...} |
| astype | \astype {...} |
| attachment:instance | \ATTACHMENT [...] [..=..] |
| attachment:instance:attachment | \attachment [...] [..=..] |
| autocap | \autocap {...} |
| autodirhbox | \autodirhbox ... {...} |
| autodirvbox | \autodirvbox ... {...} |
| autodirvtop | \autodirvtop ... {...} |
| autoinsertnextspace | \autoinsertnextspace |
| autointegral | \autointegral {...} {...} {...} |
| automathematics | \automathematics {...} |
| autopagestaterealpage | \autopagestaterealpage {...} |
| autopagestaterealpageorder | \autopagestaterealpageorder {...} |
| autosetups | \autosetups {...} |
| autostarttexte | \autostarttexte ... \autostoptexte |
| availablehsize | \availablehsize |
| averagecharwidth | \averagecharwidth |
| BeforePar | \BeforePar {...} |
| Big | \Big ... |
| Bigg | \Bigg ... |
| Biggl | \Biggl ... |
| Biggm | \Biggm ... |
| Biggr | \Biggr ... |
| Bigl | \Bigl ... |
| Bigm | \Bigm ... |
| Bigr | \Bigr ... |
| backgroundimage | \backgroundimage {...} {...} {...} {...} |
| backgroundimagefill | \backgroundimagefill {...} {...} {...} {...} |
| backgroundline | \backgroundline [...] {...} |
| baha | \baha [...] {...} {...} |
| bar | \bar {...} |
| barrecouleur | \barrecouleur [...] |
| barreinteraction | \barreinteraction [...] [..=..] |
| bar:instance | \BAR {...} |
| bar:instance:hiddenbar | \hiddenbar {...} |
| bar:instance:nobar | \nobar {...} |
| bar:instance:overbar | \overbar {...} |
| bar:instance:overbars | \overbars {...} |
| bar:instance:overstrike | \overstrike {...} |
| bar:instance:overstrikes | \overstrikes {...} |
| bar:instance:underbar | \underbar {...} |
| bar:instance:underbars | \underbars {...} |
| bar:instance:underdash | \underdash {...} |
| bar:instance:underdashes | \underdashes {...} |
| bar:instance:underdot | \underdot {...} |
| bar:instance:underdots | \underdots {...} |
| bar:instance:underrandom | \underrandom {...} |
| bar:instance:underrandoms | \underrandoms {...} |
| bar:instance:understrike | \understrike {...} |
| bar:instance:understrikes | \understrikes {...} |
| bas | \bas {...} |
| basegrid | \basegrid [..=..] |
| baselinebottom | \baselinebottom |
| baselineleftbox | \baselineleftbox {...} |
| baselinemiddlebox | \baselinemiddlebox {...} |
| baselinerightbox | \baselinerightbox {...} |
| bas:instance | \LOW {...} |
| bas:instance:unitslow | \unitslow {...} |
| bbordermatrix | \bbordermatrix {...} |
| bbox | \bbox {...} |
| beforesplitstring | \beforesplitstring ... \at ... \to \... |
| beforetestandsplitstring | \beforetestandsplitstring ... \at ... \to \... |
| beginblock:example | \beginBLOCK [...] [..=..] ... \endBLOCK |
| beginhbox | \beginhbox ... \endhbox |
| beginofshapebox | \beginofshapebox ... \endofshapebox |
| beginvbox | \beginvbox ... \endvbox |
| beginvtop | \beginvtop ... \endvtop |

| | |
|----------------------------------|---|
| begstrut | \begstrut ... \endstrut |
| bigg | \bigg ... |
| bigger | \bigger |
| biggl | \biggl ... |
| biggm | \biggm ... |
| biggr | \biggr ... |
| bigl | \bigl ... |
| bigm | \bigm ... |
| bigr | \bigr ... |
| bigskip | \bigskip |
| bitmapimage | \bitmapimage [..=..] {...} |
| blap | \blap {...} |
| bleed | \bleed [..=..] {...} |
| bleedheight | \bleedheight |
| bleedwidth | \bleedwidth |
| blockligatures | \blockligatures [...] |
| blocksynctexfile | \blocksynctexfile [...] |
| blockuservariable | \blockuservariable {...} |
| bodyfontenvironmentlist | \bodyfontenvironmentlist |
| bodyfontsize | \bodyfontsize |
| boldface | \boldface |
| booleanmodevalue | \booleanmodevalue {...} |
| bordermatrix | \bordermatrix {...} |
| bottombox | \bottombox {...} |
| bottomleftbox | \bottomleftbox {...} |
| bottomrightbox | \bottomrightbox {...} |
| bouton | \bouton [..=..] {...} [...] |
| boutonmenu:button | \boutonmenu [..=..] {...} {...} |
| boutonmenu:interactionmenu | \boutonmenu [...] [..=..] {...} {...} |
| boutonsinteraction | \boutonsinteraction [..=..] [...] |
| bouton:example | \BUTTON [..=..] {...} [...] |
| boxcursor | \boxcursor |
| boxmarker | \boxmarker {...} {...} |
| boxofsize | \boxofsize \... \... {...} |
| boxreference | \boxreference [...] \... {...} |
| bpar | \bpar ... \epar |
| bpos | \bpos {...} |
| breakhere | \breakhere |
| breve | \breve {...} |
| bTABLE | \bTABLE [..=..] ... \eTABLE |
| bTABLEbody | \bTABLEbody [..=..] ... \eTABLEbody |
| bTABLEfoot | \bTABLEfoot [..=..] ... \eTABLEfoot |
| bTABLEhead | \bTABLEhead [..=..] ... \eTABLEhead |
| bTABLEnext | \bTABLEnext [..=..] ... \eTABLEnext |
| bTC | \bTC [..=..] ... \eTC |
| bTD | \bTD [..=..] ... \eTD |
| bTDs | \bTDs [...] ... \eTDs |
| bTH | \bTH [..=..] ... \eTH |
| bTN | \bTN [..=..] ... \eTN |
| bTR | \bTR [..=..] ... \eTR |
| bTRs | \bTRs [...] ... \eTRs |
| bTX | \bTX [..=..] ... \eTX |
| bTY | \bTY [..=..] ... \eTY |
| btxabbreviatedjournal | \btxabbreviatedjournal {...} |
| btxaddjournal | \btxaddjournal [...] [...] |
| btxalwayscitation | \btxalwayscitation [..=..] [...] |
| btxalwayscitation:alternative | \btxalwayscitation [...] [...] |
| btxalwayscitation:userdata | \btxalwayscitation [..=..] [..=..] |
| btxauthorfield | \btxauthorfield {...} |
| btxdetail | \btxdetail {...} |
| btxdirect | \btxdirect {...} |
| btxdoif | \btxdoif {...} {...} |
| btxdoifcombiinlistelse | \btxdoifcombiinlistelse {...} {...} {...} {...} |
| btxdoifelse | \btxdoifelse {...} {...} {...} |
| btxdoifelsecombiinlist | \btxdoifelsecombiinlist {...} {...} {...} {...} |
| btxdoifelsesameasprevious | \btxdoifelsesameasprevious {...} {...} {...} |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable | \btxdoifelseuservariable {...} {...} {...} |
| btxdoifnot | \btxdoifnot {...} {...} |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse | \btxdoifsameaspreviouselse {...} {...} {...} |
| btxdoifuservariableelse | \btxdoifuservariableelse {...} {...} {...} |

| | |
|------------------------------|--|
| btsexpandedjournal | \btsexpandedjournal {...} |
| btxfield | \btxfield {...} |
| btxfieldname | \btxfieldname {...} |
| btxfieldtype | \btxfieldtype {...} |
| btxfirstofrange | \btxfirstofrange {...} |
| btxflush | \btxflush {...} |
| btxflushauthor | \btxflushauthor [...] {...} |
| btxflushauthorinverted | \btxflushauthorinverted {...} |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {...} |
| btxflushauthorname | \btxflushauthorname {...} |
| btxflushauthornormal | \btxflushauthornormal {...} |
| btxflushauthornormalshort | \btxflushauthornormalshort {...} |
| btxflushsuffix | \btxflushsuffix |
| btxfoundname | \btxfoundname {...} |
| btxfoundtype | \btxfoundtype {...} |
| btxhiddencitation | \btxhiddencitation [...] |
| btxhybridcite | \btxhybridcite [..=..] [...] |
| btxhybridcite:alternative | \btxhybridcite [...] [...] |
| btxhybridcite:direct | \btxhybridcite {...} |
| btxhybridcite:userdata | \btxhybridcite [..=..] [..=..] |
| btxlistcitation | \btxlistcitation [..=..] [...] |
| btxlistcitation:alternative | \btxlistcitation [...] [...] |
| btxlistcitation:userdata | \btxlistcitation [..=..] [..=..] |
| btxloadjournalist | \btxloadjournalist [...] |
| btxoneorrange | \btxoneorrange {...} {...} {...} |
| btxremapauthor | \btxremapauthor [...] [...] |
| btxsavjournalist | \btxsavjournalist [...] |
| btxsetup | \btxsetup {...} |
| btxsingularorplural | \btxsingularorplural {...} {...} {...} |
| btxsingularplural | \btxsingularplural {...} {...} {...} |
| btxttextcitation | \btxttextcitation [..=..] [...] |
| btxttextcitation:alternative | \btxttextcitation [...] [...] |
| btxttextcitation:userdata | \btxttextcitation [..=..] [..=..] |
| buildmathaccent | \buildmathaccent {...} {...} |
| buildtextaccent | \buildtextaccent {...} {...} |
| buildtextbottomcomma | \buildtextbottomcomma {...} |
| buildtextbottomdot | \buildtextbottomdot {...} |
| buildtextcedilla | \buildtextcedilla {...} |
| buildtextgrave | \buildtextgrave {...} |
| buildtextmacron | \buildtextmacron {...} |
| buildtextognek | \buildtextognek {...} |
| Cap | \Cap {...} |
| Caps | \Caps {...} |
| Caractere | \Caractere {...} |
| Caracteres | \Caracteres {...} |
| Chiffresromains | \Chiffresromains {...} |
| CONTEXT | \CONTEXT |
| ConTeXt | \ConTeXt |
| Context | \Context |
| ConvertConstantAfter | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant | \ConvertToConstant \... {...} {...} |
| cacheblocs | \cacheblocs [...] [...] |
| calligraphique | \calligraphique |
| camel | \camel {...} |
| cap | \cap {...} |
| caractere | \caractere {...} |
| caracteres | \caracteres {...} |
| catcodetablename | \catcodetablename |
| cbox | \cbox ... {...} |
| centraligned | \centraligned {...} |
| centerbox | \centerbox ... {...} |
| centeredbox | \centeredbox ... {...} |
| centeredlastline | \centeredlastline |
| centerednextbox | \centerednextbox ... {...} |
| centerline | \centerline {...} |
| cfrac | \cfrac [...] {...} {...} |
| champ | \champ [...] [...] |
| changepolicecorps | \changepolicecorps [...] |
| characterkerning:example | \CHARACTERKERNING [...] {...} |
| chardescription | \chardescription {...} |
| charwidthlanguage | \charwidthlanguage |
| check | \check {...} |

| | |
|---|--|
| checkcharacteralign | \checkcharacteralign {...} |
| checkedblank | \checkedblank [...] |
| checkedchar | \checkedchar {...} {...} |
| checkedfiller | \checkedfiller {...} |
| checkedstrippedcsname | \checkedstrippedcsname \... |
| checkedstrippedcsname:string | \checkedstrippedcsname ... |
| checkinjector | \checkinjector [...] |
| checknextindentation | \checknextindentation [...] |
| checknextinjector | \checknextinjector [...] |
| checkpage | \checkpage [...] [..=..] |
| checkparameters | \checkparameters [...] |
| checkpreviousinjector | \checkpreviousinjector [...] |
| checksoundtrack | \checksoundtrack {...} |
| checktwopassdata | \checktwopassdata {...} |
| checkvariables | \checkvariables [...] [..=..] |
| chem | \chem {...} {...} {...} |
| chemical | \chemical [...] [...] [...] |
| chemicalbottext | \chemicalbottext {...} |
| chemicalmidtext | \chemicalmidtext {...} |
| chemicalsymbol | \chemicalsymbol [...] |
| chemicaltext | \chemicaltext {...} |
| chemicaltoptext | \chemicaltoptext {...} |
| chiffresromains | \chiffresromains {...} |
| chineseallnumerals | \chineseallnumerals {...} |
| chinesecapnumerals | \chinesecapnumerals {...} |
| chinesenumerals | \chinesenumerals {...} |
| citation | \citation [..=..] [...] |
| citation:alternative | \citation [...] [...] |
| citation:direct | \citation {...} |
| citation:userdata | \citation [..=..] [..=..] |
| cite | \cite [..=..] [...] |
| cite:alternative | \cite [...] [...] |
| cite:direct | \cite {...} |
| cite:userdata | \cite [..=..] [..=..] |
| clap | \clap {...} |
| classfont | \classfont {...} {...} |
| cldcommand | \cldcommand {...} |
| cldcontext | \cldcontext {...} |
| cldloadfile | \cldloadfile {...} |
| cldprocessfile | \cldprocessfile {...} |
| clip | \clip [..=..] {...} |
| clippedoverlayimage | \clippedoverlayimage {...} |
| clonechamp | \clonechamp [...] [...] [...] [...] |
| collect | \collect {...} |
| collectedtext | \collectedtext [..=..] [..=..] {...} {...} |
| collectexpanded | \collectexpanded {...} |
| colonne | \colonne [...] |
| colorcomponents | \colorcomponents {...} |
| colored | \colored [..=..] {...} |
| colored:name | \colored [...] {...} |
| coloronly | \coloronly [...] {...} |
| columnbreak | \columnbreak [...] |
| columnsetspanwidth | \columnsetspanwidth {...} |
| combinepages | \combinepages [...] [..=..] |
| commalistelement | \commalistelement |
| commalistsentence | \commalistsentence [...] [...] |
| commalistsize | \commalistsize |
| commentaire | \commentaire (...,...) (...,...) [..=..] {...} |
| commentaire:instance | \COMMENT [...] [..=..] {...} |
| commentaire:instance:comment | \comment [...] [..=..] {...} |
| comparedimension | \comparedimension {...} {...} |
| comparedimensioneps | \comparedimensioneps {...} {...} |
| comparegroupecouleur | \comparegroupecouleur [...] |
| comparepalette | \comparepalette [...] |
| completebt rendering | \completebt rendering [...] [..=..] |
| completecombinedlist:instance | \completeCOMBINEDLIST [..=..] |
| completecombinedlist:instance:content | \completecontent [..=..] |
| completelist | \completelist [...] [..=..] |
| completelistoffloats:instance | \completelistofFLOATS [..=..] |
| completelistoffloats:instance:chemicals | \completelistofchemicals [..=..] |
| completelistoffloats:instance:figures | \completelistoffigures [..=..] |
| completelistoffloats:instance:graphics | \completelistofgraphics [..=..] |

| | |
|---|--|
| completelistoffloats:instance:intermezzi | <code>\completelistofintermezzi [..=..]</code> |
| completelistoffloats:instance:tables | <code>\completelistoftables [..=..]</code> |
| completelistofpublications | <code>\completelistofpublications [...] [..=..]</code> |
| completelistofsorts | <code>\completelistofsorts [...] [..=..]</code> |
| completelistofsorts:instance | <code>\completelistofSORTS [..=..]</code> |
| completelistofsorts:instance:logos | <code>\completelistoflogos [..=..]</code> |
| completelistofsynonyms | <code>\completelistofsynonyms [...] [..=..]</code> |
| completelistofsynonyms:instance | <code>\completelistofSYNONYMS [..=..]</code> |
| completelistofsynonyms:instance:abbreviations | <code>\completelistofabbreviations [..=..]</code> |
| completenumeropage | <code>\completenumeropage</code> |
| completeregistre | <code>\completeregistre [...] [..=..]</code> |
| completeregistre:instance | <code>\completeREGISTER [..=..]</code> |
| completeregistre:instance:index | <code>\completeindex [..=..]</code> |
| complexorsimple | <code>\complexorsimple \...</code> |
| complexorsimpleempty | <code>\complexorsimpleempty \...</code> |
| complexorsimpleempty:argument | <code>\complexorsimpleempty {...}</code> |
| complexorsimple:argument | <code>\complexorsimple {...}</code> |
| composant | <code>\composant [...]</code> |
| composant:string | <code>\composant ...</code> |
| composedcollector | <code>\composedcollector {...}</code> |
| composedlayer | <code>\composedlayer {...}</code> |
| compresult | <code>\compresult</code> |
| concernant | <code>\concernant [...]</code> |
| constantdimen | <code>\constantdimen \...</code> |
| constantdimenargument | <code>\constantdimenargument \...</code> |
| constantemptyargument | <code>\constantemptyargument \...</code> |
| constantnumber | <code>\constantnumber \...</code> |
| constantnumberargument | <code>\constantnumberargument \...</code> |
| contentreference | <code>\contentreference [...] [..=..] {...}</code> |
| continuednumber | <code>\continuednumber {...}</code> |
| continueifinputfile | <code>\continueifinputfile {...}</code> |
| convertargument | <code>\convertargument ... \to \...</code> |
| convertcommand | <code>\convertcommand \... \to \...</code> |
| convertedcounter | <code>\convertedcounter [...] [..=..]</code> |
| converteddimen | <code>\converteddimen {...} {...}</code> |
| convertedsubcounter | <code>\convertedsubcounter [...] [...] [..=..]</code> |
| convertitnumero | <code>\convertitnumero {...} {...}</code> |
| convertmonth | <code>\convertmonth {...}</code> |
| convertvalue | <code>\convertvalue ... \to \...</code> |
| convertvboxtohbox | <code>\convertvboxtohbox</code> |
| copitchamp | <code>\copitchamp [...] [...]</code> |
| copyboxfromcache | <code>\copyboxfromcache {...} {...} ...</code> |
| copylabeltext:instance | <code>\copyLABELtexte [...] [..=..]</code> |
| copylabeltext:instance:btxlabel | <code>\copybtxlabeltexte [...] [..=..]</code> |
| copylabeltext:instance:head | <code>\copyheadtexte [...] [..=..]</code> |
| copylabeltext:instance:label | <code>\copylabeltexte [...] [..=..]</code> |
| copylabeltext:instance:mathlabel | <code>\copymathlabeltexte [...] [..=..]</code> |
| copylabeltext:instance:operator | <code>\copyoperatortexte [...] [..=..]</code> |
| copylabeltext:instance:prefix | <code>\copyprefixtexte [...] [..=..]</code> |
| copylabeltext:instance:suffix | <code>\copsuffixtexte [...] [..=..]</code> |
| copylabeltext:instance:taglabel | <code>\copytaglabeltexte [...] [..=..]</code> |
| copylabeltext:instance:unit | <code>\copyunittexte [...] [..=..]</code> |
| copypages | <code>\copypages [...] [..=..] [..=..]</code> |
| copyparameters | <code>\copyparameters [...] [...] [...]</code> |
| copyposition | <code>\copyposition {...} {...}</code> |
| copysetups | <code>\copysetups [...] [...]</code> |
| corrigeespaceblanc | <code>\corrigeespaceblanc {...}</code> |
| couleur | <code>\couleur [...] {...}</code> |
| couleurgrise | <code>\couleurgrise [...] {...}</code> |
| countersubs | <code>\countersubs [...] [...]</code> |
| counttoken | <code>\counttoken ... \in ... \to \...</code> |
| counttokens | <code>\counttokens ... \to \...</code> |
| cramped | <code>\cramped {...}</code> |
| crampedclap | <code>\crampedclap {...}</code> |
| crampedllap | <code>\crampedllap {...}</code> |
| crampedrlap | <code>\crampedrlap {...}</code> |
| ctop | <code>\ctop ... {...}</code> |
| ctxcommand | <code>\ctxcommand {...}</code> |
| ctxdirectcommand | <code>\ctxdirectcommand {...}</code> |
| ctxdirectlua | <code>\ctxdirectlua {...}</code> |
| ctxfunction | <code>\ctxfunction {...}</code> |
| ctxfunctiondefinition:example | <code>\CTXFUNCTIONDEFINITION</code> |

| | |
|--------------------------------------|---|
| ctxfunction:example | \CTXFUNCTION |
| ctxlatecommand | \ctxlatecommand {...} |
| ctxlatelua | \ctxlatelua {...} |
| ctxloadluafile | \ctxloadluafile {...} |
| ctxlua | \ctxlua {...} |
| ctxluabuffer | \ctxluabuffer [...] |
| ctxluacode | \ctxluacode {...} |
| ctxreport | \ctxreport {...} |
| ctxsprint | \ctxsprint {...} |
| currentassignmentlistkey | \currentassignmentlistkey |
| currentassignmentlistvalue | \currentassignmentlistvalue |
| currentbtbxuservariable | \currentbtbxuservariable {...} |
| currentcommalistitem | \currentcommalistitem |
| currentcomponent | \currentcomponent |
| currentenvironment | \currentenvironment |
| currentfeaturetest | \currentfeaturetest |
| currentinterface | \currentinterface |
| currentlabel:example | \currentETIQUETTE [...] {...} |
| currentlanguage | \currentlanguage |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute |
| currentlistentrylimitedtext | \currentlistentrylimitedtext {...} |
| currentlistentrynumber | \currentlistentrynumber |
| currentlistentrypagenumber | \currentlistentrypagenumber |
| currentlistentryreferenceattribute | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle | \currentlistentrytitle |
| currentlistentrytitlerendered | \currentlistentrytitlerendered |
| currentlistsymbol | \currentlistsymbol |
| currentmainlanguage | \currentmainlanguage |
| currentmessagetext | \currentmessagetext |
| currentmoduleparameter | \currentmoduleparameter {...} |
| currentoutputstream | \currentoutputstream |
| currentproduct | \currentproduct |
| currentproject | \currentproject |
| currentregime | \currentregime |
| currentregisterpageuserdata | \currentregisterpageuserdata {...} |
| currentresponses | \currentresponses |
| currenttime | \currenttime [...] |
| currentvalue | \currentvalue |
| currentxtablecolumn | \currentxtablecolumn |
| currentxtablerow | \currentxtablerow |
| d | \d {...} |
| dactylographier | \dactylographier [..=..] {...} |
| dactylographier:angles | \dactylographier [..=..] <<...>> |
| dactylographier:example | \TYPE [..=..] {...} |
| dactylographier:example:angles | \TYPE [..=..] <<...>> |
| dans | \dans {...} {...} [...] |
| datasetvariable | \datasetvariable {...} {...} {...} |
| date | \date [..=..] [...] |
| datecourante | \datecourante [...] |
| dayoftheweek | \dayoftheweek {...} {...} {...} |
| dayspermonth | \dayspermonth {...} {...} |
| ddd | \ddd {...} |
| ddot | \ddot {...} |
| de | \de [...] |
| decrement | \decrement \... |
| decrementcounter | \decrementcounter [...] [...] |
| decrementedcounter | \decrementedcounter [...] |
| decrementpagenumber | \decrementpagenumber |
| decrementsubpagenumber | \decrementsubpagenumber |
| decrementvalue | \decrementvalue {...} |
| decrement:argument | \decrement (...) |
| defaultinterface | \defaultinterface |
| defaultobjectpage | \defaultobjectpage |
| defaultobjectreference | \defaultobjectreference |
| defcatcodecommand | \defcatcodecommand \... ... {...} |
| defconvertedargument | \defconvertedargument \... {...} |
| defconvertedcommand | \defconvertedcommand \... \... |
| defconvertedvalue | \defconvertedvalue \... {...} |
| defineactivecharacter | \defineactivecharacter ... {...} |
| definealternativestyle | \definealternativestyle [...] [...] [...] |
| defineanchor | \defineanchor [...] [...] [..=..] [..=..] |
| defineattachment | \defineattachment [...] [...] [..=..] |

| | |
|-------------------------------------|---|
| defineattribute | \defineattribute [...] [...] |
| definebackground | \definebackground [...] [...] [..=..] |
| definebar | \definebar [...] [...] [..=..] |
| definebodyfontswitch | \definebodyfontswitch [...] [...] |
| definebreakpoint | \definebreakpoint [...] [...] [..=..] |
| definebreakpoints | \definebreakpoints [...] |
| definebtx | \definebtx [...] [...] [..=..] |
| definebtxdataset | \definebtxdataset [...] [...] [..=..] |
| definebtxregister | \definebtxregister [...] [...] [..=..] |
| definebtxrendering | \definebtxrendering [...] [...] [..=..] |
| definebutton | \definebutton [...] [...] [..=..] |
| definecapitals | \definecapitals [...] [...] [..=..] |
| definecharacterkerning | \definecharacterkerning [...] [...] [..=..] |
| definecharacterspacing | \definecharacterspacing [...] |
| definechemical | \definechemical [...] {...} |
| definechemicals | \definechemicals [...] [...] [..=..] |
| definechemicalsymbol | \definechemicalsymbol [...] [...] |
| definecollector | \definecollector [...] [...] [..=..] |
| definecolumnsetarea | \definecolumnsetarea [...] [...] [..=..] |
| definecolumnsetspan | \definecolumnsetspan [...] [...] [..=..] |
| definecombination | \definecombination [...] [...] [..=..] |
| definecomment | \definecomment [...] [...] [..=..] |
| definecomplexorsimple | \definecomplexorsimple \... |
| definecomplexorsimpleempty | \definecomplexorsimpleempty \... |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...} |
| definecomplexorsimple:argument | \definecomplexorsimple {...} |
| defineconversionset | \defineconversionset [...] [...] [...] |
| definecounter | \definecounter [...] [...] [..=..] |
| definedataset | \definedataset [...] [...] [..=..] |
| definedelimitedtext | \definedelimitedtext [...] [...] [..=..] |
| definedfont | \definedfont [...] |
| defineeffect | \defineeffect [...] [...] [..=..] |
| defineexpandable | \defineexpandable [...] \... {...} |
| defineexternalfigure | \defineexternalfigure [...] [...] [..=..] |
| definefacingfloat | \definefacingfloat [...] [...] [..=..] |
| definefallbackfamily | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset | \definefallbackfamily [...] [...] [...] [...] |
| definefieldbody | \definefieldbody [...] [...] [..=..] |
| definefieldbodyset | \definefieldbodyset [...] [...] |
| definefieldcategory | \definefieldcategory [...] [...] [..=..] |
| definefileconstant | \definefileconstant {...} {...} |
| definefilefallback | \definefilefallback [...] [...] |
| definefilesynonym | \definefilesynonym [...] [...] |
| definefiller | \definefiller [...] [...] [..=..] |
| definefirstline | \definefirstline [...] [...] [..=..] |
| definefittingpage | \definefittingpage [...] [...] [..=..] |
| definefontalternative | \definefontalternative [...] |
| definefontfallback | \definefontfallback [...] [...] [...] [..=..] |
| definefontfamily | \definefontfamily [...] [...] [...] [..=..] |
| definefontfamilypreset | \definefontfamilypreset [...] [..=..] |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...] |
| definefontfamily:preset | \definefontfamily [...] [...] [...] [...] |
| definefontfeature | \definefontfeature [...] [...] [..=..] |
| definefontfile | \definefontfile [...] [...] [..=..] |
| definefontsize | \definefontsize [...] |
| definefontsolution | \definefontsolution [...] [...] [..=..] |
| defineformula | \defineformula [...] [...] [..=..] |
| defineformulaalternative | \defineformulaalternative [...] [...] [...] |
| defineformulaframed | \defineformulaframed [...] [...] [..=..] |
| defineframed | \defineframed [...] [...] [..=..] |
| defineframedcontent | \defineframedcontent [...] [...] [..=..] |
| defineframedtable | \defineframedtable [...] [...] |
| defineframedtext | \defineframedtext [...] [...] [..=..] |
| definefrozenfont | \definefrozenfont [...] [...] |
| defineglobalcolor | \defineglobalcolor [...] [..=..] |
| defineglobalcolor:name | \defineglobalcolor [...] [...] |
| definegraphictypesynonym | \definegraphictypesynonym [...] [...] |
| definegridsnapping | \definegridsnapping [...] [...] |
| defineheadalternative | \defineheadalternative [...] [...] [..=..] |
| definehelp | \definehelp [...] [...] [..=..] |
| definehigh | \definehigh [...] [...] [..=..] |
| definehighlight | \definehighlight [...] [...] [..=..] |

| | |
|--------------------------------|---|
| definehspace | \definehspace [...] [...] [...] |
| definehyphenationfeatures | \definehyphenationfeatures [...] [..=..] |
| defineindentedtext | \defineindentedtext [...] [...] [..=..] |
| defineindenting | \defineindenting [...] [...] |
| defineinitial | \defineinitial [...] [...] [..=..] |
| defineinsertion | \defineinsertion [...] [...] [..=..] |
| defineinteraction | \defineinteraction [...] [...] [..=..] |
| defineinteractionbar | \defineinteractionbar [...] [...] [..=..] |
| defineinterfaceconstant | \defineinterfaceconstant {...} {...} |
| defineinterfaceelement | \defineinterfaceelement {...} {...} |
| defineinterfacevariable | \defineinterfacevariable {...} {...} |
| defineinterlinespace | \defineinterlinespace [...] [...] [..=..] |
| defineintermediatecolor | \defineintermediatecolor [...] [...] [..=..] |
| defineitemgroup | \defineitemgroup [...] [...] [..=..] |
| defineitems | \defineitems [...] [...] [..=..] |
| definelabelclass | \definelabelclass [...] [...] |
| definelayerpreset | \definelayerpreset [...] [..=..] |
| definelayerpreset:name | \definelayerpreset [...] [...] |
| definelinefiller | \definelinefiller [...] [...] [..=..] |
| definelinenote | \definelinenote [...] [...] [..=..] |
| definelinenumbering | \definelinenumbering [...] [...] [..=..] |
| definelines | \definelines [...] [...] [..=..] |
| definelistalternative | \definelistalternative [...] [...] [..=..] |
| definelistextra | \definelistextra [...] [...] [..=..] |
| definelow | \definelow [...] [...] [..=..] |
| definelowhigh | \definelowhigh [...] [...] [..=..] |
| definelowmidhigh | \definelowmidhigh [...] [...] [..=..] |
| defineMPinstance | \defineMPinstance [...] [...] [..=..] |
| definemarginblock | \definemarginblock [...] [...] [..=..] |
| definemargindata | \definemargindata [...] [...] [..=..] |
| definemarker | \definemarker [...] |
| definemathaccent | \definemathaccent |
| definemathalignment | \definemathalignment [...] [...] [..=..] |
| definemathcases | \definemathcases [...] [...] [..=..] |
| definemathcommand | \definemathcommand [...] [...] [...] {...} |
| definemathdouble | \definemathdouble [...] [...] [...] [...] |
| definemathdoubleextensible | \definemathdoubleextensible [...] [...] [...] [...] |
| definematematics | \definematematics [...] [...] [..=..] |
| definematextensible | \definematextensible [...] [...] [...] [...] |
| definemathfence | \definemathfence [...] [...] [..=..] |
| definemathfraction | \definemathfraction [...] [...] [..=..] |
| definemathframed | \definemathframed [...] [...] [..=..] |
| definemathmatrix | \definemathmatrix [...] [...] [..=..] |
| definemathornament | \definemathornament [...] [...] [..=..] |
| definemathover | \definemathover [...] [...] [...] |
| definemathoverextensible | \definemathoverextensible [...] [...] [...] [...] |
| definemathovertexttextensible | \definemathovertexttextensible [...] [...] [...] [...] |
| definemathradical | \definemathradical [...] [...] [..=..] |
| definemathstackers | \definemathstackers [...] [...] [..=..] |
| definemathstyle | \definemathstyle [...] [...] |
| definemathtriplet | \definemathtriplet [...] [...] [...] [...] |
| definemathunder | \definemathunder [...] [...] [...] [...] |
| definemathunderextensible | \definemathunderextensible [...] [...] [...] [...] |
| definemathundertexttextensible | \definemathundertexttextensible [...] [...] [...] [...] |
| definemathunstacked | \definemathunstacked [...] [...] [...] [...] |
| definemeasure | \definemeasure [...] [...] |
| definemessageconstant | \definemessageconstant {...} |
| definemixedcolumns | \definemixedcolumns [...] [...] [..=..] |
| definemode | \definemode [...] [...] |
| definemultitonecolor | \definemultitonecolor [...] [..=..] [..=..] [..=..] |
| definenamecolor | \definenamecolor [...] [..=..] |
| definenamecolor:name | \definenamecolor [...] [...] |
| definenamespace | \definenamespace [...] [..=..] |
| definenarrower | \definenarrower [...] [...] [..=..] |
| definernote | \definernote [...] [...] [..=..] |
| defineornament:collector | \defineornament [...] [..=..] [..=..] |
| defineornament:layer | \defineornament [...] [..=..] [..=..] |
| defineoutputroutine | \defineoutputroutine [...] [...] [..=..] |
| defineoutputroutinecommand | \defineoutputroutinecommand [...] |
| definepage | \definepage [...] [...] |
| definepagechecker | \definepagechecker [...] [...] [..=..] |
| definepagecolumns | \definepagecolumns [...] [...] [..=..] |

| | |
|--------------------------------|---|
| definepageinjection | \definepageinjection [...] [...] [..=..] |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..] |
| definepageshift | \definepageshift [...] [...] [...] |
| definepagestate | \definepagestate [...] [...] [..=..] |
| definepairedbox | \definepairedbox [...] [...] [..=..] |
| defineparagraph | \defineparagraph [...] [...] [..=..] |
| defineparallel | \defineparallel [...] [...] |
| defineparbuilder | \defineparbuilder [...] |
| defineperiodkerning | \defineperiodkerning [...] [...] [..=..] |
| defineplacement | \defineplacement [...] [...] [..=..] |
| definepositioning | \definepositioning [...] [...] [..=..] |
| defineprefixset | \defineprefixset [...] [...] [...] |
| defineprocesscolor | \defineprocesscolor [...] [...] [..=..] |
| defineprocessor | \defineprocessor [...] [...] [..=..] |
| definepushbutton | \definepushbutton [...] [..=..] |
| definepushsymbol | \definepushsymbol [...] [...] |
| definerenderingwindow | \definerenderingwindow [...] [...] [..=..] |
| defineresetset | \defineresetset [...] [...] [...] |
| defineruby | \defineruby [...] [...] [..=..] |
| definescale | \definescale [...] [...] [..=..] |
| definescript | \definescript [...] [...] [..=..] |
| definesectionlevels | \definesectionlevels [...] [...] |
| defineselector | \defineselector [...] [..=..] |
| defineseparatorset | \defineseparatorset [...] [...] [...] |
| defineshift | \defineshift [...] [...] [..=..] |
| definesidebar | \definesidebar [...] [...] [..=..] |
| definesort | \definesort [...] [...] [...] {...} |
| definespotcolor | \definespotcolor [...] [...] [..=..] |
| definestyleinstance | \definestyleinstance [...] [...] [...] [...] |
| definesubformula | \definesubformula [...] [...] [..=..] |
| definesynonym | \definesynonym [...] [...] [...] {...} {...} |
| definesystemattribute | \definesystemattribute [...] [...] |
| definesystemconstant | \definesystemconstant {...} |
| definesystemvariable | \definesystemvariable {...} |
| defineTABLEsetup | \defineTABLEsetup [...] [..=..] |
| definetabulation | \definetabulation [...] [...] [..=..] |
| definetextbackground | \definetextbackground [...] [...] [..=..] |
| definetextflow | \definetextflow [...] [...] [..=..] |
| definetokenlist | \definetokenlist [...] |
| definetooltip | \definetooltip [...] [...] [..=..] |
| definetransparency:1 | \definetransparency [...] [...] |
| definetransparency:2 | \definetransparency [...] [..=..] |
| definetransparency:3 | \definetransparency [...] [...] |
| definetwopasslist | \definetwopasslist {...} |
| definetypeface | \definetypeface [...] [...] [...] [...] [...] [..=..] |
| definetypescriptprefix | \definetypescriptprefix [...] [...] |
| definetypescriptsynonym | \definetypescriptsynonym [...] [...] |
| definetypesetting | \definetypesetting [...] [...] [..=..] |
| defineunit | \defineunit [...] [...] [..=..] |
| defineuserdata | \defineuserdata [...] [...] [..=..] |
| defineuserdataalternative | \defineuserdataalternative [...] [...] [..=..] |
| defineviewerlayer | \defineviewerlayer [...] [...] [..=..] |
| definevspace | \definevspace [...] [...] [...] |
| definevspacing | \definevspacing [...] [...] |
| definevspacingamount | \definevspacingamount [...] [...] [...] [...] |
| definextable | \definextable [...] [...] [..=..] |
| definicaractere | \definicaractere |
| definit | \definit [...] \... {...} |
| definitaccent | \definitaccent |
| definitbloc | \definitbloc [...] [...] [..=..] |
| definitblocsection | \definitblocsection [...] [...] [..=..] |
| definitbuffer | \definitbuffer [...] [...] [..=..] |
| definitcalque | \definitcalque [...] [...] [..=..] |
| definitchamp | \definitchamp [...] [...] [...] [...] [...] |
| definitcommande | \definitcommande |
| definitconversion | \definitconversion [...] [...] [...] |
| definitconversion:list | \definitconversion [...] [...] [...] |
| definitcouleur | \definitcouleur [...] [..=..] |
| definitcouleur:name | \definitcouleur [...] [...] |
| definitdactylo | \definitdactylo [...] [...] [..=..] |
| definitdemarrestoppe | \definitdemarrestoppe [...] [...] [..=..] |
| definitdescription | \definitdescription [...] [...] [..=..] |

| | |
|---|--|
| definitdisposition | \definitdisposition [...] [...] [..=..] |
| definitenumeration | \definitenumeration [...] [...] [..=..] |
| definitenvironnementpolicecorps | \definitenvironnementpolicecorps [...] [...] [..=..] |
| definitetiquette | \definitetiquette [...] [...] [..=..] |
| definitflottant | \definitflottant [...] [...] [..=..] |
| definitflottant:name | \definitflottant [...] [...] [...] |
| definitformatreference | \definitformatreference [...] [...] [..=..] |
| definitgroupecouleur | \definitgroupecouleur [...] [...] [x:y:z,..] |
| definit hbox | \definit hbox [...] [...] |
| definitjeucolonne | \definitjeucolonne [...] [...] [..=..] |
| definitliste | \definitliste [...] [...] [..=..] |
| definitlisteimbriquee | \definitlisteimbriquee [...] [...] [..=..] |
| definitmakeup | \definitmakeup [...] [...] [..=..] |
| definitmarquage | \definitmarquage [...] [...] [..=..] |
| definitmenuinteraction | \definitmenuinteraction [...] [...] [..=..] |
| definitpalette | \definitpalette [...] [..=..] |
| definitpalette:name | \definitpalette [...] [...] |
| definitparagraphes | \definitparagraphes [...] [...] [..=..] |
| definitpilechamp | \definitpilechamp [...] [...] [..=..] |
| definitpolice | \definitpolice [...] [...] [..=..] |
| definitpolicecorps | \definitpolicecorps [...] [...] [...] [..=..] |
| definitpolicecorps:argument | \definitpolicecorps [...] [...] [...] [...] |
| definitpolice:argument | \definitpolice [...] [...] [...] |
| definitprofil | \definitprofil [...] [...] [..=..] |
| definitprogramme | \definitprogramme [...] [...] [...] [...] |
| definitreference | \definitreference [...] [...] |
| definitregistre | \definitregistre [...] [...] [..=..] |
| definitrevetement | \definitrevetement [...] [...] [...] |
| definit saut de colonne | \definit saut de colonne [...] [...] |
| definit saut de page | \definit saut de page [...] [...] |
| definitsection | \definitsection [...] |
| definit sous champ | \definit sous champ [...] [...] [...] |
| definitstyle | \definitstyle [...] [...] [..=..] |
| definitstylepolice | \definitstylepolice [...] [...] |
| definit symbole | \definit symbole [...] [...] [...] |
| definit symbole figure | \definit symbole figure [...] [...] [..=..] |
| definit synonyme police | \definit synonyme police [...] [...] [..=..] |
| definit synonymes | \definit synonymes [...] [...] [...] [...] |
| definit tabulation | \definit tabulation [...] [...] [/.../] |
| definit taille papier | \definit taille papier [...] [..=..] ^{PPT} |
| definit taille papier:name | \definit taille papier [...] [...] [...] [...] |
| definit tete | \definit tete [...] [...] [..=..] |
| definit texte | \definit texte [...] [...] [...] [...] [...] [...] [...] |
| definit tram tableau | \definit tram tableau [...] [I...] [...] [...] |
| definit tri | \definit tri [...] [...] [...] |
| definit type | \definit type [...] [...] [..=..] |
| definit vide | \definit vide [...] |
| delimited | \delimited [...] [...] {...} |
| delimited text | \delimited text [...] [...] {...} |
| delimited text:instance | \DELIMITEDTEXT [...] {...} |
| delimited text:instance:aside | \aside [...] {...} |
| delimited text:instance:blockquote | \blockquote [...] {...} |
| delimited text:instance:quotation | \quotation [...] {...} |
| delimited text:instance:quote | \quote [...] {...} |
| delimited text:instance:speech | \speech [...] {...} |
| demarre | \demarre [...] ... \stoppe |
| demarre aligne droite | \demarre aligne droite ... \stoppe aligne droite |
| demarre aligne gauche | \demarre aligne gauche ... \stoppe aligne gauche |
| demarre aligne au milieu | \demarre aligne au milieu ... \stoppe aligne au milieu |
| demarre alignement | \demarre alignement [...] ... \stoppe alignement |
| demarre all modes | \demarre all modes [...] ... \stoppe all modes |
| demarre arriere plan | \demarre arriere plan [..=..] ... \stoppe arriere plan |
| demarre arriere plan:exemple | \demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN |
| demarre attachment:instance | \demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT |
| demarre attachment:instance:attachment | \demarreattachment [...] [..=..] ... \stoppeattachment |
| demarre bar | \demarrebar [...] ... \stoppebar |
| demarre b b o r d e r m a t r i x | \demarrebbordermatrix ... \stoppebbordermatrix |
| demarre b i t m a p i m a g e | \demarrebitmapimage [..=..] ... \stoppebitmapimage |
| demarre b o r d e r m a t r i x | \demarrebordermatrix ... \stoppebordermatrix |
| demarre b t x r e n d e r i n g d e f i n i t i o n s | \demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions |
| demarre b u f f e r | \demarrebuffer [...] ... \stoppebuffer |
| demarre buffer:instance | \demarreBUFFER ... \stoppeBUFFER |

| | |
|--|--|
| demarrebuffer:instance:hiding | \demarrehiding ... \stoppehiding |
| demarreecatcodetable | \demarreecatcodetable ... \stoppeecatcodetable |
| demarrecenteraligned | \demarrecenteraligned ... \stoppecenteraligned |
| demarrecharacteralign | \demarrecharacteralign [...] ... \stoppecharacteralign |
| demarrecharacteralign:argument | \demarrecharacteralign [...] ... \stoppecharacteralign |
| demarrecheckedfences | \demarrecheckedfences ... \stoppecheckedfences |
| demarrechemical | \demarrechemical [...] [...] ... \stoppechemical |
| demarreciter | \demarreciter [...] ... |
| demarrecollect | \demarrecollect ... \stoppecollect |
| demarrecollecting | \demarrecollecting ... \stoppecollecting |
| demarrecolonnes | \demarrecolonnes [...] ... \stoppecolonnes |
| demarrecolorintent | \demarrecolorintent [...] ... \stoppecolorintent |
| demarrecoloronly | \demarrecoloronly [...] ... \stoppecoloronly |
| demarrecolorset | \demarrecolorset [...] ... \stoppecolorset |
| demarrecolumnset | \demarrecolumnset [...] [...] ... \stoppecolumnset |
| demarrecolumnsetspan | \demarrecolumnsetspan [...] [...] ... \stoppecolumnsetspan |
| demarrecolumnset:example | \demarreCOLUMNSET [...] [...] ... \stoppeCOLUMNSET |
| demarrecolumnspan | \demarrecolumnspan [...] [...] ... \stoppecolumnspan |
| demarrecombination | \demarrecombination [...] [...] ... \stoppecombination |
| demarrecombination:matrix | \demarrecombination [...] [...] ... \stoppecombination |
| demarrecommentairepage | \demarrecommentairepage ... \stoppecommentairepage |
| demarrecommentaire:instance | \demarreCOMMENT [...] [...] ... \stoppeCOMMENT |
| demarrecommentaire:instance:comment | \demarrecomment [...] [...] ... \stoppecomment |
| demarrecomposant | \demarrecomposant [...] ... \stoppecomposant |
| demarrecomposant:string | \demarrecomposant ... \stoppecomposant |
| demarrecontextcode | \demarrecontextcode ... \stoppecontextcode |
| demarrecontextdefinitioncode | \demarrecontextdefinitioncode ... \stoppecontextdefinitioncode |
| demarrecouleur | \demarrecouleur [...] ... \stoppecouleur |
| demarrectxfunction | \demarrectxfunction ... \stoppectxfunction |
| demarrectxfunctiondefinition | \demarrectxfunctiondefinition ... \stoppectxfunctiondefinition |
| demarreccurrentcolor | \demarreccurrentcolor ... \stoppeccurrentcolor |
| demarreccurrentlistentrywrapper | \demarreccurrentlistentrywrapper ... \stoppeccurrentlistentrywrapper |
| demarredegrroupe | \demarredegrroupe ... \stoppedegrroupe |
| demarredelimited | \demarredelimited [...] [...] [...] ... \stoppedelimited |
| demarredelimitedtext | \demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext |
| demarredelimitedtext:instance | \demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT |
| demarredelimitedtext:instance:aside | \demarreaside [...] [...] ... \stoppeaside |
| demarredelimitedtext:instance:blockquote | \demarreblockquote [...] [...] ... \stoppeblockquote |
| demarredelimitedtext:instance:quotation | \demarrequotation [...] [...] ... \stoppequotation |
| demarredelimitedtext:instance:quote | \demarrequote [...] [...] ... \stoppequote |
| demarredelimitedtext:instance:speech | \demarrespeech [...] [...] ... \stoppespeech |
| demarredescription:example | \demarreDESCRIPTION [...] [...] ... \stoppeDESCRIPTION |
| demarredescription:example:title | \demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION |
| demarredisplaymath | \demarredisplaymath ... \stoppedisplaymath |
| demarredmath | \demarredmath ... \stoppedmath |
| demarredocument | \demarredocument [...] ... \stoppedocument |
| demarreeffect | \demarreeffect [...] ... \stoppeeffect |
| demarreeffect:example | \demarreEFFECT ... \stoppeEFFECT |
| demarreelement | \demarreelement [...] ... \stoppeelement |
| demarreembeddedxtable | \demarreembeddedxtable [...] ... \stoppeembeddedxtable |
| demarreembeddedxtable:name | \demarreembeddedxtable [...] ... \stoppeembeddedxtable |
| demarreenumeration:example | \demarreENUMERATION [...] [...] ... \stoppeENUMERATION |
| demarreenumeration:example:title | \demarreENUMERATION [...] {...} ... \stoppeENUMERATION |
| demarreenvironnement | \demarreenvironnement [...] ... \stoppeenvironnement |
| demarreenvironnementblocsection | \demarreenvironnementblocsection [...] ... \stoppeenvironnementblocsection |
| demarreenvironnement:string | \demarreenvironnement ... \stoppeenvironnement |
| demarreetroit | \demarreetroit [...] [...] ... \stoppeetroit |
| demarreetroit:assignment | \demarreetroit [...] [...] ... \stoppeetroit |
| demarreetroit:name | \demarreetroit [...] [...] ... \stoppeetroit |
| demarreexceptions | \demarreexceptions [...] ... \stoppeexceptions |
| demarreexpanded | \demarreexpanded ... \stoppeexpanded |
| demarreexpandedcollect | \demarreexpandedcollect ... \stoppeexpandedcollect |
| demarreextendedcatcodetable | \demarreextendedcatcodetable ... \stoppeextendedcatcodetable |
| demarreexternalfigurecollection | \demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection |
| demarrefacingfloat | \demarrefacingfloat [...] ... \stoppefacingfloat |
| demarrefigure | \demarrefigure [...] [...] [...] ... \stoppefigure |
| demarrefittingpage | \demarrefittingpage [...] [...] ... \stoppefittingpage |
| demarrefittingpage:instance | \demarreFITTINGPAGE [...] [...] ... \stoppeFITTINGPAGE |
| demarrefittingpage:instance:MPpage | \demarreMPpage [...] [...] ... \stoppeMPpage |
| demarrefittingpage:instance:TEXpage | \demarreTEXpage [...] [...] ... \stoppeTEXpage |
| demarrefixe | \demarrefixe [...] ... \stoppefixe |
| demarrefloatcombination | \demarrefloatcombination [...] [...] ... \stoppefloatcombination |

| | |
|--------------------------------------|--|
| demarrefloatcombination:matrix | \demarrefloatcombination [...] ... \stoppefloatcombination |
| demarrefloattext:instance | \demarreFLOATtexte [...] [...] [...] ... \stoppeFLOATtexte |
| demarrefloattext:instance:chemical | \demarrechemicaltexte [...] [...] [...] ... \stoppechemicaltexte |
| demarrefloattext:instance:figure | \demarrefiguretexte [...] [...] [...] ... \stoppefiguretexte |
| demarrefloattext:instance:graphic | \demarregraphictexte [...] [...] [...] ... \stoppegraphictexte |
| demarrefloattext:instance:intermezzo | \demarreintermezzotexte [...] [...] [...] ... \stoppeintermezzotexte |
| demarrefloattext:instance:table | \demarretabletexte [...] [...] [...] ... \stoppetabletexte |
| demarrefont | \demarrefont [...] ... \stoppefont |
| demarrefontclass | \demarrefontclass [...] ... \stoppefontclass |
| demarrefontsolution | \demarrefontsolution [...] ... \stoppefontsolution |
| demarreformule | \demarreformule [...] ... \stoppeformule |
| demarreformules | \demarreformules [...] ... \stoppeformules |
| demarreformule:assignment | \demarreformule [...] ... \stoppeformule |
| demarreformule:instance | \demarreFORMULAformula [...] ... \stoppeFORMULAformula |
| demarreformule:instance:md | \demarremdformula [...] ... \stoppemdformula |
| demarreformule:instance:mp | \demarrempformula [...] ... \stoppempformula |
| demarreformule:instance:sd | \demarresdformula [...] ... \stoppesdformula |
| demarreformule:instance:sp | \demarrespformula [...] ... \stoppespformula |
| demarreframed | \demarreframed [...] [...] ... \stoppeframed |
| demarreframedcell | \demarreframedcell [...] [...] ... \stoppeframedcell |
| demarreframedcontent | \demarreframedcontent [...] ... \stoppeframedcontent |
| demarreframedrow | \demarreframedrow [...] [...] ... \stoppeframedrow |
| demarreframedtable | \demarreframedtable [...] [...] [...] ... \stoppeframedtable |
| demarregridsnapping | \demarregridsnapping [...] ... \stoppegridsnapping |
| demarregridsnapping:list | \demarregridsnapping [...] ... \stoppegridsnapping |
| demarregruppe | \demarregruppe [...] ... \stoppegruppe |
| demarrehboxestohbox | \demarrehboxestohbox ... \stoppehboxestohbox |
| demarrehboxregister | \demarrehboxregister ... \stoppehboxregister |
| demarrehelp:instance | \demarreHELP [...] ... \stoppeHELP |
| demarrehelp:instance:helptext | \demarrehelptext [...] ... \stoppehelptext |
| demarrehighlight | \demarrehighlight [...] ... \stoppehighlight |
| demarrehyphenation | \demarrehyphenation [...] ... \stoppehyphenation |
| demarreimath | \demarreimath ... \stoppeimath |
| demarreindentedtext | \demarreindentedtext [...] ... \stoppeindentedtext |
| demarreindentedtext:example | \demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT |
| demarreinteraction | \demarreinteraction [...] ... \stoppeinteraction |
| demarreinterface | \demarreinterface ... \stoppeinterface |
| demarreintertext | \demarreintertext ... \stoppeintertext |
| demarreitemgroup | \demarreitemgroup [...] [...] [...] ... \stoppeitemgroup |
| demarreitemgroup:instance | \demarreITEMGROUP [...] [...] [...] ... \stoppeITEMGROUP |
| demarreitemgroup:instance:itemize | \demarreitemize [...] [...] [...] ... \stoppeitemize |
| demarreJSCode | \demarreJSCode ... \stoppeJSCode |
| demarreJSreamble | \demarreJSreamble ... \stoppeJSreamble |
| demarreknockout | \demarreknockout ... \stoppeknockout |
| demarrelabeltexte:instance | \demarreLABELtexte [...] [...] ... \stoppeLABELtexte |
| demarrelabeltexte:instance:btxlabel | \demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte |
| demarrelabeltexte:instance:head | \demarreheadtexte [...] [...] ... \stoppeheadtexte |
| demarrelabeltexte:instance:label | \demarrelabeltexte [...] [...] ... \stoppelabeltexte |
| demarrelabeltexte:instance:mathlabel | \demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte |
| demarrelabeltexte:instance:operator | \demarreoperatortexte [...] [...] ... \stoppeoperatortexte |
| demarrelabeltexte:instance:prefix | \demarreprefixtexte [...] [...] ... \stoppeprefixtexte |
| demarrelabeltexte:instance:suffix | \demarresuffixtexte [...] [...] ... \stoppesuffixtexte |
| demarrelabeltexte:instance:taglabel | \demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte |
| demarrelabeltexte:instance:unit | \demarreunittexte [...] [...] ... \stoppeunittexte |
| demarrelangue | \demarrelangue [...] ... \stoppelangue |
| demarrelayout | \demarrelayout [...] ... \stoppelayout |
| demarreligne | \demarreligne [...] |
| demarreligneregleetexte | \demarreligneregleetexte [...] ... \stoppeligneregleetexte |
| demarrelignes:instance | \demarreLINES [...] ... \stoppeLINES |
| demarrelignes:instance:lines | \demarrelines [...] ... \stoppelines |
| demarrelinealignment | \demarrelinealignment [...] ... \stoppelinealignment |
| demarrelinecorrection | \demarrelinecorrection [...] ... \stoppelinecorrection |
| demarrelinefiller | \demarrelinefiller [...] [...] ... \stoppelinefiller |
| demarrelinenumbering | \demarrelinenumbering [...] [...] [...] ... \stoppelinenumbering |
| demarrelinenumbering:argument | \demarrelinenumbering [...] [...] ... \stoppelinenumbering |
| demarrelinetable | \demarrelinetable ... \stoppelinetable |
| demarrelinetablebody | \demarrelinetablebody ... \stoppelinetablebody |
| demarrelinetablecell | \demarrelinetablecell [...] [...] ... \stoppelinetablecell |
| demarrelinetablehead | \demarrelinetablehead ... \stoppelinetablehead |
| demarrelocalfootnotes | \demarrelocalfootnotes ... \stoppelocalfootnotes |
| demarrelocalheadsetup | \demarrelocalheadsetup ... \stoppelocalheadsetup |
| demarrelocallinecorrection | \demarrelocallinecorrection [...] ... \stoppelocallinecorrection |

| | | |
|---|----------------------------------|---|
| demarrelocalnotes | \demarrelocalnotes [...] | ... \stoppelocalnotes |
| demarrelocalsetups | \demarrelocalsetups [...] | [...] ... \stoppelocalsetups |
| demarrelocalsetups:string | \demarrelocalsetups ... | ... \stoppelocalsetups |
| demarrelua | \demarrelua ... | \stoppelua |
| demarreluacode | \demarreluacode ... | \stoppeluacode |
| demarreluaparameterset | \demarreluaparameterset [...] | ... \stoppeluaparameterset |
| demarreluasetups | \demarreluasetups [...] | [...] ... \stoppeluasetups |
| demarreluasetups:string | \demarreluasetups ... | ... \stoppeluasetups |
| demarreMPclip | \demarreMPclip {...} | ... \stoppeMPclip |
| demarreMPcode | \demarreMPcode {...} | ... \stoppeMPcode |
| demarreMPdefinitions | \demarreMPdefinitions {...} | ... \stoppeMPdefinitions |
| demarreMPdrawing | \demarreMPdrawing [...] | ... \stoppeMPdrawing |
| demarreMPenvironment | \demarreMPenvironment [...] | ... \stoppeMPenvironment |
| demarreMPextensions | \demarreMPextensions {...} | ... \stoppeMPextensions |
| demarreMPinclusions | \demarreMPinclusions [...] | {...} ... \stoppeMPinclusions |
| demarreMPinitializations | \demarreMPinitializations ... | \stoppeMPinitializations |
| demarreMPpositiongraphic | \demarreMPpositiongraphic {...} | {...} ... \stoppeMPpositiongraphic |
| demarreMPpositionmethod | \demarreMPpositionmethod {...} | ... \stoppeMPpositionmethod |
| demarreMPrun | \demarreMPrun {...} | ... \stoppeMPrun |
| demarremakeup | \demarremakeup [...] | [..=..] ... \stoppemakeup |
| demarremakeup:instance | \demarreMAKEUPmakeup [..=..] | ... \stoppeMAKEUPmakeup |
| demarremakeup:instance:middle | \demarremiddlemakeup [..=..] | ... \stoppemiddlemakeup |
| demarremakeup:instance:page | \demarrepagemakeup [..=..] | ... \stoppepagemakeup |
| demarremakeup:instance:standard | \demarrestandardmakeup [..=..] | ... \stoppestandardmakeup |
| demarremakeup:instance:text | \demarretextmakeup [..=..] | ... \stoppetextmakeup |
| demarremargereglee | \demarremargereglee [...] | ... \stoppemargereglee |
| demarremargereglee:assignment | \demarremargereglee [..=..] | ... \stoppemargereglee |
| demarremarginblock | \demarremarginblock [...] | ... \stoppemarginblock |
| demarremarkedcontent | \demarremarkedcontent [...] | ... \stoppemarkedcontent |
| demarremarkpages | \demarremarkpages [...] | ... \stoppeemarkpages |
| demarremathalignment:instance | \demarreMATHALIGNMENT [..=..] | ... \stoppeMATHALIGNMENT |
| demarremathalignment:instance:align | \demarrealign [..=..] | ... \stoppealign |
| demarremathalignment:instance:mathalignment | \demarremathalignment [..=..] | ... \stoppemathalignment |
| demarremathcases:instance | \demarreMATHCASES [..=..] | ... \stoppeMATHCASES |
| demarremathcases:instance:cases | \demarreccases [..=..] | ... \stoppecases |
| demarremathcases:instance:mathcases | \demarremathcases [..=..] | ... \stoppemathcases |
| demarremathmatrix:instance | \demarreMATHMATRIX [..=..] | ... \stoppeMATHMATRIX |
| demarremathmatrix:instance:mathmatrix | \demarremathmatrix [..=..] | ... \stoppemathmatrix |
| demarremathmatrix:instance:matrix | \demarrematrix [..=..] | ... \stoppematrix |
| demarremathmode | \demarremathmode ... | \stoppemathmode |
| demarremathstyle | \demarremathstyle [...] | ... \stoppemathstyle |
| demarrematrices | \demarrematrices [..=..] | ... \stoppematrices |
| demarremaxaligned | \demarremaxaligned ... | \stoppemaxaligned |
| demarremenuinteraction | \demarremenuinteraction [...] | ... \stoppemenuinteraction |
| demarremiddlealigned | \demarremiddlealigned ... | \stoppemiddlealigned |
| demarremixedcolumns | \demarremixedcolumns [...] | [..=..] ... \stoppemixedcolumns |
| demarremixedcolumns:instance | \demarreMIXEDCOLUMNS [..=..] | ... \stoppeMIXEDCOLUMNS |
| demarremixedcolumns:instance:boxedcolumns | \demarreboxedcolumns [..=..] | ... \stoppeboxedcolumns |
| demarremixedcolumns:instance:itemgroupcolumns | \demarreitemgroupcolumns [..=..] | ... \stoppeitemgroupcolumns |
| demarremode | \demarremode [...] | ... \stoppemode |
| demarremodeset | \demarremodeset [...] | {...} ... \stoppemodeset |
| demarremodule | \demarremodule [...] | ... \stoppemodule |
| demarremoduletestsection | \demarremoduletestsection ... | \stoppemoduletestsection |
| demarremodule:string | \demarremodule ... | ... \stoppemodule |
| demarrenamedsection | \demarrenamedsection [...] | [..=..] [..=..] ... \stoppenamedsection |
| demarrenamedsubformulas | \demarrenamedsubformulas [...] | {...} ... \stoppenamedsubformulas |
| demarrenarrower | \demarrenarrower [...] | ... \stoppenarrower |
| demarrenarrower:example | \demarreNARROWER [...] | ... \stoppeNARROWER |
| demarrenegatif | \demarrenegatif ... | \stoppenegatif |
| demarrenicelyfilledbox | \demarrenicelyfilledbox [..=..] | ... \stoppenicelyfilledbox |
| demarrenointerference | \demarrenointerference ... | \stoppenointerference |
| demarrenotallmodes | \demarrenotallmodes [...] | ... \stoppenotallmodes |
| demarrenotext | \demarrenotext ... | \stoppenotext |
| demarrenote:instance | \demarreNOTE [...] | ... \stoppeNOTE |
| demarrenote:instance:assignment | \demarreNOTE [..=..] | ... \stoppeNOTE |
| demarrenote:instance:assignment:endnote | \demarreendnote [..=..] | ... \stoppeendnote |
| demarrenote:instance:assignment:footnote | \demarrefootnote [..=..] | ... \stoppefootnote |
| demarrenote:instance:endnote | \demarreendnote [...] | ... \stoppeendnote |
| demarrenote:instance:footnote | \demarrefootnote [...] | ... \stoppefootnote |
| demarrenotmode | \demarrenotmode [...] | ... \stoppenotmode |
| demarreopposition | \demarreopposition ... | \stoppeopposition |
| demarreoutputstream | \demarreoutputstream [...] | ... \stoppeoutputstream |

| | |
|---|--|
| demarreoverprint | \demarreoverprint ... \stoppeoverprint |
| demarrepagecolumns | \demarrepagecolumns [..=..] ... \stoppepagecolumns |
| demarrepagecolumns:instance | \demarrePAGECOLUMNS ... \stoppePAGECOLUMNS |
| demarrepagecolumns:name | \demarrepagecolumns [...] ... \stoppepagecolumns |
| demarrepagefigure | \demarrepagefigure [...] [..=..] ... \stoppepagefigure |
| demarrepagelayout | \demarrepagelayout [...] ... \stoppepagelayout |
| demarrepar | \demarrepar [...] [..=..] ... \stoppepar |
| demarreparagraphe | \demarreparagraphe [...] [..=..] ... \stoppeparagraphe |
| demarreparagraphs | \demarreparagraphs [...] ... \stoppeparagraphs |
| demarreparagraphscell | \demarreparagraphscell ... \stoppeparagraphscell |
| demarreparagraphs:example | \demarrePARAGRAPHS ... \stoppePARAGRAPHS |
| demarreparallel:example | \demarrePARALLEL ... \stoppePARALLEL |
| demarreparbuilder | \demarreparbuilder [...] ... \stoppeparbuilder |
| demarreplaceflottant | \demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant |
| demarreplaceflottant:instance | \demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT |
| demarreplaceflottant:instance:chemical | \demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical |
| demarreplaceflottant:instance:figure | \demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure |
| demarreplaceflottant:instance:graphic | \demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic |
| demarreplaceflottant:instance:intermezzo | \demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo |
| demarreplaceflottant:instance:table | \demarreplacetable [..=..] [..=..] ... \stoppeplacetable |
| demarreplaceformule | \demarreplaceformule [..=..] ... \stoppeplaceformule |
| demarreplaceformule:argument | \demarreplaceformule [...] ... \stoppeplaceformule |
| demarreplacepairedbox | \demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox |
| demarreplacepairedbox:instance | \demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX |
| demarreplacepairedbox:instance:legend | \demarreplacelegend [..=..] ... \stoppeplacelegend |
| demarrepositif | \demarrepositif ... \stoppepositif |
| demarrepositioning | \demarrepositioning [...] [..=..] ... \stoppepositioning |
| demarrepositionoverlay | \demarrepositionoverlay {...} ... \stoppepositionoverlay |
| demarrepostponing | \demarrepostponing [...] ... \stoppepostponing |
| demarrepostponingnotes | \demarrepostponingnotes ... \stoppepostponingnotes |
| demarreprocessassignmentcommand | \demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcommand |
| demarreprocessassignmentlist | \demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist |
| demarreprocesscommacommand | \demarreprocesscommacommand [...] ... \stoppeprocesscommacommand |
| demarreprocesscommalist | \demarreprocesscommalist [...] ... \stoppeprocesscommalist |
| demarreproduit | \demarreproduit [...] ... \stoppeproduit |
| demarreproduit:string | \demarreproduit \stoppeproduit |
| demarreprojet | \demarreprojet [...] ... \stoppeprojet |
| demarreprojet:string | \demarreprojet \stoppeprojet |
| demarreprotectedcolors | \demarreprotectedcolors ... \stoppeprotectedcolors |
| demarrepublication | \demarrepublication [...] [..=..] ... \stoppepublication |
| demarrequeueetableau | \demarrequeueetableau [...] ... \stoppequeueetableau |
| demarrequeueetabule | \demarrequeueetabule [...] ... \stoppequeueetabule |
| demarrerandomized | \demarrerandomized ... \stopperandomized |
| demarrerawsetups | \demarrerawsetups [...] [...] ... \stopperawsetups |
| demarrerawsetups:string | \demarrerawsetups \stopperawsetups |
| demarrerreadingfile | \demarrerreadingfile ... \stopperreadingfile |
| demarreregime | \demarreregime [...] ... \stoppereregime |
| demarrereusableMPgraphic | \demarrereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic |
| demarrerevetement | \demarrerevetement ... \stopperevetement |
| demarreruby | \demarreruby [...] ... \stopperuby |
| demarrescript | \demarrescript [...] ... \stoppescript |
| demarresectionblock | \demarresectionblock [...] [..=..] ... \stoppesectionblock |
| demarresectionblock:instance | \demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK |
| demarresectionblock:instance:appendices | \demarreappendices [..=..] ... \stoppeappendices |
| demarresectionblock:instance:backmatter | \demarrebackmatter [..=..] ... \stoppebackmatter |
| demarresectionblock:instance:bodymatter | \demarrebodymatter [..=..] ... \stoppebodymatter |
| demarresectionblock:instance:frontmatter | \demarrefrontmatter [..=..] ... \stoppefrontmatter |
| demarresectionlevel | \demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel |
| demarresection:instance | \demarreSECTION [..=..] [..=..] ... \stoppeSECTION |
| demarresection:instance:chapter | \demarrechapter [..=..] [..=..] ... \stoppechapter |
| demarresection:instance:part | \demarrepart [..=..] [..=..] ... \stoppepart |
| demarresection:instance:section | \demarresection [..=..] [..=..] ... \stoppesection |
| demarresection:instance:subject | \demarresubject [..=..] [..=..] ... \stoppesubject |
| demarresection:instance:subsection | \demarresubsection [..=..] [..=..] ... \stoppesubsection |
| demarresection:instance:subsubsection | \demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection |
| demarresection:instance:subsubsubsection | \demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsection |
| demarresection:instance:subsubsubsubsection | \demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection |
| demarresection:instance:subsubsubsubsubsection | \demarresubsubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsubsection |
| demarresection:instance:subsubsubsubsubsubsection | \demarresubsubsubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsubsubsection |
| demarresection:instance:title | \demarrere [..=..] [..=..] ... \stoppetitle |

| | |
|---|--|
| demarresetups | \demarresetups [...] [...] ... \stoppesetups |
| demarresetups:string | \demarresetups \stoppesetups |
| demarreshift | \demarreshift [...] ... \stoppeshift |
| demarresidebar | \demarresidebar [...] [..=..] ... \stoppesidebar |
| demarresimplecolumns | \demarresimplecolumns [..=..] ... \stoppesimplecolumns |
| demarrespecialitem:item | \demarrespecialitem [...] [...] ... \stoppespecialitem |
| demarrespecialitem:none | \demarrespecialitem [...] ... \stoppespecialitem |
| demarrespecialitem:symbol | \demarrespecialitem [...] {...} ... \stoppespecialitem |
| demarresplitformula | \demarresplitformula ... \stoppesplitformula |
| demarresplittext | \demarresplittext ... \stoppesplittext |
| demarrespread | \demarrespread ... \stoppespread |
| demarrestartstop:example | \demarreSTARTSTOP ... \stoppeSTARTSTOP |
| demarrestaticMPfigure | \demarrestaticMPfigure {...} ... \stoppestaticMPfigure |
| demarrestaticMPgraphic | \demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic |
| demarrestrictinspectnextcharacter | \demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter |
| demarrestyle | \demarrestyle [..=..] ... \stoppestyle |
| demarrestyle:argument | \demarrestyle [...] ... \stoppestyle |
| demarrestyle:instance | \demarreSTYLE ... \stoppeSTYLE |
| demarresubformulas | \demarresubformulas [...] ... \stoppesubformulas |
| demarresubjectlevel | \demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel |
| demarresubsentence | \demarresubsentence ... \stoppesubsentence |
| demarresubstack | \demarresubstack ... \stoppesubstack |
| demarresuspend | \demarresuspend [..=..] {...} ... \stoppesuspend |
| demarresuspend:argument | \demarresuspend [...] {...} ... \stoppesuspend |
| demarresymbolset | \demarresymbolset [...] [..=..] ... \stoppesymbolset |
| demarreTABLE | \demarreTABLE [..=..] ... \stoppeTABLE |
| demarreTABLEbody | \demarreTABLEbody [..=..] ... \stoppeTABLEbody |
| demarreTABLEfoot | \demarreTABLEfoot [..=..] ... \stoppeTABLEfoot |
| demarreTABLEhead | \demarreTABLEhead [..=..] ... \stoppeTABLEhead |
| demarreTABLEnext | \demarreTABLEnext [..=..] ... \stoppeTABLEnext |
| demarretableau | \demarretableau [...] [..=..] ... \stoppetableau |
| demarretableau:name | \demarretableau [...] [..=..] ... \stoppetableau |
| demarretables | \demarretables [...] ... \stoppetables |
| demarretables:name | \demarretables [...] ... \stoppetables |
| demarretabulation:example | \demarreTABULATION [...] [..=..] ... \stoppeTABULATION |
| demarretabule | \demarretabule [...] [..=..] ... \stoppetabule |
| demarretabule:instance | \demarreTABULATE [?!] [..=..] ... \stoppeTABULATE |
| demarretabule:instance:fact | \demarrefact [...] [..=..] ... \stoppefact |
| demarretabule:instance:legend | \demarrelegend [...] [..=..] ... \stoppelegend |
| demarretete | \demarretete [...] {...} ... \stoppetete |
| demarretetetableau | \demarretetetetableau [...] ... \stoppetetetetableau |
| demarretetetabule | \demarretetetetabule [...] ... \stoppetetetetabule |
| demarretexcode | \demarretexcode ... \stoppetexcode |
| demarretexdefinition | \demarretexdefinition \stoppetexdefinition |
| demarretextbackground | \demarretextbackground [...] [..=..] ... \stoppetextbackground |
| demarretextbackgroundmanual | \demarretextbackgroundmanual ... \stoppetextbackgroundmanual |
| demarretextbackground:example | \demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND |
| demarretextcolor | \demarretextcolor [...] ... \stoppetextcolor |
| demarretextcolorintent | \demarretextcolorintent ... \stoppetextcolorintent |
| demarretexte | \demarretexte ... \stoppetexte |
| demarretexteaide | \demarretexteaide [...] ... \stoppetexteaide |
| demarretexteencadre:instance | \demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT |
| demarretexteencadre:instance:framedtext | \demarreframedtext [...] [..=..] ... \stoppeframedtext |
| demarretextflow | \demarretextflow [...] ... \stoppetextflow |
| demarretokenlist | \demarretokenlist [...] ... \stoppetokenlist |
| demarretokens | \demarretokens [...] ... \stoppetokens |
| demarretransparent | \demarretransparent [...] ... \stoppetransparent |
| demarretypescript | \demarretypescript [...] [...] [...] ... \stoppetypescript |
| demarretypescriptcollection | \demarretypescriptcollection [...] ... \stoppetypescriptcollection |
| demarretyping:instance | \demarreTYPING [..=..] ... \stoppeTYPING |
| demarretyping:instance:argument | \demarreTYPING [...] ... \stoppeTYPING |
| demarretyping:instance:argument:LUA | \demarreLUA [...] ... \stoppeLUA |
| demarretyping:instance:argument:MP | \demarreMP [...] ... \stoppeMP |
| demarretyping:instance:argument:PARSEDXML | \demarrePARSEDXML [...] ... \stoppePARSEDXML |
| demarretyping:instance:argument:TEX | \demarreTEX [...] ... \stoppeTEX |
| demarretyping:instance:argument:typing | \demarretyping [...] ... \stoppetyping |
| demarretyping:instance:argument:XML | \demarreXML [...] ... \stoppeXML |
| demarretyping:instance:LUA | \demarreLUA [..=..] ... \stoppeLUA |
| demarretyping:instance:MP | \demarreMP [..=..] ... \stoppeMP |
| demarretyping:instance:PARSEDXML | \demarrePARSEDXML [..=..] ... \stoppePARSEDXML |
| demarretyping:instance:TEX | \demarreTEX [..=..] ... \stoppeTEX |
| demarretyping:instance:typing | \demarretyping [..=..] ... \stoppetyping |

| | |
|------------------------------------|--|
| demarretyping:instance:XML | \demarreXML [..=..] ... \stoppeXML |
| demarreuniqueMPgraphic | \demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic |
| demarreuniqueMPpagegraphic | \demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic |
| demarreusableMPgraphic | \demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic |
| demarreuseMPgraphic | \demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic |
| demarreusemathstyleparameter | \demarreusemathstyleparameter ... \stoppeusemathstyleparameter |
| demarreuserdata | \demarreuserdata [...] [..=..] ... \stoppeuserdata |
| demarreusingbtxs specification | \demarreusingbtxs specification [...] ... \stoppeusingbtxs specification |
| demarreva | \demarreva [...] ... \stoppeva |
| demarre vbox register | \demarre vbox register ... \stoppe vbox register |
| demarre vbox to hbox | \demarre vbox to hbox ... \stoppe vbox to hbox |
| demarre vbox to hbox separator | \demarre vbox to hbox separator ... \stoppe vbox to hbox separator |
| demarre viewer layer | \demarre viewer layer [...] ... \stoppe viewer layer |
| demarre viewer layer:example | \demarreVIEWERLAYER ... \stoppeVIEWERLAYER |
| demarre vtop register | \demarre vtop register ... \stoppe vtop register |
| demarrex cell | \demarrex cell [...] [..=..] ... \stoppe x cell |
| demarrex cell group | \demarrex cell group [...] [..=..] ... \stoppe x cell group |
| demarrex column | \demarrex column [..=..] ... \stoppe x column |
| demarrex column:name | \demarrex column [...] ... \stoppe x column |
| demarrex group | \demarrex group [...] [..=..] ... \stoppe x group |
| demarrex mldisplay verbatim | \demarrex mldisplay verbatim [...] ... \stoppe x mldisplay verbatim |
| demarrex mlinline verbatim | \demarrex mlinline verbatim [...] ... \stoppe x mlinline verbatim |
| demarrex mdraw | \demarrex mdraw ... \stoppe x mdraw |
| demarrex mls setups | \demarrex mls setups [...] [...] ... \stoppe x mls setups |
| demarrex mls setups:string | \demarrex mls setups ... \stoppe x mls setups |
| demarrex row | \demarrex row [...] [..=..] ... \stoppe x row |
| demarrex row group | \demarrex row group [...] [..=..] ... \stoppe x row group |
| demarrex table | \demarrex table [..=..] ... \stoppe x table |
| demarrex table body | \demarrex table body [..=..] ... \stoppe x table body |
| demarrex table body:name | \demarrex table body [...] ... \stoppe x table body |
| demarrex table foot | \demarrex table foot [..=..] ... \stoppe x table foot |
| demarrex table foot:name | \demarrex table foot [...] ... \stoppe x table foot |
| demarrex table head | \demarrex table head [..=..] ... \stoppe x table head |
| demarrex table head:name | \demarrex table head [...] ... \stoppe x table head |
| demarrex table next | \demarrex table next [..=..] ... \stoppe x table next |
| demarrex table next:name | \demarrex table next [...] ... \stoppe x table next |
| demarrex table:example | \demarreXTABLE [..=..] ... \stoppeXTABLE |
| demarrex table:name | \demarrex table [...] ... \stoppe x table |
| depth of string | \depth of string {...} |
| depth only box | \depth only box {...} |
| depth spanning text | \depth spanning text {...} {...} {...} |
| depth strut | \depth strut |
| dernieresouspage | \dernieresouspage |
| description:example | \DESCRIPTION [...] {...} ... \par |
| determinecharacteristiqueliste | \determinecharacteristiqueliste [...] [..=..] |
| determinecharacteristiquesregistre | \determinecharacteristiquesregistre [...] [..=..] |
| determinenoflines | \determinenoflines {...} |
| determinenumberotete | \determinenumberotete [...] |
| devanagarinumerals | \devanagarinumerals {...} |
| digits | \digits {...} |
| digits:string | \digits ... |
| dimension to count | \dimension to count {...} \... |
| direct box from cache | \direct box from cache {...} {...} |
| direct color | \direct color [...] |
| direct colored | \direct colored [..=..] |
| direct colored:name | \direct colored [...] |
| direct converted counter | \direct converted counter {...} {...} |
| direct copy box from cache | \direct copy box from cache {...} {...} |
| direct dummy parameter | \direct dummy parameter {...} |
| direct get box lllx | \direct get box lllx ... |
| direct get box lly | \direct get box lly ... |
| direct highlight | \direct highlight {...} {...} |
| direct local framed | \direct local framed [...] {...} |
| direct lua code | \direct lua code {...} |
| direct select | \direct select {...} {...} {...} {...} {...} {...} |
| direct set bar | \direct set bar {...} OPT OPT OPT OPT OPT |
| direct setup | \direct setup {...} |
| direct symbol | \direct symbol {...} {...} |
| direct vs spacing | \direct vs spacing {...} |
| dis | \dis {...} |
| disabled directives | \disabled directives [...] |
| disable experiments | \disable experiments [...] |

| | |
|-------------------------------|---|
| disablemode | \disablemode [...] |
| disableoutputstream | \disableoutputstream |
| disableparpositions | \disableparpositions |
| disableregime | \disableregime |
| disabletrackers | \disabletrackers [...] |
| displaymath | \displaymath {...} |
| displaymathematics | \displaymathematics {...} |
| displaymessage | \displaymessage {...} |
| distributedhsize | \distributedhsize {...} {...} {...} |
| dividedsize | \dividedsize {...} {...} {...} |
| doadaptleftskip | \doadaptleftskip {...} |
| doadaptrightskip | \doadaptrightskip {...} |
| doaddfeature | \doaddfeature {...} |
| doassign | \doassign [...] [..=..] |
| doassignempty | \doassignempty [...] [..=..] |
| doboundtext | \doboundtext {...} {...} {...} |
| docheckassignment | \docheckassignment {...} |
| docheckedpagestate | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair | \docheckedpair {...} |
| documentvariable | \documentvariable {...} |
| dodoubleargument | \dodoubleargument \... [...] [...] |
| dodoubleargumentwithset | \dodoubleargumentwithset \... [...] [...] |
| dodoubleempty | \dodoubleempty \... [...] [...] |
| dodoubleemptywithset | \dodoubleemptywithset \... [...] [...] |
| dodoublegroupempty | \dodoublegroupempty \... {...} {...} |
| doeassign | \doeassign [...] [..=..] |
| doexpandedrecurse | \doexpandedrecurse {...} {...} |
| dofastloopcs | \dofastloopcs {...} \... |
| dogetattribute | \dogetattribute {...} |
| dogetattributeid | \dogetattributeid {...} |
| dogetcommacommandelement | \dogetcommacommandelement ... \from ... \to \... |
| dogobbledoubleempty | \dogobbledoubleempty [...] [...] |
| dogobblesingleempty | \dogobblesingleempty [...] |
| doif | \doif {...} {...} {...} |
| doifallcommon | \doifallcommon {...} {...} {...} |
| doifallcommonelse | \doifallcommonelse {...} {...} {...} {...} |
| doifalldefinedelse | \doifalldefinedelse {...} {...} {...} |
| doifallmodes | \doifallmodes {...} {...} {...} |
| doifallmodeselse | \doifallmodeselse {...} {...} {...} |
| doifassignmentelse | \doifassignmentelse {...} {...} {...} |
| doifassignmentelsesecs | \doifassignmentelsesecs {...} \... \... |
| doifblackelse | \doifblackelse {...} {...} {...} |
| doifbothsides | \doifbothsides {...} {...} {...} |
| doifbothsidesoverruled | \doifbothsidesoverruled {...} {...} {...} |
| doifboxelse | \doifboxelse {...} {...} {...} {...} |
| doifbufferelse | \doifbufferelse {...} {...} {...} |
| doifcolor | \doifcolor {...} {...} |
| doifcolorelse | \doifcolorelse {...} {...} {...} |
| doifcommandhandler | \doifcommandhandler \... {...} {...} |
| doifcommandhandlerelse | \doifcommandhandlerelse \... {...} {...} {...} |
| doifcommon | \doifcommon {...} {...} {...} |
| doifcommonelse | \doifcommonelse {...} {...} {...} {...} |
| doifcontent | \doifcontent {...} {...} {...} \... {...} |
| doifconversiondefinedelse | \doifconversiondefinedelse {...} {...} {...} |
| doifconversionnumberelse | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter | \doifcounter {...} {...} |
| doifcounterelse | \doifcounterelse {...} {...} {...} |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...} |
| doifdefined | \doifdefined {...} {...} |
| doifdefinedcounter | \doifdefinedcounter {...} {...} |
| doifdefinedcounterelse | \doifdefinedcounterelse {...} {...} {...} |
| doifdefinedelse | \doifdefinedelse {...} {...} {...} |
| doifdimensionelse | \doifdimensionelse {...} {...} {...} |
| doifdimenstringelse | \doifdimenstringelse {...} {...} {...} |
| doifdocumentargument | \doifdocumentargument {...} {...} |
| doifdocumentargumentelse | \doifdocumentargumentelse {...} {...} {...} |
| doifdocumentfilename | \doifdocumentfilename {...} {...} |
| doifdocumentfilenameelse | \doifdocumentfilenameelse {...} {...} {...} |
| doifdocumentvariable | \doifdocumentvariable {...} {...} |
| doifdocumentvariableelse | \doifdocumentvariableelse {...} {...} {...} |
| doifdrawingblackelse | \doifdrawingblackelse {...} {...} |
| doifelse | \doifelse {...} {...} {...} {...} |

| | |
|-------------------------------|---|
| doifelseallcommon | \doifelseallcommon {...} {...} {...} {...} |
| doifelsealldefined | \doifelsealldefined {...} {...} {...} |
| doifelseallmodes | \doifelseallmodes {...} {...} {...} |
| doifelseassignment | \doifelseassignment {...} {...} {...} |
| doifelseassignmenttcs | \doifelseassignmenttcs {...} \... \... |
| doifelseblack | \doifelseblack {...} {...} {...} |
| doifelsebox | \doifelsebox {...} {...} {...} {...} |
| doifelseboxincache | \doifelseboxincache {...} {...} {...} {...} |
| doifelsebuffer | \doifelsebuffer {...} {...} {...} |
| doifelsecolor | \doifelsecolor {...} {...} {...} |
| doifelsecommandhandler | \doifelsecommandhandler \... {...} {...} {...} |
| doifelsecommon | \doifelsecommon {...} {...} {...} {...} |
| doifelseconversiondefined | \doifelseconversiondefined {...} {...} {...} |
| doifelseconversionnumber | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter | \doifelsecounter {...} {...} {...} |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...} |
| doifelsecurrentsortingingused | \doifelsecurrentsortingingused {...} {...} |
| doifelsecurrentsynonymshown | \doifelsecurrentsynonymshown {...} {...} |
| doifelsecurrentsynonymused | \doifelsecurrentsynonymused {...} {...} |
| doifelsedefined | \doifelsedefined {...} {...} {...} |
| doifelsedefinedcounter | \doifelsedefinedcounter {...} {...} {...} |
| doifelsedimension | \doifelsedimension {...} {...} {...} |
| doifelsedimenstring | \doifelsedimenstring {...} {...} {...} |
| doifelsedocumentargument | \doifelsedocumentargument {...} {...} {...} |
| doifelsedocumentfilename | \doifelsedocumentfilename {...} {...} {...} |
| doifelsedocumentvariable | \doifelsedocumentvariable {...} {...} {...} |
| doifelsedrawingblack | \doifelsedrawingblack {...} {...} |
| doifelseempty | \doifelseempty {...} {...} {...} |
| doifelseemptyvalue | \doifelseemptyvalue {...} {...} {...} |
| doifelseemptyvariable | \doifelseemptyvariable {...} {...} {...} {...} |
| doifelseenv | \doifelseenv {...} {...} {...} |
| doifelsefastoptionalcheck | \doifelsefastoptionalcheck {...} {...} |
| doifelsefastoptionalcheckcs | \doifelsefastoptionalcheckcs \... \... |
| doifelsefieldbody | \doifelsefieldbody {...} {...} {...} |
| doifelsefieldcategory | \doifelsefieldcategory {...} {...} {...} |
| doifelsefigure | \doifelsefigure {...} {...} {...} |
| doifelsefile | \doifelsefile {...} {...} {...} |
| doifelsefiledefined | \doifelsefiledefined {...} {...} {...} |
| doifelsefileexists | \doifelsefileexists {...} {...} {...} |
| doifelsefirstchar | \doifelsefirstchar {...} {...} {...} {...} |
| doifelseflagged | \doifelseflagged {...} {...} {...} |
| doifelsefontchar | \doifelsefontchar {...} {...} {...} {...} |
| doifelsefontfeature | \doifelsefontfeature {...} {...} {...} |
| doifelsefontpresent | \doifelsefontpresent {...} {...} {...} |
| doifelsefontsynonym | \doifelsefontsynonym {...} {...} {...} |
| doifelseframed | \doifelseframed \... {...} {...} |
| doifelsehasspace | \doifelsehasspace {...} {...} {...} |
| doifelsehelp | \doifelsehelp {...} {...} |
| doifelseincsnames | \doifelseincsnames {...} {...} {...} {...} |
| doifelseinelement | \doifelseinelement {...} {...} {...} |
| doifelseinputfile | \doifelseinputfile {...} {...} {...} |
| doifelseinsertion | \doifelseinsertion {...} {...} {...} |
| doifelseinset | \doifelseinset {...} {...} {...} {...} |
| doifelseinstring | \doifelseinstring {...} {...} {...} {...} |
| doifelseinsymbolset | \doifelseinsymbolset {...} {...} {...} {...} |
| doifelseintoks | \doifelseintoks {...} {...} {...} {...} |
| doifelseintwopassdata | \doifelseintwopassdata {...} {...} {...} {...} |
| doifelseitalic | \doifelseitalic {...} {...} |
| doifelselanguage | \doifelselanguage {...} {...} {...} |
| doifelselayerdata | \doifelselayerdata {...} {...} {...} |
| doifelselayoutdefined | \doifelselayoutdefined {...} {...} {...} |
| doifelselayoutsomeline | \doifelselayoutsomeline {...} {...} {...} |
| doifelselayouttextline | \doifelselayouttextline {...} {...} {...} |
| doifelseleapyear | \doifelseleapyear {...} {...} {...} |
| doifselist | \doifselist {...} {...} {...} |
| doifselocation | \doifselocation {...} {...} |
| doifselocfile | \doifselocfile {...} {...} {...} |
| doifelseMPgraphic | \doifelseMPgraphic {...} {...} {...} |
| doifsemainfloatbody | \doifsemainfloatbody {...} {...} |
| doifsemarkedpage | \doifsemarkedpage {...} {...} {...} |
| doifsemarking | \doifsemarking {...} {...} {...} |
| doifsemeaning | \doifsemeaning \... \... {...} {...} |

| | |
|--------------------------------|---|
| doifelsemessage | \doifelsemessage {...} {...} {...} {...} |
| doifelsemode | \doifelsemode {...} {...} {...} |
| doifelsenextbgroup | \doifelsenextbgroup {...} {...} |
| doifelsenextbgroupcs | \doifelsenextbgroupcs \... \... |
| doifelsenextchar | \doifelsenextchar {...} {...} {...} |
| doifelsenextoptional | \doifelsenextoptional {...} {...} |
| doifelsenextoptionalcs | \doifelsenextoptionalcs \... \... |
| doifelsenextparenthesis | \doifelsenextparenthesis {...} {...} |
| doifelsenonzeropositive | \doifelsenonzeropositive {...} {...} {...} |
| doifelsenoteonsamepage | \doifelsenoteonsamepage {...} {...} {...} |
| doifelsenothing | \doifelsenothing {...} {...} {...} |
| doifelsenumber | \doifelsenumber {...} {...} {...} |
| doifelseobjectfound | \doifelseobjectfound {...} {...} {...} {...} |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpager | \doifelseoddpager {...} {...} |
| doifelseoddpagerfloat | \doifelseoddpagerfloat {...} {...} |
| doifelseoldercontext | \doifelseoldercontext {...} {...} {...} |
| doifelseolderversion | \doifelseolderversion {...} {...} {...} {...} |
| doifelseoverlapping | \doifelseoverlapping {...} {...} {...} {...} |
| doifelseoverlay | \doifelseoverlay {...} {...} {...} |
| doifelseparallel | \doifelseparallel {...} {...} {...} {...} |
| doifelseparentfile | \doifelseparentfile {...} {...} {...} |
| doifelsepath | \doifelsepath {...} {...} {...} |
| doifelsepathexists | \doifelsepathexists {...} {...} {...} |
| doifelsepatterns | \doifelsepatterns {...} {...} {...} |
| doifelseposition | \doifelseposition {...} {...} {...} |
| doifelsepositionaction | \doifelsepositionaction {...} {...} {...} |
| doifelsepositiononpage | \doifelsepositiononpage {...} {...} {...} {...} |
| doifelsepositionsonsamepage | \doifelsepositionsonsamepage {...} {...} {...} |
| doifelsepositionsonthispage | \doifelsepositionsonthispage {...} {...} {...} |
| doifelsepositionsused | \doifelsepositionsused {...} {...} |
| doifelsereferencefound | \doifelsereferencefound {...} {...} {...} |
| doifelserightpage | \doifelserightpage {...} {...} |
| doifelserightpagefloat | \doifelserightpagefloat {...} {...} |
| doifelserighttoleftinbox | \doifelserighttoleftinbox ... {...} {...} |
| doifelsesamelinereference | \doifelsesamelinereference {...} {...} {...} |
| doifelsesamestring | \doifelsesamestring {...} {...} {...} {...} |
| doifelsesetups | \doifelsesetups {...} {...} {...} |
| doifelsesomebackground | \doifelsesomebackground {...} {...} {...} |
| doifelsesomespace | \doifelsesomespace {...} {...} {...} |
| doifelsesomething | \doifelsesomething {...} {...} {...} |
| doifelsesometoks | \doifelsesometoks \... {...} {...} |
| doifelsestringinstr | \doifelsestringinstr {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...} |
| doifelsestructurelisthaspage | \doifelsestructurelisthaspage {...} {...} |
| doifelsesymboldefined | \doifelsesymboldefined {...} {...} {...} |
| doifelsesymbolset | \doifelsesymbolset {...} {...} {...} |
| doifelsestext | \doifelsestext {...} {...} {...} |
| doifelsestextflow | \doifelsestextflow {...} {...} {...} |
| doifelsestextflowcollector | \doifelsestextflowcollector {...} {...} {...} |
| doifelsetopofpage | \doifelsetopofpage {...} {...} |
| doifelsetypingfile | \doifelsetypingfile {...} {...} {...} |
| doifelseundefined | \doifelseundefined {...} {...} {...} |
| doifelseurldefined | \doifelseurldefined {...} {...} {...} |
| doifelsevalue | \doifelsevalue {...} {...} {...} {...} |
| doifelsevaluenothing | \doifelsevaluenothing {...} {...} {...} {...} |
| doifelsevariable | \doifelsevariable {...} {...} {...} {...} |
| doifempty | \doifempty {...} {...} |
| doifemptyelse | \doifemptyelse {...} {...} {...} |
| doifemptytoks | \doifemptytoks \... {...} |
| doifemptyvalue | \doifemptyvalue {...} {...} |
| doifemptyvalueelse | \doifemptyvalueelse {...} {...} {...} |
| doifemptyvariable | \doifemptyvariable {...} {...} {...} |
| doifemptyvariableelse | \doifemptyvariableelse {...} {...} {...} {...} |
| doifenv | \doifenv {...} {...} |
| doifenvelse | \doifenvelse {...} {...} {...} |
| doiffastoptionalcheckcselse | \doiffastoptionalcheckcselse \... \... |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {...} {...} |
| doiffielddbodyelse | \doiffielddbodyelse {...} {...} {...} |
| doiffielddcategoryelse | \doiffielddcategoryelse {...} {...} {...} |
| doiffigureelse | \doiffigureelse {...} {...} {...} |
| doiffile | \doiffile {...} {...} |

| | |
|-------------------------|--|
| doiffiledefinedelse | \doiffiledefinedelse {...} {...} {...} |
| doiffileelse | \doiffileelse {...} {...} {...} |
| doiffileexistse | \doiffileexistse {...} {...} {...} |
| doiffirstcharelse | \doiffirstcharelse {...} {...} {...} {...} |
| doifflaggedelse | \doifflaggedelse {...} {...} {...} |
| doiffontcharelse | \doiffontcharelse {...} {...} {...} {...} |
| doiffontfeatureelse | \doiffontfeatureelse {...} {...} {...} |
| doiffontpresentelse | \doiffontpresentelse {...} {...} {...} |
| doiffontsynonymelse | \doiffontsynonymelse {...} {...} {...} |
| doifhasspaceelse | \doifhasspaceelse {...} {...} {...} |
| doifhelpelse | \doifhelpelse {...} {...} |
| doifincsnameelse | \doifincsnameelse {...} {...} {...} {...} |
| doifinelementelse | \doifinelementelse {...} {...} {...} |
| doifinputfileelse | \doifinputfileelse {...} {...} {...} |
| doifinsertionelse | \doifinsertionelse {...} {...} {...} |
| doifinset | \doifinset {...} {...} {...} |
| doifinsetelse | \doifinsetelse {...} {...} {...} {...} |
| doifinstring | \doifinstring {...} {...} {...} |
| doifinstringelse | \doifinstringelse {...} {...} {...} {...} |
| doifinsymbolset | \doifinsymbolset {...} {...} {...} {...} |
| doifinsymbolsetelse | \doifinsymbolsetelse {...} {...} {...} {...} |
| doifintokselse | \doifintokselse {...} {...} {...} {...} |
| doifintwopassdataelse | \doifintwopassdataelse {...} {...} {...} {...} |
| doifitalicelse | \doifitalicelse {...} {...} |
| doiflanguageelse | \doiflanguageelse {...} {...} {...} |
| doiflayerdataelse | \doiflayerdataelse {...} {...} {...} |
| doiflayoutdefinedelse | \doiflayoutdefinedelse {...} {...} {...} |
| doiflayoutsomelineelse | \doiflayoutsomelineelse {...} {...} {...} |
| doiflayouttextlineelse | \doiflayouttextlineelse {...} {...} {...} |
| doifleapyearelse | \doifleapyearelse {...} {...} {...} |
| doiflistelse | \doiflistelse {...} {...} {...} |
| doiflocationelse | \doiflocationelse {...} {...} |
| doiflocfileelse | \doiflocfileelse {...} {...} {...} |
| doifMPgraphicelse | \doifMPgraphicelse {...} {...} {...} |
| doifmainfloatbodyelse | \doifmainfloatbodyelse {...} {...} |
| doifmarkingelse | \doifmarkingelse {...} {...} {...} |
| doifmeaningelse | \doifmeaningelse \... \... {...} {...} |
| doifmessageelse | \doifmessageelse {...} {...} {...} {...} |
| doifmode | \doifmode {...} {...} |
| doifmodeelse | \doifmodeelse {...} {...} {...} |
| doifnextbgroupcse | \doifnextbgroupcse \... \... |
| doifnextbgroupelse | \doifnextbgroupelse {...} {...} |
| doifnextcharelse | \doifnextcharelse {...} {...} {...} |
| doifnextoptionalcse | \doifnextoptionalcse \... \... |
| doifnextoptionalelse | \doifnextoptionalelse {...} {...} |
| doifnextparenthesiselse | \doifnextparenthesiselse {...} {...} |
| doifnonzeropositiveelse | \doifnonzeropositiveelse {...} {...} {...} |
| doifnot | \doifnot {...} {...} {...} |
| doifnotallcommon | \doifnotallcommon {...} {...} {...} |
| doifnotallmodes | \doifnotallmodes {...} {...} {...} |
| doifnotcommandhandler | \doifnotcommandhandler \... {...} {...} |
| doifnotcommon | \doifnotcommon {...} {...} {...} |
| doifnotcounter | \doifnotcounter {...} {...} |
| doifnotdocumentargument | \doifnotdocumentargument {...} {...} |
| doifnotdocumentfilename | \doifnotdocumentfilename {...} {...} |
| doifnotdocumentvariable | \doifnotdocumentvariable {...} {...} |
| doifnotempty | \doifnotempty {...} {...} |
| doifnotemptyvalue | \doifnotemptyvalue {...} {...} |
| doifnotemptyvariable | \doifnotemptyvariable {...} {...} {...} |
| doifnotenv | \doifnotenv {...} {...} |
| doifnoteonsamepageelse | \doifnoteonsamepageelse {...} {...} {...} |
| doifnotescollected | \doifnotescollected {...} {...} |
| doifnotfile | \doifnotfile {...} {...} |
| doifnotflagged | \doifnotflagged {...} {...} |
| doifnothing | \doifnothing {...} {...} |
| doifnothingelse | \doifnothingelse {...} {...} {...} |
| doifnotinset | \doifnotinset {...} {...} {...} |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {...} |
| doifnotinstring | \doifnotinstring {...} {...} {...} |
| doifnotmode | \doifnotmode {...} {...} |
| doifnotnumber | \doifnotnumber {...} {...} |
| doifnotsamestring | \doifnotsamestring {...} {...} {...} |

| | |
|--------------------------------|---|
| doifnotsetups | \doifnotsetups {...} {...} |
| doifnotvalue | \doifnotvalue {...} {...} {...} |
| doifnotvariable | \doifnotvariable {...} {...} {...} |
| doifnumber | \doifnumber {...} {...} |
| doifnumberelse | \doifnumberelse {...} {...} {...} |
| doifobjectfoundelse | \doifobjectfoundelse {...} {...} {...} {...} |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpagelse | \doifoddpagelse {...} {...} |
| doifoddpagefloatelse | \doifoddpagefloatelse {...} {...} |
| doifoldercontextelse | \doifoldercontextelse {...} {...} {...} |
| doifolderversionelse | \doifolderversionelse {...} {...} {...} {...} |
| doifoverlappingelse | \doifoverlappingelse {...} {...} {...} {...} |
| doifoverlayelse | \doifoverlayelse {...} {...} {...} |
| doifparallelelse | \doifparallelelse {...} {...} {...} {...} |
| doifparentfileelse | \doifparentfileelse {...} {...} {...} |
| doifpathelse | \doifpathelse {...} {...} {...} |
| doifpathexistselse | \doifpathexistselse {...} {...} {...} |
| doifpatternelse | \doifpatternelse {...} {...} {...} |
| doifposition | \doifposition {...} {...} {...} |
| doifpositionaction | \doifpositionaction {...} {...} {...} |
| doifpositionactionelse | \doifpositionactionelse {...} {...} {...} |
| doifpositionelse | \doifpositionelse {...} {...} {...} |
| doifpositiononpageelse | \doifpositiononpageelse {...} {...} {...} {...} |
| doifpositionsonsamepageelse | \doifpositionsonsamepageelse {...} {...} {...} |
| doifpositionsonthispageelse | \doifpositionsonthispageelse {...} {...} {...} |
| doifpositionsusedelse | \doifpositionsusedelse {...} {...} |
| doifreferencefoundelse | \doifreferencefoundelse {...} {...} {...} |
| doifrightpagefloatelse | \doifrightpagefloatelse {...} {...} |
| doifrighttoleftinboxelse | \doifrighttoleftinboxelse ... {...} {...} |
| doifsamelinereferenceelse | \doifsamelinereferenceelse {...} {...} {...} |
| doifsamestring | \doifsamestring {...} {...} {...} |
| doifsamestringelse | \doifsamestringelse {...} {...} {...} {...} |
| doifsetups | \doifsetups {...} {...} |
| doifsetupselse | \doifsetupselse {...} {...} {...} |
| doifsomebackground | \doifsomebackground {...} {...} {...} |
| doifsomebackgroundelse | \doifsomebackgroundelse {...} {...} {...} |
| doifsomespaceelse | \doifsomespaceelse {...} {...} {...} |
| doifsomething | \doifsomething {...} {...} |
| doifsomethingelse | \doifsomethingelse {...} {...} {...} |
| doifsetoks | \doifsetoks \... {...} |
| doifsetokselse | \doifsetokselse \... {...} {...} |
| doifstringinstringelse | \doifstringinstringelse {...} {...} {...} {...} |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {...} {...} |
| doifstructurelisthaspageelse | \doifstructurelisthaspageelse {...} {...} |
| doifsymboldefinedelse | \doifsymboldefinedelse {...} {...} {...} |
| doifsymbolsetelse | \doifsymbolsetelse {...} {...} {...} |
| doiftext | \doiftext {...} {...} {...} |
| doiftextelse | \doiftextelse {...} {...} {...} |
| doiftextflowcollectorelse | \doiftextflowcollectorelse {...} {...} {...} |
| doiftextflowelse | \doiftextflowelse {...} {...} {...} |
| doiftopofpageelse | \doiftopofpageelse {...} {...} |
| doiftypingfileelse | \doiftypingfileelse {...} {...} {...} |
| doifundefined | \doifundefined {...} {...} |
| doifundefinedcounter | \doifundefinedcounter {...} {...} |
| doifundefinedelse | \doifundefinedelse {...} {...} {...} |
| doifunknownfontfeature | \doifunknownfontfeature {...} {...} {...} |
| doifurldefinedelse | \doifurldefinedelse {...} {...} {...} |
| doifvalue | \doifvalue {...} {...} {...} |
| doifvalueelse | \doifvalueelse {...} {...} {...} {...} |
| doifvaluenothing | \doifvaluenothing {...} {...} |
| doifvaluenothingelse | \doifvaluenothingelse {...} {...} {...} |
| doifvaluesomething | \doifvaluesomething {...} {...} |
| doifvariable | \doifvariable {...} {...} {...} |
| doifvariableelse | \doifvariableelse {...} {...} {...} {...} |
| doindentation | \doindentation |
| dollar | \dollar |
| doloop | \doloop {...} |
| doloopoverlist | \doloopoverlist {...} {...} |
| donothing | \donothing |
| dontconvertfont | \dontconvertfont |
| dontleavehmode | \dontleavehmode |
| dontpermitspacesbetweengroups | \dontpermitspacesbetweengroups |

| | |
|---------------------------------------|--|
| dopositionaction | \dopositionaction {...} |
| doprocesslocalsetups | \doprocesslocalsetups {...} |
| doquadrupleargument | \doquadrupleargument \... [...] [...] [...] [...] |
| doquadrupleempty | \doquadrupleempty \... [...] [...] [...] [...] |
| doquadruplegroupempty | \doquadruplegroupempty \... {...} {...} {...} {...} |
| doquintupleargument | \doquintupleargument \... [...] [...] [...] [...] [...] |
| doquintupleempty | \doquintupleempty \... [...] [...] [...] [...] [...] |
| doquintuplegroupempty | \doquintuplegroupempty \... {...} {...} {...} {...} {...} |
| dorechecknextindentation | \dorechecknextindentation |
| dorecurse | \dorecurse {...} {...} |
| dorepeatwithcommand | \dorepeatwithcommand [...] \... |
| doreplacefeature | \doreplacefeature {...} |
| doresetandafffeature | \doresetandafffeature {...} |
| doresetattribute | \doresetattribute {...} |
| dorotatebox | \dorotatebox {...} \... {...} |
| dosetattribute | \dosetattribute {...} {...} |
| dosetleftskipadaption | \dosetleftskipadaption {...} |
| dosetrighskipadaption | \dosetrighskipadaption {...} |
| dosetupcheckedinterlinespace | \dosetupcheckedinterlinespace {...=...} |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...} |
| dosetupcheckedinterlinespace:name | \dosetupcheckedinterlinespace {...} |
| doseventupleargument | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dosingleargument | \dosingleargument \... [...] |
| dosingleempty | \dosingleempty \... [...] |
| dosinglegroupempty | \dosinglegroupempty \... {...} |
| dosixtupleargument | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| dosixtupleempty | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dostarttagged | \dostarttagged {...} {...} ... \dostoptagged |
| dostepwiserecurse | \dostepwiserecurse {...} {...} {...} {...} |
| dosubtractfeature | \dosubtractfeature {...} |
| dotfskip | \dotfskip {...} |
| dotoks | \dotoks \... |
| dotripleargument | \dotripleargument \... [...] [...] [...] [...] |
| dotripleargumentwithset | \dotripleargumentwithset \... [...] [...] [...] [...] |
| dotripleempty | \dotripleempty \... [...] [...] [...] [...] |
| dotripleemptywithset | \dotripleemptywithset \... [...] [...] [...] [...] |
| dotriplegroupempty | \dotriplegroupempty \... {...} {...} {...} |
| doublebond | \doublebond |
| dowith | \dowith {...} {...} |
| dowithnextbox | \dowithnextbox {...} \... {...} |
| dowithnextboxcontent | \dowithnextboxcontent {...} {...} \... {...} |
| dowithnextboxcontentcs | \dowithnextboxcontentcs \... \... \... {...} |
| dowithnextboxcs | \dowithnextboxcs \... \... {...} |
| dowithpargument | \dowithpargument \... |
| dowithrange | \dowithrange {...} \... |
| dowithwargument | \dowithwargument \... |
| dpofstring | \dpofstring {...} |
| droite | \droite ... |
| dummydigit | \dummydigit |
| dummyparameter | \dummyparameter {...} |
| ETEX | \ETEX |
| EveryLine | \EveryLine {...} |
| EveryPar | \EveryPar {...} |
| echelle | \echelle [...] [...] [...] [...] {...} |
| ecran | \ecran [...] |
| ecritdansliste | \ecritdansliste [...] [...] [...] [...] {...} |
| ecritentreliste | \ecritentreliste [...] [...] [...] [...] {...} |
| edefconvertedargument | \edefconvertedargument \... {...} |
| efcmaxheight | \efcmaxheight {...} |
| efcmaxwidth | \efcmaxwidth {...} |
| efcminheight | \efcminheight {...} |
| efcminwidth | \efcminwidth {...} |
| efcparameter | \efcparameter {...} {...} |
| effect | \effect [...] [...] [...] [...] {...} |
| elapsedseconds | \elapsedseconds |
| elapsedtime | \elapsedtime |
| element | \element [...] |
| elements | \elements [...] [...] [...] [...] {...} |
| em | \em |
| emphasisboldface | \emphasisboldface |
| emphasistypeface | \emphasistypeface |

| | |
|-----------------------------------|--|
| emptylines | \emptylines [...] |
| emspace | \emspace |
| enabledirectives | \enabledirectives [...] |
| enableexperiments | \enableexperiments [...] |
| enablemode | \enablemode [...] |
| enableoutputstream | \enableoutputstream [...] |
| enableparpositions | \enableparpositions |
| enableregime | \enableregime [...] |
| enabletrackers | \enabletrackers [...] |
| enskip | \enskip |
| enspace | \enspace |
| enumeration:example | \ENUMERATION [...] {...} ... \par |
| env | \env {...} |
| environement | \environement [...] |
| environement:string | \environement ... |
| envvar | \envvar {...} {...} |
| epos | \epos {...} |
| equaldigits | \equaldigits {...} |
| espace | \espace |
| espacefixe | \espacefixe |
| espacesfixes | \espacesfixes |
| eTeX | \eTeX |
| etiquette:example | \ETIQUETTE [...] {...} |
| etire | \etire [..=..] {...} |
| executeifdefined | \executeifdefined {...} {...} |
| exitloop | \exitloop |
| exitloopnow | \exitloopnow |
| expandcheckedcsname | \expandcheckedcsname \... {...} {...} |
| expanded | \expanded {...} |
| expandeddoif | \expandeddoif {...} {...} {...} |
| expandeddoifelse | \expandeddoifelse {...} {...} {...} {...} |
| expandeddoifnot | \expandeddoifnot {...} {...} {...} |
| expandfontsynonym | \expandfontsynonym \... {...} |
| expdoif | \expdoif {...} {...} {...} |
| expdoifcommonelse | \expdoifcommonelse {...} {...} {...} {...} |
| expdoifelse | \expdoifelse {...} {...} {...} {...} |
| expdoifelsecommon | \expdoifelsecommon {...} {...} {...} {...} |
| expdoifelseinset | \expdoifelseinset {...} {...} {...} {...} |
| expdoifinsetelse | \expdoifinsetelse {...} {...} {...} {...} |
| expdoifnot | \expdoifnot {...} {...} {...} |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...} |
| externalfigurecollectionmaxwidth | \externalfigurecollectionmaxwidth {...} |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...} |
| externalfigurecollectionminwidth | \externalfigurecollectionminwidth {...} |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| faitreference | \faitreference (...,...) (...,...) [...] |
| fakebox | \fakebox ... |
| fastdecrement | \fastdecrement \... |
| fastincrement | \fastincrement \... |
| fastlocalframed | \fastlocalframed [...] [..=..] {...} |
| fastloopfinal | \fastloopfinal |
| fastloopindex | \fastloopindex |
| fastscale | \fastscale {...} {...} |
| fastsetup | \fastsetup {...} |
| fastsetupwithargument | \fastsetupwithargument {...} {...} |
| fastsetupwithargumentswapped | \fastsetupwithargumentswapped {...} {...} |
| fastswitchtobodyfont | \fastswitchtobodyfont {...} |
| fastxsxy | \fastxsxy {...} {...} {...} |
| feature | \feature [...] [...] |
| feature:direct | \feature {...} {...} |
| fence | \fence |
| fenced | \fenced [...] {...} |
| fence:example | \FENCE {...} |
| fetchallmarkings | \fetchallmarkings [...] [...] |
| fetchallmarks | \fetchallmarks [...] |
| fetchmark | \fetchmark [...] [...] |
| fetchmarking | \fetchmarking [...] [...] [...] |
| fetchonemark | \fetchonemark [...] [...] |
| fetchonemarking | \fetchonemarking [...] [...] [...] |
| fetchruntinecommand | \fetchruntinecommand \... {...} |
| fetchtwomarkings | \fetchtwomarkings [...] [...] |
| fetchtwomarks | \fetchtwomarks [...] |

| | |
|------------------------|--|
| fichierdactylo | \fichierdactylo [...] [..=..] {...} |
| fieldbody | \fieldbody [...] [..=..] |
| fifthoffivearguments | \fifthoffivearguments {...} {...} {...} {...} {...} |
| fifthofsixarguments | \fifthofsixarguments {...} {...} {...} {...} {...} {...} |
| figureexterne | \figureexterne [...] [...] [..=..] |
| figurefilename | \figurefilename |
| figurefilepath | \figurefilepath |
| figurefiletype | \figurefiletype |
| figurefullname | \figurefullname |
| figureheight | \figureheight |
| figurenaturalheight | \figurenaturalheight |
| figurenaturalwidth | \figurenaturalwidth |
| figuresymbol | \figuresymbol [...] [..=..] |
| figurewidth | \figurewidth |
| filename | \filename {...} |
| filledhboxb | \filledhboxb ... {...} |
| filledhboxc | \filledhboxc ... {...} |
| filledhboxg | \filledhboxg ... {...} |
| filledhboxk | \filledhboxk ... {...} |
| filledhboxm | \filledhboxm ... {...} |
| filledhboxr | \filledhboxr ... {...} |
| filledhboxy | \filledhboxy ... {...} |
| filler | \filler [...] |
| fillupto | \fillupto [...] {...} |
| filterfromnext | \filterfromnext {...} {...} {...} {...} {...} {...} {...} |
| filterfromvalue | \filterfromvalue {...} {...} { OPT !..} OPT OPT OPT OPT |
| filterpages | \filterpages [...] [...] [..=..] |
| filterreference | \filterreference {...} |
| findtwopassdata | \findtwopassdata {...} {...} |
| finishregisterentry | \finishregisterentry [...] [..=..] [..=..] |
| firstcharacter | \firstcharacter |
| firstcounter | \firstcounter [...] [...] |
| firstcountervalue | \firstcountervalue [...] |
| firstinlist | \firstinlist [...] |
| firstoffivearguments | \firstoffivearguments {...} {...} {...} {...} {...} |
| firstoffourarguments | \firstoffourarguments {...} {...} {...} {...} |
| firstofoneargument | \firstofoneargument {...} |
| firstofoneunexpanded | \firstofoneunexpanded {...} |
| firstofsixarguments | \firstofsixarguments {...} {...} {...} {...} {...} {...} |
| firstofthreearguments | \firstofthreearguments {...} {...} {...} |
| firstofthreeunexpanded | \firstofthreeunexpanded {...} {...} {...} |
| firstoftwoarguments | \firstoftwoarguments {...} {...} |
| firstoftwounexpanded | \firstoftwounexpanded {...} {...} |
| firstrealpage | \firstrealpage |
| firstrealpagenumber | \firstrealpagenumber |
| firstsubcountervalue | \firstsubcountervalue [...] [...] |
| firstsubpagenumber | \firstsubpagenumber |
| firstuserpage | \firstuserpage |
| firstuserpagenumber | \firstuserpagenumber |
| fitfieldframed | \fitfieldframed [..=..] {...} |
| fittopbaselinegrid | \fittopbaselinegrid {...} |
| flag | \flag {...} |
| floatuserdataparameter | \floatuserdataparameter {...} |
| flushbox | \flushbox {...} {...} |
| flushboxregister | \flushboxregister ... |
| flushcollector | \flushcollector [...] |
| flushedrightlastline | \flushedrightlastline |
| flushlayer | \flushlayer [...] |
| flushlocalfloats | \flushlocalfloats |
| flushnextbox | \flushnextbox |
| flushnotes | \flushnotes |
| flushoutputstream | \flushoutputstream [...] |
| flushshapebox | \flushshapebox |
| flushtextflow | \flushtextflow {...} |
| flushtokens | \flushtokens [...] |
| flushtoks | \flushtoks \... |
| fontalternative | \fontalternative |
| fontbody | \fontbody |
| fontchar | \fontchar {...} |
| fontcharbyindex | \fontcharbyindex {...} |
| fontclass | \fontclass |
| fontclassname | \fontclassname {...} {...} |

| | |
|--------------------------------|---|
| fontface | \fontface |
| fontfeaturelist | \fontfeaturelist [...] [...] |
| fontsize | \fontsize |
| fontstyle | \fontstyle |
| forcecharacterstripping | \forcecharacterstripping |
| forcelocalfloats | \forcelocalfloats |
| forgeteverypar | \forgeteverypar |
| forgetparameters | \forgetparameters [...] [..=..] |
| forgetparskip | \forgetparskip |
| forgetragged | \forgetragged |
| formule | \formule [...] {...} |
| foundbox | \foundbox {...} {...} |
| fourthoffivearguments | \fourthoffivearguments {...} {...} {...} {...} {...} |
| fourthoffourarguments | \fourthoffourarguments {...} {...} {...} {...} |
| fourthofsixarguments | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| fraction:instance | \FRACTION {...} {...} |
| fraction:instance:binom | \binom {...} {...} |
| fraction:instance:dbinom | \dbinom {...} {...} |
| fraction:instance:dfrac | \dfrac {...} {...} |
| fraction:instance:frac | \frac {...} {...} |
| fraction:instance:sfrac | \sfrac {...} {...} |
| fraction:instance:tbinom | \tbinom {...} {...} |
| fraction:instance:xfrac | \xfrac {...} {...} |
| fraction:instance:xxfrac | \xxfrac {...} {...} |
| framed | \framed [..=..] {...} |
| frameddimension | \frameddimension {...} |
| framedparameter | \framedparameter {...} |
| framed:instance | \FRAMED [..=..] {...} |
| framed:instance:fitfieldframed | \fitfieldframed [..=..] {...} |
| framed:instance:unframed | \unframed [..=..] {...} |
| freezedimenmacro | \freezedimenmacro \... \... |
| freezemeasure | \freezemeasure [...] [...] |
| frenchspacing | \frenchspacing |
| fromlinenote | \fromlinenote [...] {...} |
| frozenhbox | \frozenhbox {...} |
| frule | \frule ... \relax |
| GetPar | \GetPar |
| GotoPar | \GotoPar |
| Greeknumerals | \Greeknumerals {...} |
| gardeblocs | \gardeblocs [...] [...] |
| gauche | \gauche ... |
| gdefconvertedargument | \gdefconvertedargument \... {...} |
| gdefconvertedcommand | \gdefconvertedcommand \... \... |
| getboxfromcache | \getboxfromcache {...} {...} ... |
| getboxllx | \getboxllx ... |
| getboxlly | \getboxlly ... |
| getbufferdata | \getbufferdata [...] |
| getcommacommandsize | \getcommacommandsize [...] |
| getcommalistsize | \getcommalistsize [...] |
| getdayoftheweek | \getdayoftheweek {...} {...} {...} |
| getdayspermonth | \getdayspermonth {...} {...} |
| getdefinedbuffer | \getdefinedbuffer [...] |
| getdocumentargument | \getdocumentargument {...} |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...} |
| getdocumentfilename | \getdocumentfilename {...} |
| getdummyparameters | \getdummyparameters [..=..] |
| getemptyparameters | \getemptyparameters [...] [..=..] |
| geteparameters | \geteparameters [...] [..=..] |
| getexpandedparameters | \getexpandedparameters [...] [..=..] |
| getfiguredimensions | \getfiguredimensions [...] [..=..] |
| getfirstcharacter | \getfirstcharacter {...} |
| getfirsttwopassdata | \getfirsttwopassdata {...} |
| getfromcommacommand | \getfromcommacommand [...] [...] |
| getfromcommalist | \getfromcommalist [...] [...] |
| getfromtwopassdata | \getfromtwopassdata {...} {...} |
| getglyphdirect | \getglyphdirect {...} {...} |
| getglyphstyled | \getglyphstyled {...} {...} |
| getgparameters | \getgparameters [...] [..=..] |
| getinlineuserdata | \getinlineuserdata |
| getlasttwopassdata | \getlasttwopassdata {...} |
| getlocalfloat | \getlocalfloat {...} |
| getlocalfloats | \getlocalfloats |

| | |
|---------------------------|---|
| getMPdrawing | \getMPdrawing |
| getMPlayer | \getMPlayer [...] [..=..] {...} |
| getmessage | \getmessage {...} {...} |
| getnamedglyphdirect | \getnamedglyphdirect {...} {...} |
| getnamedglyphstyled | \getnamedglyphstyled {...} {...} |
| getnamedtwopassdatalist | \getnamedtwopassdatalist \... {...} |
| getnaturaldimensions | \getnaturaldimensions ... |
| getnoflines | \getnoflines {...} |
| getobject | \getobject {...} {...} |
| getobjectdimensions | \getobjectdimensions {...} {...} |
| getpaletsize | \getpaletsize [...] |
| getparameters | \getparameters [...] [..=..] |
| getprivatechar | \getprivatechar {...} |
| getprivateslot | \getprivateslot {...} |
| getrandomcount | \getrandomcount \... {...} {...} |
| getrandomdimen | \getrandomdimen \... {...} {...} |
| getrandomfloat | \getrandomfloat \... {...} {...} |
| getrandomnumber | \getrandomnumber \... {...} {...} |
| getrandomseed | \getrandomseed \... |
| getraweparameters | \getraweparameters [...] [..=..] |
| getrawgparameters | \getrawgparameters [...] [..=..] |
| getrawnoflines | \getrawnoflines {...} |
| getrawparameters | \getrawparameters [...] [..=..] |
| getrawxparameters | \getrawxparameters [...] [..=..] |
| getreference | \getreference [...] [...] |
| getreferenceentry | \getreferenceentry {...} |
| getroundednoflines | \getroundednoflines {...} |
| getsubstring | \getsubstring {...} {...} {...} |
| gettokenlist | \gettokenlist [...] |
| gettwopassdata | \gettwopassdata {...} |
| gettwopassdatalist | \gettwopassdatalist {...} |
| getuserdata | \getuserdata |
| getuvalue | \getuvalue {...} |
| getvalue | \getvalue {...} |
| getvariable | \getvariable {...} {...} |
| getvariabledefault | \getvariabledefault {...} {...} {...} |
| getxparameters | \getxparameters [...] [..=..] |
| globaldisablemode | \globaldisablemode [...] |
| globalenablemode | \globalenablemode [...] |
| globalletempty | \globalletempty \... |
| globalpopbox | \globalpopbox ... |
| globalpopmacro | \globalpopmacro \... |
| globalpreventmode | \globalpreventmode [...] |
| globalprocesscommalist | \globalprocesscommalist [...] \... |
| globalpushbox | \globalpushbox ... |
| globalpushmacro | \globalpushmacro \... |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix |
| globalswapcounts | \globalswapcounts \... \... |
| globalswapdimens | \globalswapdimens \... \... |
| globalswapmacros | \globalswapmacros \... \... |
| globalundefine | \globalundefine {...} |
| glyphfontfile | \glyphfontfile {...} |
| gobbledoubleempty | \gobbledoubleempty [...] [...] |
| gobbleeightarguments | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblefivearguments | \gobblefivearguments {...} {...} {...} {...} {...} |
| gobblefiveoptionals | \gobblefiveoptionals [...] [...] [...] [...] [...] |
| gobblefourarguments | \gobblefourarguments {...} {...} {...} {...} |
| gobblefouroptionals | \gobblefouroptionals [...] [...] [...] [...] |
| gobbleninearguments | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobbleoneargument | \gobbleoneargument {...} |
| gobbleoneoptional | \gobbleoneoptional [...] |
| gobblesevenarguments | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...} |
| gobblesingleempty | \gobblesingleempty [...] |
| gobblesixarguments | \gobblesixarguments {...} {...} {...} {...} {...} {...} |
| gobblespacetokens | \gobblespacetokens |
| gobbletenarguments | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblethreearguments | \gobblethreearguments {...} {...} {...} |
| gobblethreeoptionals | \gobblethreeoptionals [...] [...] [...] |
| gobbletwoarguments | \gobbletwoarguments {...} {...} |
| gobbletwooptionals | \gobbletwooptionals [...] [...] |
| gobbleuntil | \gobbleuntil \... |
| gobbleuntilrelax | \gobbleuntilrelax ... \relax |

| | |
|-------------------------|--|
| grabbufferdata | \grabbufferdata [...] [...] [...] [...] |
| grabbufferdatadirect | \grabbufferdatadirect {...} {...} {...} |
| grabuntil | \grabuntil {...} \... |
| grand | \grand ... |
| grandepolicecorp | \grandepolicecorp |
| gras | \gras |
| grasincline | \grasincline |
| grasinclinepetit | \grasinclinepetit |
| grasitalique | \grasitalique |
| grasitaliquepetit | \grasitaliquepetit |
| graspetit | \graspetit |
| grave | \grave {...} |
| grayvalue | \grayvalue {...} |
| greedystring | \greedystring ... \at ... \to ... \and ... |
| greeknumerals | \greeknumerals {...} |
| grille | \grille [..=..] |
| groupedcommand | \groupedcommand {...} {...} |
| gsetboxllx | \gsetboxllx ... {...} |
| gsetboxlly | \gsetboxlly ... {...} |
| gujaratinumerals | \gujaratinumerals {...} |
| gurmukhinumerals | \gurmukhinumerals {...} |
| hairspace | \hairspace |
| halflinestrut | \halflinestrut |
| halfstrut | \halfstrut |
| halfwaybox | \halfwaybox {...} |
| handletokens | \handletokens ... \with ... |
| hash | \hash |
| hat | \hat {...} |
| haut | \haut {...} |
| haut:instance | \HIGH {...} |
| haut:instance:unitshigh | \unitshigh {...} |
| hboxofvbox | \hboxofvbox ... |
| hboxreference | \hboxreference [...] {...} |
| hbox:example | \hboxBOX {...} |
| hdofstring | \hdofstring {...} |
| headhbox | \headhbox ... {...} |
| headnumbercontent | \headnumbercontent |
| headnumberdistance | \headnumberdistance |
| headnumberwidth | \headnumberwidth |
| headreferenceattributes | \headreferenceattributes |
| headsetupspacing | \headsetupspacing |
| headtextcontent | \headtextcontent |
| headtextdistance | \headtextdistance |
| headtextwidth | \headtextwidth |
| headvbox | \headvbox ... {...} |
| headwidth | \headwidth |
| heightanddepthofstring | \heightanddepthofstring {...} |
| heightofstring | \heightofstring {...} |
| heightspanningtext | \heightspanningtext {...} {...} {...} |
| help:instance | \HELP [...] [...] [...] [...] |
| help:instance:helptext | \helptext [...] [...] [...] [...] |
| hglue | \hglue ... |
| hiddencitation | \hiddencitation [...] |
| hiddencite | \hiddencite [...] |
| highlight | \highlight [...] [...] [...] |
| highlight:example | \HIGHLIGHT {...} |
| highordinalstr | \highordinalstr {...} |
| hilo | \hilo [...] [...] [...] [...] |
| himilo | \himilo [...] [...] [...] [...] |
| hl | \hl [...] |
| horizontalgrowingbar | \horizontalgrowingbar [..=..] |
| horizontalpositionbar | \horizontalpositionbar [..=..] |
| hphantom | \hphantom {...} |
| hpos | \hpos [...] [...] [...] |
| hsizefraction | \hsizefraction [...] [...] [...] |
| hsmash | \hsmash {...} |
| hsmashbox | \hsmashbox ... |
| hsmashed | \hsmashed {...} |
| hspace | \hspace [...] [...] [...] |
| htdpofstring | \htdpofstring {...} |
| htofstring | \htofstring {...} |
| hyphen | \hyphen |

| | |
|---------------------------------|---|
| hyphenatedcoloredword | \hyphenatedcoloredword {...} |
| hyphenatedfile | \hyphenatedfile {...} |
| hyphenatedfilename | \hyphenatedfilename {...} |
| hyphenatedhbox | \hyphenatedhbox {...} |
| hyphenatedpar | \hyphenatedpar {...} |
| hyphenatedurl | \hyphenatedurl {...} |
| hyphenatedword | \hyphenatedword {...} |
| INRSTEX | \INRSTEX |
| ibox | \ibox {...} |
| ifassignment | \ifassignment ... \else ... \fi |
| iff | \iff |
| ifinobject | \ifinobject ... \else ... \fi |
| ifinoutputstream | \ifinoutputstream ... \else ... \fi |
| ifparameters | \ifparameters ... \else ... \fi |
| iftrialsypesetting | \iftrialsypesetting ... \else ... \fi |
| ignoreimplicitspaces | \ignoreimplicitspaces |
| ignoretagsinexport | \ignoretagsinexport [...] |
| ignorevalue | \ignorevalue {...} |
| immediatesavetwopassdata | \immediatesavetwopassdata {...} {...} {...} |
| impliedby | \impliedby |
| implies | \implies |
| incline | \incline |
| inclinegras | \inclinegras |
| inclinegraspetit | \inclinegraspetit |
| inclinepetit | \inclinepetit |
| includemenu | \includemenu [...] |
| includeversioninfo | \includeversioninfo {...} |
| inconnu | \inconnu |
| incrementcounter | \incrementcounter [...] [...] |
| incremente | \incremente \... |
| incrementedcounter | \incrementedcounter [...] |
| incremente:argument | \incremente (...) |
| incrementpagenumber | \incrementpagenumber |
| incrementsubpagenumber | \incrementsubpagenumber |
| incrementvalue | \incrementvalue {...} |
| indentation | \indentation |
| infofont | \infofont |
| infofontbold | \infofontbold |
| inframed | \inframed [..=..] {...} |
| infull | \infull {...} |
| inheritparameter | \inheritparameter [...] [...] [...] |
| inhibitblank | \inhibitblank |
| initializeboxstack | \initializeboxstack {...} |
| inlinebuffer | \inlinebuffer [...] |
| inlinedbox | \inlinedbox {...} |
| inlinemath | \inlinemath {...} |
| inlinemathematics | \inlinemathematics {...} |
| inlinemessage | \inlinemessage {...} |
| inlineordisplaymath | \inlineordisplaymath {...} {...} |
| inlineprettyprintbuffer | \inlineprettyprintbuffer {...} {...} |
| inlinerange | \inlinerange [...] |
| innerflushshapebox | \innerflushshapebox |
| input | \input {...} |
| inputfilebarename | \inputfilebarename |
| inputfilename | \inputfilename |
| inputfilerealsuffix | \inputfilerealsuffix |
| inputfilesuffix | \inputfilesuffix |
| inputgivenfile | \inputgivenfile {...} |
| input:string | \input ... |
| insertpages | \insertpages [...] [...] [..=..] |
| installactionhandler | \installactionhandler {...} |
| installactivecharacter | \installactivecharacter ... |
| installanddefineactivecharacter | \installanddefineactivecharacter ... {...} |
| installattributestack | \installattributestack \... |
| installautocommandhandler | \installautocommandhandler \... {...} \... |
| installautosetuphandler | \installautosetuphandler \... {...} |
| installbasicautosetuphandler | \installbasicautosetuphandler \... {...} \... |
| installbasicparameterhandler | \installbasicparameterhandler \... {...} |
| installbottomframerenderer | \installbottomframerenderer {...} {...} |
| installcommandhandler | \installcommandhandler \... {...} \... |
| installcorenamespace | \installcorenamespace {...} |
| installdefinehandler | \installdefinehandler \... {...} \... |

| | |
|-----------------------------------|--|
| installdefinitionset | \installdefinitionset \... {...} |
| installdefinitionsetmember | \installdefinitionsetmember \... {...} \... {...} |
| installdirectcommandhandler | \installdirectcommandhandler \... {...} |
| installdirectparameterhandler | \installdirectparameterhandler \... {...} |
| installdirectparametersethandler | \installdirectparametersethandler \... {...} |
| installdirectsetuphandler | \installdirectsetuphandler \... {...} |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...} |
| installelanguag | \installelanguag [...] [..=..] |
| installelanguag:name | \installelanguag [...] [...] |
| installframedautocommandhandler | \installframedautocommandhandler \... {...} \... |
| installframedcommandhandler | \installframedcommandhandler \... {...} \... |
| installglobalmacrostack | \installglobalmacrostack \... |
| installleftframerenderer | \installleftframerenderer {...} {...} |
| installmacrostack | \installmacrostack \... |
| installnamespace | \installnamespace {...} |
| installoutputroutine | \installoutputroutine \... {...} |
| installpagearrangement | \installpagearrangement ... {...} |
| installparameterhandler | \installparameterhandler \... {...} |
| installparameterhashhandler | \installparameterhashhandler \... {...} |
| installparametersethandler | \installparametersethandler \... {...} |
| installparentinjector | \installparentinjector \... {...} |
| installrightframerenderer | \installrightframerenderer {...} {...} |
| installrootparameterhandler | \installrootparameterhandler \... {...} |
| installsetuphandler | \installsetuphandler \... {...} |
| installsetuponlycommandhandler | \installsetuponlycommandhandler \... {...} |
| installshipoutmethod | \installshipoutmethod {...} {...} |
| installsimplecommandhandler | \installsimplecommandhandler \... {...} \... |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler | \installstyleandcolorhandler \... {...} |
| installswitchcommandhandler | \installswitchcommandhandler \... {...} \... |
| installswitchsetuphandler | \installswitchsetuphandler \... {...} |
| installtexdirective | \installtexdirective {...} {...} {...} |
| installtextracker | \installtextracker {...} {...} {...} |
| installtopframerenderer | \installtopframerenderer {...} {...} |
| installunitsseparator | \installunitsseparator {...} {...} |
| installunitsspace | \installunitsspace {...} {...} |
| installversioninfo | \installversioninfo {...} {...} |
| integerrounding | \integerrounding {...} |
| intertext | \intertext {...} |
| invokepageheandler | \invokepageheandler {...} {...} |
| istltdir | \istltdir ... |
| istrtdir | \istrtdir ... |
| italiccorrection | \italiccorrection |
| italicface | \italicface |
| italique | \italique |
| italiquegras | \italiquegras |
| italiquegraspetit | \italiquegraspetit |
| itemtag | \itemtag [...] |
| JOURSEMAINE | \JOURSEMAINE {...} |
| jobfilename | \jobfilename |
| jobfilesuffix | \jobfilesuffix |
| joursemaine | \joursemaine {...} |
| kap | \kap {...} |
| keeplinestogether | \keeplinestogether {...} |
| keepunwantedspaces | \keepunwantedspaces |
| kerncharacters | \kerncharacters [...] {...} |
| koreancirclenumerals | \koreancirclenumerals {...} |
| koreannumerals | \koreannumerals {...} |
| koreannumeralsc | \koreannumeralsc {...} |
| koreannumeralsp | \koreannumeralsp {...} |
| koreanparentnumerals | \koreanparentnumerals {...} |
| LAMSTEX | \LAMSTEX |
| LATEX | \LATEX |
| LamSTeX | \LamSTeX |
| LaTeX | \LaTeX |
| LUAJITTEX | \LUAJITTEX |
| LUATEX | \LUATEX |
| Lua | \Lua |
| LuajitTeX | \LujitTeX |
| LuaTeX | \LuaTeX |
| labellanguag:instance | \LABELLanguag |
| labellanguag:instance:btxlabel | \btxlabelanguag |

| | |
|----------------------------------|--|
| labellanguage:instance:head | \headlangue |
| labellanguage:instance:label | \labellangue |
| labellanguage:instance:mathlabel | \mathlabellangue |
| labellanguage:instance:operator | \operatorlangue |
| labellanguage:instance:prefix | \prefixlangue |
| labellanguage:instance:suffix | \suffixlangue |
| labellanguage:instance:taglabel | \taglabellangue |
| labellanguage:instance:unit | \unitlangue |
| labeltexte:instance | \LABELtexte {...} |
| labeltexte:instance:btxlabel | \btxlabeltexte {...} |
| labeltexte:instance:head | \headtexte {...} |
| labeltexte:instance:label | \labeltexte {...} |
| labeltexte:instance:mathlabel | \mathlabeltexte {...} |
| labeltexte:instance:operator | \operatorortexte {...} |
| labeltexte:instance:prefix | \prefixtexte {...} |
| labeltexte:instance:suffix | \suffixtexte {...} |
| labeltexte:instance:taglabel | \taglabeltexte {...} |
| labeltexte:instance:unit | \unittexte {...} |
| labeltexts:instance | \LABELtexts {...} {...} |
| labeltexts:instance:head | \headtexts {...} {...} |
| labeltexts:instance:label | \labeltexts {...} {...} |
| labeltexts:instance:mathlabel | \mathlabeltexts {...} {...} |
| languageCharacters | \languageCharacters {...} |
| languagecharacters | \languagecharacters {...} |
| languagecharwidth | \languagecharwidth {...} |
| langue | \langue [...] |
| langueprincipale | \langueprincipale [...] |
| langue:example | \LANGUAGE |
| largeurligne | \largeurligne |
| lastcounter | \lastcounter [...] [...] |
| lastcountervalue | \lastcountervalue [...] |
| lastdigit | \lastdigit {...} |
| lastlinewidth | \lastlinewidth |
| lastnaturalboxdp | \lastnaturalboxdp |
| lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| lastpredefinedsymbol | \lastpredefinedsymbol |
| lastrealpage | \lastrealpage |
| lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [...] [...] |
| lastsubpagenumber | \lastsubpagenumber |
| lasttwodigits | \lasttwodigits {...} |
| lastuserpage | \lastuserpage |
| lastuserpagenumber | \lastuserpagenumber |
| lateluacode | \lateluacode {...} |
| layeredtext | \layeredtext [..=..] [..=..] {...} {...} |
| layerheight | \layerheight |
| layerwidth | \layerwidth |
| lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata | \lazysavetwopassdata {...} {...} {...} |
| lbox | \lbox ... {...} |
| leftbottombox | \leftbottombox {...} |
| leftbox | \leftbox {...} |
| lefthbox | \lefthbox {...} |
| leftlabeltext:instance | \leftLABELtexte {...} |
| leftlabeltext:instance:head | \leftheadtexte {...} |
| leftlabeltext:instance:label | \leftlabeltexte {...} |
| leftlabeltext:instance:mathlabel | \leftmathlabeltexte {...} |
| leftline | \leftline {...} |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| leftskipadaption | \leftskipadaption |
| leftsubguillemot | \leftsubguillemot |
| lefttopbox | \lefttopbox {...} |
| lefttoright | \lefttoright |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| letbeundefined | \letbeundefined {...} |
| letcatcodecommand | \letcatcodecommand \... ... \... |
| letcscsname | \letcscsname \... \csname ... \endcsname |

| | |
|--------------------------|--|
| letcsnamecs | \letcsnamecs \csname ... \endcsname \... |
| letcsnamecsname | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummysparameter | \letdummysparameter {...} \... |
| letempty | \letempty \... |
| letgvalue | \letgvalue {...} \... |
| letgvalueempty | \letgvalueempty {...} |
| letgvalurelax | \letgvalurelax {...} |
| letterampersand | \letterampersand |
| letterat | \letterat |
| letterbackslash | \letterbackslash |
| letterbar | \letterbar |
| letterbgroup | \letterbgroup |
| letterclosebrace | \letterclosebrace |
| lettercolon | \lettercolon |
| letterdollar | \letterdollar |
| letterdoublequote | \letterdoublequote |
| lettereegroup | \lettereegroup |
| letterescape | \letterescape |
| letterexclamationmark | \letterexclamationmark |
| letterhash | \letterhash |
| letterhat | \letterhat |
| letterleftbrace | \letterleftbrace |
| letterleftbracket | \letterleftbracket |
| letterleftparenthesis | \letterleftparenthesis |
| letterless | \letterless |
| lettermore | \lettermore |
| letteropenbrace | \letteropenbrace |
| letterpercent | \letterpercent |
| letterquestionmark | \letterquestionmark |
| letterrightbrace | \letterrightbrace |
| letterrightbracket | \letterrightbracket |
| letterrightparenthesis | \letterrightparenthesis |
| lettersinglequote | \lettersinglequote |
| letterslash | \letterslash |
| letterspacing | \letterspacing [...] {...} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {...} \... |
| letvalueempty | \letvalueempty {...} |
| letvaluerelax | \letvaluerelax {...} |
| lfence | \lfence {...} |
| lhbox | \lhbox {...} |
| ligne | \ligne {...} |
| ligneh | \ligneh |
| lignenoire | \lignenoire [..=..] |
| ligneregleetexte | \ligneregleetexte [...] {...} |
| lignesnoires | \lignesnoires [..=..] |
| limitatefirstline | \limitatefirstline {...} {...} {...} |
| limitatelines | \limitatelines {...} {...} {...} |
| limitatetext | \limitatetext {...} {...} {...} |
| limitatetext:list | \limitatetext {...} {...} {...} |
| linebox | \linebox {...} |
| linespanningtext | \linespanningtext {...} {...} {...} |
| listcitation | \listcitation [..=..] [...] |
| listcitation:alternative | \listcitation [...] [...] |
| listcitation:userdata | \listcitation [..=..] [..=..] |
| listcite | \listcite [..=..] [...] |
| listcite:alternative | \listcite [...] [...] |
| listcite:userdata | \listcite [..=..] [..=..] |
| listnamespaces | \listnamespaces |
| llap | \llap {...} |
| llongueurliste | \llongueurliste |
| loadanyfile | \loadanyfile [...] |
| loadanyfileonce | \loadanyfileonce [...] |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [...] |
| loadbtxreplacementfile | \loadbtxreplacementfile [...] |
| loadcldfile | \loadcldfile [...] |
| loadcldfileonce | \loadcldfileonce [...] |
| loadfontgoodies | \loadfontgoodies [...] |
| loadluafile | \loadluafile [...] |
| loadluafileonce | \loadluafileonce [...] |
| loadspellchecklist | \loadspellchecklist [...] [...] |

| | |
|----------------------------|--|
| loadtexfile | \loadtexfile [...] |
| loadtexfileonce | \loadtexfileonce [...] |
| loadtypescriptfile | \loadtypescriptfile [...] |
| localframed | \localframed [...] [..=..] {...} |
| localframedwithsettings | \localframedwithsettings [...] [..=..] {...} |
| localhsize | \localhsize |
| localpopbox | \localpopbox ... |
| localpopmacro | \localpopmacro \... |
| localpushbox | \localpushbox ... |
| localpushmacro | \localpushmacro \... |
| localundefine | \localundefine {...} |
| locatedfilepath | \locatedfilepath |
| locatefilepath | \locatefilepath {...} |
| locfilename | \locfilename {...} |
| lomihi | \lomihi {...} {...} {...} |
| lowerbox | \lowerbox {...} \... {...} |
| lowercased | \lowercased {...} |
| lowercasestring | \lowercasestring ... \to \... |
| lowerlefthdoubleninequote | \lowerlefthdoubleninequote |
| lowerleftsingleninequote | \lowerleftsingleninequote |
| lowerrighthdoubleninequote | \lowerrighthdoubleninequote |
| lowerrightsingleninequote | \lowerrightsingleninequote |
| lowhigh:instance | \LOWHIGH [...] {...} {...} |
| lowmidhigh:instance | \LOWMIDHIGH [...] {...} {...} {...} |
| lrbbox | \lrbbox {...} {...} {...} {...} {...} |
| ltop | \ltop ... {...} |
| luacode | \luacode {...} |
| luaconditional | \luaconditional \... |
| luaenvironment | \luaenvironment ... |
| luaexpanded | \luaexpanded {...} |
| luaexpr | \luaexpr {...} |
| luafunction | \luafunction {...} |
| luajitTeX | \luajitTeX |
| luamajorversion | \luamajorversion |
| luaminorversion | \luaminorversion |
| luaparameterset | \luaparameterset {...} {...} |
| luasetup | \luasetup {...} |
| luaTeX | \luaTeX |
| luaversion | \luaversion |
| METAFONT | \METAFONT |
| METAFUN | \METAFUN |
| METAPOST | \METAPOST |
| MetaFont | \MetaFont |
| MetaFun | \MetaFun |
| MetaPost | \MetaPost |
| MKII | \MKII |
| MKIV | \MKIV |
| MKIX | \MKIX |
| MKVI | \MKVI |
| MKXI | \MKXI |
| MOIS | \MOIS {...} |
| MONTHLONG | \MONTHLONG {...} |
| MONTHSHORT | \MONTHSHORT {...} |
| MOT | \MOT {...} |
| MOTS | \MOTS {...} |
| Mot | \Mot {...} |
| Mots | \Mots {...} |
| MPanchor | \MPanchor {...} |
| MPbetex | \MPbetex {...} |
| MPc | \MPc {...} |
| MPcode | \MPcode {...} {...} |
| MPcolor | \MPcolor {...} |
| MPcoloronly | \MPcoloronly {...} |
| MPcolumn | \MPcolumn {...} |
| MPd | \MPd {...} |
| MPdrawing | \MPdrawing {...} |
| MPfontsizehskip | \MPfontsizehskip {...} |
| MPgetmultipars | \MPgetmultipars {...} {...} |
| MPgetmultishape | \MPgetmultishape {...} {...} |
| MPgetposboxes | \MPgetposboxes {...} {...} |
| MPh | \MPh {...} |
| MPII | \MPII |

| | |
|-----------------------------------|--|
| MPIV | \MPIV |
| MPinclusions | \MPinclusions [...] {...} {...} |
| MPleftskip | \MPleftskip {...} |
| MPll | \MPll {...} |
| MPlr | \MPlr {...} |
| MPls | \MPls {...} |
| MPmenubuttons | \MPmenubuttons {...} |
| MPn | \MPn {...} |
| MPOptions | \MPOptions {...} |
| MPoverlayanchor | \MPoverlayanchor {...} |
| MPp | \MPp {...} |
| MPpage | \MPpage {...} |
| MPpardata | \MPpardata {...} |
| MPplus | \MPplus [...] {...} {...} |
| MPpos | \MPpos {...} |
| MPpositiongraphic | \MPpositiongraphic [...] {...} {...} |
| MPposset | \MPposset {...} |
| MPr | \MPr {...} |
| MPrawvar | \MPrawvar [...] {...} |
| MPregion | \MPregion {...} |
| MPrest | \MPrest [...] {...} |
| MPrightskip | \MPrightskip {...} |
| MPrs | \MPrs {...} |
| MPstring | \MPstring {...} |
| MPtext | \MPtext {...} |
| MPtransparency | \MPtransparency {...} |
| MPul | \MPul {...} |
| MPur | \MPur {...} |
| MPVI | \MPVI |
| MPv | \MPv [...] [...] [...] |
| MPvar | \MPvar {...} |
| MPvariable | \MPvariable {...} |
| MPvv | \MPvv [...] [...] |
| MPw | \MPw {...} |
| MPwhd | \MPwhd {...} |
| MPx | \MPx {...} |
| MPxy | \MPxy {...} |
| MPxywhd | \MPxywhd {...} |
| MPy | \MPy {...} |
| m | \m [...] [...] |
| makecharacteractive | \makecharacteractive ... |
| makerawcommalist | \makerawcommalist [...] \... |
| makestrutofbox | \makestrutofbox ... |
| manuscript | \manuscript |
| mapfontsize | \mapfontsize [...] [...] |
| margindata | \margindata [...] [...] [...] [...] |
| margindata:instance | \MARGINDATA [...] [...] [...] [...] |
| margindata:instance:atleftmargin | \atleftmargin [...] [...] [...] [...] |
| margindata:instance:atrighmargin | \atrighmargin [...] [...] [...] [...] |
| margindata:instance:ininner | \ininner [...] [...] [...] [...] |
| margindata:instance:ininneredge | \ininneredge [...] [...] [...] [...] |
| margindata:instance:ininnermargin | \ininnermargin [...] [...] [...] [...] |
| margindata:instance:inleft | \inleft [...] [...] [...] [...] |
| margindata:instance:inleftedge | \inleftedge [...] [...] [...] [...] |
| margindata:instance:inleftmargin | \inleftmargin [...] [...] [...] [...] |
| margindata:instance:inmargin | \inmargin [...] [...] [...] [...] |
| margindata:instance:inoth | \inoth [...] [...] [...] [...] |
| margindata:instance:inouter | \inouter [...] [...] [...] [...] |
| margindata:instance:inouteredge | \inouteredge [...] [...] [...] [...] |
| margindata:instance:inoutermargin | \inoutermargin [...] [...] [...] [...] |
| margindata:instance:inright | \inright [...] [...] [...] [...] |
| margindata:instance:inrightedge | \inrightedge [...] [...] [...] [...] |
| margindata:instance:inrightmargin | \inrightmargin [...] [...] [...] [...] |
| margindata:instance:margin | \margin [...] [...] [...] [...] |
| markcontent | \markcontent [...] [...] |
| markedpages | \markedpages [...] |
| markinjector | \markinjector [...] |
| markpage | \markpage [...] [...] |
| marquage | \marquage (...,...) (...,...) [...] |
| marquepage | \marquepage [...] [...] |
| mat | \mat [...] |
| math | \math [...] [...] |

| | |
|--|--|
| <code>mathbf</code> | <code>\mathbf</code> |
| <code>mathbi</code> | <code>\mathbi</code> |
| <code>mathblackboard</code> | <code>\mathblackboard</code> |
| <code>mathbs</code> | <code>\mathbs</code> |
| <code>mathcommand:example</code> | <code>\MATHCOMMAND {...} {...}</code> |
| <code>mathdefault</code> | <code>\mathdefault</code> |
| <code>mathdouble</code> | <code>\mathdouble [...] {...} {...} {...}</code> |
| <code>mathdoubleextensible:instance</code> | <code>\MATHDOUBLEEXTENSIBLE {...} {...}</code> |
| <code>mathdoubleextensible:instance:doublebar</code> | <code>\doublebar {...} {...}</code> |
| <code>mathdoubleextensible:instance:doublebrace</code> | <code>\doublebrace {...} {...}</code> |
| <code>mathdoubleextensible:instance:doublebracket</code> | <code>\doublebracket {...} {...}</code> |
| <code>mathdoubleextensible:instance:doubleparent</code> | <code>\doubleparent {...} {...}</code> |
| <code>mathdoubleextensible:instance:overbarunderbar</code> | <code>\overbarunderbar {...} {...}</code> |
| <code>mathdoubleextensible:instance:overbraceunderbrace</code> | <code>\overbraceunderbrace {...} {...}</code> |
| <code>mathdoubleextensible:instance:overbracketunderbracket</code> | <code>\overbracketunderbracket {...} {...}</code> |
| <code>mathdoubleextensible:instance:overparentunderparent</code> | <code>\overparentunderparent {...} {...}</code> |
| <code>mathematique</code> | <code>\mathematique [...] {...}</code> |
| <code>mathextensible:instance</code> | <code>\MATHEXTENSIBLE {...} {...}</code> |
| <code>mathextensible:instance:cleftarrow</code> | <code>\cleftarrow {...} {...}</code> |
| <code>mathextensible:instance:crightharpoonup</code> | <code>\crightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:crightharpoonoverleftarrow</code> | <code>\crightharpoonoverleftarrow {...} {...}</code> |
| <code>mathextensible:instance:elleftarrowfill</code> | <code>\elleftarrowfill {...} {...}</code> |
| <code>mathextensible:instance:elleftharpoonupdownfill</code> | <code>\elleftharpoonupdownfill {...} {...}</code> |
| <code>mathextensible:instance:elleftharpoonupfill</code> | <code>\elleftharpoonupfill {...} {...}</code> |
| <code>mathextensible:instance:ellefttrightharpoonupfill</code> | <code>\ellefttrightharpoonupfill {...} {...}</code> |
| <code>mathextensible:instance:eoverbarfill</code> | <code>\eoverbarfill {...} {...}</code> |
| <code>mathextensible:instance:eoverbracefill</code> | <code>\eoverbracefill {...} {...}</code> |
| <code>mathextensible:instance:eoverbracketfill</code> | <code>\eoverbracketfill {...} {...}</code> |
| <code>mathextensible:instance:eoverparentfill</code> | <code>\eoverparentfill {...} {...}</code> |
| <code>mathextensible:instance:erightharpoonupfill</code> | <code>\erightharpoonupfill {...} {...}</code> |
| <code>mathextensible:instance:erightharpoonupdownfill</code> | <code>\erightharpoonupdownfill {...} {...}</code> |
| <code>mathextensible:instance:erightharpoonupfill</code> | <code>\erightharpoonupfill {...} {...}</code> |
| <code>mathextensible:instance:etwoheadrightarrowfill</code> | <code>\etwoheadrightarrowfill {...} {...}</code> |
| <code>mathextensible:instance:eunderbarfill</code> | <code>\eunderbarfill {...} {...}</code> |
| <code>mathextensible:instance:eunderbracefill</code> | <code>\eunderbracefill {...} {...}</code> |
| <code>mathextensible:instance:eunderbracketfill</code> | <code>\eunderbracketfill {...} {...}</code> |
| <code>mathextensible:instance:eunderparentfill</code> | <code>\eunderparentfill {...} {...}</code> |
| <code>mathextensible:instance:mequal</code> | <code>\mequal {...} {...}</code> |
| <code>mathextensible:instance:mhookleftarrow</code> | <code>\mhookleftarrow {...} {...}</code> |
| <code>mathextensible:instance:mhookrightarrow</code> | <code>\mhookrightarrow {...} {...}</code> |
| <code>mathextensible:instance:mLeftarrow</code> | <code>\mLeftarrow {...} {...}</code> |
| <code>mathextensible:instance:mLefttrightharpoonup</code> | <code>\mLefttrightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:mleftarrow</code> | <code>\mleftarrow {...} {...}</code> |
| <code>mathextensible:instance:mleftharpoonupdown</code> | <code>\mleftharpoonupdown {...} {...}</code> |
| <code>mathextensible:instance:mleftharpoonup</code> | <code>\mleftharpoonup {...} {...}</code> |
| <code>mathextensible:instance:mlefttrightharpoonup</code> | <code>\mlefttrightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:mleftrightharpoons</code> | <code>\mleftrightharpoons {...} {...}</code> |
| <code>mathextensible:instance:mmapsto</code> | <code>\mmapsto {...} {...}</code> |
| <code>mathextensible:instance:mRightarrow</code> | <code>\mRightarrow {...} {...}</code> |
| <code>mathextensible:instance:mrel</code> | <code>\mrel {...} {...}</code> |
| <code>mathextensible:instance:mrightarrow</code> | <code>\mrightarrow {...} {...}</code> |
| <code>mathextensible:instance:mrightharpoonupdown</code> | <code>\mrightharpoonupdown {...} {...}</code> |
| <code>mathextensible:instance:mrightharpoonup</code> | <code>\mrightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:mrightleftharpoons</code> | <code>\mrightleftharpoons {...} {...}</code> |
| <code>mathextensible:instance:mrightoverleftarrow</code> | <code>\mrightoverleftarrow {...} {...}</code> |
| <code>mathextensible:instance:mtriplerequal</code> | <code>\mtriplerequal {...} {...}</code> |
| <code>mathextensible:instance:mtwoheadleftarrow</code> | <code>\mtwoheadleftarrow {...} {...}</code> |
| <code>mathextensible:instance:mtwoheadrightarrow</code> | <code>\mtwoheadrightarrow {...} {...}</code> |
| <code>mathextensible:instance:tequal</code> | <code>\tequal {...} {...}</code> |
| <code>mathextensible:instance:thookleftarrow</code> | <code>\thookleftarrow {...} {...}</code> |
| <code>mathextensible:instance:thookrightarrow</code> | <code>\thookrightarrow {...} {...}</code> |
| <code>mathextensible:instance:tLeftarrow</code> | <code>\tLeftarrow {...} {...}</code> |
| <code>mathextensible:instance:tLefttrightharpoonup</code> | <code>\tLefttrightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:tleftarrow</code> | <code>\tleftarrow {...} {...}</code> |
| <code>mathextensible:instance:tleftharpoonupdown</code> | <code>\tleftharpoonupdown {...} {...}</code> |
| <code>mathextensible:instance:tleftharpoonup</code> | <code>\tleftharpoonup {...} {...}</code> |
| <code>mathextensible:instance:tlefttrightharpoonup</code> | <code>\tlefttrightharpoonup {...} {...}</code> |
| <code>mathextensible:instance:tleftrightharpoons</code> | <code>\tleftrightharpoons {...} {...}</code> |
| <code>mathextensible:instance:tmapsto</code> | <code>\tmapsto {...} {...}</code> |
| <code>mathextensible:instance:tRightarrow</code> | <code>\tRightarrow {...} {...}</code> |
| <code>mathextensible:instance:trel</code> | <code>\trel {...} {...}</code> |
| <code>mathextensible:instance:trightarrow</code> | <code>\trightarrow {...} {...}</code> |

| | |
|---|--|
| mathextensible:instance:trightharpoondown | $\trightharpoondown \{...\} \{...\}$ |
| mathextensible:instance:trightharpoonup | $\trightharpoonup \{...\} \{...\}$ |
| mathextensible:instance:trightleftharpoons | $\trightleftharpoons \{...\} \{...\}$ |
| mathextensible:instance:trightoverleftarrow | $\trightoverleftarrow \{...\} \{...\}$ |
| mathextensible:instance:ttriplerel | $\ttriplerel \{...\} \{...\}$ |
| mathextensible:instance:ttwoheadleftarrow | $\ttwoheadleftarrow \{...\} \{...\}$ |
| mathextensible:instance:ttwoheadrightarrow | $\ttwoheadrightarrow \{...\} \{...\}$ |
| mathextensible:instance:xequal | $\xequal \{...\} \{...\}$ |
| mathextensible:instance:xhookleftarrow | $\xhookleftarrow \{...\} \{...\}$ |
| mathextensible:instance:xhookrightarrow | $\xhookrightarrow \{...\} \{...\}$ |
| mathextensible:instance:xLeftarrow | $\xLeftarrow \{...\} \{...\}$ |
| mathextensible:instance:xLeftrightarrow | $\xLeftrightarrow \{...\} \{...\}$ |
| mathextensible:instance:xleftarrow | $\xleftarrow \{...\} \{...\}$ |
| mathextensible:instance:xlefttharpoondown | $\xlefttharpoondown \{...\} \{...\}$ |
| mathextensible:instance:xlefttharpoonup | $\xlefttharpoonup \{...\} \{...\}$ |
| mathextensible:instance:xleftrightharpoonup | $\xleftrightharpoonup \{...\} \{...\}$ |
| mathextensible:instance:xleftrightharpoons | $\xleftrightharpoons \{...\} \{...\}$ |
| mathextensible:instance:xmapsto | $\xmapsto \{...\} \{...\}$ |
| mathextensible:instance:xrightarrow | $\xrightarrow \{...\} \{...\}$ |
| mathextensible:instance:xrel | $\xrel \{...\} \{...\}$ |
| mathextensible:instance:xrightarrow | $\xrightarrow \{...\} \{...\}$ |
| mathextensible:instance:xrightharpoondown | $\xrightharpoondown \{...\} \{...\}$ |
| mathextensible:instance:xrightharpoonup | $\xrightharpoonup \{...\} \{...\}$ |
| mathextensible:instance:xrightleftharpoons | $\xrightleftharpoons \{...\} \{...\}$ |
| mathextensible:instance:xrightoverleftarrow | $\xrightoverleftarrow \{...\} \{...\}$ |
| mathextensible:instance:xtriplerel | $\xtriplerel \{...\} \{...\}$ |
| mathextensible:instance:xtwoheadleftarrow | $\xtwoheadleftarrow \{...\} \{...\}$ |
| mathextensible:instance:xtwoheadrightarrow | $\xtwoheadrightarrow \{...\} \{...\}$ |
| mathfraktur | \mathfraktur |
| mathframed:instance | $\MATHFRAMED [..=..] \{...\}$ |
| mathframed:instance:inmframed | $\inmframed [..=..] \{...\}$ |
| mathframed:instance:mcfamed | $\mcfamed [..=..] \{...\}$ |
| mathframed:instance:mframed | $\mframed [..=..] \{...\}$ |
| mathfunction | $\mathfunction \{...\}$ |
| mathit | \mathit |
| mathitalic | \mathitalic |
| mathmatrix | $\MATHMATRIX \{...\}$ |
| mathop | $\mathop \{...\}$ |
| mathornament:example | $\MATHORNAMENT \{...\}$ |
| mathover | $\mathover [...] \{...\} \{...\}$ |
| mathoverextensible:example | $\MATHOVEREXTENSIBLE \{...\}$ |
| mathovertextextensible:instance | $\MATHOVERTEXTEXTENSIBLE \{...\} \{...\}$ |
| mathradical:example | $\MATHRADICAL [...] \{...\}$ |
| mathrm | \mathrm |
| mathscript | \mathscript |
| mathsl | \mathsl |
| mathss | \mathss |
| mathtext | $\mathtext ... \{...\}$ |
| mathtextbf | $\mathtextbf ... \{...\}$ |
| mathtextbi | $\mathtextbi ... \{...\}$ |
| mathtextbs | $\mathtextbs ... \{...\}$ |
| mathtextit | $\mathtextit ... \{...\}$ |
| mathtextsl | $\mathtextsl ... \{...\}$ |
| mathtexttf | $\mathtexttf ... \{...\}$ |
| mathtf | \mathtf |
| mathtriplet | $\mathtriplet [...] \{...\} \{...\} \{...\}$ |
| mathtriplet:example | $\MATHTRIPLET [...] \{...\} \{...\} \{...\}$ |
| mathtt | \mathtt |
| mathunder | $\mathunder [...] \{...\} \{...\}$ |
| mathunderextensible:example | $\MATHUNDEREXTENSIBLE \{...\}$ |
| mathundertextextensible:instance | $\MATHUNDERTEXTEXTENSIBLE \{...\} \{...\}$ |
| mathunstacked:example | \MATHUNSTACKED |
| mathupright | \mathupright |
| mathword | $\mathword ... \{...\}$ |
| mathwordbf | $\mathwordbf ... \{...\}$ |
| mathwordbi | $\mathwordbi ... \{...\}$ |
| mathwordbs | $\mathwordbs ... \{...\}$ |
| mathwordit | $\mathwordit ... \{...\}$ |
| mathwordsl | $\mathwordsl ... \{...\}$ |
| mathwordtf | $\mathwordtf ... \{...\}$ |
| maxaligned | $\maxaligned \{...\}$ |
| mbox | $\mbox \{...\}$ |

| | |
|--------------------------------|--|
| measure | \measure {...} |
| measured | \measured {...} |
| medskip | \medskip |
| medspace | \medspace |
| menuinteraction | \menuinteraction [...] [..=..] |
| message | \message {...} |
| metaTeX | \metaTeX |
| mfence | \mfence {...} |
| mfunction | \mfunction {...} |
| mfunctionlabeltext | \mfunctionlabeltext {...} |
| mhbox | \mhbox {...} |
| middlealigned | \middlealigned {...} |
| middlebox | \middlebox {...} |
| midhbox | \midhbox {...} |
| midsentence | \midsentence |
| milieu | \milieu ... |
| minimalhbox | \minimalhbox ... {...} |
| mixedcaps | \mixedcaps {...} |
| mkvibuffer | \mkvibuffer [...] |
| moduleparameter | \moduleparameter {...} {...} |
| mois | \mois {...} |
| molecule | \molecule {...} |
| mono | \mono |
| monogras | \monogras |
| mononormal | \mononormal |
| monthlong | \monthlong {...} |
| monthshort | \monthshort {...} |
| montrecadre | \montrecadre [...] [...] |
| montrecoleur | \montrecoleur [...] |
| montredisposition | \montredisposition [...] |
| montreedition | \montreedition [...] [...] [..=..] |
| montreenvironnementpolicecorps | \montreenvironnementpolicecorps [...] |
| montreguille | \montreguille [...] |
| montregroupecoleur | \montregroupecoleur [...] [...] |
| montrejeusymboles | \montrejeusymboles [...] |
| montremakeup | \montremakeup [...] |
| montrepalette | \montrepalette [...] [...] |
| montrepolicecorps | \montrepolicecorps [...] |
| montrereglages | \montrereglages [...] |
| montrestruts | \montrestruts |
| mot | \mot {...} |
| motdroit | \motdroit [...] {...} |
| mprandomnumber | \mprandomnumber |
| mtext | \mtext {...} |
| NormalizeFontHeight | \NormalizeFontHeight \... {...} {...} {...} |
| NormalizeFontWidth | \NormalizeFontWidth \... {...} {...} {...} |
| NormalizeTextHeight | \NormalizeTextHeight {...} {...} {...} |
| NormalizeTextWidth | \NormalizeTextWidth {...} {...} {...} |
| Numeros | \Numeros {...} |
| namedheadnumber | \namedheadnumber {...} |
| namedstructureheadlocation | \namedstructureheadlocation {...} |
| namedstructureuservariable | \namedstructureuservariable {...} {...} |
| namedstructurevariable | \namedstructurevariable {...} {...} |
| namedtaggedlabeltexts | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| naturalhbox | \naturalhbox ... {...} |
| naturalhpack | \naturalhpack ... {...} |
| naturalvbox | \naturalvbox ... {...} |
| naturalvcenter | \naturalvcenter ... {...} |
| naturalvpack | \naturalvpack ... {...} |
| naturalvtop | \naturalvtop ... {...} |
| naturalwd | \naturalwd ... |
| negatecolorbox | \negatecolorbox ... |
| negated | \negated {...} |
| negemspace | \negemspace |
| negenspace | \negenspace |
| negthinspace | \negthinspace |
| newattribute | \newattribute \... |
| newcatcodetable | \newcatcodetable \... |
| newcounter | \newcounter \... |
| newevery | \newevery \... \... |
| newfrenchspacing | \newfrenchspacing |
| newmode | \newmode {...} |

| | |
|-----------------------------------|---|
| newsignal | \newsignal \... |
| newsystemmode | \newsystemmode {...} |
| nextbox | \nextbox |
| nextboxdp | \nextboxdp |
| nextboxht | \nextboxht |
| nextboxhtdp | \nextboxhtdp |
| nextboxwd | \nextboxwd |
| nextcounter | \nextcounter [...] [...] |
| nextcountervalue | \nextcountervalue [...] |
| nextdepth | \nextdepth |
| nextparagraphs | \nextparagraphs |
| nextparagraphs:example | \suivantPARAGRAPHS |
| nextrealpage | \nextrealpage |
| nextrealpagenumber | \nextrealpagenumber |
| nextsubcountervalue | \nextsubcountervalue [...] [...] |
| nextsubpagenumber | \nextsubpagenumber |
| nextuserpage | \nextuserpage |
| nextuserpagenumber | \nextuserpagenumber |
| nocap | \nocap {...} |
| nocharacteralign | \nocharacteralign |
| nocitation | \nocitation [...] |
| nocitation:direct | \nocitation {...} |
| nocite | \nocite [...] |
| nocite:direct | \nocite {...} |
| nodetostring | \nodetostring \... {...} |
| nofffigurepages | \nofffigurepages |
| noflines | \noflines |
| noflocalfloats | \noflocalfloats |
| noheightstrut | \noheightstrut |
| noindentation | \noindentation |
| noitem | \noitem |
| nonfrenchspacing | \nonfrenchspacing |
| nonmathematics | \nonmathematics {...} |
| normal | \normal |
| normalboldface | \normalboldface |
| normalframedwithsettings | \normalframedwithsettings [..=..] {...} |
| normalitalicface | \normalitalicface |
| normalizebodyfontsize | \normalizebodyfontsize \... {...} |
| normalizedfontsize | \normalizedfontsize |
| normalizefontdepth | \normalizefontdepth \... {...} {...} {...} |
| normalizefontheight | \normalizefontheight \... {...} {...} {...} |
| normalizefontline | \normalizefontline \... {...} {...} {...} |
| normalizefontwidth | \normalizefontwidth \... {...} {...} {...} |
| normalizetextdepth | \normalizetextdepth {...} {...} {...} |
| normalizetextheight | \normalizetextheight {...} {...} {...} |
| normalizetextline | \normalizetextline {...} {...} {...} |
| normalizetextwidth | \normalizetextwidth {...} {...} {...} |
| normalpetit | \normalpetit |
| normalslantedface | \normalslantedface |
| normaltypeface | \normaltypeface |
| note | \note [...] [...] |
| noteligne:instance | \LINENOTE {...} |
| noteligne:instance:linenote | \linenote {...} |
| notesymbol | \notesymbol [...] [...] |
| note:instance | \NOTE [...] {...} |
| note:instance:assignment | \NOTE [..=..] |
| note:instance:assignment:endnote | \endnote [..=..] |
| note:instance:assignment:footnote | \footnote [..=..] |
| note:instance:endnote | \endnote [...] {...} |
| note:instance:footnote | \footnote [...] {...} |
| notragged | \notragged |
| ntimes | \ntimes {...} {...} |
| numberofpoints | \numberofpoints {...} |
| numeroformule | \numeroformule [...] |
| numeropage | \numeropage |
| numeros | \numeros {...} |
| numerotete | \numerotete [...] [...] |
| numerotetecourant | \numerotetecourant |
| obeydepth | \obeydepth |
| objectdepth | \objectdepth |
| objectheight | \objectheight |
| objectmargin | \objectmargin |

| | |
|-----------------------------|---|
| objectwidth | \objectwidth |
| obox | \obox {...} |
| obtientmarquage | \obtientmarquage [...] [...] [...] |
| offset | \offset [...] {...} |
| offsetbox | \offsetbox [...] \... {...} |
| onedigitrounding | \onedigitrounding {...} |
| ordinaldaynumber | \ordinaldaynumber {...} |
| ordinalstr | \ordinalstr {...} |
| oriente | \oriente [...] {...} |
| ornamenttext:collector | \ornamenttext [...] [...] [...] {...} {...} |
| ornamenttext:direct | \ornamenttext [...] {...} {...} |
| ornamenttext:layer | \ornamenttext [...] [...] [...] [...] {...} {...} |
| ornament:example | \ORNAMENT {...} {...} |
| outputfilename | \outputfilename |
| outputstreambox | \outputstreambox [...] |
| outputstreamcopy | \outputstreamcopy [...] |
| outputstreamunvbox | \outputstreamunvbox [...] |
| outputstreamunvcopy | \outputstreamunvcopy [...] |
| over | \over [...] |
| overlaybutton | \overlaybutton [...] |
| overlaybutton:direct | \overlaybutton {...} |
| overlaycolor | \overlaycolor |
| overlaydepth | \overlaydepth |
| overlayfigure | \overlayfigure {...} |
| overlayheight | \overlayheight |
| overlayimage | \overlayimage {...} |
| overlaylinecolor | \overlaylinecolor |
| overlaylinewidth | \overlaylinewidth |
| overlayoffset | \overlayoffset |
| overlayrollbutton | \overlayrollbutton [...] [...] |
| overlaywidth | \overlaywidth |
| overloadererror | \overloadererror |
| overset | \overset {...} {...} |
| PDFcolor | \PDFcolor {...} |
| PDFETEX | \PDFETEX |
| PDFTEX | \PDFTEX |
| PICTEX | \PICTEX |
| PiCTeX | \PiCTeX |
| PointsToBigPoints | \PointsToBigPoints {...} \... |
| PointsToReal | \PointsToReal {...} \... |
| PointsToWholeBigPoints | \PointsToWholeBigPoints {...} \... |
| PPCHTEX | \PPCHTEX |
| PPCHTeX | \PPCHTeX |
| PRAGMA | \PRAGMA |
| PtToCm | \PtToCm {...} |
| page | \page [...] |
| pagearea | \pagearea [...] [...] [...] |
| pagebreak | \pagebreak [...] |
| pagefigure | \pagefigure [...] [...] [...] |
| pageinjection | \pageinjection [...] [...] [...] |
| pageinjection:assignment | \pageinjection [...] [...] [...] [...] |
| pagestaterealpage | \pagestaterealpage {...} {...} |
| pagestaterealpageorder | \pagestaterealpageorder {...} {...} |
| paletsize | \paletsize |
| paragraphs:example | \PARAGRAPHS |
| pdfactualtext | \pdfactualtext {...} {...} |
| pdfbackendactualtext | \pdfbackendactualtext {...} {...} |
| pdfbackendcurrentresources | \pdfbackendcurrentresources |
| pdfbackendsetcatalog | \pdfbackendsetcatalog {...} {...} |
| pdfbackendsetcolorspace | \pdfbackendsetcolorspace {...} {...} |
| pdfbackendsettextgstate | \pdfbackendsettextgstate {...} {...} |
| pdfbackendsetinfo | \pdfbackendsetinfo {...} {...} |
| pdfbackendsetname | \pdfbackendsetname {...} {...} |
| pdfbackendsetpageattribute | \pdfbackendsetpageattribute {...} {...} |
| pdfbackendsetpageresource | \pdfbackendsetpageresource {...} {...} |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {...} {...} |
| pdfbackendsetpattern | \pdfbackendsetpattern {...} {...} |
| pdfbackendsetshade | \pdfbackendsetshade {...} {...} |
| pdfcolor | \pdfcolor {...} |
| pdfeTeX | \pdfeTeX |
| pdfTeX | \pdfTeX |
| percent | \percent |

| | |
|--|---|
| percentdimen | \percentdimen {...} {...} |
| periodes | \periodes [...] |
| periodes:assignment | \periodes [..=..] |
| permitcaretescape | \permitcaretescape |
| permitcircumflexescape | \permitcircumflexescape |
| permitspacesbetweengroups | \permitspacesbetweengroups |
| persiandecimals | \persiandecimals {...} |
| persiannumerals | \persiannumerals {...} |
| petit | \petit |
| petitepolicecorps | \petitepolicecorps |
| petittyte | \petittyte |
| phantom | \phantom {...} |
| phantombox | \phantombox [..=..] |
| pickupgroupedcommand | \pickupgroupedcommand {...} {...} {...} |
| pilechamp | \pilechamp [...] [...] [..=..] |
| placeattachments | \placeattachments |
| placebt rendering | \placebt rendering [...] [..=..] |
| placecitation | \placecitation [...] |
| placecomments | \placecomments |
| placecoteacote | \placecoteacote {...} {...} |
| placecurrentformulanumber | \placecurrentformulanumber |
| placedbox | \placedbox {...} |
| placefloatwithsetups | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placeflottant | \placeflottant [...] [...] [...] [...] {...} |
| placeflottant:instance | \placeFLOAT [...] [...] [...] {...} |
| placeflottant:instance:chemical | \placechemical [...] [...] [...] {...} |
| placeflottant:instance:figure | \placefigure [...] [...] [...] {...} |
| placeflottant:instance:graphic | \placegraphic [...] [...] [...] {...} |
| placeflottant:instance:intermezzo | \placeintermezzo [...] [...] [...] {...} |
| placeflottant:instance:table | \placetable [...] [...] [...] {...} |
| placeformule | \placeformule [...] {...} |
| placeframed | \placeframed [...] [..=..] {...} |
| placehelp | \placehelp |
| placeinitial | \placeinitial [...] |
| placelayer | \placelayer [...] |
| placelayeredtext | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelesunsaudessusdesautres | \placelesunsaudessusdesautres {...} {...} |
| placeliste | \placeliste [...] [..=..] |
| placelisteinmbriquee | \placelisteinmbriquee [...] [..=..] |
| placelisteinmbriquee:instance | \placeCOMBINEDLIST [..=..] |
| placelisteinmbriquee:instance:content | \placecontent [..=..] |
| placelistoffloats:instance | \placelistoffLOATS [..=..] |
| placelistoffloats:instance:chemicals | \placelistofchemicals [..=..] |
| placelistoffloats:instance:figures | \placelistoffigures [..=..] |
| placelistoffloats:instance:graphics | \placelistofgraphics [..=..] |
| placelistoffloats:instance:intermezzi | \placelistofintermezzi [..=..] |
| placelistoffloats:instance:tables | \placelistoftables [..=..] |
| placelistofpublications | \placelistofpublications [...] [..=..] |
| placelistofsorts | \placelistofsorts [...] [..=..] |
| placelistofsorts:instance | \placelistofSORTS [..=..] |
| placelistofsorts:instance:logos | \placelistoflogos [..=..] |
| placelistofsynonyms | \placelistofsynonyms [...] [..=..] |
| placelistofsynonyms:instance | \placelistofSYNONYMS [..=..] |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=..] |
| placelocalnotes | \placelocalnotes [...] [..=..] |
| placemarquespages | \placemarquespages [...] [...] [..=..] |
| placement | \placement [...] [..=..] {...} |
| placement:example | \PLACEMENT [..=..] {...} |
| placenamedfloat | \placenamedfloat [...] [...] |
| placenamedformula | \placenamedformula [...] [...] {...} |
| placenotes | \placenotes [...] [..=..] |
| placenotespdp | \placenotespdp [..=..] |
| placenotespdplocales | \placenotespdplocales [..=..] |
| placenumeropage | \placenumeropage |
| placenumerotete | \placenumerotete [...] |
| placepairedbox | \placepairedbox [...] [..=..] {...} {...} |
| placepairedbox:instance | \placePAIREDBOX [..=..] [...] {...} |
| placepairedbox:instance:legend | \placelegend [..=..] [...] {...} |
| placeparallel | \placeparallel [...] [...] [..=..] |
| placeraclist | \placeraclist [...] [..=..] |
| placeregistre | \placeregistre [...] [..=..] |
| placeregistre:instance | \placeREGISTER [..=..] |

| | |
|------------------------------------|--|
| placeregistre:instance:index | \placeindex [..=..] |
| placereadingwindow | \placereadingwindow [...] [...] |
| placesousformule | \placesousformule [...] {...} |
| placesurgrille | \placesurgrille [...] {...} |
| placesurgrille:list | \placesurgrille [...] {...} |
| placetextetete | \placetextetete [...] |
| point | \point {...} |
| popattribute | \popattribute \... |
| popmacro | \popmacro \... |
| popmode | \popmode [...] |
| popsystemmode | \popsystemmode {...} |
| position | \position [..=..] (...,...) {...} |
| positionoverlay | \positionoverlay {...} |
| positionregionoverlay | \positionregionoverlay {...} {...} |
| postponenotes | \postponenotes |
| predefinedfont | \predefinedfont [...] |
| predefinefont | \predefinefont [...] [...] |
| predefinesymbol | \predefinesymbol [...] |
| prefixedpagenumber | \prefixedpagenumber |
| premieresouspage | \premieresouspage |
| prendbuffer | \prendbuffer [...] |
| prendbuffer:instance | \obtientBUFFER |
| prependetoks | \prependetoks ... \to \... |
| prependgvalue | \prependgvalue {...} {...} |
| prependtocommalist | \prependtocommalist {...} \... |
| prependtoks | \prependtoks ... \to \... |
| prependtoksonce | \prependtoksonce ... \to \... |
| prependvalue | \prependvalue {...} {...} |
| prerollblank | \prerollblank [...] |
| presetdocument | \presetdocument [..=..] |
| presetfieldsymbols | \presetfieldsymbols [...] |
| presetlabeltext:instance | \presetLABELtexte [...] [..=..] |
| presetlabeltext:instance:btxlabel | \presetbtxlabeltexte [...] [..=..] |
| presetlabeltext:instance:head | \presetheadtexte [...] [..=..] |
| presetlabeltext:instance:label | \presetlabeltexte [...] [..=..] |
| presetlabeltext:instance:mathlabel | \presetmathlabeltexte [...] [..=..] |
| presetlabeltext:instance:operator | \presetoperatortexte [...] [..=..] |
| presetlabeltext:instance:prefix | \presetprefixtexte [...] [..=..] |
| presetlabeltext:instance:suffix | \presetsuffixtexte [...] [..=..] |
| presetlabeltext:instance:taglabel | \presettaglabeltexte [...] [..=..] |
| presetlabeltext:instance:unit | \presetunittexte [...] [..=..] |
| pretocommalist | \pretocommalist {...} \... |
| prettyprintbuffer | \prettyprintbuffer {...} {...} |
| prevcounter | \prevcounter [...] [...] |
| prevcountervalue | \prevcountervalue [...] |
| preventmode | \preventmode [...] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [...] [...] |
| prevsubpage | \prevsubpage |
| prevsubpagenumber | \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpagenumber |
| procent | \procent |
| processaction | \processaction [...] [...,=>...,...] |
| processallactionsinset | \processallactionsinset [...] [...,=>...,...] |
| processassignlist | \processassignlist [...] \... |
| processassignmentcommand | \processassignmentcommand [..=..] \... |
| processassignmentlist | \processassignmentlist [..=..] \... |
| processbetween | \processbetween {...} \... |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \... |
| processcolorcomponents | \processcolorcomponents {...} |
| processcommacommand | \processcommacommand [...] \... |
| processcommalist | \processcommalist [...] \... |
| processcommalistwithparameters | \processcommalistwithparameters [...] \... |
| processcontent | \processcontent {...} \... |
| processfile | \processfile {...} |
| processfilemany | \processfilemany {...} |
| processfilenone | \processfilenone {...} |
| processfileonce | \processfileonce {...} |
| processfirstactioninset | \processfirstactioninset [...] [...,=>...,...] |
| processisolatedchars | \processisolatedchars {...} \... |

| | |
|------------------------|--|
| processisolatedwords | \processisolatedwords {...} \... |
| processlinetablebuffer | \processlinetablebuffer [...] |
| processlinetablefile | \processlinetablefile {...} |
| processlist | \processlist {...} {...} {...} \... |
| processMPbuffer | \processMPbuffer [...] |
| processMPfigurefile | \processMPfigurefile {...} |
| processmonth | \processmonth {...} {...} {...} |
| processranges | \processranges [...] \... |
| processseparatedlist | \processseparatedlist [...] [...] {...} |
| processtexbuffer | \processtexbuffer [...] |
| processtokens | \processtokens {...} {...} {...} {...} {...} |
| processuntil | \processuntil \... |
| processxtablebuffer | \processxtablebuffer [...] |
| processyear | \processyear {...} {...} {...} {...} |
| produit | \produit [...] |
| produit:string | \produit ... |
| profiledbox | \profiledbox [...] [..=..] {...} |
| profilegivenbox | \profilegivenbox {...} ... |
| programme | \programme [...] |
| projet | \projet [...] |
| projet:string | \projet ... |
| pseudoMixedCapped | \pseudoMixedCapped {...} |
| pseudoSmallCapped | \pseudoSmallCapped {...} |
| pseudoSmallcapped | \pseudoSmallcapped {...} |
| pseudosmallcapped | \pseudosmallcapped {...} |
| purenumber | \purenumber {...} |
| pusharrangedpages | \pusharrangedpages ... \poparrangedpages |
| pushharriereplan | \pushharriereplan [...] ... \poparriereplan |
| pushattribute | \pushattribute \... |
| pushbar | \pushbar [...] ... \popbar |
| pushbutton | \pushbutton [...] [...] |
| pushcatcodetable | \pushcatcodetable ... \popcatcodetable |
| pushcouleur | \pushcouleur [...] ... \popcouleur |
| pushendofline | \pushendofline ... \popendofline |
| pushindentation | \pushindentation ... \popindentation |
| pushMPdrawing | \pushMPdrawing ... \popMPdrawing |
| pushmacro | \pushmacro \... |
| pushmathstyle | \pushmathstyle ... \popmathstyle |
| pushmode | \pushmode [...] |
| pushoutputstream | \pushoutputstream [...] |
| pushpath | \pushpath [...] ... \poppath |
| pushpunctuation | \pushpunctuation ... \poppunctuation |
| pushrandomseed | \pushrandomseed ... \poprandomseed |
| pushreferenceprefix | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsystemmode | \pushsystemmode {...} |
| putboxincache | \putboxincache {...} {...} ... |
| putnextboxincache | \putnextboxincache {...} {...} \... {...} |
| qqpart | \qqpart {...} {...} [...] |
| qquad | \qquad |
| quad | \quad |
| quads | \quads [...] |
| quarterstrut | \quarterstrut |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {...} |
| raggedbottom | \raggedbottom |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {...} \... {...} |
| randomizetext | \randomizetext {...} |
| randomnumber | \randomnumber {...} {...} |
| rawcounter | \rawcounter [...] [...] |
| rawcountervalue | \rawcountervalue [...] |
| rawdate | \rawdate [...] |
| rawdoifelseinset | \rawdoifelseinset {...} {...} {...} {...} |
| rawdoifinset | \rawdoifinset {...} {...} {...} |
| rawdoifinsetelse | \rawdoifinsetelse {...} {...} {...} {...} |
| rawgetparameters | \rawgetparameters [...] [..=..] |
| rawprocessaction | \rawprocessaction [...] [..,.,=>.,.,.] |

| | |
|-----------------------------------|---|
| rawprocesscommacommand | \rawprocesscommacommand [...] \... |
| rawprocesscommalist | \rawprocesscommalist [...] \... |
| rawstructurelistuservariable | \rawstructurelistuservariable {...} |
| rawsubcountervalue | \rawsubcountervalue [...] [...] |
| razmarquage | \razmarquage [...] |
| rbox | \rbox ... {...} |
| readfile | \readfile {...} {...} {...} |
| readfixfile | \readfixfile {...} {...} {...} {...} |
| readjobfile | \readjobfile {...} {...} {...} |
| readlocfile | \readlocfile {...} {...} {...} |
| readsetfile | \readsetfile {...} {...} {...} {...} |
| readsysfile | \readsysfile {...} {...} {...} |
| readtexfile | \readtexfile {...} {...} {...} |
| readxmlfile | \readxmlfile {...} {...} {...} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped {...} |
| realSmallcapped | \realSmallcapped {...} |
| realsmallcapped | \realsmallcapped {...} |
| recursedepth | \recursedepth |
| recurselevel | \recurselevel |
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| ref | \ref [...] [...] |
| reference | \reference [...] {...} |
| referenceformat:example | \REFERENCEFORMAT {...} {...} [...] |
| referencepage | \referencepage [...] |
| referenceprefix | \referenceprefix |
| referencetexte | \referencetexte [...] {...} |
| reflete | \reflete {...} |
| registerattachment | \registerattachment [...] [..=..] |
| registercctluafile | \registercctluafile {...} {...} |
| registerexternalfigure | \registerexternalfigure [...] [...] [..=..] |
| registerfontclass | \registerfontclass {...} |
| registerhyphenationexception | \registerhyphenationexception [...] [...] |
| registerhyphenationpattern | \registerhyphenationpattern [...] [...] |
| registermenubuttons | \registermenubuttons [...] [...] |
| registersort | \registersort [...] [...] |
| registersynonym | \registersynonym [...] [...] |
| registerunit | \registerunit [...] [..=..] |
| registre:instance | \REGISTER [...] {...} {...} {...} |
| registre:instance:index | \index [...] {...} {...} {...} |
| registre:instance:ownnumber | \REGISTER [...] {...} {...} {...} |
| registre:instance:ownnumber:index | \index [...] {...} {...} {...} |
| regle | \regle [...] |
| reglealignement | \reglealignement [...] |
| reglearrangement | \reglearrangement [...] |
| reglearriereplan | \reglearriereplan [...] [..=..] |
| reglearriereplans | \reglearriereplans [...] [...] [..=..] |
| reglearriereplans:page | \reglearriereplans [...] [..=..] |
| reglebarreinteraction | \reglebarreinteraction [...] [..=..] |
| reglebloc | \reglebloc [...] [..=..] |
| regleblocsection | \regleblocsection [...] [..=..] |
| reglebuffer | \reglebuffer [...] [..=..] |
| reglecapitales | \reglecapitales [...] [..=..] |
| reglechamp | \reglechamp [...] [...] [..=..] [..=..] [..=..] |
| reglechamps | \reglechamps [...] [..=..] [..=..] [..=..] |
| regleclipping | \regleclipping [..=..] |
| reglecolonnes | \reglecolonnes [..=..] |
| reglecommentaire | \reglecommentaire [...] [..=..] |
| reglecommentairepage | \reglecommentairepage [..=..] |
| reglecompoetroite | \reglecompoetroite [...] [..=..] |
| reglecomposeenalinea | \reglecomposeenalinea [...] |
| reglecouleur | \reglecouleur [...] |
| reglecouleurs | \reglecouleurs [..=..] |
| regledactylo | \regledactylo [...] [..=..] |
| regledemarrestoppe | \regledemarrestoppe [...] [..=..] |
| regledisposition | \regledisposition [...] [..=..] |
| regledisposition:name | \regledisposition [...] |
| regleecraninteraction | \regleecraninteraction [..=..] |
| regleelements | \regleelements [...] [..=..] |
| regleencadre | \regleencadre [...] [..=..] |
| regleentete | \regleentete [...] [..=..] |

| | |
|--------------------------------------|---|
| regleenumerations | \regleenumerations [...] [..=..] |
| regleepaisseurligne | \regleepaisseurligne [...] |
| regleespaceblanc | \regleespaceblanc [...] |
| regleesplacement | \regleesplacement [...] |
| regleesplacementinterligne | \regleesplacementinterligne [...] [..=..] |
| regleesplacementinterligne:argument | \regleesplacementinterligne [...] |
| regleesplacementinterligne:name | \regleesplacementinterligne [...] |
| regleflottant | \regleflottant [...] [..=..] |
| regleflottants | \regleflottants [...] [..=..] |
| regleformulaires | \regleformulaires [..=..] |
| regleformules | \regleformules [...] [..=..] |
| reglegroupelements | \reglegroupelements [...] [..=..] |
| regleinf | \regleinf [...] [..=..] |
| regleinteraction | \regleinteraction [...] [..=..] |
| regleinteraction:name | \regleinteraction [...] |
| regleintitule | \regleintitule [...] [..=..] |
| regleintitules | \regleintitules [...] [..=..] |
| reglejeucolonne | \reglejeucolonne [...] [..=..] |
| reglejeusymboles | \reglejeusymboles [...] |
| reglelabeltexte:instance | \regleLABELtexte [...] [..=..] |
| reglelabeltexte:instance:btxlabel | \reglebtxlabeltexte [...] [..=..] |
| reglelabeltexte:instance:head | \regleheadtexte [...] [..=..] |
| reglelabeltexte:instance:label | \reglelabeltexte [...] [..=..] |
| reglelabeltexte:instance:mathlabel | \reglemathlabeltexte [...] [..=..] |
| reglelabeltexte:instance:operator | \regleoperatortexte [...] [..=..] |
| reglelabeltexte:instance:prefix | \regleprefixtexte [...] [..=..] |
| reglelabeltexte:instance:suffix | \reglesuffixtexte [...] [..=..] |
| reglelabeltexte:instance:taglabel | \regletaglabeltexte [...] [..=..] |
| reglelabeltexte:instance:unit | \regleunitttexte [...] [..=..] |
| reglelangue | \reglelangue [...] [..=..] |
| reglelignes | \reglelignes [...] [..=..] |
| reglelignesnoires | \reglelignesnoires [..=..] |
| reglelignesreglestexte | \reglelignesreglestexte [..=..] |
| regleliste | \regleliste [...] [..=..] |
| reglelisteimbriquee | \reglelisteimbriquee [...] [..=..] |
| reglelisteimbriquee:instance | \regleCOMBINEDLIST [..=..] |
| reglelisteimbriquee:instance:content | \reglecontent [..=..] |
| reglemakeup | \reglemakeup [...] [..=..] |
| reglemargereglee | \reglemargereglee [...] [..=..] |
| reglemarquage | \reglemarquage [...] [..=..] |
| reglemarquagehyphenation | \reglemarquagehyphenation [..=..] |
| reglemenuinteraction | \reglemenuinteraction [...] [..=..] |
| reglenumeropage | \reglenumeropage [..=..] |
| reglenumerotationligne | \reglenumerotationligne [...] [..=..] |
| reglenumerotationpage | \reglenumerotationpage [..=..] |
| reglenumerotationparagraphe | \reglenumerotationparagraphe [..=..] |
| reglenumerotete | \reglenumerotete [...] [...] |
| regleoriente | \regleoriente [..=..] |
| reglepalette | \reglepalette [...] |
| reglepapier | \reglepapier [..=..] |
| regleparagraphe | \regleparagraphe [...] [...] [..=..] |
| regleparagraphe:assignment | \regleparagraphe [...] [..=..] |
| reglepdp | \reglepdp [...] [..=..] |
| regleplacementopposition | \regleplacementopposition [..=..] |
| reglepolicecorps | \reglepolicecorps [...] |
| reglepositionnement | \reglepositionnement [...] [..=..] |
| regleprogrammes | \regleprogrammes [..=..] |
| reglereferencage | \reglereferencage [..=..] |
| reglereregistre | \reglereregistre [...] [..=..] |
| reglereregistre:argument | \reglereregistre [...] [...] [..=..] |
| reglereregistre:instance | \regleREGISTER [...] [..=..] |
| reglereregistre:instance:index | \regleindex [...] [..=..] |
| regleremplitligne | \regleremplitligne [..=..] |
| regleremplitlignesreglees | \regleremplitlignesreglees [..=..] |
| regleseparationflottant | \regleseparationflottant [..=..] |
| reglesousnumeropage | \reglesousnumeropage [..=..] |
| reglesup | \reglesup [...] [..=..] |
| reglesynonymes | \reglesynonymes [...] [..=..] |
| regletableaux | \regletableaux [..=..] |
| regletabulation | \regletabulation [...] [...] [..=..] |
| regletaillepapier | \regletaillepapier [...] [..=..] |
| regletaillepapier:name | \regletaillepapier [...] [...] |

| | |
|---------------------------|--|
| regletete | \regletete [...] [..=..] |
| regletetes | \regletetes [...] [..=..] |
| regletexte | \regletexte [...] [..=..] |
| regletextesentete | \regletextesentete [...] [...] [...] [...] [...] |
| regletextesinf | \regletextesinf [...] [...] [...] [...] [...] |
| regletextesdpdp | \regletextesdpdp [...] [...] [...] [...] [...] |
| regletextessup | \regletextessup [...] [...] [...] [...] [...] |
| regletextestexte | \regletextestexte [...] [...] [...] [...] [...] |
| regletolerance | \regletolerance [...] |
| regletraitsfins | \regletraitsfins [..=..] |
| regletransitionspace | \regletransitionspace [...] |
| regletri | \regletri [...] [..=..] |
| regletype | \regletype [...] [..=..] |
| regleurl | \regleurl [..=..] |
| regle:direct | \regle {...} |
| regulier | \regulier |
| relatemarking | \relatemarking [...] [...] |
| relateparameterhandlers | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined | \relaxvalueifundefined {...} |
| remainingcharacters | \remainingcharacters |
| removebottomthings | \removebottomthings |
| removedepth | \removedepth |
| removefromcommalist | \removefromcommalist {...} \... |
| removelastskip | \removelastskip |
| removelastspace | \removelastspace |
| removemarkedcontent | \removemarkedcontent [...] |
| removepunctuation | \removepunctuation |
| removesubstring | \removesubstring ... \from ... \to \... |
| removetoks | \removetoks ... \from \... |
| removeunwantedspaces | \removeunwantedspaces |
| remplitligne | \remplitligne [..=..] |
| remplitlignesreglees | \remplitlignesreglees [..=..] {...} {...} |
| remplittexte | \remplittexte [..=..] {...} {...} |
| replacefeature | \replacefeature [...] |
| replacefeature:direct | \replacefeature {...} |
| replaceincommalist | \replaceincommalist \... {...} |
| replaceword | \replaceword [...] [...] [...] |
| rescan | \rescan {...} |
| rescanwithsetup | \rescanwithsetup {...} {...} |
| resetallattributes | \resetallattributes |
| resetandaddfeature | \resetandaddfeature [...] |
| resetandaddfeature:direct | \resetandaddfeature {...} |
| resetbar | \resetbar |
| resetboxesincache | \resetboxesincache {...} |
| resetbreakpoints | \resetbreakpoints |
| resetbuffer | \resetbuffer [...] |
| resetcharacteralign | \resetcharacteralign |
| resetcharacterkerning | \resetcharacterkerning |
| resetcharacterspacing | \resetcharacterspacing |
| resetcharacterstripping | \resetcharacterstripping |
| resetcollector | \resetcollector [...] |
| resetcounter | \resetcounter [...] [...] |
| resetdigitsmanipulation | \resetdigitsmanipulation |
| resetdirection | \resetdirection |
| resetfeature | \resetfeature |
| resetflag | \resetflag {...} |
| resetfontcolorscheme | \resetfontcolorscheme |
| resetfontfallback | \resetfontfallback [...] [...] |
| resetfontsolution | \resetfontsolution |
| resethyphenationfeatures | \resethyphenationfeatures |
| resetinjector | \resetinjector [...] |
| resetinteractionmenu | \resetinteractionmenu [...] |
| resetitaliccorrection | \resetitaliccorrection |
| resetlayer | \resetlayer [...] |
| resetlocalfloats | \resetlocalfloats |
| resetMPdrawing | \resetMPdrawing |
| resetMPenvironment | \resetMPenvironment |
| resetMPinstance | \resetMPinstance [...] |
| resetmarker | \resetmarker [...] |
| resetmode | \resetmode {...} |
| resetpagenumber | \resetpagenumber |
| resetparallel | \resetparallel [...] [...] |

| | |
|-----------------------------------|--|
| resetpath | \resetpath |
| resetpenalties | \resetpenalties \... |
| resetperiodkerning | \resetperiodkerning |
| resetprofile | \resetprofile |
| resetrecurselevel | \resetrecurselevel |
| resetreference | \resetreference [...] |
| resetreplacement | \resetreplacement |
| resetscript | \resetscript |
| resetsetups | \resetsetups [...] |
| resetshownsynonyms | \resetshownsynonyms [...] |
| resetsubpagenumber | \resetsubpagenumber |
| resetsymbolset | \resetsymbolset |
| resetsystemmode | \resetsystemmode {...} |
| resettimer | \resettimer |
| resettokenlist | \resettokenlist [...] |
| resettrackers | \resettrackers |
| resettrialtypesetting | \resettrialtypesetting |
| resetusedsortings | \resetusedsortings [...] |
| resetusedsynonyms | \resetusedsynonyms [...] |
| resetuserpagenumber | \resetuserpagenumber |
| resetvalue | \resetvalue {...} |
| resetvisualizers | \resetvisualizers |
| reshapebox | \reshapebox {...} |
| resolvedglyphdirect | \resolvedglyphdirect {...} {...} |
| resolvedglyphstyled | \resolvedglyphstyled {...} {...} |
| restartcounter | \restartcounter [...] [...] [...] |
| restorebox | \restorebox {...} {...} |
| restorecatcodes | \restorecatcodes |
| restorecounter | \restorecounter [...] |
| restorecurrentattributes | \restorecurrentattributes {...} |
| restoreendofline | \restoreendofline |
| restoreglobalbodyfont | \restoreglobalbodyfont |
| reusableMPgraphic | \reusableMPgraphic {...} {..=..} |
| reuseMPgraphic | \reuseMPgraphic {...} {..=..} |
| reuserandomseed | \reuserandomseed |
| revivefeature | \revivefeature |
| rfence | \rfence {...} |
| rhbox | \rhbox {...} |
| rightbottombox | \rightbottombox {...} |
| rightbox | \rightbox {...} |
| righthbox | \righthbox {...} |
| rightlabeltext:instance | \rightLABELtexte {...} |
| rightlabeltext:instance:head | \righttheadtexte {...} |
| rightlabeltext:instance:label | \rightlabeltexte {...} |
| rightlabeltext:instance:mathlabel | \rightmathlabeltexte {...} |
| rightline | \rightline {...} |
| rightorleftpageaction | \rightorleftpageaction {...} {...} |
| rightpageorder | \rightpageorder |
| rightskipadaption | \rightskipadaption |
| rightsubguillemot | \rightsubguillemot |
| righttopleft | \righttopleft |
| righttopleftthbox | \righttopleftthbox ... {...} |
| righttopleftvbox | \righttopleftvbox ... {...} |
| righttopleftvtop | \righttopleftvtop ... {...} |
| righttopbox | \righttopbox {...} |
| ring | \ring {...} |
| rlap | \rlap {...} |
| robustaddtocommalist | \robustaddtocommalist {...} \... |
| robustdoifelseinset | \robustdoifelseinset {...} {...} {...} {...} |
| robustdoifinsetelse | \robustdoifinsetelse {...} {...} {...} {...} |
| robustpretocommalist | \robustpretocommalist {...} \... |
| rollbutton:button | \rollbutton [..=..] ... [...] |
| rollbutton:interactionmenu | \rollbutton [...] [..=..] ... [...] |
| roman | \roman |
| rtop | \rtop ... {...} |
| ruby | \ruby [...] {...} {...} |
| ruledhbox | \ruledhbox ... {...} |
| ruledhpack | \ruledhpack ... {...} |
| ruledmbox | \ruledmbox {...} |
| ruledtopv | \ruledtopv ... {...} |
| ruledtpack | \ruledtpack ... {...} |
| ruledvbox | \ruledvbox ... {...} |

| | |
|---|---|
| ruledvpack | \ruledvpack ... {...} |
| ruledvtop | \ruledvtop ... {...} |
| runMPbuffer | \runMPbuffer [...] |
| runninghbox | \runninghbox {...} |
| ScaledPointsToBigPoints | \ScaledPointsToBigPoints {...} \... |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \... |
| Smallcapped | \Smallcapped {...} |
| safechar | \safechar {...} |
| samplefile | \samplefile {...} |
| sans | \sans |
| sansespace | \sansespace |
| sansgras | \sansgras |
| sanslignesenteteetpdp | \sanslignesenteteetpdp |
| sanslignessupetinf | \sanslignessupetinf |
| sansnormal | \sansnormal |
| sansserif | \sansserif |
| savebox | \savebox {...} {...} {...} |
| savebtxdataset | \savebtxdataset [...] [...] [..=..] |
| savebuffer | \savebuffer [..=..] |
| savebuffer:list | \savebuffer [...] [...] |
| savecouleur | \savecouleur ... \restorecouleur |
| savecounter | \savecounter [...] |
| savecurrentattributes | \savecurrentattributes {...} |
| savenormalmeaning | \savenormalmeaning \... |
| savetaggedtwopassdata | \savetaggedtwopassdata {...} {...} {...} {...} |
| savetwopassdata | \savetwopassdata {...} {...} {...} |
| sbox | \sbox {...} |
| script:instance | \SCRIPT |
| script:instance:ethiopic | \ethiopic |
| script:instance:hangul | \hangul |
| script:instance:hanzi | \hanzi |
| script:instance:latin | \latin |
| script:instance:nihongo | \nihongo |
| script:instance:test | \test |
| script:instance:thai | \thai |
| secondoffivearguments | \secondoffivearguments {...} {...} {...} {...} {...} |
| secondoffourarguments | \secondoffourarguments {...} {...} {...} {...} |
| secondofsixarguments | \secondofsixarguments {...} {...} {...} {...} {...} {...} |
| secondofthreearguments | \secondofthreearguments {...} {...} {...} |
| secondofthreeunexpanded | \secondofthreeunexpanded {...} {...} {...} |
| secondoftwoarguments | \secondoftwoarguments {...} {...} |
| secondoftwounexpanded | \secondoftwounexpanded {...} {...} |
| section:instance | \SECTION [...] {...} |
| section:instance:assignment | \SECTION [..=..] |
| section:instance:assignment:chapter | \chapter [..=..] |
| section:instance:assignment:part | \part [..=..] |
| section:instance:assignment:section | \section [..=..] |
| section:instance:assignment:subject | \subject [..=..] |
| section:instance:assignment:subsection | \subsection [..=..] |
| section:instance:assignment:subsubject | \subsubject [..=..] |
| section:instance:assignment:subsubsection | \subsubsection [..=..] |
| section:instance:assignment:subsubsubject | \subsubsubject [..=..] |
| section:instance:assignment:subsubsubsection | \subsubsubsection [..=..] |
| section:instance:assignment:subsubsubsubject | \subsubsubsubject [..=..] |
| section:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..] |
| section:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..] |
| section:instance:assignment:title | \title [..=..] |
| section:instance:chapter | \chapter [...] {...} |
| section:instance:ownnumber | \SECTION [...] {...} {...} |
| section:instance:ownnumber:chapter | \chapter [...] {...} {...} |
| section:instance:ownnumber:part | \part [...] {...} {...} |
| section:instance:ownnumber:section | \section [...] {...} {...} |
| section:instance:ownnumber:subject | \subject [...] {...} {...} |
| section:instance:ownnumber:subsection | \subsection [...] {...} {...} |
| section:instance:ownnumber:subsubject | \subsubject [...] {...} {...} |
| section:instance:ownnumber:subsubsection | \subsubsection [...] {...} {...} |
| section:instance:ownnumber:subsubsubject | \subsubsubject [...] {...} {...} |
| section:instance:ownnumber:subsubsubsection | \subsubsubsection [...] {...} {...} |
| section:instance:ownnumber:subsubsubsubject | \subsubsubsubject [...] {...} {...} |
| section:instance:ownnumber:subsubsubsubsection | \subsubsubsubsection [...] {...} {...} |
| section:instance:ownnumber:subsubsubsubsubject | \subsubsubsubsubject [...] {...} {...} |
| section:instance:ownnumber:title | \title [...] {...} {...} |

| | |
|--------------------------------------|--|
| section:instance:part | \part [...] {...} |
| section:instance:section | \section [...] {...} |
| section:instance:subject | \subject [...] {...} |
| section:instance:subsection | \subsection [...] {...} |
| section:instance:subsubject | \subsubject [...] {...} |
| section:instance:subsubsection | \subsubsection [...] {...} |
| section:instance:subsubsubject | \subsubsubject [...] {...} |
| section:instance:subsubsubsection | \subsubsubsection [...] {...} |
| section:instance:subsubsubsubject | \subsubsubsubject [...] {...} |
| section:instance:subsubsubsubsection | \subsubsubsubsection [...] {...} |
| section:instance:subsubsubsubsubject | \subsubsubsubsubject [...] {...} |
| section:instance:title | \title [...] {...} |
| seeregister:instance | \voitREGISTER [...] {...+...+...} {...} |
| seeregister:instance:index | \voitindex [...] {...+...+...} {...} |
| select | \select [...] {...} {...} {...} {...} {...} {...} |
| selectionneblobs | \selectionneblobs ^{OPT} [...] ^{OPT} [...] ^{OPT} [...] ^{OPT} [...] ^{OPT} |
| separeflottant | \separeflottant [..=..] {...} {...} |
| serializecommalist | \serializecommalist [...] |
| serializedcommalist | \serializedcommalist |
| serif | \serif |
| serifbold | \serifbold |
| serifnormal | \serifnormal |
| setautopagestaterealpageno | \setautopagestaterealpageno {...} |
| setbar | \setbar [...] |
| setbigbodyfont | \setbigbodyfont |
| setboxllx | \setboxllx ... {...} |
| setboxlly | \setboxlly ... {...} |
| setbreakpoints | \setbreakpoints [...] |
| setbuffer | \setbuffer [...] ... \endbuffer |
| setcapstrut | \setcapstrut |
| setcatcodetable | \setcatcodetable \... |
| setcharacteralign | \setcharacteralign [...] {...} |
| setcharacteralignndetail | \setcharacteralignndetail [...] {...} {...} {...} {...} |
| setcharactercasing | \setcharactercasing [...] |
| setcharactercleaning | \setcharactercleaning [...] |
| setcharacterkerning | \setcharacterkerning [...] |
| setcharacterspacing | \setcharacterspacing [...] |
| setcharacterstripping | \setcharacterstripping [...] |
| setcharstrut | \setcharstrut {...} |
| setcollector | \setcollector [...] [..=..] {...} |
| setcolormodell | \setcolormodell [...] |
| setcounter | \setcounter [...] [...] [...] |
| setcounterown | \setcounterown [...] [...] [...] |
| setcurrentfontclass | \setcurrentfontclass {...} |
| setdataset | \setdataset [...] [...] [..=..] |
| setdefaultpenalties | \setdefaultpenalties |
| setdigitsmanipulation | \setdigitsmanipulation [...] |
| setdirection | \setdirection [...] |
| setdocumentargument | \setdocumentargument [...] {...} |
| setdocumentargumentdefault | \setdocumentargumentdefault [...] {...} |
| setdocumentfilename | \setdocumentfilename [...] {...} |
| setdummyparameter | \setdummyparameter [...] {...} |
| setelementexporttag | \setelementexporttag [...] [...] [...] |
| setemeasure | \setemeasure [...] {...} |
| setevalue | \setevalue [...] {...} |
| setevariable | \setevariable [...] [...] {...} |
| setevariables | \setevariables [...] [..=..] |
| setfirstline | \setfirstline [...] |
| setfirstpasscharacteralign | \setfirstpasscharacteralign |
| setflag | \setflag [...] |
| setfont | \setfont ... |
| setfontcolorscheme | \setfontcolorscheme [...] |
| setfontfeature | \setfontfeature {...} |
| setfontsolution | \setfontsolution [...] |
| setfontstrut | \setfontstrut |
| setglobalscript | \setglobalscript [...] |
| setgmeasure | \setgmeasure [...] {...} |
| setgvalue | \setgvalue [...] {...} |
| setgvariable | \setgvariable [...] [...] {...} |
| setgvariables | \setgvariables [...] [..=..] |
| sethboxregister | \sethboxregister ... {...} |
| sethyphenatedurlafter | \sethyphenatedurlafter [...] |

| | |
|-----------------------------|--|
| sethyphenatedurlbefore | \sethyphenatedurlbefore {...} |
| sethyphenatedurlnormal | \sethyphenatedurlnormal {...} |
| sethyphenationfeatures | \sethyphenationfeatures [...] |
| setinitial | \setinitial [...] [..=..] |
| setinjector | \setinjector [...] [...] [...] |
| setinteraction | \setinteraction [...] |
| setinterfacecommand | \setinterfacecommand {...} {...} |
| setinterfaceconstant | \setinterfaceconstant {...} {...} |
| setinterfaceelement | \setinterfaceelement {...} {...} |
| setinterfacemessage | \setinterfacemessage {...} {...} {...} |
| setinterfacevariable | \setinterfacevariable {...} {...} |
| setinternalrendering | \setinternalrendering [...] [...] {...} |
| setitaliccorrection | \setitaliccorrection [...] |
| setJSPreamble | \setJSPreamble {...} {...} |
| setlayer | \setlayer [...] [...] [..=..] {...} |
| setlayerframed | \setlayerframed [...] [..=..] [..=..] {...} |
| setlayerframed:combination | \setlayerframed [...] [..=..] {...} |
| setlayertext | \setlayertext [...] [..=..] [..=..] {...} |
| setlinefiller | \setlinefiller [...] |
| setlocalhsize | \setlocalhsize [...] |
| setlocalscript | \setlocalscript [...] |
| setMPlayer | \setMPlayer [...] [...] [..=..] {...} |
| setMPpositiongraphic | \setMPpositiongraphic {...} {...} {..=..} |
| setMPpositiongraphicrange | \setMPpositiongraphicrange {...} {...} {...} {..=..} |
| setMPtext | \setMPtext {...} {...} |
| setMPvariable | \setMPvariable [...] [..=..] |
| setMPvariables | \setMPvariables [...] [..=..] |
| setmainbodyfont | \setmainbodyfont |
| setmainparbuilder | \setmainparbuilder [...] |
| setmarker | \setmarker [...] [...] |
| setmarking | \setmarking [...] {...} |
| setmathstyle | \setmathstyle {...} |
| setmeasure | \setmeasure {...} {...} |
| setmessagetext | \setmessagetext {...} {...} |
| setmode | \setmode {...} |
| setnostrut | \setnostrut |
| setnote | \setnote [...] [...] {...} |
| setnotetext | \setnotetext [...] [...] {...} |
| setnotetext:assignment | \setnotetext [...] [..=..] |
| setnote:assignment | \setnote [...] [..=..] |
| setobject | \setobject {...} {...} \... {...} |
| setoldstyle | \setoldstyle |
| setpagereference | \setpagereference {...} {...} |
| setpagestate | \setpagestate [...] [...] |
| setpagestaterealpageno | \setpagestaterealpageno {...} {...} |
| setpenalties | \setpenalties \... {...} {...} |
| setpercentdimen | \setpercentdimen {...} {...} |
| setperiodkerning | \setperiodkerning [...] |
| setposition | \setposition {...} |
| setpositionbox | \setpositionbox {...} \... {...} |
| setpositiondata | \setpositiondata {...} {...} {...} {...} |
| setpositiondatapplus | \setpositiondatapplus {...} {...} {...} {...} {...} |
| setpositiononly | \setpositiononly {...} |
| setpositionplus | \setpositionplus {...} {...} \... {...} |
| setpositionstrut | \setpositionstrut {...} |
| setprofile | \setprofile [...] |
| setrandomseed | \setrandomseed {...} |
| setreference | \setreference [...] [..=..] |
| setreferencedobject | \setreferencedobject {...} {...} \... {...} |
| setregisterentry | \setregisterentry [...] [..=..] [..=..] |
| setreplacement | \setreplacement [...] |
| setrigidcolumnbalance | \setrigidcolumnbalance ... |
| setrigidcolumnhsize | \setrigidcolumnhsize {...} {...} {...} |
| setscript | \setscript [...] |
| setsecondpasscharacteralign | \setsecondpasscharacteralign |
| setsectionblock | \setsectionblock [...] [..=..] |
| setsimplecolumnhsize | \setsimplecolumnhsize [..=..] |
| setsmallbodyfont | \setsmallbodyfont |
| setsmallcaps | \setsmallcaps |
| setstackbox | \setstackbox {...} {...} {...} |
| setstructurepageregister | \setstructurepageregister [...] [..=..] [..=..] |
| setstrut | \setstrut |

| | |
|----------------------------|--|
| setsuperiors | \setsuperiors |
| setsystemmode | \setsystemmode {...} |
| settabular | \settabular |
| settaggedmetadata | \settaggedmetadata [..=..] |
| settext | \settext [...] [...] [...] [...] [...] |
| settightobject | \settightobject {...} {...} \... {...} |
| settightreferencedobject | \settightreferencedobject {...} {...} \... {...} |
| settightstrut | \settightstrut |
| settightunreferencedobject | \settightunreferencedobject {...} {...} \... {...} |
| settokenlist | \settokenlist [...] {...} |
| settrialtypesetting | \settrialtypesetting |
| setuevalue | \setuevalue {...} {...} |
| setugvalue | \setugvalue {...} {...} |
| setunreferencedobject | \setunreferencedobject {...} {...} \... {...} |
| setupalternativestyles | \setupalternativestyles [..=..] |
| setupattachment | \setupattachment [...] [..=..] |
| setupattachments | \setupattachments [...] [..=..] |
| setupbackend | \setupbackend [..=..] |
| setupbar | \setupbar [...] [..=..] |
| setupbars | \setupbars [...] [..=..] |
| setupbleeding | \setupbleeding [..=..] |
| setupbookmark | \setupbookmark [..=..] |
| setupbtx | \setupbtx [...] [..=..] |
| setupbtxdataset | \setupbtxdataset [...] [..=..] |
| setupbtxlist | \setupbtxlist [...] [..=..] |
| setupbtxregister | \setupbtxregister [...] [..=..] |
| setupbtxrendering | \setupbtxrendering [...] [..=..] |
| setupbtx:name | \setupbtx [...] |
| setupbutton | \setupbutton [...] [..=..] |
| setupcharacteralign | \setupcharacteralign [..=..] |
| setupcharacterkerning | \setupcharacterkerning [...] [..=..] |
| setupcharacterspacing | \setupcharacterspacing [...] [...] [..=..] |
| setupchemical | \setupchemical [...] [..=..] |
| setupchemicalframed | \setupchemicalframed [...] [..=..] |
| setupcollector | \setupcollector [...] [..=..] |
| setupcolumnsetarea | \setupcolumnsetarea [...] [..=..] |
| setupcolumnsetareatext | \setupcolumnsetareatext [...] [...] |
| setupcolumnsetlines | \setupcolumnsetlines [...] [...] [...] [...] |
| setupcolumnsetspan | \setupcolumnsetspan [...] [..=..] |
| setupcolumnsetstart | \setupcolumnsetstart [...] [...] [...] [...] |
| setupcolumnspan | \setupcolumnspan [..=..] |
| setupcombination | \setupcombination [...] [..=..] |
| setupcounter | \setupcounter [...] [..=..] |
| setupdataset | \setupdataset [...] [..=..] |
| setupdelimitedtext | \setupdelimitedtext [...] [..=..] |
| setupdescription | \setupdescription [...] [..=..] |
| setupdirections | \setupdirections [..=..] |
| setupdocument | \setupdocument [..=..] |
| setupeffect | \setupeffect [...] [..=..] |
| setupenumeration | \setupenumeration [...] [..=..] |
| setupenv | \setupenv [..=..] |
| setupexport | \setupexport [..=..] |
| setupexternalfigure | \setupexternalfigure [...] [..=..] |
| setupexternalsoundtracks | \setupexternalsoundtracks [..=..] |
| setupfacingfloat | \setupfacingfloat [...] [..=..] |
| setupfieldbody | \setupfieldbody [...] [..=..] |
| setupfieldcategory | \setupfieldcategory [...] [..=..] |
| setupfieldcontentframed | \setupfieldcontentframed [...] [..=..] |
| setupfieldlabelframed | \setupfieldlabelframed [...] [..=..] |
| setupfieldtotalframed | \setupfieldtotalframed [...] [..=..] |
| setupfiller | \setupfiller [...] [..=..] |
| setupfirstline | \setupfirstline [...] [..=..] |
| setupfittingpage | \setupfittingpage [...] [..=..] |
| setupfloatframed | \setupfloatframed [...] [..=..] |
| setupfontexpansion | \setupfontexpansion [...] [..=..] |
| setupfontprotrusion | \setupfontprotrusion [...] [..=..] |
| setupfonts | \setupfonts [..=..] |
| setupfontsolution | \setupfontsolution [...] [..=..] |
| setupformula | \setupformula [...] [..=..] |
| setupformulaframed | \setupformulaframed [...] [..=..] |
| setupframedcontent | \setupframedcontent [...] [..=..] |
| setupframedtable | \setupframedtable [...] [..=..] |

| | |
|-----------------------------------|--|
| setupframedtablecolumn | \setupframedtablecolumn [...] [...] [..=..] |
| setupframedtablerow | \setupframedtablerow [...] [...] [..=..] |
| setupframedtext | \setupframedtext [...] [..=..] |
| setupframedtexts | \setupframedtexts [...] [..=..] |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [...] |
| setupheadalternative | \setupheadalternative [...] [..=..] |
| setuphelp | \setuphelp [...] [..=..] |
| setuphigh | \setuphigh [...] [..=..] |
| setuphighlight | \setuphighlight [...] [..=..] |
| setuphyphenation | \setuphyphenation [..=..] |
| setupindentedtext | \setupindentedtext [...] [..=..] |
| setupinitial | \setupinitial [...] [..=..] |
| setupinsertion | \setupinsertion [...] [..=..] |
| setupitaliccorrection | \setupitaliccorrection [...] |
| setupitemgroup | \setupitemgroup [...] [...] [...] [..=..] |
| setupitemgroup:assignment | \setupitemgroup [...] [..=..] |
| setupitemgroup:instance | \regleITEMGROUP [...] [...] [..=..] |
| setupitemgroup:instance:itemize | \regleitemize [...] [...] [..=..] |
| setuplabel | \setuplabel [...] [..=..] |
| setupplayer | \setupplayer [...] [..=..] |
| setupplayeredtext | \setupplayeredtext [...] [..=..] |
| setuplayouttext | \setuplayouttext [...] [...] [..=..] |
| setuplinefiller | \setuplinefiller [...] [..=..] |
| setuplinefillers | \setuplinefillers [...] [..=..] |
| setuplinenote | \setuplinenote [...] [..=..] |
| setuplinetable | \setuplinetable [...] [...] [..=..] |
| setuplistalternative | \setuplistalternative [...] [..=..] |
| setuplistextra | \setuplistextra [...] [..=..] |
| setuplocalfloats | \setuplocalfloats [..=..] |
| setuplocalinterlinespace | \setuplocalinterlinespace [...] [..=..] |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...] |
| setuplocalinterlinespace:name | \setuplocalinterlinespace [...] |
| setuplow | \setuplow [...] [..=..] |
| setuplowhigh | \setuplowhigh [...] [..=..] |
| setuplowmidhigh | \setuplowmidhigh [...] [..=..] |
| setupMPgraphics | \setupMPgraphics [..=..] |
| setupMPinstance | \setupMPinstance [...] [..=..] |
| setupMPpage | \setupMPpage [..=..] |
| setupMPvariables | \setupMPvariables [...] [..=..] |
| setupmarginblock | \setupmarginblock [...] [..=..] |
| setupmargindata | \setupmargindata [...] [..=..] |
| setupmarginframed | \setupmarginframed [...] [..=..] |
| setupmarginrule | \setupmarginrule [...] [..=..] |
| setupmathalignment | \setupmathalignment [...] [..=..] |
| setupmathcases | \setupmathcases [...] [..=..] |
| setupmathematics | \setupmathematics [...] [..=..] |
| setupmathfence | \setupmathfence [...] [..=..] |
| setupmathfraction | \setupmathfraction [...] [..=..] |
| setupmathfractions | \setupmathfractions [...] [..=..] |
| setupmathframed | \setupmathframed [...] [..=..] |
| setupmathmatrix | \setupmathmatrix [...] [..=..] |
| setupmathornament | \setupmathornament [...] [..=..] |
| setupmathradical | \setupmathradical [...] [..=..] |
| setupmathstackers | \setupmathstackers [...] [..=..] |
| setupmathstyle | \setupmathstyle [...] |
| setupmixedcolumns | \setupmixedcolumns [...] [..=..] |
| setupmodule | \setupmodule [...] [..=..] |
| setupnotation | \setupnotation [...] [..=..] |
| setupnotations | \setupnotations [...] [..=..] |
| setupnote | \setupnote [...] [..=..] |
| setupnotes | \setupnotes [...] [..=..] |
| setupoffset | \setupoffset [..=..] |
| setupoffsetbox | \setupoffsetbox [..=..] |
| setupoutputroutine | \setupoutputroutine [...] [..=..] |
| setupoutputroutine:name | \setupoutputroutine [...] |
| setuppagechecker | \setuppagechecker [...] [..=..] |
| setuppagecolumns | \setuppagecolumns [...] [..=..] |
| setuppageinjection | \setuppageinjection [...] [..=..] |
| setuppageinjectionalternative | \setuppageinjectionalternative [...] [..=..] |
| setuppageshift | \setuppageshift [...] [...] [...] |
| setuppagestate | \setuppagestate [...] [..=..] |
| setuppairedbox | \setuppairedbox [...] [..=..] |

| | |
|--------------------------------|--|
| setuppairedbox:instance | \reglePAIREDBOX [..=..] |
| setuppairedbox:instance:legend | \reglelegend [..=..] |
| setupparagraph | \setupparagraph [...] [..=..] |
| setupparagraphintro | \setupparagraphintro [...] [...] |
| setupparallel | \setupparallel [...] [...] [..=..] |
| setupperiodkerning | \setupperiodkerning [...] [..=..] |
| setupperiods | \setupperiods [..=..] |
| setupplacement | \setupplacement [...] [..=..] |
| setuppositionbar | \setuppositionbar [..=..] |
| setupprocessor | \setupprocessor [...] [..=..] |
| setupprofile | \setupprofile [...] [..=..] |
| setupquotation | \setupquotation [..=..] |
| setuprealpagenumber | \setuprealpagenumber [..=..] |
| setupreferenceformat | \setupreferenceformat [...] [..=..] |
| setupreferenceprefix | \setupreferenceprefix [...] |
| setupreferencestructureprefix | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters | \setupregisters [...] [..=..] |
| setupregisters:argument | \setupregisters [...] [...] [..=..] |
| setuprenderingwindow | \setuprenderingwindow [...] [..=..] |
| setupruby | \setupruby [...] [..=..] |
| setups | \setups [...] |
| setupscale | \setupscale [...] [..=..] |
| setupscrip | \setupscrip [...] [..=..] |
| setupscripts | \setupscripts [...] [..=..] |
| setupselector | \setupselector [...] [..=..] |
| setupshift | \setupshift [...] [..=..] |
| setupsidebar | \setupsidebar [...] [..=..] |
| setupspellchecking | \setupspellchecking [..=..] |
| setupstretched | \setupstretched [..=..] |
| setupstruts | \setupstruts [...] |
| setupstyle | \setupstyle [...] [..=..] |
| setupsubformula | \setupsubformula [...] [..=..] |
| setupsubformulas | \setupsubformulas [...] [..=..] |
| setupsynctex | \setupsynctex [..=..] |
| setups:direct | \setups {...} |
| setupTABLE | \setupTABLE [...] [...] [..=..] |
| setupTEXpage | \setupTEXpage [..=..] |
| setuptabulation | \setuptabulation [...] [..=..] |
| setuptagging | \setuptagging [..=..] |
| setuptextbackground | \setuptextbackground [...] [..=..] |
| setuptextflow | \setuptextflow [...] [..=..] |
| setuptooltip | \setuptooltip [...] [..=..] |
| setupunit | \setupunit [...] [..=..] |
| setupuserdata | \setupuserdata [...] [..=..] |
| setupuserdataalternative | \setupuserdataalternative [...] [..=..] |
| setupuserpagenumber | \setupuserpagenumber [..=..] |
| setupversion | \setupversion [...] |
| setupviewerlayer | \setupviewerlayer [..=..] |
| setupvspacing | \setupvspacing [...] |
| setupwithargument | \setupwithargument {...} {...} |
| setupwithargumentswapped | \setupwithargumentswapped {...} {...} |
| setupxml | \setupxml [..=..] |
| setupxtable | \setupxtable [...] [..=..] |
| setuvalue | \setuvalue {...} {...} |
| setuxvalue | \setuxvalue {...} {...} |
| setvalue | \setvalue {...} {...} |
| setvariable | \setvariable {...} {...} {...} |
| setvariables | \setvariables [...] [..=..] |
| setvboxregister | \setvboxregister ... {...} |
| setvisualizerfont | \setvisualizerfont [...] |
| setvtopregister | \setvtopregister ... {...} |
| setwidthof | \setwidthof ... \to \... |
| setxmeasure | \setxmeasure {...} {...} |
| setxvalue | \setxvalue {...} {...} |
| setxvariable | \setxvariable {...} {...} {...} |
| setxvariables | \setxvariables [...] [..=..] |
| shapedhbox | \shapedhbox {...} |
| shiftbox | \shiftbox {...} |
| shift:instance | \SHIFT {...} |
| shift:instance:shiftdown | \shiftdown {...} |
| shift:instance:shiftup | \shiftup {...} |
| showallmakeup | \showallmakeup |

| | |
|-------------------------------------|--|
| showattributes | \showattributes |
| showboxes | \showboxes |
| showbtxdatasetauthors | \showbtxdatasetauthors [..=..] |
| showbtxdatasetauthors:argument | \showbtxdatasetauthors [...] |
| showbtxdatasetcompleteness | \showbtxdatasetcompleteness [..=..] |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...] |
| showbtxdatasetfields | \showbtxdatasetfields [..=..] |
| showbtxdatasetfields:argument | \showbtxdatasetfields [...] |
| showbtxfields | \showbtxfields [..=..] |
| showbtxfields:argument | \showbtxfields [...] |
| showbtxhashedauthors | \showbtxhashedauthors [...] |
| showbtxtables | \showbtxtables [...] |
| showchardata | \showchardata {...} |
| showcharratio | \showcharratio {...} |
| showcolorbar | \showcolorbar [...] |
| showcolorcomponents | \showcolorcomponents [...] |
| showcolorset | \showcolorset [...] |
| showcolorstruts | \showcolorstruts |
| showcounter | \showcounter [...] |
| showdirectives | \showdirectives |
| showdirsinmargin | \showdirsinmargin |
| showedebuginfo | \showedebuginfo |
| showexperiments | \showexperiments |
| showfont | \showfont [...] [...] |
| showfontdata | \showfontdata |
| showfontexpansion | \showfontexpansion |
| showfontitalics | \showfontitalics |
| showfontkerns | \showfontkerns |
| showfontparameters | \showfontparameters |
| showfontstrip | \showfontstrip [...] |
| showfontstyle | \showfontstyle [...] [...] [...] [...] |
| showglyphdata | \showglyphdata |
| showglyphs | \showglyphs |
| showgridsnapping | \showgridsnapping |
| showhelp | \showhelp {...} [...] |
| showhyphenationtrace | \showhyphenationtrace [...] [...] |
| showhyphens | \showhyphens {...} |
| showinjector | \showinjector [...] |
| showjustification | \showjustification |
| showkerning | \showkerning {...} |
| showlayoutcomponents | \showlayoutcomponents |
| showligature | \showligature {...} |
| showligatures | \showligatures [...] |
| showlogcategories | \showlogcategories |
| showmargins | \showmargins |
| showmessage | \showmessage {...} {...} {...} |
| showminimalbaseline | \showminimalbaseline |
| shownextbox | \shownextbox \... {...} |
| showotfcomposition | \showotfcomposition {...} {...} {...} |
| showparentchain | \showparentchain \... {...} |
| showsetupsdefinition | \showsetupsdefinition [...] |
| showtimer | \showtimer {...} |
| showtokens | \showtokens [...] |
| showtrackers | \showtrackers |
| showvalue | \showvalue {...} |
| showvariable | \showvariable {...} {...} |
| showwarning | \showwarning {...} {...} {...} |
| signalrightpage | \signalrightpage |
| simplealignedbox | \simplealignedbox {...} {...} {...} |
| simplealignedboxplus | \simplealignedboxplus {...} {...} {...} {...} |
| simplealignedspreadbox | \simplealignedspreadbox {...} {...} {...} |
| simplegroupedcommand | \simplegroupedcommand {...} {...} |
| simplereversealignedbox | \simplereversealignedbox {...} {...} {...} |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...} |
| singalcharacteralign | \singalcharacteralign {...} {...} |
| singlebond | \singlebond |
| sixthofsixarguments | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface | \slantedface |
| slicepages | \slicepages [...] [..=..] [..=..] |
| slovenianNumerals | \slovenianNumerals {...} |
| sloveniannumerals | \sloveniannumerals {...} |
| smallcappedcharacters | \smallcappedcharacters {...} |

| | |
|---------------------------------|---|
| smallcappedromannumerals | \smallcappedromannumerals {...} |
| smaller | \smaller |
| smallskip | \smallskip |
| smash | \smash [...] {...} |
| smashbox | \smashbox ... |
| smashboxed | \smashboxed ... |
| smashedhbox | \smashedhbox ... {...} |
| smashedvbox | \smashedvbox ... {...} |
| snaptogrid | \snaptogrid [...] \... {...} |
| snaptogrid:list | \snaptogrid [...] \... {...} |
| someheadnumber | \someheadnumber [...] [...] |
| somekindoftab | \somekindoftab [..=..] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {...} {...} |
| someplace | \someplace {...} {...} {...} {...} {...} [...] |
| sorting:instance | \SORTING [...] {...} |
| sorting:instance:logo | \logo [...] {...} |
| sousnumeropage | \sousnumeropage |
| souspagesuivante | \souspagesuivante |
| spaceddigits | \spaceddigits {...} |
| spaceddigitismethod | \spaceddigitismethod |
| spaceddigitsseparator | \spaceddigitsseparator |
| spaceddigitssymbol | \spaceddigitssymbol |
| spanishNumerals | \spanishNumerals {...} |
| spanishnumerals | \spanishnumerals {...} |
| splitatasterisk | \splitatasterisk ... \... \... |
| splitatcolon | \splitatcolon ... \... \... |
| splitatcolons | \splitatcolons ... \... \... |
| splitatcomma | \splitatcomma ... \... \... |
| splitatperiod | \splitatperiod ... \... \... |
| splitdfrac | \splitdfrac {...} {...} |
| splitfilename | \splitfilename {...} |
| splitfrac | \splitfrac {...} {...} |
| splitoffbase | \splitoffbase |
| splitofffull | \splitofffull |
| splitoffkind | \splitoffkind |
| splitoffname | \splitoffname |
| splitoffpath | \splitoffpath |
| splitoffroot | \splitoffroot |
| splitofftokens | \splitofftokens ... \from ... \to \... |
| splitofftype | \splitofftype |
| splitstring | \splitstring ... \at ... \to \... \and \... |
| spreadhbox | \spreadhbox ... |
| sqrt | \sqrt [...] {...} |
| stackrel | \stackrel {...} {...} |
| startlinenote:instance | \demarreLINENOTE [...] {...} |
| startlinenote:instance:linenote | \demarrelinenote [...] {...} |
| startregister | \startregister [...] [...] [...] [...] {...+...+...} |
| startstop:example | \STARTSTOP {...} |
| startstructurepageregister | \startstructurepageregister [...] [...] [..=..] [..=..] |
| stoplinenote:instance | \stoppeLINENOTE [...] |
| stoplinenote:instance:linenote | \stoppelinenote [...] |
| stoppeline | \stoppeline [...] |
| stopregister | \stopregister [...] [...] |
| stopstructurepageregister | \stopstructurepageregister [...] [...] |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {...} {...} |
| strictdoifnnextoptionalelse | \strictdoifnnextoptionalelse {...} {...} |
| stripcharacter | \stripcharacter ... \from ... \to \... |
| strippedcsname | \strippedcsname \... |
| strippedcsname:string | \strippedcsname ... |
| stripspaces | \stripspaces \from ... \to \... |
| structurelistuservariable | \structurelistuservariable {...} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {...} |
| structurevariable | \structurevariable {...} |
| strut | \strut |
| strutdp | \strutdp |
| strutgap | \strutgap |
| strutht | \strutht |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {...} |

| | |
|--------------------------------------|--|
| strutwd | \strutwd |
| style | \style [..=..] {...} |
| styleinstance | \styleinstance [...] |
| style:argument | \style [...] {...} |
| style:instance | \STYLE {...} |
| subsentence | \subsentence {...} |
| substituteincommalist | \substituteincommalist {...} {...} \... |
| subtractfeature | \subtractfeature [...] |
| subtractfeature:direct | \subtractfeature {...} |
| suggestion:instance | \TOOLTIP [..=..] {...} {...} |
| suggestion:instance:argument | \TOOLTIP [...] {...} {...} |
| suggestion:instance:argument:tooltip | \tooltip [...] {...} {...} |
| suggestion:instance:tooltip | \tooltip [..=..] {...} {...} |
| swapcounts | \swapcounts \... \... |
| swapdimens | \swapdimens \... \... |
| swapface | \swapface |
| swapmacros | \swapmacros \... \... |
| swaptypface | \swaptypface |
| switchstyleonly | \switchstyleonly [...] |
| switchstyleonly:command | \switchstyleonly \... |
| switchtocolour | \switchtocolour [...] |
| switchtointerlinespace | \switchtointerlinespace [...] [..=..] |
| switchtointerlinespace:argument | \switchtointerlinespace [...] |
| switchtointerlinespace:name | \switchtointerlinespace [...] |
| symbole | \symbole [...] [...] |
| symbole:direct | \symbole {...} |
| symbolreference | \symbolreference [...] |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [...] [...] [...] |
| synchronizeoutputstreams | \synchronizeoutputstreams [...] |
| synchronizestrut | \synchronizestrut {...} |
| synchronizewhitespace | \synchronizewhitespace |
| synctexblockfilename | \synctexblockfilename {...} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {...} |
| synonym:instance | \SYNONYM [...] {...} {...} |
| synonym:instance:abbreviation | \abbreviation [...] {...} {...} |
| systemlog | \systemlog {...} {...} {...} |
| systemlogfirst | \systemlogfirst {...} {...} {...} |
| systemloglast | \systemloglast {...} {...} {...} |
| systemsetups | \systemsetups {...} |
| TABLE | \TABLE |
| TablE | \TablE |
| TEX | \TEX |
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {...} |
| taggedlabeltexts | \taggedlabeltexts {...} {...} {...} |
| tapebuffer | \tapebuffer [...] [..=..] |
| tapebuffer:instance | \dactylographierBUFFER [..=..] |
| tbox | \tbox {...} |
| testandsplitstring | \testandsplitstring ... \at ... \to \... \and \... |
| testcolumn | \testcolumn [...] [...] |
| testfeature | \testfeature {...} {...} |
| testfeatureonce | \testfeatureonce {...} {...} |
| testpage | \testpage [...] [...] |
| testpageonly | \testpageonly [...] [...] |
| testpagesync | \testpagesync [...] [...] |
| testtokens | \testtokens [...] |
| tex | \tex {...} |
| texdefinition | \texdefinition {...} |
| texsetup | \texsetup {...} |
| textbackground:example | \TEXTBACKGROUND {...} |
| textcitation | \textcitation [..=..] [...] |
| textcitation:alternative | \textcitation [...] [...] |
| textcitation:userdata | \textcitation [..=..] [..=..] |

| | |
|-----------------------------------|--|
| textcite | \textcite [..=..] [...] |
| textcite:alternative | \textcite [...] [...] |
| textcite:userdata | \textcite [..=..] [..=..] |
| textcontrolsplace | \textcontrolsplace |
| texteaide | \texteaide [...] {...} {...} |
| textteencadre:instance | \FRAMEDTEXT [..=..] {...} |
| textteencadre:instance:framedtext | \framedtext [..=..] {...} |
| textenotepdp | \textenotepdp [...] {...} |
| textenotepdp:assignment | \textenotepdp [..=..] |
| textflowcollector | \textflowcollector {...} |
| textmath | \textmath {...} |
| textminus | \textminus |
| textormathchar | \textormathchar {...} |
| textormathchars | \textormathchars {...} |
| textplus | \textplus |
| textvisiblespace | \textvisiblespace |
| thainumerals | \thainumerals {...} |
| thefirstcharacter | \thefirstcharacter {...} |
| thenormalizedbodyfontsize | \thenormalizedbodyfontsize {...} |
| theremainingcharacters | \theremainingcharacters {...} |
| thickspace | \thickspace |
| thinspace | \thinspace |
| thirdoffivearguments | \thirdoffivearguments {...} {...} {...} {...} {...} |
| thirdoffourarguments | \thirdoffourarguments {...} {...} {...} {...} |
| thirdofsixarguments | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments | \thirdofthreearguments {...} {...} {...} |
| thirdofthreeunexpanded | \thirdofthreeunexpanded {...} {...} {...} |
| threedigitrounding | \threedigitrounding {...} |
| tibetannumerals | \tibetannumerals {...} |
| tightlayer | \tightlayer [...] |
| tilde | \tilde {...} |
| tinyfont | \tinyfont |
| tlap | \tlap {...} |
| tochar | \tochar {...} |
| tolinenote | \tolinenote [...] |
| topbox | \topbox {...} |
| opleftbox | \opleftbox {...} |
| toplinebox | \toplinebox {...} |
| toprightbox | \toprightbox {...} |
| topskippedbox | \topskippedbox {...} |
| tracecatcodetables | \tracecatcodetables |
| tracedfontname | \tracedfontname {...} |
| traceoutputroutines | \traceoutputroutines |
| tracepositions | \tracepositions |
| traduire | \traduire [..=..] |
| traiteblocs | \traiteblocs [...] [...] [..=..] |
| traitfin | \traitfin |
| traitsfins | \traitsfins [..=..] |
| transparencycomponents | \transparencycomponents {...} |
| transparent | \transparent [...] {...} |
| triplebond | \triplebond |
| truefilename | \truefilename {...} |
| truefontname | \truefontname {...} |
| ttraggedright | \ttraggedright |
| twodigitrounding | \twodigitrounding {...} |
| tx | \tx |
| txx | \txx |
| typ | \typ [..=..] {...} |
| typedefinedbuffer | \typedefinedbuffer [...] [..=..] |
| typeface | \typeface |
| typeinlinebuffer | \typeinlinebuffer [...] [..=..] |
| typescriptone | \typescriptone |
| typescriptprefix | \typescriptprefix {...} |
| typescriptthree | \typescriptthree |
| typescripttwo | \typescripttwo |
| typesetbuffer | \typesetbuffer [...] [..=..] |
| typesetfile | \typesetfile [...] [...] [..=..] |
| typ:angles | \typ [..=..] <<...>> |
| uconvertnumber | \uconvertnumber {...} {...} |
| uedcatcodecommand | \uedcatcodecommand \... ... {...} |
| undefinevalue | \undefinevalue {...} |
| undepthed | \undepthed {...} |

| | |
|------------------------------|---|
| underset | \underset {...} {...} |
| undoassign | \undoassign [...] [..=..] |
| uneligne | \uneligne [...] |
| unexpandeddocumentvariable | \unexpandeddocumentvariable {...} |
| unhhbox | \unhhbox ... \with {...} |
| unihex | \unihex {...} |
| uniqueMPgraphic | \uniqueMPgraphic {...} {..=..} |
| uniqueMPpagegraphic | \uniqueMPpagegraphic {...} {..=..} |
| unite:instance | \UNIT {...} |
| unite:instance:unit | \unit {...} |
| unprotect | \unprotect ... \protect |
| unprotected | \unprotected ... \par |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...] |
| unspaceafter | \unspaceafter \... {...} |
| unspaceargument | \unspaceargument ... \to \... |
| unspaced | \unspaced {...} |
| unspacestring | \unspacestring ... \to \... |
| untexargument | \untexargument {...} \to \... |
| untexcommand | \untexcommand {...} \to \... |
| uppercased | \uppercased {...} |
| uppercasestring | \uppercasestring ... \to \... |
| upperlefthdoubleninequote | \upperlefthdoubleninequote |
| upperlefthdoublesixquote | \upperlefthdoublesixquote |
| upperleftsingleninequote | \upperleftsingleninequote |
| upperleftsinglesixquote | \upperleftsinglesixquote |
| upperrightdoubleninequote | \upperrightdoubleninequote |
| upperrightdoublesixquote | \upperrightdoublesixquote |
| upperrightsingleninequote | \upperrightsingleninequote |
| upperrightsinglesixquote | \upperrightsinglesixquote |
| url | \url [...] |
| usealignparameter | \usealignparameter \... |
| useblankparameter | \useblankparameter \... |
| usebodyfont | \usebodyfont [...] |
| usebodyfontparameter | \usebodyfontparameter \... |
| usebtxdataset | \usebtxdataset [...] [...] [..=..] |
| usebtxdefinitions | \usebtxdefinitions [...] |
| usecitation | \usecitation [...] |
| usecitation:direct | \usecitation {...} |
| usecolors | \usecolors [...] |
| usecomponent | \usecomponent [...] |
| usedummycolorparameter | \usedummycolorparameter {...} |
| usedummystyleandcolor | \usedummystyleandcolor {...} {...} |
| usedummystyleparameter | \usedummystyleparameter {...} |
| useenvironment | \useenvironment [...] |
| useexternalrendering | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase | \usefigurebase [...] |
| usefile | \usefile [...] [...] [...] |
| usegridparameter | \usegridparameter \... |
| useindentingparameter | \useindentingparameter \... |
| useindentnextparameter | \useindentnextparameter \... |
| useinterlinespaceparameter | \useinterlinespaceparameter \... |
| uselanguageparameter | \uselanguageparameter \... |
| uselua module | \uselua module [...] |
| useMPenvironmentbuffer | \useMPenvironmentbuffer [...] |
| useMPgraphic | \useMPgraphic {...} {..=..} |
| useMPlibrary | \useMPlibrary [...] |
| useMPrun | \useMPrun {...} {...} |
| useMPvariables | \useMPvariables [...] [...] |
| usemathstyleparameter | \usemathstyleparameter \... |
| useproduct | \useproduct [...] |
| useprofileparameter | \useprofileparameter \... |
| useproject | \useproject [...] |
| usereferenceparameter | \usereferenceparameter \... |
| userpagenumber | \userpagenumber |
| usesetupsparameter | \usesetupsparameter \... |
| usestaticMPfigure | \usestaticMPfigure [..=..] [...] |
| usesubpath | \usesubpath [...] |
| usetexmodule | \usetexmodule [...] [...] [..=..] |
| usetypescript | \usetypescript [...] [...] [...] |
| usetypescriptfile | \usetypescriptfile [...] |
| usezipfile | \usezipfile [...] [...] |
| utfchar | \utfchar {...} |

| | |
|--------------------------|---|
| utflower | \utflower {...} |
| utfupper | \utfupper {...} |
| utiliseblocs | \utiliseblocs [...] [...] [..=..] |
| utilisechemin | \utilisechemin [...] |
| utilisedocumentexterne | \utilisedocumentexterne [...] [...] [...] |
| utilisefigureexterne | \utilisefigureexterne [...] [...] [...] [..=..] |
| utiliseJSScripts | \utiliseJSScripts [...] [...] |
| utilisemodule | \utilisemodule [...] [...] [..=..] |
| utilisepsiteaudioexterne | \utilisepsiteaudioexterne [...] [...] |
| utilisesymboles | \utilisesymboles [...] |
| utiliseURL | \utiliseURL [...] [...] [...] [...] |
| utiliseurl | \utiliseurl [...] [...] [...] [...] |
| utilityregisterlength | \utilityregisterlength |
| VerboseNumber | \VerboseNumber {...} |
| va | \va {...} [...] |
| vaalaboite | \vaalaboite {...} [...] |
| vaalapage | \vaalapage {...} [...] |
| vaenbas | \vaenbas [...] |
| valeurcouleur | \valeurcouleur {...} |
| vboxreference | \vboxreference [...] {...} |
| vec | \vec {...} |
| verbatim | \verbatim {...} |
| verbatimstring | \verbatimstring {...} |
| verbosenum | \verbosenum {...} |
| version | \version [...] |
| verticalgrowingbar | \verticalgrowingbar [..=..] |
| verticalpositionbar | \verticalpositionbar [..=..] |
| veryraggedcenter | \veryraggedcenter |
| veryraggedleft | \veryraggedleft |
| veryraggedright | \veryraggedright |
| vglue | \vglue ... |
| vide | \vide [...] |
| viewerlayer | \viewerlayer [...] {...} |
| vl | \vl [...] |
| vphantom | \vphantom {...} |
| vpos | \vpos {...} {...} |
| vsmash | \vsmash {...} |
| vsmashbox | \vsmashbox ... |
| vsmashed | \vsmashed {...} |
| vspace | \vspace [...] [...] |
| vspacing | \vspacing [...] |
| WidthSpanningText | \WidthSpanningText {...} {...} {...} |
| wdofstring | \wdofstring {...} |
| widthofstring | \widthofstring {...} |
| widthspanningtext | \widthspanningtext {...} {...} {...} |
| withoutpt | \withoutpt {...} |
| words | \words {...} |
| wordtonumber | \wordtonumber {...} {...} |
| writedatatolist | \writedatatolist [...] [..=..] [..=..] |
| writestatus | \writestatus {...} {...} |
| XETEX | \XETEX |
| XeTeX | \XeTeX |
| xdefconvertedargument | \xdefconvertedargument \... {...} |
| xmladdindex | \xmladdindex {...} |
| xmlafterdocumentsetup | \xmlafterdocumentsetup {...} {...} {...} |
| xmlafterssetup | \xmlafterssetup {...} {...} |
| xmlall | \xmlall {...} {...} |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {...} {...} |
| xmlappendsetup | \xmlappendsetup {...} |
| xmlapplyselectors | \xmlapplyselectors {...} |
| xmlatt | \xmlatt {...} {...} |
| xmlattdef | \xmlattdef {...} {...} {...} |
| xmlattribute | \xmlattribute {...} {...} {...} |
| xmlattributedef | \xmlattributedef {...} {...} {...} {...} |
| xmlbadinclusions | \xmlbadinclusions {...} |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup {...} {...} {...} |
| xmlbeforesetup | \xmlbeforesetup {...} {...} |
| xmlchainatt | \xmlchainatt {...} {...} |
| xmlchainattdef | \xmlchainattdef {...} {...} {...} |
| xmlchecknamespace | \xmlchecknamespace {...} {...} |
| xmlcommand | \xmlcommand {...} {...} {...} |
| xmlconcat | \xmlconcat {...} {...} {...} |

| | |
|-----------------------------|---|
| xmlconcatrange | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext | \xmlcontext {...} {...} |
| xmlcount | \xmlcount {...} |
| xmldefaulttotext | \xmldefaulttotext {...} |
| xmldirectives | \xmldirectives {...} |
| xmldirectivesafter | \xmldirectivesafter {...} |
| xmldirectivesbefore | \xmldirectivesbefore {...} |
| xmldisplayverbatim | \xmldisplayverbatim {...} |
| xmldoif | \xmldoif {...} {...} {...} |
| xmldoifatt | \xmldoifatt {...} {...} |
| xmldoifelse | \xmldoifelse {...} {...} {...} {...} |
| xmldoifelseatt | \xmldoifelseatt {...} {...} {...} |
| xmldoifelseempty | \xmldoifelseempty {...} {...} {...} {...} |
| xmldoifelseselfempty | \xmldoifelseselfempty {...} {...} {...} |
| xmldoifelsetext | \xmldoifelsetext {...} {...} {...} {...} |
| xmldoifelsevalue | \xmldoifelsevalue {...} {...} {...} {...} |
| xmldoifnot | \xmldoifnot {...} {...} {...} |
| xmldoifnotatt | \xmldoifnotatt {...} {...} |
| xmldoifnotselfempty | \xmldoifnotselfempty {...} {...} |
| xmldoifnottext | \xmldoifnottext {...} {...} {...} |
| xmldoifselfempty | \xmldoifselfempty {...} {...} |
| xmldoiftext | \xmldoiftext {...} {...} {...} |
| xmlelement | \xmlelement {...} {...} |
| xmlfilter | \xmlfilter {...} {...} |
| xmlfirst | \xmlfirst {...} {...} |
| xmlflush | \xmlflush {...} |
| xmlflushcontext | \xmlflushcontext {...} |
| xmlflushdocumentsetups | \xmlflushdocumentsetups {...} {...} |
| xmlflushlinewise | \xmlflushlinewise {...} |
| xmlflushpure | \xmlflushpure {...} |
| xmlflushspacewise | \xmlflushspacewise {...} |
| xmlflushstext | \xmlflushstext {...} |
| xmlinclude | \xmlinclude {...} {...} {...} |
| xmlinclusion | \xmlinclusion {...} |
| xmlinclusions | \xmlinclusions {...} |
| xmlinfo | \xmlinfo {...} |
| xmlinjector | \xmlinjector {...} |
| xmlinlineprettyprint | \xmlinlineprettyprint {...} {...} |
| xmlinlineprettyprinttext | \xmlinlineprettyprinttext {...} {...} |
| xmlinlineverbatim | \xmlinlineverbatim {...} |
| xmlinstalldirective | \xmlinstalldirective {...} {...} |
| xmllast | \xmllast {...} {...} |
| xmllastatt | \xmllastatt |
| xmllastmatch | \xmllastmatch |
| xmllastpar | \xmllastpar |
| xmlloadbuffer | \xmlloadbuffer {...} {...} {...} |
| xmlloaddata | \xmlloaddata {...} {...} {...} |
| xmlloaddirectives | \xmlloaddirectives {...} |
| xmlloadfile | \xmlloadfile {...} {...} {...} |
| xmlloadonly | \xmlloadonly {...} {...} {...} |
| xmlmain | \xmlmain {...} |
| xmlmapvalue | \xmlmapvalue {...} {...} {...} |
| xmlname | \xmlname {...} |
| xmlnamespace | \xmlnamespace {...} |
| xmlnonamespace | \xmlnonamespace {...} {...} |
| xmlpar | \xmlpar {...} {...} |
| xmlparam | \xmlparam {...} {...} {...} |
| xmlpath | \xmlpath {...} |
| xmlpos | \xmlpos {...} |
| xmlposition | \xmlposition {...} {...} {...} |
| xmlprependdocumentsetup | \xmlprependdocumentsetup {...} {...} |
| xmlprependsetup | \xmlprependsetup {...} |
| xmlprettyprint | \xmlprettyprint {...} {...} |
| xmlprettyprinttext | \xmlprettyprinttext {...} {...} |
| xmlprocessbuffer | \xmlprocessbuffer {...} {...} {...} |
| xmlprocessdata | \xmlprocessdata {...} {...} {...} |
| xmlprocessfile | \xmlprocessfile {...} {...} {...} |
| xmlpure | \xmlpure {...} {...} |
| xmlraw | \xmlraw {...} |
| xmlrefatt | \xmlrefatt {...} {...} |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups | \xmlregisteredsetups |

| | |
|------------------------|--|
| xmlregisterns | \xmlregisterns {...} {...} |
| xmlremapname | \xmlremapname {...} {...} {...} {...} |
| xmlremapnamespace | \xmlremapnamespace {...} {...} {...} |
| xmlremovedocumentsetup | \xmlremovedocumentsetup {...} {...} |
| xmlremovesetup | \xmlremovesetup {...} |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {...} |
| xmlresetinjectors | \xmlresetinjectors |
| xmlresetsetups | \xmlresetsetups {...} |
| xmlsave | \xmlsave {...} {...} |
| xmlsetatt | \xmlsetatt {...} {...} {...} |
| xmlsetattribute | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity | \xmlsetentity {...} {...} |
| xmlsetfunction | \xmlsetfunction {...} {...} {...} |
| xmlsetinjectors | \xmlsetinjectors [...] |
| xmlsetpar | \xmlsetpar {...} {...} {...} |
| xmlsetparam | \xmlsetparam {...} {...} {...} {...} |
| xmlsetsetup | \xmlsetsetup {...} {...} {...} |
| xmlsetup | \xmlsetup {...} {...} |
| xmlshow | \xmlshow {...} |
| xmlsnippet | \xmlsnippet {...} {...} |
| xmlstrip | \xmlstrip {...} {...} |
| xmlstripnolines | \xmlstripnolines {...} {...} |
| xmlstripped | \xmlstripped {...} {...} |
| xmlstrippednolines | \xmlstrippednolines {...} {...} |
| xmltag | \xmltag {...} |
| xmltexentity | \xmltexentity {...} {...} |
| xmltext | \xmltext {...} {...} |
| xmltobuffer | \xmltobuffer {...} {...} {...} |
| xmltobufferverbose | \xmltobufferverbose {...} {...} {...} |
| xmltofile | \xmltofile {...} {...} {...} |
| xmlvalue | \xmlvalue {...} {...} {...} |
| xmlverbatim | \xmlverbatim {...} |
| xsplitstring | \xsplitstring \... {...} |
| xypos | \xypos {...} |

PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com