

MP attributes backends **basexx** **bit32** blobs
boolean buffers builders caches **callback**
callbacks catcodes characters chemistry
commands containers context converters
coroutine ctxrunner **debug** dir directives
document documentdata drivers environment
experiments figures **file** **fio** floats **font** fonts
functions global graphics **gzip** images
interactions interfaces **io** job **lang** languages
layouts **lfs** libraries lmx logs lpdf **lpeg** **lua**
luatex lxml **math** mathematics **md5** metapost **mime**
moduledata modules mp **mplib** noads **node** nodes
number objects optional **os** **package**
pagebuilders parametersets **pdf** **pdfdecode** **pdfx**
physics **pngdecode** publications regimes
resolvers sandbox scripts set **sha2** **sio** **socket**
sorters statistics **status** storage streams
string structures **table** **tex** texconditionals
texconfig texconstants texifs **texio**
texisdefined texmodes texsystemmodes thirddata
token tokens tracers trackers typesetters
updaters url userdata **utf8** utilities
visualizers **xcomplex** xdecimal **xmath** xml **xzip**
zip **zlib**

ConTEXT LMTX

global (alias: _G)

| | | | |
|----------------------------|----------|----------------------------|----------|
| CONTEXTLMTXMODE | number | directives | table |
| FFISUPPORTED | boolean | document | table |
| INITEXMODE | boolean | documentdata | table |
| LUAMAJORVERSION | number | dofile | function |
| LUAMINORVERSION | number | drivers | table |
| LUATEXENGINE | string | environment | table |
| LUATEXFORMATID | number | error | function |
| LUATEXFUNCTIONALITY | number | experiments | table |
| LUATEXVERSION | number | figures | table |
| LUAVERSION | number | file | table |
| MP | function | fio | table |
| arg | table | floats | table |
| assert | function | flushfontchar | function |
| attributes | table | flushsimplerule | function |
| backends | table | font | table |
| basexx | table | fonts | table |
| bit32 | table | functions | table |
| blobs | table | getmetatable | function |
| blockrequire | function | getrpos | function |
| boolean | table | global | table |
| buffers | table | graphics | table |
| builders | table | gregorian_to_jalali | function |
| caches | table | grid_to_mp | function |
| callback | table | gzip | table |
| callbacks | table | images | table |
| catcodes | table | inspect | function |
| characters | table | interactions | table |
| checkimage | function | interfaces | table |
| chemistry | table | io | table |
| collectgarbage | function | ipairs | function |
| commands | table | jalali_to_gregorian | function |
| containers | table | job | table |
| context | function | lang | table |
| converters | table | languages | table |
| coroutine | table | layouts | table |
| createmask | function | lfs | table |
| ctxrunner | table | libraries | table |
| data | table | lmx | table |
| debug | table | load | function |
| dimen | function | loadfile | function |
| dir | table | loadstring | function |

| | | | |
|-----------------|----------|-----------------|------------|
| logs | table | require | function |
| lpdf | table | required | function |
| lpeg | table | resolvers | table |
| lua | table | ruledspace | function |
| luatex | table | sandbox | table |
| lxml | table | scanarray | function |
| math | table | scanhash | function |
| mathematics | table | scripts | table |
| md5 | table | select | function |
| metapost | table | set | table |
| mime | table | setinspector | function |
| moduledata | table | setmetatable | function |
| modules | table | sha2 | table |
| mp | function | shipbox_ref_h | number |
| mplib | table | shipbox_ref_v | number |
| next | function | sio | table |
| noads | table | socket | table |
| node | table | sorters | table |
| nodes | table | statistics | table |
| number | table | status | table |
| objects | table | storage | table |
| optional | table | streams | table |
| optionalrequire | function | string | table |
| os | table | structures | table |
| package | table | table | table |
| pagebuilders | table | tex | table |
| pairs | function | texconditionals | data table |
| parametersets | table | texconfig | table |
| pcall | function | texconstants | data table |
| pdf | table | texifs | data table |
| pdfdecode | table | texio | table |
| pdfe | table | texisdefined | data table |
| physics | table | texmodes | data table |
| pngdecode | table | texsystemmodes | data table |
| poporientation | function | thirddata | table |
| print | function | toboolean | function |
| publications | table | todecimal | function |
| pushorientation | function | token | table |
| rawequal | function | tokens | table |
| rawget | function | tonumber | function |
| rawlen | function | tostring | function |
| rawset | function | tracers | table |
| readarray | function | trackers | table |
| regimes | table | type | function |

| | | | |
|--------------------|----------|-----------------|----------|
| typesetters | table | warn | function |
| unpack | function | xcomplex | table |
| updaters | table | xdecimal | table |
| url | table | xmath | table |
| userdata | table | xml | table |
| utf | table | xpcall | function |
| utf8 | table | xzip | table |
| utilities | table | zip | table |
| v | string | zlib | table |
| visualizers | table | | |

attributes (context)

| | | |
|----------------------------|----------|--------------------------|
| applyoverloads | function | F inbetween |
| cleanup | function | F justone |
| colorintents | table | F hsvtorgay |
| N attribute | | F hsvtorgb |
| D data | | F hwbtorgb |
| F enable | | F iccprofile |
| F handler | | F isblack |
| F register | | N main |
| D registered | | S model |
| colors | table | D models |
| N attribute | | F mpcolor |
| F cmyk | | F mpcnamedcolor |
| F cmyktorgay | | F mpoptions |
| F cmyktorgb | | F namedcolorattributes |
| F colorcomponents | | N none |
| D counts | | F popset |
| B couple | | F processcolorcomponents |
| F currentmodel | | F pushset |
| F currentnamedmodel | | F register |
| D data | | D registered |
| N default | | F registerspotcolor |
| F defineintermediatecolor | | F rgb |
| F definemultitonecolor | | F rgbtocmyk |
| F defineprocesscolor | | F rgbtorgay |
| F defineprocesscolordirect | | F rgbtohsv |
| F definesimplegray | | N selector |
| F definespotcolor | | F setlist |
| F definetransparency | | F setmodel |
| F enable | | F setpagecolormodel |
| F filter | | D sets |
| N forced | | F spec |
| F forcedmodel | | F spot |
| F forcesupport | | F spotcolorname |
| F formatcolor | | F spotcolorparent |
| F formatgray | | F spotcolorvalue |
| F getpagecolormodel | | B supported |
| F gray | | F toattributes |
| F graytohsv | | F transparencycomponents |
| F handler | | B triggering |
| T helpers | | F usecolors |
| F complement | | D valid |

| | | | |
|------------------------|------------|--------------------------|--------|
| F value | | N attribute | |
| D values | | D data | |
| B weightgray | | F enable | |
| define | function | F forcesupport | |
| effects | table | F handler | |
| N attribute | | T names | |
| D data | | N color | |
| F enable | | N colorburn | |
| F handler | | N colordodge | |
| F register | | N darken | |
| D registered | | N difference | |
| D values | | N exclusion | |
| handlers | table | N hardlight | |
| list | data table | N hue | |
| markasoverload | function | N lighten | |
| names | data table | N luminosity | |
| negatives | table | N multiply | |
| N attribute | | N none | |
| D data | | N normal | |
| F enable | | N overlay | |
| F handler | | N saturation | |
| F register | | N screen | |
| D registered | | N softlight | |
| F set | | N none | |
| numbers | data table | F register | |
| ofnode | function | D registered | |
| private | function | B supported | |
| public | function | F toattribute | |
| registercleaner | function | B triggering | |
| restore | function | F value | |
| save | function | D values | |
| showcurrent | function | unsetvalue | number |
| states | table | viewerlayers | table |
| F disabletriggering | | N attribute | |
| F enabletriggering | | F cleanup | |
| F finalize | | D data | |
| F initialize | | F define | |
| F process | | F definedlayoutcomponent | |
| F selective | | F enable | |
| F stacked | | F forcesupport | |
| F stacker | | F handler | |
| system | function | B hasorder | |
| tooverloads | function | D listwise | |
| transparencies | table | F register | |

| | |
|-----------------|---------------|
| D registered | F setfeatures |
| F resolve_begin | F start |
| F resolve_end | F stop |
| F resolve_reset | B supported |
| F resolve_step | D values |
| D scopes | |

backends (context)

closeout function

codeinjections table

F boxresourcedimensions

F registerboxresource

F restoreboxresource

current string

defaults table

T codeinjections

F getpagedimensions

F getpageorigin

F lmtxmode

F setpagedimensions

F setpageorigin

T nodeinjections

T registrations

D tables

included table

B context

B date

B id

B metadata

B pdf

install function

latelua function

nodeinjections table

noflatelua function

nothing function

openout function

pdf table

T codeinjections

F addbookmarks

F analyzenormalsymbol

F analyzesymbol

F attachmentid

F bitmap

F clonefield

F copyimage

F definefield

F definefieldset

F defineviewerlayer

F embedfile

F embedimage

F enabletags

F exportformdata

F fieldsurrounding

F flushmergelayer

F getbookmarks

F getdefaultfieldvalue

F getfieldcategory

F getfieldset

F getformatoption

F getidentityvariable

F getinfo

F getpreviewfigure

F insertrenderingwindow

F maptag

F mergebookmarks

F mergecomments

F mergefields

F mergereferences

F mergeviewerlayers

F newimage

F prerollreference

F presetsymbol

F presetsymbollist

F processrendering

F registerdocumentcloseaction

F registerdocumentopenaction

F registeredsymbol

F registerpagecloseaction

F registerpageopenaction

F registersymbol

F scanningimage

F setattachmentsupport

F setfieldcalculationset

F setfigurealternative

F setfigurecolorspace

F setfiguremask

F setformat

F setformsmethod

F setpagetransition

F settaggingsupport

| | |
|----------------------------------|----------------------------|
| F setupcanvas | F insertu3d |
| F setupidentity | F knockout |
| F setxmpfile | F negative |
| F startlayer | F overprint |
| F startunicodetoactualtext | F positive |
| F startunicodetoactualtextdirect | F reference |
| F stoplayer | F rgbcolor |
| F stopunicodetoactualtext | F spotcolor |
| F stopunicodetoactualtextdirect | F startlayer |
| F supportedformats | F startstackedlayer |
| F unicodetoactualtext | F stoplayer |
| F useviewerlayer | F stopstackedlayer |
| F validfield | F transparency |
| F validfieldcategory | F typesetfield |
| F validfieldset | T registrations |
| F wrapimage | F cmykindexcolor |
| S comment | F cmykspotcolor |
| T nodeinjections | F getspotcolorreference |
| F addtags | F grayindexcolor |
| F annotation | F grayspotcolor |
| F attachfile | F rgbindexcolor |
| F changestackedlayer | F rgbspotcolor |
| F cmykcolor | F spotcolorname |
| F comment | F transparency |
| F destination | T tables |
| F effect | D vfspecials |
| F graycolor | registrations table |
| F injectbitmap | tables table |
| F insertmovie | timestamp function |
| F insertsound | writeout function |
| F insertswf | |

basexx (extra lua)

decode16 function

decode64 function

decode85 function

decodeLZW function

decodeRL function

encode16 function

encode64 function

encode85 function

encodeLZW function

encodeRL function

bit32 (basic lua)

arshift function
band function
bnot function
bor function
btest function
bxor function

extract function
lrotate function
lshift function
replace function
rrotate function
rshift function

blobs (context)

| | |
|-------------------|----------|
| append | function |
| dimensions | function |
| dispose | function |
| new | function |
| pack | function |
| strdp | function |
| strhd | function |

| | |
|----------------|----------|
| strht | function |
| strwd | function |
| tohpack | function |
| tonodes | function |
| tovpack | function |
| write | function |

boolean (context)

tocontext function

tonumber function

buffers (context)

| | | | |
|-----------------------|----------|-------------------------|----------|
| append | function | F define | |
| assign | function | F hassomecontent | |
| collectcontent | function | F next | |
| erase | function | F place | |
| exists | function | F reset | |
| get | function | F save | |
| getcontent | function | prepend | function |
| getlines | function | raw | function |
| gettexbuffer | function | run | function |
| loadcontent | function | samplefile | function |
| parallel | table | undent | function |

builders (context)

| | | | |
|-----------------------|----------|-----------------------|---------|
| checksidefloat | function | | F start |
| kernel | table | | F stop |
| F hyphenating | | | F tag |
| F hyphenation | | profiling | table |
| F kerning | | F add | |
| F ligaturing | | F distance | |
| F mlist_to_hlist | | F fixedprofile | |
| paragraphs | table | F get | |
| T constructors | | F list | |
| N attribute | | F pagehandler | |
| F define | | F profilebox | |
| F disable | | F set | |
| F enable | | vspacing | table |
| F handler | | F analyze | |
| T methods | | D categories | |
| F basic | | F collapsevbox | |
| F default | | T data | |
| F hpack | | D map | |
| F oneline | | D skip | |
| D names | | D snapmethods | |
| D numbers | | F definesnapmethod | |
| F set | | B fixed | |
| F start | | F forcepageflush | |
| F stop | | F forcestrutdepth | |
| T expansion | | F getnofpreviouslines | |
| F trace | | F pagehandler | |
| F kepttogether | | F pageoverflow | |
| F registertogether | | F popatsame | |
| T solutions | | F pushatsame | |
| T splitters | | F setmap | |
| F define | | F setskip | |
| F optimize | | F snapbox | |
| T registered | | F synchronizepage | |
| F reset | | F tocategories | |
| F set | | F tocategory | |
| F split | | F vboxhandler | |

cache (context)

| | | | |
|-----------------------------|----------|-----------------------------|----------|
| base | string | loadcontent | function |
| collapsecontent | function | loaddata | function |
| configfiles | function | more | string |
| contentstate | function | savecontent | function |
| defaults | table | savedata | function |
| getfirstreadablefile | function | setfirstwritablefile | function |
| getreadablepaths | function | setluanames | function |
| getwritablepath | function | treehash | function |
| hashed | function | usedpaths | function |
| is_writable | function | | |

callback (basic tex)

find function

known function

list function

register overloaded function

callbacks (context)

freeze function

functions table

F process_rule

F start_page_number

F stop_page_number

known function

list data table

pop function

push function

register function

report function

supported table

B append_to_vlist_filter

B build_page_insert

B buildpage_filter

B contribute_filter

B define_font

B find_data_file

B find_format_file

B find_log_file

B handle_error_hook

B hpack_filter

B hpack_quality

B hyphenate

B insert_local_par

B kerning

B ligaturing

B linebreak_filter

B make_extensible

B mlist_to_hlist

B new_graf

B open_data_file

B post_linebreak_filter

B pre_dump

B pre_linebreak_filter

B pre_output_filter

B process_jobname

B read_data_file

B show_error_hook

B show_error_message

B show_lua_error_hook

B show_warning_message

B show_whatsit

B start_file

B start_run

B stop_file

B stop_run

B terminal_input

B vpack_filter

B vpack_quality

B wrapup_run

catcodes (context)

names data table

numbers data table

register function

characters (context)

| | | | |
|----------------------|------------|------------------------------|------------|
| activeoffset | number | T anudatta | |
| adobename | function | T before_half | |
| bidirectional | data table | T before_main | |
| blockrange | function | T before_postscript | |
| blocks | data table | T before_subscript | |
| casemap | table | T below_mark | |
| categories | data table | T consonant | |
| category | function | T dependent_vowel | |
| categorytags | data table | T halant | |
| classifiers | table | T independent_vowel | |
| collapsed | data table | T nukta | |
| contextname | function | T post_mark | |
| csletters | data table | T pre_mark | |
| data | data table | T ra | |
| decomposed | data table | T stress_tone_mark | |
| description | function | T twopart_mark | |
| descriptions | data table | T vowel_modifier | |
| detailtags | data table | initialize | function |
| directions | table | is_character | data table |
| emoji | table | is_command | data table |
| F compact | | is_letter | data table |
| F known | | is_mark | data table |
| F resolve | | is_punctuation | data table |
| emojized | function | is_spacing | data table |
| encodes | data table | is_symbol | data table |
| entities | data table | lcchars | data table |
| fallbacks | data table | lccode | function |
| filters | data table | lccodes | data table |
| fractions | table | lettered | function |
| fromnumber | function | lhash | data table |
| fschars | data table | linebreaks | data table |
| fscodes | data table | lower | function |
| getrange | function | mathlists | data table |
| graphemes | data table | mirrors | table |
| hangul | data table | otfscripts | data table |
| indicgroups | table | private | table |
| T above_mark | | ranges | data table |
| T after_half | | registerentities | function |
| T after_main | | remap_hangul_syllable | function |
| T after_postscript | | setactivecatcodes | function |
| T after_subscript | | setlettercatcodes | function |

| | | | |
|---------------------|------------|--------------------|------------|
| shape | function | D accentmapping | |
| shaped | function | D commandmapping | |
| shash | data table | F defineaccents | |
| shchars | data table | F safechar | |
| shcodes | data table | F toutf | |
| showstring | function | F toutfpattern | |
| specialchars | data table | textclasses | table |
| specials | data table | tonumber | function |
| splits | table | ucchars | data table |
| T char | | uccode | function |
| T compat | | uccodes | data table |
| subscripts | table | uhash | data table |
| superscripts | table | unicodechar | function |
| synonyms | data table | upper | function |
| tex | table | | |

chemistry (context)

| | | | |
|-----------------------|------------|-----------------------|----------|
| component | function | method | string |
| define | function | molecule | function |
| definitions | data table | moleculeparser | userdata |
| format | string | start | function |
| inlinechemical | function | stop | function |
| instance | string | undefine | function |

containers (context)

cleanname function
content function
define function
is_usable function

is_valid function
read function
usecache boolean
write function

converters (context)

| | | | |
|---------------------------|----------|--------------------------|------------|
| A | function | cn-c | function |
| A:es | function | convert | function |
| A:ru | function | decimals | function |
| A:sl | function | define | function |
| AK | function | helpers | table |
| Alphabetic | function | hexstringtonumber | function |
| Alphabetic:es | function | i | function |
| Alphabetic:ru | function | isleapyear | function |
| Alphabetic:sl | function | lchexnumber | function |
| Character | function | lchexnumbers | function |
| Characters | function | leapyear | function |
| I | function | lower | function |
| KA | function | max | function |
| KR | function | maxchrs | function |
| R | function | nicenumber | function |
| RK | function | nofdays | function |
| Romannumerals | function | number | function |
| Russiannumerals | function | numbers | function |
| Sloveniannumerals | function | octnumber | function |
| Spanishnumerals | function | octstringtonumber | function |
| Word | function | ordinal | function |
| Words | function | r | function |
| a | function | rawcharacter | function |
| a:es | function | romannumerals | function |
| a:ru | function | russiannumerals | function |
| a:sl | function | sequences | data table |
| abjadnodotnumerals | function | settime | function |
| abjadnumerals | function | sloveniannumerals | function |
| alphabetic | function | spaceddigits | function |
| alphabetic:es | function | spanishnumerals | function |
| alphabetic:ru | function | textime | function |
| alphabetic:sl | function | toabjad | function |
| character | function | tochinese | function |
| characters | function | toroman | function |
| chineseallnumerals | function | totime | function |
| chinesecapnumerals | function | uchexnumber | function |
| chinesenumerals | function | uchexnumbers | function |
| chr | function | upper | function |
| chrs | function | verbose | table |
| cn | function | | |
| cn-a | function | | |

D data

F translate

weekday

function

word

function

words

function

coroutine (basic lua)

close function
create function
isyieldable function
resume function

running function
status function
wrap function
yield function

ctxrunner (context)

| | | | |
|---------------------|----------|------------------|------------|
| load | function | prepfiles | data table |
| preparedfile | function | resolve | function |

data (context)

| | | | |
|---------------|----------|------------------|--------|
| action | function | prerolled | string |
| depth | number | width | number |
| height | number | | |

dir (context)

| | |
|-----------------------|----------|
| collectpattern | function |
| current | function |
| expandname | function |
| found | function |
| glob | function |
| globdirs | function |
| globfiles | function |

| | |
|--------------------|----------|
| globpattern | function |
| ls | function |
| makedirs | function |
| mkdirs | function |
| pop | function |
| push | function |

directives (context)

| | |
|----------------|------------|
| data | data table |
| default | function |
| disable | function |
| done | table |
| enable | function |
| list | function |

| | |
|-----------------|----------|
| name | string |
| register | function |
| report | function |
| reset | function |
| show | function |
| value | function |

document (context)

| | | | | |
|--------------------|------------|---------------------------|-----------|------------|
| arguments | data table | | D modes | |
| files | table | | D modules | |
| functions | table | setargument | | function |
| getargument | function | setcommandline | | function |
| getfilename | function | setdefaultargument | | function |
| options | table | setenvironments | | function |
| T commandline | | setfilename | | function |
| D environments | | setfilenames | | function |
| D modes | | setmodes | | function |
| D modules | | setmodules | | function |
| T ctxfile | | variables | | data table |
| D environments | | | | |

documentdata (context)

variable function

drivers (context)

| | | |
|-------------------|----------|-------------------|
| convert | function | F cleanup |
| converters | table | F convert |
| F engine | | F finalize |
| F lmtx | | F initialize |
| enable | function | F outputfilename |
| gethpos | function | F prepare |
| getpos | function | F wrapup |
| getrpos | function | T flushers |
| getvpos | function | F character |
| helpers | table | F rule |
| F tomatrix | | F updatefontstate |
| install | function | S name |
| instances | table | T lua |
| T default | | T actions |
| T actions | | F cleanup |
| F convert | | F convert |
| F outputfilename | | F finalize |
| T flushers | | F initialize |
| S name | | F outputfilename |
| T empty | | F prepare |
| T actions | | F wrapup |
| F convert | | T flushers |
| F prepare | | F character |
| T flushers | | F rule |
| S name | | F updatefontstate |
| T js | | S name |
| T actions | | T mps |
| F cleanup | | T actions |
| F convert | | F cleanup |
| F finalize | | F convert |
| F initialize | | F finalize |
| F outputfilename | | F initialize |
| F prepare | | F outputfilename |
| F wrapup | | F prepare |
| T flushers | | F wrapup |
| F character | | T flushers |
| F rule | | F character |
| F updatefontstate | | F rule |
| S name | | F simplerule |
| T json | | F updatefontstate |
| T actions | | S name |

| | | |
|------------------|-----------------------|----------|
| T none | F group | |
| T actions | F image | |
| T flushers | F literal | |
| S name | F poporientation | |
| T pdf | F pushorientation | |
| T actions | F restore | |
| F cleanup | F rule | |
| F convert | F save | |
| F finalize | F setmatrix | |
| F initialize | F simplerule | |
| F outputfilename | F updatefontstate | |
| F prepare | S name | |
| F wrapup | lmtxversion | number |
| T flushers | outputfilename | function |
| F character | report | function |
| F fontchar | | |

environment (context)

| | | | |
|----------------------------|------------|-------------------------------|------------|
| argument | function | luafile | function |
| arguments | data table | luafilechunk | function |
| basicengines | data table | luatexengine | string |
| currentrun | number | luatexfunctionality | number |
| definefilefallback | function | luatexversion | number |
| definefilesynonym | function | maxnofruns | number |
| engineflags | data table | oldhome | string |
| filename | string | originalarguments | data table |
| filenames | table | outputfilename | string |
| files | table | ownbin | string |
| filesynonyms | data table | ownmain | string |
| forcedruns | number | ownname | string |
| getargument | function | ownpath | string |
| homedir | string | prerollrun | boolean |
| initex | boolean | rawarguments | data table |
| initexmode | boolean | reconstructcommandline | function |
| initializearguments | function | relativepath | function |
| initializefilenames | function | setargument | function |
| inputfilebarename | string | splitarguments | function |
| inputfilename | string | suffix | string |
| inputfilesuffix | string | texfile | function |
| jobfilefullname | string | texmfos | string |
| jobfilename | string | texos | string |
| jobfilesuffix | string | texroot | string |
| jobname | string | truefilename | function |
| kindofrun | number | uselua module | function |
| lmtxmode | number | usemodules | function |
| loadexamodes | function | validengines | data table |
| loadluafile | function | version | string |

experiments (context)

| | |
|----------------|------------|
| data | data table |
| default | function |
| disable | function |
| enable | function |
| list | function |
| name | string |

| | |
|-----------------|----------|
| register | function |
| report | function |
| reset | function |
| show | function |
| value | function |

figures (context)

| | | | |
|------------------------|------------|-------------------------|------------|
| applyratio | function | B bleed | |
| badname | function | B crop | |
| bases | data table | B media | |
| bitmapimage | function | B none | |
| boxnumber | number | B trim | |
| cachepaths | data table | F totable | |
| check | function | T types | |
| checkers | data table | N jbig2 | |
| converters | data table | N jp2 | |
| current | function | N jpg | |
| defaultdepth | number | N memstream | |
| defaultheight | number | N none | |
| defaultsearch | boolean | N pdf | |
| defaultwidth | number | N png | |
| done | function | N stream | |
| dummy | function | F wrap | |
| exists | data table | include | function |
| exists | function | includers | data table |
| formats | data table | initialize | function |
| found | data table | loaded | data table |
| get | function | localpaths | data table |
| getinfo | function | magics | data table |
| getpdfinfo | function | mergegoodies | function |
| getrealpage | function | nofmissing | number |
| guess | function | nofprocessed | number |
| guessfromstring | function | order | data table |
| hash | function | paths | data table |
| identifiers | data table | patterns | data table |
| identify | function | pop | function |
| images | table | preferquality | boolean |
| F check | | programs | data table |
| F checksize | | push | function |
| F copy | | registerpattern | function |
| F create | | registerresource | function |
| F embed | | registersuffix | function |
| T keys | | remappers | data table |
| F print | | resources | data table |
| F scan | | scale | function |
| F serialize | | set | function |
| T sizes | | setlookups | function |
| B art | | setmemstream | function |

setorder
setpaths

function
function

suffixes
used

data table
data table

file (basic lua)

| | |
|--------------------------|----------|
| addsuffix | function |
| basename | function |
| checksum | function |
| collapsepath | function |
| copy | function |
| dirname | function |
| expandname | function |
| extname | function |
| is_qualified_path | function |
| is_readable | function |
| is_rootbased_path | function |
| is_writable | function |
| isreadable | function |
| iswritable | function |
| join | function |
| joinpath | function |
| loadchecksum | function |
| nameonly | function |
| nametotable | function |
| needs Updating | function |

| | |
|----------------------|----------|
| needsupdating | function |
| pathpart | function |
| readdata | function |
| removesuffix | function |
| replacesuffix | function |
| reslash | function |
| robustname | function |
| savechecksum | function |
| savedata | function |
| size | function |
| splitbase | function |
| splitname | function |
| splitpath | function |
| strip | function |
| suffix | function |
| suffixes | function |
| suffixesonly | function |
| suffixonly | function |
| syncmtimes | function |
| withinbase | function |

fio (extra lua)

| | |
|--------------------------|----------|
| getposition | function |
| read2dot14 | function |
| readbytes | function |
| readbytetable | function |
| readcardinal1 | function |
| readcardinal1le | function |
| readcardinal2 | function |
| readcardinal2le | function |
| readcardinal3 | function |
| readcardinal3le | function |
| readcardinal4 | function |
| readcardinal4le | function |
| readcardinaltable | function |
| readfixed2 | function |
| readfixed4 | function |
| readinteger1 | function |
| readinteger1le | function |
| readinteger2 | function |

| | |
|-------------------------|----------|
| readinteger2le | function |
| readinteger3 | function |
| readinteger3le | function |
| readinteger4 | function |
| readinteger4le | function |
| readintegertable | function |
| readline | function |
| setposition | function |
| skipposition | function |
| writecardinal1 | function |
| writecardinal1le | function |
| writecardinal2 | function |
| writecardinal2le | function |
| writecardinal3 | function |
| writecardinal3le | function |
| writecardinal4 | function |
| writecardinal4le | function |

floats (context)

| | | | |
|-------------------------|----------|-------------------|----------|
| analysemethod | function | nofstacked | function |
| checkedpagefloat | function | pop | function |
| collect | function | push | function |
| consult | function | resave | function |
| flush | function | save | function |
| getvariable | function | stacked | function |
| hasstacked | function | | |

font (basic tex)

| | |
|----------------------|----------|
| addcharacters | function |
| current | function |
| define | function |
| each | function |
| getfont | function |

| | |
|----------------|----------|
| id | function |
| max | function |
| nextid | function |
| setfont | function |

fonts (context)

analyzers table

- D features
- D initializers
- D methods
- F setstate
- D states
- B useunicodemarks

checkers table

- F getmissing
- F missing
- F placeholder

cid table

- F getmap
- F loadfile

collections table

- F checkenabled
- F clonevector
- F define
- T definitions
- F found
- F prepare
- F process
- F registermain
- F report
- F reset
- T vectors

constructors table

- F addcharacters
- F addcoreunicodes
- B addtounicode
- F aftercopyingcharacters
- F applymanipulators
- F assignmathparameters
- B autocleanup
- F beforecopyingcharacters
- D cache
- B cacheintex
- F calculatescale
- F checkedfeatures
- F checkedfilename
- F cleanupable

- F collectprocessors
- F currentfontasfeature
- D designsizes
- D dontembed
- F enhanceparameters
- T enhancers
 - T afm
 - F apply
 - F patch
 - T patches
 - F register
 - F report
 - F register
 - F report
- T otf
 - F addfeature
 - F apply
 - F enhance
 - F patch
 - T patches
 - F register
 - F report
 - F register
 - F report
- T tfm
 - F apply
 - F patch
- T patches
 - F register
 - F report
- F register
- F report

- N factor
- T features
 - D afm
 - D otf
 - D tfm
- F finalize
- B fixprotrusion
- F getfeatureaction
- F getmathparameter

| | |
|----------------------------|---|
| F getprivate | F featuresinitializer |
| T handlers | F featuresprocessor |
| T afm | F getactualtext |
| B autoprefixed | F getalternate |
| D cache | F getgsub |
| D features | F getkern |
| F getkern | F getmultiple |
| T helpdata | F getstreamhash |
| D bothkerned | F getsubstitution |
| D leftkerned | T handlers |
| D ligatures | F devanagari_remove_joiners |
| D rightkerned | F devanagari_reorder_matras |
| D texligatures | F devanagari_reorder_pre_base_reordering_consonants |
| F load | F devanagari_reorder_reph |
| T readers | F gpos_context |
| F getinfo | F gpos_contextchain |
| F loadfont | F gpos_cursive |
| F loadshapes | F gpos_mark2base |
| F setfeatures | F gpos_mark2ligature |
| B syncspace | F gpos_mark2mark |
| N version | F gpos_pair |
| T otf | F gpos_single |
| F addfeature | F gsub_alternate |
| F basemodeinitializer | F gsub_context |
| D cache | F gsub_contextchain |
| F collectlookups | F gsub_ligature |
| T coverup | F gsub_multiple |
| T actions | F gsub_reversecontextchain |
| F alternate | F gsub_single |
| F chainposition | F trigger_space_kerns |
| F chainsubstitution | T helpers |
| F kern | F blockligatures |
| F ligature | F pardirstate |
| F multiple | F txtfirststate |
| F pair | F load |
| F single | F loadoutlinedata |
| F substitution | F loadstreamdata |
| F register | F modeinitializer |
| S stepkey | D mpscache |
| F dataset | D pdfcache |
| F datasetpositionprocessor | F plugininitializer |
| S defaultbasealternate | F pluginprocessor |
| S defaultnodealternate | T plugins |
| D features | D pngcache |

| | |
|-------------------|------------------------------|
| B pngenabled | F reversechainedcontextsingl |
| T readers | F single |
| F addunicodetable | F gvar |
| F avar | F head |
| F cbdt | T helpers |
| F cblc | F axistofactors |
| F cff | F cleannam |
| F cff2 | F getaxisscal |
| F cffcheck | F getfactors |
| T cffencoder | F getscales |
| F checkhash | F gotodatatable |
| F cmap | F normalizedaxis |
| F colr | T normalizedaxisishash |
| F compact | F readvariationdata |
| F cpal | F reportskippedtable |
| F ebdt | F setvariabledata |
| F eblc | F hhea |
| F ebsc | F hmtx |
| F expand | F hvar |
| F extend | F kern |
| F fvar | F loadfont |
| F gdef | F loadshapes |
| F getcomponents | F loca |
| F getinfo | F math |
| F glyf | F maxp |
| F gpos | F mvar |
| T gposhandlers | F name |
| F chainedcontext | F os/2 |
| F context | F pack |
| F cursive | F parsecharstrings |
| F extension | F post |
| F marktobase | F registerextender |
| F marktoligature | F rehash |
| F marktomark | F sbix |
| F pair | F stat |
| F single | T streamreader |
| F gsub | F close |
| T gsubhandlers | F getposition |
| F alternate | F getsiz |
| F chainedcontext | F look |
| F context | F open |
| F extension | F read2dot14 |
| F ligature | F readbyte |
| F multiple | F readbytes |

| | |
|---------------------|---------------------|
| F readbytetable | F writeinteger2 |
| F readcardinal | F writeinteger2le |
| F readcardinal1 | F writeinteger3 |
| F readcardinal1le | F writeinteger3le |
| F readcardinal2 | F writeinteger4 |
| F readcardinal2le | F writeinteger4le |
| F readcardinal3 | F writestring |
| F readcardinal3le | F stripredundant |
| F readcardinal4 | F svg |
| F readcardinal4le | N tableversion |
| F readcardinaltable | F unifymissing |
| F readchar | F unpack |
| F readfixed2 | F vhea |
| F readfixed4 | F vmtx |
| F readinteger | F vorg |
| F readinteger1 | F vvar |
| F readinteger1le | F woff2otf |
| F readinteger2 | F registerpalette |
| F readinteger2le | F registerplugin |
| F readinteger3 | F reorderlookups |
| F readinteger3le | F scriptandlanguage |
| F readinteger4 | F setdynamics |
| F readinteger4le | F setfeatures |
| F readintegertable | T statistics |
| F readsignedbyte | D usedfeatures |
| F readstring | D svgcache |
| F readtag | B svgenabled |
| F setposition | T tables |
| F size | D baselines |
| F skip | D features |
| F skiplong | D featuretypes |
| F skipposition | D languages |
| F skipshort | D scripts |
| F writebyte | N version |
| F writecardinal1 | T pfb |
| F writecardinal1le | F loadvector |
| F writecardinal2 | T tfm |
| F writecardinal2le | D cache |
| F writecardinal3 | D features |
| F writecardinal3le | N maxnestingdepth |
| F writecardinal4 | N maxnestingsize |
| F writecardinal4le | T readers |
| F writeinteger1 | F loadpk |
| F writeinteger1le | F loadtfm |

| | |
|----------------------|--------------------------|
| F loadtfmvf | S scriptpercentage |
| F loadvf | S scriptscriptpercentage |
| F pktopdf | S size |
| F showpk | S slantfactor |
| F reencode | S slantperpoint |
| F setfeatures | T spacing |
| N version | S extra |
| T vf | S shrink |
| T combinations | S stretch |
| F combine | S width |
| T combiner | S units |
| D commands | S vfactor |
| D helpers | S width |
| D math | S xheight |
| D predefined | T properties |
| N version | S autoitalicamount |
| D whatever | S cidinfo |
| F hashfeatures | T effect |
| F hashinstance | S ddelta |
| T hashmethods | S effect |
| F normal | S factor |
| F virtual | S hdelta |
| F initializefeatures | S hfactor |
| T keys | S vfactor |
| T characters | S wdelta |
| T descriptions | S width |
| T parameters | S embedding |
| S ascender | S encodingbytes |
| S descender | S filename |
| S designsize | S finalized |
| T expansion | S fontname |
| S auto | S format |
| S shrink | S fullname |
| S step | S hasitalics |
| S stretch | S hasmath |
| S extendfactor | S mathitalics |
| S factor | S mode |
| S hfactor | S name |
| S mathsize | S nostackmath |
| S mode | S psname |
| T protrusion | S textitalics |
| S auto | S virtualized |
| S quad | D loadedfonts |
| S scaledpoints | S namemode |

N noffontsloaded
 N nofsharedfonts
 N nofsharedhashes
 N nofsharedvectors
 N privateoffset
 D privateslots
 F readanddefine
 F registerfeature
 F resetfeature
 B resolvevirtualtoo
 F scale
 F scaled
 F setfactor
 F setfeature
 F setmathparameter
 F setname
 B sharefonts
 F trytosharefont
 N version

current function
currentid function
definers table

F addlookup
 F analyze
 F applypostprocessors
 F checkedmode
 F checkedscript
 S defaultlookup
 F define
 F getspecification
 F internal
 F loadfont
 F makespecification
 T methods
 F install
 D variants
 F read
 F register
 F registered
 F registersplit
 F resetnullfont
 F resolve
 T resolvers
 F file

F name
 F spec
definetypeface function
dropins table
 F clone
 F nextid
 F provide
 F registerglyph
 F registerglyphs
 F swap

encodings table
 T agl
 D ctxcodes
 D extras
 D names
 D synonyms
 D unicodes
 D cache
 F is_known
 D known
 F load
 F make_unicode_vector
 D math
 N version

enhanceid function
expansions data table
formats data table
getalternate function
getindices function
getkern function
getmultiple function
getsubstitution function
getters table

T alternate
 F opentype
 T kern
 F opentype
 F type1
 F type3
 T multiple
 F opentype
 T substitution
 F opentype

goodies table

- D colorschemes
- T data
 - T dejavu-math
 - S author
 - S comment
 - S copyright
 - B initialized
 - T mathematics
 - T alternates
 - T dotless
 - S comment
 - S feature
 - N value
 - T kerns
 - S name
 - S version
- D designsizes
- D filenames
- F getcompositions
- T list
- F load
- F prepare_features
- F register
- F registerpostprocessor
- F report
- T suffixes

handlers table

hashes table

- D characters
- D classes
- D csnames
- D descriptions
- D dynamics
- D emwidths
- D exheights
- D extensibles
- D features
- D identifiers
- D italics
- D lastmathids
- D marks
- D mathparameters
- D modes
- D originals

- D parameters
- T processes
- D properties
- D quads
- D resources
- T setdynamics
- T shapes
- D spaces
- D spacings
- T streams
- D unicodes
- D variants
- D xheights

helpers table

- F addextraprivate
- F addprivate
- F appendcommands
- F appendcommandtable
- F checkflags
- F checkmerge
- F checksteps
- F collectanchors
- D commands
- F descriptiontoslot
- F dimenfactor
- F expandglyph
- T extraprivates
- F fontpatternhassize
- F getcoloredglyphs
- F getdigitwidth
- F getinstancespec
- F getparameters
- F getprivatecharornode
- F getprivatenode
- F getprivates
- F getprivateslot
- F hasprivate
- F indextoslot
- F name
- F nametoslot
- F newprivateslot
- F prependcommands
- F prependcommandtable
- F privateslot

| | | | |
|---------------------------|------------|--------------------------|------------|
| F setdigitwidth | | B keepnames | |
| F splitfontpattern | | N mathbase | |
| F tochar | | N mathextrabase | |
| infofont | function | N textbase | |
| iterators | table | N textextrabase | |
| F characters | | protrusions | data table |
| F descriptions | | readers | table |
| F glyphs | | F afm | |
| loggers | table | F check_lua | |
| F add_placeholders | | F check_tfm | |
| D category_to_placeholder | | F lua | |
| F format | | F ofm | |
| F onetimemessage | | F opentype | |
| F register | | F otf | |
| F reportdefinedfonts | | F pfb | |
| F reportusedfeatures | | D sequence | |
| mappings | table | F tfm | |
| F addtounicode | | F ttc | |
| F fromunicode16 | | F ttf | |
| F loadfile | | F woff | |
| F loadline | | reserveid | function |
| F makenameparser | | select | table |
| D overloads | | D alternatives | |
| F reset | | F bodyfont | |
| F tounicode | | D data | |
| F tounicode16 | | F default | |
| F tounicode16sequence | | D defaults | |
| metapost | table | F definefallbackfamily | |
| F boundingbox | | F definefontfamily | |
| F boxtomp | | F definefontfamilypreset | |
| F draw | | D extras | |
| F fill | | F fallback | |
| F maxbounds | | D fallbacks | |
| F output | | F features | |
| F paths | | F filefallback | |
| F widthline | | F fontdata | |
| F zeroline | | F fontfallback | |
| mp | table | F fontsynonym | |
| D cache | | F goodies | |
| B inline | | F mathfallback | |
| N version | | D methods | |
| names | data table | D presets | |
| nulldata | data table | F registerfallback | |
| privateoffsets | table | F registerfiles | |

F registerfontalternative
F registerfontfamily
F textfallback
F typeface
F typescript
F userdata

specifiers table

D contextmerged
F contextnumber
D contextnumbers
D contextsetups
F contexttostring
F definecontext
F mergecontext
F presetcontext
F registercontext
F showcontext
F splitcontext
D synonyms

D variants

symbols table

T emoji
F checked
F resolved
F uselibrary

tables table

D data
F savefont
F saveoriginal

tracers table

treatments table

F applyfixes
D data
S filename
F ignoredfile
F report
F trace

typefaces table

functions (context)

dummy function

graphics (context)

backgrounds table

- F fetchmultipar
- F pair
- F path
- F point

bitmaps table

- F flush
- F new

F placeholder

F tocontext

identifiers table

- F bitmap
- F jp2
- F jpg
- F png

identify function

gzip (extra lua)

compress function
compressed function
decompress function

load function
save function
suffix function

images (context)

| | |
|------------------|----------|
| check | function |
| checksize | function |
| copy | function |
| create | function |
| embed | function |
| keys | table |
| print | function |
| scan | function |
| serialize | function |
| sizes | table |
| B art | |
| B bleed | |
| B crop | |
| B media | |

| | |
|----------------|----------|
| B none | |
| B trim | |
| totable | function |
| types | table |
| N jbig2 | |
| N jp2 | |
| N jpg | |
| N memstream | |
| N none | |
| N pdf | |
| N png | |
| N stream | |
| wrap | function |

interactions (context)

attachments data table

fields table

- F clone
- F define
- F defineset
- F insert

general table

- F getidentity
- F setupidentity

help table

- F collect
- F reference
- F register

javascripts table

- F addtopreamble
- F code
- D codes
- F flushpreambles

D functions

D preambles

F setpreamble

F storecode

F storepreamble

F usepreamblenow

F usescripts

linkedLists data table

pages table

- F setpagetransition
- F setupcanvas

references table

- F setcloseddocument
- F setclosepage
- F setopendocument
- F setopenpage

renderings data table

soundclips data table

interfaces (context)

| | |
|-----------------------------|------------|
| _ | data table |
| addvalidkeys | function |
| cachedsetups | data table |
| cachedsetup | function |
| checkedspecification | function |
| complete | data table |
| constants | data table |
| corenamespaces | data table |
| currentinterface | string |
| currentresponse | string |
| definecommand | function |
| defined | function |
| doifelsemessage | function |
| elements | data table |
| formats | data table |
| getcheckedparameters | function |
| getmessage | function |
| getnamespace | function |
| getsetupstring | function |
| hashedsetups | data table |
| implement | function |
| interfacedcommand | function |
| interfaces | table |
| invalidkey | function |
| message | function |
| namespaces | table |

F define

| | |
|--------------------------|------------|
| F list | |
| registernamespace | function |
| registerscanner | function |
| scanners | data table |
| setconstant | function |
| setcount | function |
| setdimen | function |
| setelement | function |
| setformat | function |
| setmacro | function |
| setmessage | function |
| setmessages | function |
| settranslation | function |
| setupstrings | data table |
| setuserinterface | function |
| setvalidkeys | function |
| setvariable | function |
| showmessage | function |
| storedscanners | data table |
| strings | table |
| syntax | data table |
| tolist | function |
| translations | data table |
| usednamespaces | data table |
| variables | data table |
| writestatus | function |

io (basic lua)

| | | | |
|----------------------|---------------------|----------------------|---------------------|
| ask | function | output | overloaded function |
| bytes | function | pathseparator | string |
| characters | function | popen | overloaded function |
| close | function | read | function |
| copydata | function | readall | function |
| exists | function | readnumber | function |
| fileseparator | string | readstring | function |
| flush | function | savedata | function |
| input | overloaded function | size | function |
| lines | overloaded function | stderr | userdata |
| loadchunk | function | stdin | userdata |
| loaddata | function | stdout | userdata |
| loadlines | function | tmpfile | function |
| newreader | function | type | function |
| noflines | function | write | function |
| open | overloaded function | | |

job (context)

| | | | |
|--------------------------|----------|------------------|-------|
| comment | function | D tobesaved | |
| datasets | table | passes | table |
| D collected | | F check | |
| F extend | | D collected | |
| F getdata | | F count | |
| F setdata | | F define | |
| D tobesaved | | F find | |
| disablesave | function | F first | |
| embedded | table | F get | |
| D collected | | F getcollected | |
| D tobesaved | | F getdata | |
| fileobjreferences | table | F getfield | |
| D collected | | F gettobesaved | |
| D tobesaved | | F inlist | |
| files | table | F last | |
| D collected | | F list | |
| F context | | F save | |
| B forcerun | | F savetagged | |
| F run | | D tobesaved | |
| D tobesaved | | positions | table |
| getrandomseed | function | F b_column | |
| initialize | function | F b_region | |
| load | function | F c | |
| loadother | function | D collected | |
| objects | table | F column | |
| D collected | | F columnofpos | |
| F get | | F copy | |
| F number | | F depth | |
| F page | | F e_column | |
| F save | | F e_region | |
| F set | | F enhance | |
| D tobesaved | | F extra | |
| pack | boolean | F get | |
| packversion | number | F getfree | |
| pagestates | table | F gethpos | |
| D collected | | F getpos | |
| F countervalue | | F getreserved | |
| F extend | | F getrpos | |
| F realpage | | F gettobesaved | |
| F realpageorder | | F getvpos | |
| F setstate | | F hangafter | |

| | | |
|--------------------|------------------|----------|
| F hangindent | F upperright | |
| F height | F used | |
| F hsize | F whd | |
| F leftskip | F width | |
| F lowerleft | F x | |
| F lowerright | F xy | |
| F markregionbox | F y | |
| F n | prepare | function |
| F onsamepage | register | function |
| F overlapping | save | function |
| F p | structure | table |
| F page | D collected | |
| T pagedata | T components | |
| F paragraph | T tobesaved | |
| F parindent | T branches | |
| F position | S name | |
| F r | S type | |
| F region | variables | table |
| F registerhandlers | D checksums | |
| F replace | D collected | |
| F rightskip | F getchecksum | |
| F set | F makechecksum | |
| F setall | F restore | |
| F setregionbox | F save | |
| F setspec | F setchecksum | |
| F settobesaved | D tobesaved | |
| D tobesaved | version | number |
| F upperleft | | |

lang (basic tex)

| | |
|--------------------------|----------|
| clean | function |
| clear_hyphenation | function |
| clear_patterns | function |
| exceptions | function |
| gethjcode | function |
| has_language | function |
| hyphenate | function |
| hyphenation | function |
| hyphenationmin | function |

| | |
|-------------------------|----------|
| id | function |
| new | function |
| patterns | function |
| postexhyphenchar | function |
| posthyphenchar | function |
| preexhyphenchar | function |
| prehyphenchar | function |
| sethjcode | function |

languages (context)

| | | | |
|-------------------------------|------------|---------------------------------|------------|
| associate | function | F registerpattern | |
| associated | data table | F setfeatures | |
| association | function | installed | function |
| counters | data table | labels | table |
| current | function | F define | |
| data | data table | F split | |
| decimals | data table | loadable | function |
| define | function | loadwords | function |
| explicitthyphen | function | logger | table |
| flatten | function | F report | |
| frequencies | table | nofflatten | function |
| F averagecharwidth | | numbers | data table |
| F getdata | | postexhyphenchar | function |
| getdata | function | posthyphenchar | function |
| getnumber | function | preexhyphenchar | function |
| hjcounts | table | prehyphenchar | function |
| hyphenate | function | registered | data table |
| hyphenators | table | replacements | table |
| T dictionaries | | F add | |
| D featuresets | | F addlist | |
| F handler | | F handler | |
| T methods | | F set | |
| F expanded | | serializediscretionary | function |
| B none | | setexceptions | function |
| F original | | setsynonym | function |
| F tex | | showdiscretionaries | function |
| F traditional | | unload | function |
| F popmethod | | urls | table |
| F pushmethod | | D characters | |
| F setmethod | | N lefthyphenmin | |
| F setup | | D mapping | |
| F showhyphenationtrace | | B packslashes | |
| T traditional | | N righthyphenmin | |
| F definefeatures | | F setcharacters | |
| F gettrace | | version | number |
| F hyphenate | | visualizediscretionaries | function |
| F injecthyphens | | words | table |
| F installmethod | | F check | |
| F lasttrace | | T data | |
| F loadpatterns | | F disable | |
| F registerexception | | F enable | |

T enablers

F load

B enables

T methods

F found

N threshold

layouts (context)

| | | |
|---------------|--------------|-------------------------|
| status | table | F leftorrightpageaction |
| | F isleftpage | |

lfs (extra lua)

| | |
|-----------------------|---------------------|
| attributes | overloaded function |
| chdir | overloaded function |
| currentdir | function |
| dir | overloaded function |
| isdir | overloaded function |
| isfile | overloaded function |
| isfound | function |
| isreadabledir | function |
| isreadablefile | function |
| iswriteabledir | function |

| | |
|------------------------|---------------------|
| iswriteablefile | function |
| link | overloaded function |
| mkdir | overloaded function |
| makedirs | function |
| modification | function |
| readlink | function |
| rmdir | overloaded function |
| setexecutable | function |
| symlink | function |
| touch | overloaded function |

libraries (context)

basiclua data table

basictex data table

builtin data table

extralua data table

extratex data table

functions data table

globals data table

lmx (context)

| | |
|--------------------------|----------|
| color | function |
| convert | function |
| convertfile | function |
| convertstring | function |
| einject | function |
| eprint | function |
| escape | function |
| finalized | function |
| finject | function |
| fprint | function |
| get | function |
| getvariables | function |
| htmfile | function |
| html | table |
| F a | |
| F td | |
| F th | |
| include | function |
| inherited | table |
| S color-background-four | |
| S color-background-one | |
| S color-background-three | |
| S color-background-two | |
| S title | |
| initialize | function |
| inject | function |
| lmxfile | function |

| | |
|---------------------------|----------|
| loadedfile | function |
| make | function |
| new | function |
| overloaderror | function |
| popupfile | function |
| print | function |
| pv | function |
| report | function |
| reset | function |
| result | function |
| set | function |
| show | function |
| showdebuginfo | function |
| showerror | function |
| stripcss | function |
| tv | function |
| type | function |
| urlescape | function |
| variable | function |
| variables | table |
| S color-background-blue | |
| S color-background-body | |
| S color-background-green | |
| S color-background-main | |
| S color-background-purple | |
| S color-background-yellow | |
| S title-default | |

logs (context)

| | | | |
|-----------------------------|----------|--------------------------|----------|
| application | function | reportline | function |
| categories | function | reportlines | function |
| direct | function | setformats | function |
| disable | function | setformatters | function |
| enable | function | setlogfile | function |
| exporters | table | setmessenger | function |
| extendbanner | function | setprocessor | function |
| finalactions | function | setprogram | function |
| flush | function | settarget | function |
| help | function | settimedlog | function |
| loggingerrors | function | settranslations | function |
| messenger | function | show | function |
| new | function | simple | function |
| newline | function | simpleline | function |
| poptarget | function | simplelines | function |
| pushtarget | function | start_page_number | function |
| registerfinalactions | function | starterrorlogging | function |
| report | function | startfilelogging | function |
| reportbanner | function | status | function |
| reporter | function | stop_page_number | function |
| reporters | table | stoperrorlogging | function |
| F banner | | stopfilelogging | function |
| F export | | subdirect | function |
| F help | | subreport | function |
| F info | | system | function |
| F lines | | texerrormessage | function |
| F version | | writer | function |

lpdf (context)

| | |
|--------------------------------|------------|
| action | function |
| adddocumentcolorspace | function |
| adddocumenttextgstate | function |
| adddocumentpattern | function |
| adddocumentshade | function |
| addtocatalog | function |
| addtoinfo | function |
| addtonames | function |
| addtopageattributes | function |
| addtopageresources | function |
| addtopagesattributes | function |
| addxmpinfo | function |
| annotationspecification | function |
| array | function |
| attachmentsymbols | function |
| boolean | function |
| border | function |
| checkedkey | function |
| checkedvalue | function |
| circularshade | function |
| cmykcode | function |
| collectedresources | function |
| color | function |
| colorspace | function |
| colorspaceconstants | data table |
| colorspec | function |
| colorvalue | function |
| colorvalues | function |
| commentsymbols | function |
| compresslevel | function |
| constant | function |
| copyarray | function |
| copyboolean | function |
| copyconstant | function |
| copydictionary | function |
| copyfloat | function |
| copyinteger | function |
| copynumber | function |
| copystring | function |
| copyunicode | function |
| delayedobject | function |

| | |
|----------------------------------|----------|
| destination specification | function |
| dictionary | function |
| docstring | function |
| epdf | table |
| F analyzefonts | |
| F contenttotext | |
| F expanded | |
| F getpagecontent | |
| F getstructure | |
| T image | |
| F close | |
| F copy | |
| F new | |
| F open | |
| F query | |
| F load | |
| F parsecontent | |
| F plugin | |
| T resolvers | |
| F destinations | |
| F embeddedfiles | |
| F javascripts | |
| F layers | |
| F pages | |
| F structure | |
| F widgets | |
| F stripcontent | |
| F unload | |
| escaped | function |
| finalizedocument | function |
| finalizefonts | function |
| finalizepage | function |
| finishtransparencycode | function |
| flags | table |
| T annotations | |
| N AutoView | |
| N Hidden | |
| N Invisible | |
| N Locked | |
| N LockedContents | |
| N NoRotate | |

| | | | |
|-----------------------|------------|---------------------|----------|
| N NoView | | frompdfdoc | function |
| N NoZoom | | fromsixteen | function |
| N Print | | getcatalog | function |
| N Printable | | getcompression | function |
| N ReadOnly | | getfontname | function |
| N ToggleNoView | | getfontobjnumber | function |
| N auto | | getinfo | function |
| N hidden | | getmapentry | function |
| N printable | | getmetadata | function |
| T widgets | | getnofpages | function |
| N Comb | | getpageproperties | function |
| N CommitOnSelChange | | getpagetags | function |
| N DoNotScroll | | getversion | function |
| N DoNotSpellCheck | | getxformname | function |
| N Edit | | graycode | function |
| N FileSelect | | id | function |
| N MultiLine | | immediateobj | function |
| N NoExport | | includechar | function |
| N NoToggleToOff | | includecharlist | function |
| N Password | | includefont | function |
| N PopUp | | includeimage | function |
| N PushButton | | injectors | table |
| N Radio | | F bitmap | |
| N RadiosInUnison | | F jp2 | |
| N ReadOnly | | F jpg | |
| N Required | | F png | |
| N RichText | | injectxmpinfo | function |
| N Sort | | insertxmpinfo | function |
| N file | | layerreference | function |
| N fixed | | limited | function |
| N nocheck | | linearshade | function |
| N protected | | literal | function |
| N readonly | | majorversion | function |
| N required | | makenametree | function |
| N sorted | | minorversion | function |
| N unavailable | | nofpages | function |
| flushfonts | function | null | function |
| flushgroup | function | number | function |
| flushobject | function | obj | function |
| flushstreamfileobject | function | objectcompresslevel | function |
| flushstreamobject | function | pagereference | function |
| formats | data table | patternstream | function |
| frombytes | function | pdfcolor | function |
| fromeight | function | pdftimestamp | function |

| | | | |
|----------------------------------|----------|--------------------------------|----------|
| permitdetail | function | setpagetag | function |
| print | function | setsuppressoptionalinfo | function |
| procset | function | settime | function |
| protectresources | boolean | settrailerid | function |
| rectangle | function | setversion | function |
| reference | function | shareobject | function |
| registerannotation | function | shareobjectreference | function |
| registerdestination | function | spotcode | function |
| registerdocumentfinalizer | function | stream | function |
| registerfont | function | string | function |
| registerpagefinalizer | function | toeight | function |
| registerpattern | function | topdfdoc | function |
| reserveobject | function | tosixteen | function |
| rgbcode | function | transparency | function |
| rotationcm | function | transparencycode | function |
| setcompression | function | transparencygroups | table |
| setdates | function | B none | |
| setmapfile | function | transparencyvalue | function |
| setmapline | function | unicode | function |
| setomitcharset | function | usedcharacters | table |
| setomitcidset | function | verbose | function |
| setpageorder | function | vfimage | function |

lpeg (basic lua)

| | | | |
|---------------------|----------|------------------------------|------------|
| B | function | firstofsplit | function |
| C | function | frontstripper | function |
| Carg | function | instringchecker | function |
| Cb | function | is_lpeg | function |
| Cc | function | keeper | function |
| Cf | function | locale | function |
| Cg | function | match | function |
| Cmt | function | oneof | function |
| Cp | function | patterns | data table |
| Cs | function | pcode | function |
| Ct | function | print | function |
| P | function | ptree | function |
| R | function | replacer | function |
| S | function | secondofsplit | function |
| UP | function | setmaxstack | function |
| UR | function | setutfcasers | function |
| US | function | split | function |
| V | function | splitat | function |
| afterprefix | function | splitter | function |
| anywhere | function | stripper | function |
| append | function | times | function |
| balancer | function | tsplitat | function |
| beforesuffix | function | tsplitter | function |
| checkedsplit | function | type | function |
| containsws | function | utfchartabletopattern | function |
| counter | function | utfreplacer | function |
| endstripper | function | version | function |
| finder | function | | |

lua (basic tex)

| | | | |
|----------------------------|---------------------|--------------------------|-----------------|
| bytecode | table | macros | table |
| bytedata | data table | B enabled | |
| bytdone | table | F loaded | |
| callbytecode | function | F required | |
| collectgarbage | function | F reset | |
| delay | function | F resolvestring | |
| finalize | function | F resolving | |
| firstbytecode | number | F showdefinitions | |
| flush | function | mask | string |
| flushdelayed | function | messages | data table |
| get_functions_table | function | newindex | function |
| getbytecode | function | newtable | function |
| getcurrenttime | function | numbers | data table |
| getfunctionstable | overloaded function | registercode | function |
| getpreciseseconds | function | registeredcodes | function |
| getpreciseticks | function | registerfinalizer | function |
| getruntime | function | registername | function |
| getstacktop | function | setbytecode | function |
| getstartupfile | function | setexitcode | function |
| getversion | function | startupfile | string |
| lastbytecode | number | version | string |

luatex (context)

| | | | |
|-----------------------------|----------|--------------------|----------|
| abort | function | F finish | |
| cleanup | function | F pause | |
| cleanuptempfiles | function | F popline | |
| currentfile | function | F pushline | |
| registerdumpactions | function | F registerdisabler | |
| registerpageactions | function | F registerenabler | |
| registerstartactions | function | F resetfilename | |
| registerstopactions | function | F resume | |
| registertempfile | function | F setfilename | |
| starttime | number | F setup | |
| synctex | table | F start | |
| F blockfilename | | F stop | |
| F collect | | F wrapup | |
| F disable | | wrapup | function |
| F enable | | | |

lxml (context)

| | | | |
|--------------------------|------------|-------------------------|----------|
| addindex | function | flush | function |
| all | function | flushlinewise | function |
| applyfunction | function | flushsetups | function |
| applyselectors | function | flushspacewise | function |
| att | function | get_id | function |
| attribute | function | getid | function |
| badinclusions | function | getindex | function |
| chainattribute | function | id | function |
| checkindex | function | idsplitter | userdata |
| collected | function | include | function |
| command | function | inclusion | function |
| concat | function | inclusions | function |
| concatrange | function | index | function |
| content | function | inlineverbatimim | function |
| context | function | installsetup | function |
| convert | function | last | function |
| count | function | lastatt | function |
| delete | function | lastmatch | function |
| direct | function | lastpar | function |
| directives | table | load | function |
| F after | | loadbuffer | function |
| F before | | loaddata | function |
| F handle | | loaded | table |
| F load | | main | function |
| F setup | | match | function |
| displayverbatimim | function | name | function |
| doif | function | namespace | function |
| doifelse | function | nonspace | function |
| doifelseempty | function | par | function |
| doifelsetext | function | param | function |
| doifempty | function | parameter | function |
| doifnot | function | path | function |
| doifnotempty | function | popmatch | function |
| doifnottext | function | pos | function |
| doiftext | function | position | function |
| element | function | pure | function |
| elements | function | pushmatch | function |
| entities | data table | raw | function |
| filter | function | rawroot | function |
| filterlist | function | rawtex | function |
| first | function | refatt | function |

| | |
|-------------------------|----------|
| register | function |
| registerentity | function |
| removesetup | function |
| replace | function |
| resetcdata | function |
| resetsetups | function |
| resolvedentity | function |
| root | function |
| save | function |
| serialize | function |
| setaction | function |
| setatt | function |
| setattribute | function |
| setcdata | function |
| setcommandtonone | function |
| setcommandtotext | function |
| setpar | function |
| setparam | function |
| setparameter | function |
| setsetup | function |
| snippet | function |
| sorters | table |

F add

F compare
F flush
F reset
F show
F sort

| | |
|----------------------|------------|
| splitid | function |
| startraw | function |
| startunesaped | function |
| stopraw | function |
| stopunesaped | function |
| store | function |
| strip | function |
| stripped | function |
| tag | function |
| text | function |
| tobuffer | function |
| tofile | function |
| toparameters | function |
| toverbatim | function |
| verbatim | function |
| withindex | function |
| xmltexhandler | data table |

math (basic lua)

| | | | |
|--------------------|----------|-----------------------|---------------------|
| abs | function | min | function |
| acos | function | mininteger | number |
| asin | function | mod | function |
| atan | function | modf | function |
| atan2 | function | odd | function |
| ceil | function | pi | number |
| ceiling | function | pow | function |
| cos | function | rad | function |
| cosd | function | random | overloaded function |
| cosh | function | randomseed | function |
| deg | function | round | function |
| div | function | setrandomseedi | function |
| even | function | sin | function |
| exp | function | sind | function |
| floor | function | sinh | function |
| fmod | function | sqrt | function |
| huge | number | tan | function |
| initialseed | number | tand | function |
| ldexp | function | tanh | function |
| log | function | tointeger | function |
| log10 | function | type | function |
| max | function | ult | function |
| maxinteger | number | | |

mathematics (context)

| | | | |
|-------------------------------|------------|-------------------------------|------------|
| addfallbacks | function | mapremap | data table |
| alphabets | data table | overloadadditions | function |
| alternatives | data table | overloadparameters | function |
| big | function | privatebase | number |
| boldmap | data table | registerdomain | function |
| categories | table | registerfallbackid | function |
| D functions | | remapalphabets | function |
| charactersets | data table | renderings | table |
| checkaccentbaseheight | function | D mappings | |
| checkprivateparameters | function | D numbers | |
| classes | data table | D sets | |
| codes | data table | renderset | function |
| define | function | resetattributes | function |
| dimensions | function | resetitalics | function |
| domains | table | resolvefallbacks | function |
| extensiblecode | function | scaleparameters | function |
| extensibles | data table | setdomain | function |
| extrabase | number | setitalics | function |
| extras | table | setridofprime | function |
| F add | | sets | data table |
| F copy | | styles | data table |
| fallbacks | table | syncboth | function |
| F apply | | syncname | function |
| F install | | syncstyle | function |
| fallbackstyleattr | function | toname | function |
| families | data table | tostyle | function |
| finishfallbacks | function | tweakaftercopyingfont | function |
| gaps | data table | tweakbeforecopyingfont | function |
| getboth | function | tweaks | table |
| getdomain | function | utfmathaccent | function |
| getitalics | function | utfmathclass | function |
| getridofprime | function | utfmathcommand | function |
| getstyle | function | utfmathfiller | function |
| horizontalcode | function | utfmathstretch | function |
| initializeparameters | function | virtualize | function |
| makefont | function | virtualized | data table |

md5 (extra lua)

| | |
|------------|----------|
| HEX | function |
| dec | function |
| hex | function |

| | |
|----------------|----------|
| sum | function |
| sumHEXA | function |
| sumhexa | function |

metapost (context)

| | | |
|--------------------|----------|-------------------|
| checkformat | function | N newinternal |
| cm | function | N nullary |
| codes | table | N numeric |
| N addto | | N of |
| N ampersand | | N ofbinary |
| N and | | N outertag |
| N assignment | | N parametertype |
| N atleast | | N plus_or_minus |
| N begingroup | | N primarybinary |
| N btex | | N primarydef |
| N capsule | | N randomseed |
| N colon | | N relax |
| N comma | | N repeat_loop |
| N controls | | N rightbrace |
| N curl | | N rightbracket |
| N cycle | | N rightdelimiter |
| N declare | | N runscript |
| N def | | N save |
| N definedmacro | | N scantokens |
| N delimiters | | N scope |
| N endgroup | | N secondarybinary |
| N equals | | N secondarydef |
| N etex | | N semicolon |
| N everyjob | | N setbounds |
| N exitif | | N shipout |
| N expandafter | | N show |
| N fi_or_else | | N skip |
| N if | | N slash |
| N input | | N special |
| N interim | | N step |
| N internal | | N stop |
| N iteration | | N str |
| N join | | N string |
| N leftbrace | | N tag |
| N leftbracket | | N tension |
| N leftdelimiter | | N tertiarybinary |
| N let | | N tertiarydef |
| N macrospecial | | N thingstoadd |
| N maketext | | N to |
| N message | | N unary |
| N mode | | N undefinedcs |

| | | | |
|-------------------------|------------|-----------------------------|----------|
| N until | | getparameter | function |
| N void | | getparameterset | function |
| N with | | getstatistics | function |
| N within | | gettext | function |
| N write | | graphic | function |
| colorinitializer | function | graphic_base_pass | function |
| comment | function | includesvgbuffer | function |
| convert | function | includesvgfile | function |
| currentmpx | function | installplugin | function |
| currentmpxstatus | function | isobject | function |
| defaultformat | string | lastlog | string |
| defaultinstance | string | load | function |
| defaultmethod | string | maketext | function |
| directrun | function | metafun | table |
| escaped | function | F interpolate | |
| exectime | table | F topath | |
| extensiondata | data table | mptopdf | table |
| filterclippath | function | F convertmpstopdf | |
| flush | function | N nofconverted | |
| flushers | table | n | number |
| T pdf | | nofruns | number |
| F comment | | nofscriptruns | function |
| F flushfigure | | nvformat | function |
| F startfigure | | pdfliterals | function |
| F stopfigure | | pluginactions | function |
| F textfigure | | popformat | function |
| flushliteral | function | popscriptrunner | function |
| flushnormalpath | function | popvariable | function |
| flushreset | function | popvariables | function |
| fonts | table | preparetexttextsdata | function |
| F define | | process | function |
| T flusher | | processing | function |
| F flushfigure | | processplugins | function |
| F startfigure | | processspecial | function |
| F stopfigure | | properties | table |
| N instances | | pushformat | function |
| F process | | pushscriptrunner | function |
| format_number | function | pushvariable | function |
| format_string | function | pushvariables | function |
| formatnumber | function | reducetogray | boolean |
| getclippath | function | registerscript | function |
| getextensions | function | remappedtext | function |
| getextradata | function | remaptext | function |
| getjobdata | function | reporterror | function |

| | |
|-------------------------|----------|
| reportsvgfonts | function |
| reset | function |
| resetlastlog | function |
| resetplugins | function |
| run | function |
| runscript | function |
| scanparameters | function |
| scripterror | function |
| scriptindex | function |
| setextensions | function |
| setoutercolor | function |
| setparameterset | function |
| settext | function |
| setvariable | function |
| showlog | boolean |
| showsvgpage | function |
| simple | function |
| splitprescript | function |
| startgraphic | function |
| startsvghashing | function |
| stopgraphic | function |
| stopsvghashing | function |
| svformat | function |
| svgcolorremapper | function |
| svgglyphtomp | function |
| svgshapestomp | function |
| svgshapestopdf | function |
| svgsplitcolor | function |
| svgtomp | function |
| svgtopdf | function |
| sxsy | function |
| tex | table |
| F get | |
| F reset | |
| F set | |

| | |
|----------------------|----------|
| F setfrombuffer | |
| texerrors | boolean |
| texexp | function |
| theclippath | function |
| tographic | function |
| totable | function |
| types | table |
| N boolean | |
| N cmykcolor | |
| N color | |
| N dependent | |
| N independent | |
| N known | |
| N numeric | |
| N pair | |
| N path | |
| N pen | |
| N picture | |
| N protodependent | |
| N string | |
| N structured | |
| N suffixedmacro | |
| N tokenlist | |
| N transform | |
| N unknownboolean | |
| N unknownpath | |
| N unknownpen | |
| N unknownpicture | |
| N unknownstring | |
| N unsuffixedmacro | |
| N vacuumous | |
| typesvgpage | function |
| unload | function |
| untagvariable | function |
| variables | table |

mime (extra lua)

b64 function

decode function

decodet table

F base64

F quoted-printable

dot function

encode function

encodet table

F base64

F quoted-printable

eol function

normalize function

qp function

qpwrp function

report function

stuff function

unb64 function

unqp function

wrap function

wrapt table

F base64

F default

F quoted-printable

F text

wrp function

mp (context)

| | | | |
|-------------------|----------|--------------------|----------|
| <u>get_count</u> | function | color | function |
| <u>get_dimen</u> | function | dataset | function |
| <u>get_macro</u> | function | datasets | function |
| <u>get_toks</u> | function | F load | |
| <u>set_count</u> | function | dimension | function |
| <u>set_dimen</u> | function | direct | function |
| <u>set_macro</u> | function | direct1 | function |
| <u>set_toks</u> | function | direct2 | function |
| autoinject | function | direct3 | function |
| aux | table | direct4 | function |
| F boolean | | disposehash | function |
| F color | | draw | function |
| F direct | | fill | function |
| F direct1 | | flatten | function |
| F direct2 | | flush | function |
| F direct3 | | format | function |
| F direct4 | | formatted | function |
| F draw | | fprint | function |
| F fill | | fromhash | function |
| F flush | | get | table |
| F fprint | | getcount | function |
| F integer | | getdimen | function |
| F number | | getmacro | function |
| F numeric | | gettoks | function |
| F pair | | graphformat | function |
| F pairpoints | | inhsh | function |
| F path | | inject | function |
| F pathpoints | | F boolean | |
| F points | | F cmykcolor | |
| F print | | F color | |
| F quadruple | | F integer | |
| F quadruplepoints | | F number | |
| F quoted | | F numeric | |
| F size | | F pair | |
| F string | | F path | |
| F transform | | F string | |
| F triplet | | F transform | |
| F tripletpoints | | F whatever | |
| F vprint | | integer | function |
| boolean | function | isarray | function |
| cleaned | function | isobject | function |

| | | | |
|--------------------------------------|----------|-------------------------------|----------|
| lmt_color_functions | table | mf_blob_raw_content | function |
| F shade | | mf_blob_raw_dimensions | function |
| F step | | mf_blob_raw_reset | function |
| lmt_contours_bitmap_get | function | mf_blob_raw_toutf | function |
| lmt_contours_bitmap_set | function | mf_blob_raw_wipe | function |
| lmt_contours_cleanup | function | mf_blob_size | function |
| lmt_contours_color | function | mf_blob_width | function |
| lmt_contours_edge_get_band | function | mf_external_figure | function |
| lmt_contours_edge_get_cell | function | mf_finish_saving_data | function |
| lmt_contours_edge_paths | function | mf_formatted_text | function |
| lmt_contours_edge_set | function | mf_get_outline_text | function |
| lmt_contours_edge_set_by_band | function | mf_graphic_text | function |
| lmt_contours_edge_set_by_cell | function | mf_inject_blob | function |
| lmt_contours_format | function | mf_made_text | function |
| lmt_contours_function | function | mf_map_move | function |
| lmt_contours_maxmean | function | mf_map_text | function |
| lmt_contours_maxz | function | mf_named_color | function |
| lmt_contours_minmean | function | mf_outline_text | function |
| lmt_contours_minz | function | mf_save_data | function |
| lmt_contours_nofvalues | function | mf_script_index | function |
| lmt_contours_nx | function | mf_some_text | function |
| lmt_contours_ny | function | mf_start_saving_data | function |
| lmt_contours_range | function | mf_stop_saving_data | function |
| lmt_contours_shade_paths | function | mf_tb_dimensions | function |
| lmt_contours_shade_set | function | mf_tt_dimensions | function |
| lmt_contours_shape_paths | function | mf_tt_initialize | function |
| lmt_contours_start | function | mode | function |
| lmt_contours_stop | function | n | function |
| lmt_contours_value | function | newhash | function |
| lmt_contours_xrange | function | number | function |
| lmt_contours_yrange | function | numeric | function |
| lmt_do_remaptext | function | pair | function |
| lmt_function_x | function | pairpoints | function |
| lmt_mesh_set | function | path | function |
| lmt_mesh_update | function | pathpoints | function |
| lmt_poisson_generate | function | points | function |
| lmt_register_glyph | function | positionanchor | function |
| lmt_register_glyphs | function | positionbox | function |
| lmt_surface_do | function | positioncurve | function |
| lmt_svg_include | function | positionpage | function |
| mf_blob_add | function | positionpath | function |
| mf_blob_dimensions | function | positionpxy | function |
| mf_blob_index | function | positionregion | function |
| mf_blob_new | function | positionwhd | function |

| | | | |
|------------------------|----------|-----------------------|----------|
| positionxy | function | F symbol | |
| prefix | function | F token | |
| print | function | F transform | |
| processingmode | function | set | table |
| quadruple | function | setcount | function |
| quadruplepoints | function | setdimen | function |
| quoted | function | setmacro | function |
| report | function | settoks | function |
| scan | table | size | function |
| F boolean | | string | function |
| F cmykcolor | | systemmode | function |
| F color | | texstr | function |
| F expression | | texttextanchor | function |
| F integer | | texvar | function |
| F next | | tohash | function |
| F number | | transform | function |
| F numeric | | triplet | function |
| F pair | | tripletpoints | function |
| F path | | utflen | function |
| F pen | | utfsub | function |
| F string | | vprint | function |

mplib (extra tex)

| | | | |
|-------------------------|---------------------|------------------------|----------|
| codes | function | scan_boolean | function |
| execute | function | scan_cmykcolor | function |
| fields | function | scan_color | function |
| finder | function | scan_expression | function |
| finders | table | scan_integer | function |
| F file | | scan_next | function |
| F mpstemplate | | scan_number | function |
| finish | function | scan_numeric | function |
| inject_boolean | function | scan_pair | function |
| inject_cmykcolor | function | scan_path | function |
| inject_color | function | scan_pen | function |
| inject_integer | function | scan_string | function |
| inject_number | function | scan_symbol | function |
| inject_numeric | function | scan_token | function |
| inject_pair | function | scan_transform | function |
| inject_path | function | solve_path | function |
| inject_string | function | statistics | function |
| inject_transform | function | status | function |
| inject_whatever | function | types | function |
| new | overloaded function | version | function |
| pen_info | function | | |

noads (context)

| | | | |
|-----------------|-------|----------------------|------------|
| handlers | table | | F resize |
| F align | | | F showtree |
| F alternates | | | F tags |
| F autofences | | | F unscript |
| F classes | | | F unstack |
| F collapse | | | F variants |
| F domains | | process | function |
| F families | | processnested | function |
| F fixscripts | | processors | table |
| F italics | | F mlist_to_hlist | |
| F kernpairs | | T unscript | |
| F makeup | | T unstack | |
| F relocate | | processouter | function |
| F render | | | |

node (basic tex)

| | | |
|------------------------------|----------|---------------------|
| check_discretionaries | function | F getfont |
| check_discretionary | function | F getglue |
| copy | function | F getglyphdata |
| copy_list | function | F getheight |
| count | function | F getid |
| current_attr | function | F getkern |
| dimensions | function | F getlang |
| direct | table | F getleader |
| F check_discretionaries | | F getlist |
| F check_discretionary | | F getnext |
| F copy | | F getnormalizedline |
| F copy_list | | F getnucleus |
| F copy_only | | F getoffsets |
| F count | | F getorientation |
| F current_attr | | F getpenalty |
| F dimensions | | F getpost |
| F effective_glue | | F getpre |
| F end_of_math | | F getprev |
| F exchange | | F getproperty |
| F find_attribute | | F getreplace |
| F find_attribute_range | | F getshift |
| F find_node | | F getstate |
| F first_glyph | | F getsub |
| F flatten_discretionaries | | F getsubpre |
| F flush_list | | F getsubtype |
| F flush_node | | F getsup |
| F free | | F getsuppre |
| F get_attribute | | F getwhd |
| F get_properties_table | | F getwidth |
| F get_synctex_fields | | F glyphdimensions |
| F getattributelist | | F has_attribute |
| F getboth | | F has_dimensions |
| F getbox | | F has_field |
| F getchar | | F has_glyph |
| F getdata | | F hpack |
| F getdepth | | F hyphenating |
| F getdirection | | F ignore_math_skip |
| F getdisc | | F insert_after |
| F getexpansion | | F insert_before |
| F getfam | | F is_char |
| F getfield | | F is_direct |

| | | |
|------------------------|-----------------------|----------|
| F is_glyph | F setorientation | |
| F is_node | F setpenalty | |
| F is_valid | F setpost | |
| F is_zero_glue | F setpre | |
| F kerning | F setprev | |
| F last_node | F setproperty | |
| F length | F setreplace | |
| F ligaturing | F setshift | |
| F make_extensible | F setsplit | |
| F mlist_to_hlist | F setstate | |
| F naturalwidth | F setsub | |
| F new | F setsubpre | |
| F prepend_prevdepth | F setsubtype | |
| F protect_glyph | F setup | |
| F protect_glyphs | F setsuppre | |
| F protrusion_skippable | F setwhd | |
| F rangedimensions | F setwidth | |
| F remove | F slide | |
| F reverse | F start_of_par | |
| F set_attribute | F tail | |
| F set_synctex_fields | F todirect | |
| F setattributelist | F tonode | |
| F setboth | F toString | |
| F setbox | F tovaliddirect | |
| F setchar | F traverse | |
| F setdata | F traverse_char | |
| F setdepth | F traverse_glyph | |
| F setdirection | F traverse_id | |
| F setdisc | F traverse_list | |
| F setexpansion | F type | |
| F setfam | F unprotect_glyph | |
| F setfield | F unprotect_glyphs | |
| F setfont | F unset_attribute | |
| F setglue | F usedlist | |
| F setglyphdata | F uses_font | |
| F setheight | F vpack | |
| F setkern | F write | |
| F setlang | effective_glue | function |
| F setleader | end_of_math | function |
| F setlink | family_font | function |
| F setlist | fields | function |
| F setnext | find_attribute | function |
| F setnucleus | first_glyph | function |
| F setoffsets | fix_node_lists | function |

| | | | |
|---------------------------------|----------|-----------------------------|----------|
| flatten_discretionaries | function | protect_glyph | function |
| flush_list | function | protect_glyphs | function |
| flush_node | function | protrusion_skippable | function |
| free | function | rangedimensions | function |
| get_attribute | function | remove | function |
| get_glue | function | set_attribute | function |
| get_properties_table | function | set_glue | function |
| getfield | function | setfield | function |
| getnormalizeline | function | setnormalizeline | function |
| getproperty | function | setproperty | function |
| has_attribute | function | slide | function |
| has_field | function | subtypes | function |
| has_glyph | function | tail | function |
| hpack | function | tostring | function |
| hyphenating | function | traverse | function |
| id | function | traverse_char | function |
| insert_after | function | traverse_glyph | function |
| insert_before | function | traverse_id | function |
| inuse | function | traverse_list | function |
| is_node | function | type | function |
| is_zero_glue | function | types | function |
| kerning | function | unprotect_glyph | function |
| last_node | function | unprotect_glyphs | function |
| length | function | unset_attribute | function |
| ligaturing | function | usedlist | function |
| make_extensible | function | uses_font | function |
| mlist_to_hlist | function | values | function |
| new | function | vpack | function |
| optimize_unset_attribute | function | write | function |
| prepend_prevdepth | function | | |

nodes (context)

| | | | |
|------------------------------|------------|--------------------------------|------------|
| accentcodes | data table | discretionarycodes | data table |
| aligned | function | effective_glue | function |
| append | function | end_of_math | function |
| apply | function | fencecodes | data table |
| applyvisuals | function | fields | function |
| astable | function | fillcodes | data table |
| basepoints | function | find_attribute | function |
| boundarycodes | data table | first_glyph | function |
| boxes | table | firstcharacter | function |
| F dimensions | | firstcharinbox | function |
| F direct | | firstdirinbox | function |
| F found | | firstglyph | function |
| F reset | | flatten_discretionaries | function |
| F restore | | flush | function |
| F save | | flush_list | function |
| F savenode | | flush_node | function |
| builders | table | free | function |
| F buildpage_filter | | fullhpack | function |
| F vpack_filter | | getattr | function |
| check_discretionaries | function | getattribute | function |
| codes | data table | getboth | function |
| concat | function | getbox | function |
| copy | function | getchar | function |
| copy_list | function | getfield | function |
| copy_node | function | getfont | function |
| count | function | getid | function |
| countall | function | getleader | function |
| current_attr | function | getlist | function |
| delete | function | getnext | function |
| destinations | table | getnormalizeline | function |
| N attribute | | getprev | function |
| T done | | getsubtype | function |
| F handler | | gluecodes | data table |
| T stack | | gluevalues | data table |
| dimensionfields | data table | glyphcodes | data table |
| dimensions | function | handlers | table |
| dircodes | data table | F accessibility | |
| directioncodes | data table | F backgrounds | |
| directionvalues | data table | F backgroundspage | |
| dirvalues | data table | F backgroundsvbox | |
| disccodes | data table | F characters | |

| | | | |
|--------------------------------|------------|------------------------|------------|
| F checkforleaks | | is_direct | function |
| F checkglyphs | | is_display_math | function |
| F checkparcounter | | is_node | function |
| F cleanupbox | | is_nut | function |
| F cleanuppage | | is_zero_glue | function |
| F export | | kerncodes | data table |
| F finalizebox | | kerning | function |
| F flatten | | keys | table |
| F flattenline | | T whatsit | |
| F migrate | | last_node | function |
| F protectglyphs | | leadercodes | data table |
| F stripping | | leftmarginwidth | function |
| F textbackgrounds | | length | function |
| F unprotectglyphs | | ligaturing | function |
| has_attribute | function | linefillers | table |
| has_field | function | D data | |
| has_glyph | function | F define | |
| hpack | function | F enable | |
| hyphenating | function | F filler | |
| idsandsubtypes | function | F handler | |
| idstostring | function | lines | table |
| ignorablefields | data table | T boxed | |
| injections | table | F register | |
| F copy | | F setup | |
| F getligaindex | | F stage_one | |
| F getthreshold | | F stage_two | |
| F handler | | D data | |
| F installgetspaceboth | | F finalize | |
| F installnewkern | | F number | |
| F isspace | | N scratchbox | |
| F keepcounts | | link | function |
| F reset | | linked | function |
| F resetcounts | | list | function |
| F setcursive | | listablefields | data table |
| F setkern | | listcodes | data table |
| F setligaindex | | listtoutf | function |
| F setmark | | literalvalues | data table |
| F setmove | | load | function |
| F setposition | | localparcodes | data table |
| F setspacekerns | | locate | function |
| insert_after | function | margincodes | data table |
| insert_before | function | marginkerncodes | data table |
| insert_list_after | function | markers | table |
| installattributehandler | function | F get | |

| | | |
|-------------------------|------------|---------------------------|
| mathcodes | data table | F firstcharacter |
| maxboxwidth | function | F firstcharinbox |
| mlist_to_hlist | function | F firstglyph |
| new | function | F flatten_discretionaries |
| noadcodes | data table | F flush |
| noadoptions | table | F flush_list |
| N axis | | F flush_node |
| N exact | | F free |
| N left | | F fullhpack |
| N middle | | F get_components |
| N no_axis | | F get_synctex_fields |
| N right | | F getattr |
| N set | | F getattribute |
| N unused_1 | | F getattributelist |
| N unused_2 | | F getattrlist |
| nodecodes | data table | F getboth |
| nopts | function | F getbox |
| nuts | table | F getboxglue |
| F append | | F getchar |
| F apply | | F getcomponents |
| F applyvisuals | | F getdata |
| F check_discretionaries | | F getdepth |
| F concat | | F getdirection |
| F copy | | F getdisc |
| F copy_list | | F getdiscretionary |
| F copy_no_components | | F getexpansion |
| F copy_node | | F getfam |
| F copy_only | | F getfield |
| F copy_only_glyphs | | F getfont |
| F copy_properties | | F getglue |
| F copyvisual | | F getglyphdata |
| F count | | F getheight |
| F count_components | | F getid |
| F countall | | F getkern |
| F current_attr | | F getlang |
| F delete | | F getlanguage |
| F dimensions | | F getleader |
| F dirdimensions | | F getlist |
| F effective_glue | | F getnext |
| F end_of_math | | F getnormalizedline |
| F exchange | | F getnucleus |
| F find_attribute | | F getoffsets |
| F find_node | | F getorientation |
| F first_glyph | | F getpenalty |

F getpost
 F getpre
 F getprev
 F getprop
 F getreplace
 F getruledata
 F getshift
 F getsstate
 F getsub
 F getsubpre
 F getsubtype
 F getsup
 F getsuppre
 F getsurround
 F getvalue
 F getwhd
 F getwidth
 F has_attribute
 F has_dimensions
 F has_field
 F has_glyph
 F hpack
 F hyphenating
 F insert_after
 F insert_before
 F insert_list_after
 F is_direct
 F is_display_math
 F is_node
 F is_nut
 F is_zero_glue
 F ischar
 F isdone
 F isglyph
 F kerning
 F last_node
 F leftmarginwidth
 F length
 F ligaturing
 F link
 F linked
 F locate
 F mlist_to_hlist
 F nestedtracedslide

F new
 T pool
 F accent
 F baselineskip
 F boundary
 F choice
 F cleanup
 F delim
 F delimiter
 F direction
 F directliteral
 F disc
 F emptyrule
 F fence
 F fontkern
 F fraction
 F glue
 F gluespec
 F glyph
 F hlist
 F indentskip
 F italickern
 F kern
 F latelua
 F leader
 F lefthangskip
 F leftmarginkern
 F leftskip
 F lineskip
 F literal
 F mathchar
 F mathtextchar
 F negatedglue
 F noad
 F originliteral
 F outlinerule
 F pageliteral
 F penalty
 F radical
 F rawliteral
 F register
 F restore
 F righthangskip
 F rightmarginkern

| | |
|-----------------------|----------------------|
| F rightskip | F set_synctex_fields |
| F rule | F setattr |
| F save | F setattribute |
| F savepos | F setattributelist |
| F setmatrix | F setattributes |
| F shrink | F setattrlist |
| F stretch | F setboth |
| F subbox | F setbox |
| F submlist | F setboxglue |
| F temp | F setchar |
| F usage | F setcomponents |
| T userids | F setdata |
| N margins.inline | F setdepth |
| N splitters.one | F setdirection |
| N splitters.two | F setdisc |
| F usernode | F setdiscretionary |
| F userrule | F setexpansion |
| F vlist | F setfam |
| F wordboundary | F setfield |
| F prepend | F setfont |
| F processranges | F setglue |
| F processwords | F setglyphdata |
| F protect_glyph | F setheight |
| F protect_glyphs | F setkern |
| F protrusion_skipable | F setlang |
| F rangedimensions | F setlanguage |
| F rawprop | F setleader |
| F reference | F setlink |
| F rehpack | F setlist |
| F remove | F setnext |
| F repackhlist | F setnucleus |
| F replace | F setoffsets |
| F reverse | F setorientation |
| F rightmarginwidth | F setparproperty |
| T rules | F setpenalty |
| T ruleactions | F setpost |
| F box | F setpre |
| F draw | F setprev |
| F fill | F setprop |
| F mp | F setreplace |
| F stroke | F setruledata |
| F userrule | F setshift |
| F set_attribute | F setsplit |
| F set_components | F setstate |

F setsub
 F setsubpre
 F setsubtype
 F setup
 F setsuppre
 F setsurround
 F setunsetattributes
 F setvalue
 F setvisual
 F setvisuals
 F setwhd
 F setwidth
 F slide
 F somepenalty
 F somespace
 F splitbox
 F start_of_par
 F striprange
 F tail
 F takeattr
 F takebox
 F takelist
 F theprop
 F tonode
 F tonodes
 F tonut
 F tosequence
 F toString
 F tracedslide
 F traverse
 F traverse_char
 F traverse_glyph
 F traverse_id
 F traverse_list
 T traversers
 F boundary
 F char
 F dir
 F disc
 F glue
 F glyph
 F hlist
 F list
 F next

F node
 F vlist
 F whatsit
 T typesetters
 F tohbox
 F tohpack
 F tonodes
 F to vbox
 F tovpack
 F unprotect_glyph
 F unprotect_glyphs
 F unset_attribute
 F unsetattribute
 F unsetattributes
 F untracedslide
 F usedlist
 F uses_font
 F vianodes
 F vianuts
 F vpack
 F write

packlist
penaltycodes
plugindata

F finalizer
 F initializer
 S name
 T namespace
 N attribute
 D data
 F enable
 F handler
 F register
 D registered
 D values
 F processor

points
pool

F baselineskip
 F cleanup
 F directliteral
 F glyph
 F hlist
 F latelua

function
 data table
 table

function
 table

| | | | |
|-----------------------------|------------|---------------------------|------------|
| F lineskip | | F define | |
| F literal | | F enable | |
| F originliteral | | F handler | |
| F register | | F userrule | |
| F restore | | save | function |
| F rule | | serialize | function |
| F save | | serializebox | function |
| F savepos | | set_attribute | function |
| F setmatrix | | setattr | function |
| F special | | setattribute | function |
| F usage | | setattributes | function |
| F vlist | | setboth | function |
| prepend | function | setbox | function |
| print | function | setboxtonaturalwd | function |
| processors | table | setchar | function |
| F contribute_filter | | setfield | function |
| B enabled | | setfont | function |
| F hpack_filter | | setleader | function |
| F post_linebreak_filter | | setlink | function |
| F pre_linebreak_filter | | setlist | function |
| F tracer | | setnext | function |
| properties | table | setnormalizeline | function |
| T data | | setprev | function |
| protect_glyph | function | setunsetattributes | function |
| protect_glyphs | function | shifts | table |
| protrusion_skippable | function | D data | |
| pts | function | F define | |
| radicalcodes | data table | F enable | |
| rangedimensions | function | F handler | |
| reference | function | show | function |
| references | table | showboxes | function |
| N attribute | | showcodes | function |
| T done | | showlist | function |
| F handler | | showsimplelist | function |
| T stack | | skipcodes | data table |
| rehpack | function | skipvalues | data table |
| remove | function | slide | function |
| repackhlist | function | snapshots | table |
| replace | function | F getparameters | |
| report | function | F getsamples | |
| rightmarginwidth | function | F resetsamples | |
| rulecodes | data table | F takesample | |
| rules | table | somepenalty | function |
| D data | | somespace | function |

| | | | |
|-----------------------------|------------|-------------------|----------|
| splitbox | function | totable | function |
| start_of_par | function | totree | function |
| stripdiscretionaries | function | toutf | function |
| stripping | table | tracers | table |
| T glyphs | | T characters | |
| F set | | F collect | |
| subtypes | data table | F equal | |
| tail | function | F start | |
| takeattr | function | F string | |
| takebox | function | F unicodes | |
| tasks | table | T colors | |
| F actions | | F reset | |
| F appendaction | | F set | |
| F disableaction | | F setlist | |
| F disablegroup | | F directions | |
| F enableaction | | F fontchar | |
| F enablegroup | | T frequencies | |
| F freeze | | F register | |
| F freezegroup | | T pool | |
| F new | | T nodes | |
| F prependaction | | F rule | |
| F removeaction | | T nuts | |
| F replaceaction | | F rule | |
| F restart | | F resetproperties | |
| F setaction | | F rule | |
| F showactions | | F setlist | |
| F table | | F setproperties | |
| tobasepoints | function | F start | |
| tocentimeters | function | T steppers | |
| tociceros | function | F check | |
| todidots | function | F codes | |
| todimen | function | F features | |
| toinches | function | F font | |
| tomillimeters | function | F glyphs | |
| tonewciceros | function | F message | |
| tonewdidots | function | F messages | |
| tonode | function | F nofsteps | |
| tonodes | function | F register | |
| tonut | function | F reset | |
| topicas | function | F start | |
| topoints | function | F stop | |
| toscaledpoints | function | F stop | |
| tosequence | function | T transparencies | |
| tostring | function | F reset | |

number (context)

| | | | |
|-----------------------|------------|-----------------------|----------|
| | function | tobitstring | function |
| basepoints | function | tocentimeters | function |
| bytetodecimal | function | tociceros | function |
| compactfloat | function | tocontext | function |
| decimaltobyte | function | todidots | function |
| dimenfactors | data table | todimen | function |
| formatted | function | toevenhex | function |
| formattedfloat | function | toinches | function |
| idiv | function | tomillimeters | function |
| maxdimen | number | tonewciceros | function |
| nopts | function | tonewdidots | function |
| percent | function | tonumberf | function |
| points | function | tonumberg | function |
| pts | function | topicas | function |
| signed | function | topoints | function |
| sparseexponent | function | toscaled | function |
| splitdimen | function | toscaledpoints | function |
| tol6dot16 | function | valid | function |
| tobasepoints | function | | |

objects (context)

| | | | |
|-------------------|----------|------------------|----------|
| data | table | page | function |
| dimensions | function | reference | function |
| found | function | register | function |
| n | number | restore | function |

optional (context)

| | | | |
|-----------------------|-------|------------------|-------|
| curl | table | F setseekfile | |
| F escape | | mysql | table |
| F fetch | | F close | |
| F getversion | | F execute | |
| F initialize | | F getmessage | |
| F unescape | | F initialize | |
| ghostscript | table | F open | |
| F execute | | postgress | table |
| F initialize | | F close | |
| graphicsmagick | table | F execute | |
| F execute | | F getmessage | |
| F initialize | | F initialize | |
| loaded | table | F open | |
| mujs | table | sqlite | table |
| F dofile | | F close | |
| F execute | | F execute | |
| F initialize | | F getmessage | |
| F reset | | F initialize | |
| F setclosefile | | F open | |
| F setconsole | | zint | table |
| F setfindfile | | F execute | |
| F setopenfile | | F initialize | |
| F setreadfile | | | |

os (basic lua)

| | |
|---------------------------|---------------------|
| <code>__getenv__</code> | function |
| <code>__setenv__</code> | function |
| <code>binsuffix</code> | string |
| <code>binsuffixes</code> | table |
| <code>clock</code> | function |
| <code>converttime</code> | function |
| <code>date</code> | overloaded function |
| <code>difftime</code> | function |
| <code>enableansi</code> | function |
| <code>env</code> | data table |
| <code>execute</code> | overloaded function |
| <code>exit</code> | overloaded function |
| <code>fulltime</code> | function |
| <code>getcodepage</code> | function |
| <code>getenv</code> | overloaded function |
| <code>gettimeofday</code> | function |
| <code>isleapyear</code> | function |
| <code>launch</code> | function |
| <code>libsuffix</code> | string |
| <code>localtime</code> | function |
| <code>name</code> | string |
| <code>newline</code> | string |
| <code>nofdays</code> | function |
| <code>now</code> | function |
| <code>pipeto</code> | function |
| <code>platform</code> | string |
| <code>remove</code> | overloaded function |

| | |
|----------------------------|---------------------|
| <code>rename</code> | overloaded function |
| <code>resolvers</code> | table |
| <code> F bits</code> | |
| <code>resultof</code> | function |
| <code>runtime</code> | function |
| <code>selfarg</code> | table |
| <code>selfbase</code> | string |
| <code>selfbin</code> | string |
| <code>selfcore</code> | string |
| <code>selfdir</code> | string |
| <code>selfname</code> | string |
| <code>selfpath</code> | string |
| <code>setenv</code> | overloaded function |
| <code>setexitcode</code> | function |
| <code>setlocale</code> | overloaded function |
| <code>sleep</code> | function |
| <code>time</code> | function |
| <code>timezone</code> | function |
| <code>tmpname</code> | function |
| <code>today</code> | function |
| <code>type</code> | string |
| <code>uname</code> | function |
| <code>uuid</code> | function |
| <code>validdatetime</code> | function |
| <code>weekday</code> | function |
| <code>where</code> | function |
| <code>which</code> | function |

package (basic lua)

| | | | |
|----------------------|----------|--------------------|----------|
| config | string | loadlib | function |
| cpath | string | luapaths | function |
| extralibpath | function | path | string |
| extralibpaths | function | poplibpath | function |
| extralupath | function | popluapath | function |
| extralupaths | function | preload | table |
| helpers | table | pushlibpath | function |
| libpaths | function | pushluapath | function |
| loaded | table | searchers | table |
| loaders | table | searchpath | function |

pagebuilders (context)

columnsets table

- F add
- F block
- F check
- F currentcolumn
- F define
- F finishflush
- F flushareas
- F flushcolumn
- F flushrest
- F goto
- F noto
- F prepareflush
- F put
- F registerarea
- F reset
- F setarea

- F sethsize
- F sethspace
- F setlines
- F setproperties
- F setstart
- F setvsize

injections table

- F flushafter
- F flushbefore
- F save

mixedcolumns table

- F cleanup
- F finalize
- F getlist
- F getrest
- F getsplit
- F setsplit

pdf (basic tex)

`immediateobj` function

pdfe (extra tex)

| | | | |
|--------------------------|------------|------------------------|------------|
| arraytotable | function | getnumber | function |
| close | function | getpage | function |
| closestream | function | getpages | function |
| dictionarytotable | function | getsize | function |
| encryptioncodes | data table | getstatus | function |
| getarray | function | getstream | function |
| getboolean | function | getstring | function |
| getbox | function | gettrailer | function |
| getcatalag | function | getversion | function |
| getdictionary | function | new | function |
| getfromarray | function | objectcodes | data table |
| getfromdictionary | function | open | function |
| getfromreference | function | openfile | function |
| getfromstream | function | openstream | function |
| getinfo | function | pagestotable | function |
| getinteger | function | readfromstream | function |
| getmemoryusage | function | readwholestream | function |
| getname | function | type | function |
| getnofobjects | function | unencrypt | function |
| getnofpages | function | | |

physics (context)

units table

F registerunit

D tables

pngdecode (extra tex)

applyfilter function
expand function
interlace function

splitmask function
tocmyk function

publications (context)

| | | | |
|-------------------------|------------|-----------------------------|----------|
| addtexentry | function | converttoxml | function |
| analyze | function | currentspecification | table |
| anywhere | function | S author | |
| authorcache | data table | T categories | |
| authorcollapsers | data table | T article | |
| authorhashers | table | S category | |
| F invertedshort | | T extra | |
| F normal | | T fields | |
| F normalinverted | | S author | |
| F normalshort | | S editor | |
| F sequential | | S journal | |
| F sequentialshort | | S keywords | |
| F short | | S note | |
| authormap | data table | S number | |
| authortoregister | function | S pages | |
| casters | table | S title | |
| F author | | S volume | |
| F keyword | | S year | |
| F pagenumber | | T optional | |
| F range | | T required | |
| checkeddataset | function | T sets | |
| citevariants | table | T author | |
| F author | | T virtual | |
| F authornum | | T book | |
| F authoryear | | S category | |
| F authoryears | | T extra | |
| F category | | T fields | |
| F default | | S address | |
| F entry | | S author | |
| F index | | S edition | |
| F keywords | | S editor | |
| F num | | S keywords | |
| F page | | S note | |
| F short | | S number | |
| F tag | | S publisher | |
| F textnum | | S subtitle | |
| F year | | S title | |
| collected | data table | S volume | |
| components | table | S year | |
| F author | | T optional | |
| concatstate | function | T required | |

| | | |
|----------------|------------------------|------------|
| T sets | S pages | |
| T author | S volume | |
| T editionset | S version | |
| T virtual | D virtual | |
| T demo-a | T virtualfields | |
| S category | B authornum | |
| T extra | B authoryear | |
| T fields | B authoryears | |
| S author | B num | |
| S institution | B suffix | |
| S organization | datasets | table |
| S subtitle | detailed | table |
| S title | endnotes_to_btx | function |
| S year | enhancer | table |
| T optional | S arguments | |
| T required | T askip | |
| T sets | B dirty | |
| T author | T gskip | |
| T virtual | T kind | |
| T demo-b | T list | |
| S category | T system | |
| T extra | T order | |
| T fields | N steps | |
| S author | enhancers | table |
| S institution | F details | |
| S organization | F order | |
| S subtitle | F suffixes | |
| S title | finder | function |
| S year | firstofrange | function |
| T optional | found | function |
| T required | get | function |
| T sets | getcasted | function |
| T authors | getdetail | function |
| T virtual | getdirect | function |
| S comment | getfaster | function |
| S copyright | getfield | function |
| T fields | getfuzzy | function |
| S name | getindex | function |
| T types | inspectors | data table |
| S author | journals | table |
| S editor | F abbreviated | |
| S keywords | F add | |
| S number | F expanded | |
| S page | F load | |

| | | | |
|---------------------------|----------|----------------------------|----------|
| F save | | F lua | |
| lastofrange | function | F refman | |
| lists | table | F registercleaner | |
| F collectentries | | F xml | |
| F combiinlist | | loadreplacementfile | function |
| F fetchentries | | new | function |
| F filterall | | okay | function |
| F flushcombi | | oneorange | function |
| F flushentry | | parenttag | function |
| F flushtag | | permitted | function |
| T methods | | prerollcmdstring | function |
| F dataset | | refman_to_btx | function |
| F force | | resolvedname | function |
| F global | | save | function |
| F local | | savers | table |
| F nofregistered | | F bib | |
| F prepareentries | | F lua | |
| F register | | F xml | |
| F sameasprevious | | search | function |
| T sorters | | setcategory | function |
| F cite | | setspecification | function |
| F dataset | | singularorplural | function |
| F default | | sortedentries | function |
| F index | | sortmethods | table |
| F list | | T authoryear | |
| F reference | | T sequence | |
| F short | | specifications | table |
| F used | | T default | |
| F uservariable | | S author | |
| listvariants | table | S comment | |
| F default | | S copyright | |
| F index | | S name | |
| F num | | S version | |
| F short | | D virtual | |
| F tag | | splitauthor | function |
| load | function | splitoneauthor | function |
| loadbibdata | function | statistics | table |
| loaddefinitionfile | function | N nofbytes | |
| loaders | table | N nofdatasets | |
| F bbl | | N nofdefinitions | |
| F bib | | N nofshortcuts | |
| F buffer | | tables | table |
| F endnote | | D implicits | |
| F json | | D origins | |

| | | | | | |
|----------------|-------------------------|----------|--------------------|--------------|----------|
| D | privates | | F | showtables | |
| D | sets | | F | showvariants | |
| D | specials | | typesetters | | table |
| D | types | | F | author | |
| D | virtuals | | F | string | |
| tags | | function | usedataset | | function |
| tracers | | table | usedentries | | function |
| F | showdatasetauthors | | writers | | table |
| F | showdatasetcompleteness | | F | author | |
| F | showdatasetfields | | F | keyword | |
| F | showentry | | F | pagenumber | |
| F | showfields | | F | range | |
| F | showhashedauthors | | | | |

regimes (context)

| | |
|--------------------|------------|
| backmapping | data table |
| cleanup | function |
| disable | function |
| enable | function |
| fromregime | function |
| list | function |

| | |
|------------------|------------|
| mapping | data table |
| pop | function |
| process | function |
| push | function |
| toregime | function |
| translate | function |

resolvers (context)

| | | | |
|-------------------------------------|------------|--------------------------------|------------|
| allprefixes | function | findpk | function |
| appendhash | function | findtexfile | function |
| automount | function | findwildcardfile | function |
| booleanvariable | function | findwildcardfiles | function |
| cacheversion | string | formatofsuffix | function |
| checkedvariable | function | formatofvariable | function |
| cleanedpathlist | function | formats | data table |
| cleanpath | function | foundintree | function |
| cleanpathlist | function | foundintrees | function |
| concatinators | data table | generators | data table |
| configbanner | string | get_from_content | function |
| configurationfiles | function | getenv | function |
| dangerous | data table | getextrapaths | function |
| datastate | function | getfilehashes | function |
| defaultsuffixes | table | gethashes | function |
| dirstatus | function | getownpath | function |
| dowithfilesandreport | function | getreadfilename | function |
| dowithfilesintree | function | hashers | data table |
| dowithpath | function | homedir | string |
| dowithvariable | function | initialized | function |
| executers | table | installinputfilehandler | function |
| expandbraces | function | installinputlinehandler | function |
| expandedpathfromlist | function | jobpath | function |
| expandedpathlist | function | jobs | table |
| expandedpathlistfromvariable | function | F currentcomponent | |
| expandpath | function | F currentenvironment | |
| expandpathfromvariable | function | F currentproduct | |
| expansion | function | F currentproject | |
| extendtexmfvariable | function | F justacomponent | |
| filtered_from_content | function | D processors | |
| find_file | function | F productcomponent | |
| find_files | function | F usefile | |
| findbinfile | function | joinpath | function |
| findctxfile | function | knownvariables | function |
| finders | data table | libraries | table |
| findfile | function | F optionalloaded | |
| findfiles | function | F validoptional | |
| findgivenfile | function | load | function |
| findgivenfiles | function | loadbinfile | function |
| findlib | function | loaders | data table |
| findpath | function | loadlua lib | function |

| | | | |
|--------------------------|------------|-------------------------------|------------|
| loadtexfile | function | resetextrapaths | function |
| loadtime | function | resetmemstream | function |
| locateformat | function | resetresolve | function |
| locators | data table | resolve | function |
| luacnffallback | string | savers | data table |
| luacnfname | string | scandata | function |
| luacnfspec | string | scanfiles | function |
| luacnfstate | string | schemes | table |
| macros | table | T cleaners | |
| F convertfile | | F md5 | |
| F decodecomment | | F none | |
| F enablecomment | | F strip | |
| F encodecomment | | F cleanname | |
| F preprocessed | | F fetchstring | |
| F processmk | | F fetchtable | |
| F processmklx | | F install | |
| F processmkvi | | setdynamic | function |
| F version | | setenv | function |
| maxreadlevel | number | setmemstream | function |
| methodhandler | function | showpath | function |
| openbinfile | function | simplescanfiles | function |
| openers | data table | splitconfigurationpath | function |
| openfile | function | splitexpansions | function |
| opentexfile | function | splitmethod | function |
| ownpath | string | splitpath | function |
| popextrapath | function | stackpath | function |
| popinputname | function | starttiming | function |
| poppath | function | stoptiming | function |
| prefixes | data table | suffixes | data table |
| prependhash | function | suffixmap | data table |
| pushextrapath | function | suffixofformat | function |
| pushinputname | function | texdatablob | function |
| pushpath | function | toppath | function |
| registerextrapath | function | unexpandedpath | function |
| registerfile | function | unexpandedpathlist | function |
| registerfilehash | function | unresolve | function |
| registerintrees | function | updaterelations | function |
| registermethod | function | updatescript | function |
| registerzipfile | function | uselibrary | function |
| relations | data table | usertypes | data table |
| renew | function | usezipfile | function |
| renewcache | function | validatedpath | function |
| repath | function | variable | function |
| reset | function | variableofformat | function |

| | |
|---------------------------------|----------|
| variableofformatorsuffix | function |
| wildcardpattern | function |

sandbox (context)

| | |
|-------------------------|----------|
| disablelibraries | function |
| disablerunners | function |
| enable | function |
| filehandlerone | function |
| filehandlertwo | function |
| finalizer | function |
| getrunner | function |
| initializer | function |
| iohandler | function |
| logcalls | function |
| logfiles | function |
| original | function |
| overload | function |

| | |
|--------------------------|----------|
| possiblepath | function |
| redefine | function |
| register | function |
| registerbinary | function |
| registerlibrary | function |
| registerroot | function |
| registerrunner | function |
| report | function |
| setfilenamelogger | function |
| setlogger | function |
| setreporter | function |
| settrace | function |
| validfilename | function |

scripts (context)

autofontfeature table

 F disable

 F enable

 F handler

categorytonumber data table

colors data table

decomposehangul function

defaults table

 N inter_char_half_shrink_factor

 N inter_char_half_stretch_factor

 N inter_char_hangul_penalty

 N inter_char_quarter_shrink_factor

 N inter_char_quarter_stretch_factor

 N inter_char_shrink_factor

 N inter_char_stretch_factor

 N inter_word_stretch_factor

handlers data table

hash table

injectors data table

inserters table

 F nobreakspace_after

 F nobreakspace_before

 F space_after

 F space_before

 F zerowidthspace_after

 F zerowidthspace_before

installdataset function

installmethod function

numbertocategory data table

numbertodataset data table

numbertohandler data table

reset function

set function

splitters data table

set (context)

contains function

create function

tolist function

tonumber function

totable function

sha2 (extra lua)

| | |
|------------------|----------|
| HASH256 | function |
| HASH384 | function |
| HASH512 | function |
| HEX256 | function |
| HEX384 | function |
| HEX512 | function |
| digest256 | function |
| digest384 | function |
| digest512 | function |

| | |
|----------------|----------|
| hash256 | function |
| hash384 | function |
| hash512 | function |
| hex256 | function |
| hex384 | function |
| hex512 | function |
| sum256 | function |
| sum384 | function |
| sum512 | function |

sio (extra lua)

| | |
|--------------------------|----------|
| read2dot14 | function |
| readbytes | function |
| readbytetable | function |
| readcardinal1 | function |
| readcardinal1le | function |
| readcardinal2 | function |
| readcardinal2le | function |
| readcardinal3 | function |
| readcardinal3le | function |
| readcardinal4 | function |
| readcardinal4le | function |
| readcardinaltable | function |

| | |
|-------------------------|----------|
| readfixed2 | function |
| readfixed4 | function |
| readinteger1 | function |
| readinteger1_le | function |
| readinteger2 | function |
| readinteger2_le | function |
| readinteger3 | function |
| readinteger3_le | function |
| readinteger4 | function |
| readinteger4_le | function |
| readintegertable | function |

socket (extra lua)

| | | |
|-----------------------|----------|-----------------------------|
| BLOCKSIZE | number | S content-md5 |
| _DATAGRAMSIZE | number | S content-range |
| _SETSIZE | number | S content-transfer-encoding |
| _SOCKETINVALID | number | S content-type |
| bind | function | S cookie |
| choose | function | S date |
| connect | function | S diagnostic-code |
| connect4 | function | S dsn-gateway |
| connect6 | function | S etag |
| dns | table | S expect |
| F getaddrinfo | | S expires |
| F gethostname | | S final-log-id |
| F getnameinfo | | S final-recipient |
| F tohostname | | S from |
| F toip | | S host |
| gettime | function | S if-match |
| headers | table | S if-modified-since |
| T canonic | | S if-none-match |
| S accept | | S if-range |
| S accept-charset | | S if-unmodified-since |
| S accept-encoding | | S in-reply-to |
| S accept-language | | S keywords |
| S accept-ranges | | S last-attempt-date |
| S action | | S last-modified |
| S age | | S location |
| S allow | | S max-forwards |
| S alternate-recipient | | S message-id |
| S arrival-date | | S mime-version |
| S authorization | | S original-envelope-id |
| S bcc | | S original-recipient |
| S cache-control | | S pragma |
| S cc | | S proxy-authenticate |
| S comments | | S proxy-authorization |
| S connection | | S range |
| S content-description | | S received |
| S content-disposition | | S received-from-mta |
| S content-encoding | | S references |
| S content-id | | S referer |
| S content-language | | S remote-mta |
| S content-length | | S reply-to |
| S content-location | | S reporting-mta |

S resent-bcc
 S resent-cc
 S resent-date
 S resent-from
 S resent-message-id
 S resent-reply-to
 S resent-sender
 S resent-to
 S retry-after
 S return-path
 S sender
 S server
 S smtp-remote-recipient
 S status
 S subject
 S te
 S to
 S trailer
 S transfer-encoding
 S upgrade
 S user-agent
 S vary
 S via
 S warning
 S will-retry-until
 S www-authenticate
 S x-mailer
 F lower
 F normalize
http table
 N TIMEOUT
 S USERAGENT
 F genericform
 F open
 F request
newtry function

protect function
report function
select function
sink function
sinkt table
 F close-when-done
 F default
 F http-chunked
 F keep-open
skip function
sleep function
source function
sourcet table
 F by-length
 F default
 F http-chunked
 F until-closed
tcp function
tcp4 function
tcp6 function
tp table
 N TIMEOUT
 F connect
try function
udp function
udp4 function
udp6 function
url table
 F absolute
 F build
 F build_path
 F escape
 F parse
 F parse_path
 F unescape

sorters (context)

basicsorter function

comparers table

F basic

constants table

S defaultdigits

S defaultlanguage

S defaultmethod

N digitmaximum

N digitoffset

N ignoredoffset

N replacementoffset

T validmethods

B ch

B mc

B mm

B pc

B pm

B uc

B zc

B zm

definitions data table

firstofsplit function

packch function

packuc function

replacementlist function

setlanguage function

sort function

splitters table

F utf

strip function

tracers data table

update function

statistics (context)

| | | | |
|-----------------------|----------|----------------------|----------|
| benchmarktimer | function | memused | function |
| callbacks | function | register | function |
| checkfmtstatus | function | resettiming | function |
| currenttime | function | runtime | function |
| elapsed | function | savefmtstatus | function |
| elapsedindeed | function | show | function |
| elapsedseconds | function | starttiming | function |
| elapsedtime | function | stoptiming | function |
| enable | boolean | threshold | number |
| formatruntime | function | timed | function |
| hastiming | function | tracefunction | function |

status (basic tex)

constants

function

resetmessages function

list

function

storage (context)

| | | | |
|-------------------|----------|------------------------|------------|
| allocate | function | noftables | number |
| data | table | register | function |
| mark | function | shared | data table |
| marked | function | storedfunctions | data table |
| max | number | strip | boolean |
| min | number | tofmodules | number |
| nofmodules | number | toftables | number |

streams (context)

| | |
|-------------------|----------|
| collect | function |
| disable | function |
| enable | function |
| flush | function |
| initialize | function |

| | |
|--------------------|----------|
| push | function |
| start | function |
| stop | function |
| synchronize | function |

string (basic lua)

| | | | |
|-----------------------|----------|---------------------------|----------|
| autodouble | function | nspaces | table |
| autosingle | function | optionalquoted | function |
| booleanstring | function | pack | function |
| byte | function | packsize | function |
| bytepairs | function | quote | function |
| bytes | function | quoted | function |
| bytetable | function | rep | function |
| char | function | replacenewlines | function |
| characterpairs | function | reverse | function |
| characters | function | split | function |
| checkedsplit | function | splitlines | function |
| collapsespaces | function | splitup | function |
| containsws | function | strip | function |
| count | function | sub | function |
| dawson | function | tformat | function |
| dump | function | toHEX | function |
| erf | function | toboollean | function |
| erfc | function | tobytes | function |
| erfcx | function | tocontext | function |
| erfi | function | todec | function |
| escapedpattern | function | todimen | function |
| escapedquotes | function | tohex | function |
| explode | function | tonodes | function |
| f6 | function | topattern | function |
| find | function | totable | function |
| format | function | tounicode16 | function |
| formatter | function | toutf | function |
| formatters | function | toutf32 | function |
| fullstrip | function | toutf8 | function |
| gmatch | function | tracedchar | function |
| gsub | function | tracedchars | table |
| is_boolean | function | unpack | function |
| is_empty | function | unquote | function |
| itself | function | unquoted | function |
| len | function | upper | function |
| limit | function | utfcharacter | function |
| linetable | function | utfcharacters | function |
| longtostring | function | utfcharacteratable | function |
| lower | function | utflength | function |
| match | function | utfpadd | function |
| nospaces | function | utfpadding | function |

| | | | |
|----------------------|----------|-------------------|----------|
| utfvalue | function | valid | function |
| utfvalues | function | voigt | function |
| utfvaluetable | function | voigt_hwhm | function |

structures (context)

| | | |
|-------------------|----------|--------------------------------------|
| atlocation | function | F next |
| blocks | table | F prev |
| D collected | | F previous |
| F define | | F raw |
| F print | | F record |
| F save | | F reset |
| F select | | F restart |
| F setstate | | F restore |
| D states | | F save |
| D tobesaved | | F set |
| F uservariable | | F setlevel |
| bookmarks | table | F setoffset |
| T extras | | F setown |
| F get | | F setstate |
| F mergesections | | F setvalue |
| F register | | T specials |
| F reset | | F userpage |
| F tosections | | F subs |
| F finalize | | D tobesaved |
| F flatten | | F value |
| F installhandler | | F way |
| F merge | | currentsectionnumber function |
| S method | | descriptions table |
| F overload | | documents table |
| F place | | D data |
| F register | | F initialize |
| F setopened | | F preset |
| F setup | | F reset |
| counters | table | floats table |
| F add | | formulas table |
| F analyze | | helpers table |
| F check | | F analyze |
| D collected | | F formulanumber |
| F compact | | F merged |
| F converted | | F page |
| F currentvalue | | F pageofinternal |
| D data | | F prefix |
| F define | | F prefixlastpage |
| F first | | F prefixpage |
| F get | | F simplify |
| F last | | F title |

| | | | |
|-------------------|--------------|----------------------------|--------------|
| F touserdata | | F reordered | |
| inserts | table | T result | |
| D data | | F savedlistnumber | |
| F define | | F savedlistprefixednumber | |
| F getdata | | F savedlisttitle | |
| F getlocation | | D sectionblocks | |
| F getname | | F sectionnumber | |
| F getnumber | | F size | |
| F setlocation | | F title | |
| F setup | | D tobesaved | |
| D stored | | F userdata | |
| itemgroups | table | F uservalue | |
| lists | table | marks | table |
| F addto | | D data | |
| F analyze | | F define | |
| B autoreorder | | F exists | |
| D cached | | F fetch | |
| D collected | | F fetchallmarks | |
| F discard | | F fetched | |
| F enhance | | F fetchonemark | |
| T enhancers | | F fetchtwomarks | |
| F filter | | F get | |
| F formulainumber | | F number | |
| F getresult | | F relate | |
| F groupindex | | F reset | |
| F hasnumberdata | | F set | |
| F haspagedata | | F show | |
| F hastitledata | | F synchronize | |
| F iscached | | F title | |
| D kinds | | T tracers | |
| F label | | F showtable | |
| F location | | notes | table |
| D names | | F check_spacing | |
| F number | | F checkpagechange | |
| D ordered | | F define | |
| F page | | F doifonsamepageasprevious | |
| F popnesting | | F get | |
| F prefix | | F getdeltapage | |
| F prefixednumber | | F getinternal | |
| F prefixedpage | | F getn | |
| F process | | F getstate | |
| D pushed | | F hascontent | |
| F pushnesting | | F internal | |
| F realpage | | F internalid | |

| | | |
|---------------------|--------------|----------------------------------|
| F listindex | | T files |
| T numbers | | T data |
| F ordered | | F define |
| F postpone | | F found |
| F resetpostponed | | F get |
| F restore | | F filter |
| F save | | F filterdefault |
| F setstate | | D filters |
| D states | | D flaginternals |
| F store | | F from |
| pages | table | D functions |
| F allmarked | | F get |
| F analyze | | F getcurrentmetadata |
| D collected | | F getcurrentprefixspec |
| F fraction | | F getinnermethod |
| F in_body | | F getinternalcachedlistreference |
| F is_odd | | F getinternallistreference |
| F mark | | F getinternalreference |
| F marked | | F getoutermethod |
| N nopages | | D handlers |
| F number | | F identify |
| F on_right | | F import |
| F save | | F inject |
| D tobesaved | | F injectcurrentset |
| F toranges | | S innermethod |
| references | table | D internals |
| F analyze | | F load |
| F checkedfile | | F loadpresets |
| F checkedfileorurl | | F mark |
| F checkedprogram | | S outermethod |
| F checkedrealpage | | D pages |
| F checkedurl | | U prefixsplitter |
| D collected | | D productdata |
| U componentsplitter | | T programs |
| F currentmetadata | | T data |
| F currentorder | | F define |
| D currentset | | F get |
| F define | | F realpageofpage |
| D defined | | U referencesplitter |
| D derived | | D referred |
| F enhance | | F referredpage |
| D executers | | F registerfinalizer |
| F expandcurrent | | F registerinitializer |
| F export | | F registerpage |

- F reset
- D runners
- F set
- F setandgetattribute
- F setcomponent
- F setinternalreference
- F setlinkmethod
- F setnextinternal
- F setnextorder
- F setreferencerealpage
- D specials
- F splitcomponent
- F splitprefix
- F splitreference
- F synchronizepage
- T testrunners
 - F inner
 - F special
 - F special operation
 - F special operation with arguments

- T testspecials

- F deltapage
 - F i
 - F internal
 - F page
 - F realpage
 - F section
 - F userpage

- D tobereferred

- D tobesaved

- D tracedpages

- T urls

- T data
 - F define
 - F found
 - F get
 - F untex

- D usedinternals

- D usedviews

- F valid

registers table

- F analyze
- D collected
- F compare

- F define
- F enhance
- F extend
- F filter
- F filtercollected
- F finalize
- F findinternal
- F flush
- F get
- F prepare
- F process
- F setmethod
- F sort
- F store
- D tobesaved
- F unique
- F userdata

sections table

- F autodepth
- F cct
- D collected
- F current
- F currentblock
- F currentid
- F currentlevel
- F currentsectionindex
- F depthnumber
- F finddata
- F findnumber
- F fullnumber
- F getcurrentlevel
- F getlevel
- F getnumber
- F internalreference
- D levelmap
- D levels
- F matchingtilldepth
- F numberatdepth
- F numbers
- F popblock
- F prefixedconverted
- F pushblock
- F register
- D registered

- F reportstructure
- F save
- T sectionblockdata
 - T bodypart
 - S bookmark
- F set
- F setblock
- F setchecker
- F setentry
- F setinitialblock
- F setlevel
- F setnumber
- F showstructure
- F structuredata
- F title
- D tobesaved
- F typesetnumber
- F userdata
- B verbose

sets table

- F define
- F get
- F getall
- D setlist

specials table

- D collected
- F retrieve
- F store
- D tobesaved

synonyms table

- F analyzed
- D collected
- F compare
- F define
- F filter
- F finalize
- F flush
- F isshown
- F isused
- F meaning
- F prepare
- F process
- F register
- F registershown

- F registerused
- F resetshown
- F resetused
- F sort
- F synonym
- D tobesaved

tags table

- F current
- F elementtag
- F finishexport
- F getextradata
- F getid
- F getmetadata
- F gettablecell
- F gettabulatecell
- F handler
- F initializeexport
- D labels
- F last
- F lastinchain
- F locatedtag
- T patterns
 - U splitter
- D properties
- F registerextradata
- F registermetadata
- F restart
- F setaspect
- F setattributehash
- F setcombination
- F setconstruct
- F setfigure
- F setfloat
- F setformulacontent
- F sethighlight
- F setitem
- F setitemgroup
- F setlist
- F setnotation
- F setnotationsymbol
- F setparagraph
- F setproperty
- F setpublication
- F setregister

F setsorting

F setsynonym

F settablecell

F settabulatecell

F settagdelimitedsymbol

F settagssentencesymbol

F setupexport

F setuserproperties

D specifications

F start

F stop

F strip

D taglist

T usewithcare

T images

table (basic lua)

| | | | |
|------------------------|----------|-----------------------------|----------|
| allkeys | function | pack | function |
| append | function | prepend | function |
| are_equal | function | print | function |
| collapsed | function | remove | function |
| collapsedhash | function | reverse | function |
| compact | function | reversed | function |
| concat | function | save | function |
| contains | function | sequenced | function |
| copy | function | serialize | function |
| count | function | setmetatablecall | function |
| derive | function | setmetatableindex | function |
| deserialize | function | setmetatableindices | function |
| drop | function | setmetatablekey | function |
| fastcopy | function | setmetatablenewindex | function |
| fastserialize | function | sort | function |
| filtered | function | sorted | function |
| flattened | function | sortedhash | function |
| fromhash | function | sortedhashkeys | function |
| getmetatablekey | function | sortedhashonly | function |
| getn | function | sortedindexonly | function |
| has_one_entry | function | sortedkeys | function |
| hashed | function | sortedpairs | function |
| identical | function | sparse | function |
| imerge | function | strip | function |
| imerged | function | sub | function |
| insert | function | swapped | function |
| is_empty | function | tocontext | function |
| is_simple_table | function | tocsv | function |
| keys | function | tofile | function |
| load | function | tohandle | function |
| loweredkeys | function | tohash | function |
| makewweak | function | toxml | function |
| merge | function | twowaymapper | function |
| merged | function | unique | function |
| mirrored | function | unnest | function |
| move | function | unpack | function |
| ordered | function | values | function |
| orderedhash | function | | |

tex (basic tex)

| | | | |
|---------------------------------|------------|------------------------|---------------------|
| attribute | table | getdelcodes | function |
| badness | function | getdimen | function |
| box | table | getfontoffamily | function |
| boxresources | table | getglue | function |
| F getbox | | getglyphdata | function |
| F getdimensions | | gethelptext | function |
| F save | | getinteraction | function |
| F use | | getlccode | function |
| catcode | table | getlist | function |
| chardef | function | getlocallevel | function |
| conditionals | data table | getmath | function |
| constants | data table | getmathcode | function |
| count | table | getmathcodes | function |
| cprint | function | getmodevalues | function |
| ctdcatcodes | number | getmuglue | function |
| ctxcatcodes | number | getmuskip | function |
| definefont | function | getnest | function |
| delcode | table | getpagestate | function |
| dimen | table | getsfcode | function |
| directives | data table | getskip | function |
| enableprimitives | function | gettoks | function |
| error | function | getuccode | function |
| extraprimitives | function | glue | table |
| fatalerror | function | hashtokens | function |
| fontidentifier | function | ifs | data table |
| fontname | function | inimatcodes | number |
| force_synctex_line | function | isattribute | function |
| force_synctex_tag | function | isbox | function |
| forcehmode | function | iscount | overloaded function |
| fprint | function | isdefined | function |
| get | function | isdimen | overloaded function |
| get_synctex_line | function | isglue | function |
| get_synctex_mode | function | ismuglue | function |
| get_synctex_tag | function | ismuskip | overloaded function |
| getattribute | function | isskip | overloaded function |
| getbox | function | istoken | function |
| getboxresourcebox | function | istoks | function |
| getboxresourcedimensions | function | lastnodetype | function |
| getcatcode | function | lccode | table |
| getcount | function | linebreak | function |
| getdelcode | function | lists | table |

| | | | |
|-----------------------------|------------|-------------------------|------------|
| luacatcodes | number | setinteraction | function |
| magicconstants | table | setlccode | function |
| N maxdimen | | setlinedir | function |
| N running | | setlist | function |
| N trueinch | | setmath | function |
| mathchardef | function | setmathcode | function |
| mathcode | table | setmathdir | function |
| modes | data table | setmuglue | function |
| muglue | table | setmuskip | function |
| muskip | table | setnest | function |
| nest | table | setpardir | function |
| nilcatcodes | number | setsfcode | function |
| notcatcodes | number | setskip | function |
| number | function | settexdir | function |
| primitives | function | settoks | function |
| print | function | setuccode | function |
| prtcacodes | number | sfcode | table |
| quittoks | function | shipout | function |
| resetparagraph | function | show_context | function |
| romannumeral | function | skip | table |
| round | function | sp | function |
| runtoks | function | splitbox | function |
| saveboxresource | function | sprint | function |
| scale | function | systemmodes | data table |
| scantoks | function | takebox | function |
| set | function | texcatcodes | number |
| set_synctex_line | function | toks | table |
| set_synctex_mode | function | tpacatcodes | number |
| set_synctex_no_files | function | tpbcacodes | number |
| set_synctex_tag | function | tprint | function |
| setattribute | function | trackers | data table |
| setbox | function | triggerbuildpage | function |
| setboxdir | function | txtcatcodes | number |
| setcatcode | function | type | function |
| setcount | function | uccode | table |
| setdelcode | function | uprint | function |
| setdimen | function | useboxresource | function |
| setglue | function | vrbcacodes | number |
| setglyphdata | function | write | function |

texconfig (basic tex)

| | | | |
|------------------------|---------------------|------------------------|-------------------|
| error_line | number | max_in_open | number |
| expand_depth | number | max_print_line | number |
| fix_mem_init | number | max_strings | number |
| formatname | string | nest_size | number |
| function_size | number | param_size | number |
| half_error_line | number | properties_size | number |
| hash_extra | number | save_size | number |
| init | overloaded function | shell_escape | string |
| kpse_init | boolean | stack_size | overloaded number |

texio (basic tex)

closeinput function
write function

write_nl function

token (basic tex)

| | | | |
|-----------------------|----------|------------------------|----------|
| biggest_char | function | put_next | function |
| command_id | function | scan_argument | function |
| commands | function | scan_box | function |
| create | function | scan_char | function |
| expand | function | scan_code | function |
| future_expand | function | scan_csname | function |
| get_active | function | scan_dimen | function |
| get_cmdname | function | scan_float | function |
| get_command | function | scan_glue | function |
| get_csname | function | scan_int | function |
| get_expandable | function | scan_key | function |
| get_frozen | function | scan_keyword | function |
| get_id | function | scan_keyword_cs | function |
| get_index | function | scan_real | function |
| get_macro | function | scan_skip | function |
| get_meaning | function | scan_string | function |
| get_mode | function | scan_token | function |
| get_next | function | scan_token_code | function |
| get_next_token | function | scan_tokenlist | function |
| get_pool_list | function | scan_toks | function |
| get_protected | function | scan_value | function |
| get_tok | function | scan_word | function |
| gobble_dimen | function | set_char | function |
| gobble_int | function | set_lua | function |
| is_defined | function | set_macro | function |
| is_next_char | function | skip_next | function |
| is_token | function | to_string | function |
| new | function | type | function |
| peek_next_char | function | | |

tokens (context)

astable function
bggroup userdata
bits table

N active
N alignment
N begingroup
N character
N close
N comment
N endgroup
N endoffline
N escape
N ignore
N invalid
N letter
N mathshift
N open
N other
N parameter
N space
N subscript
N superscript
N whitespace

cache table

U NC
U NR
U bf
U color
U colordefalc
U colordefflc
U colordefflt
U colordefrlt
U dofinishreference
U dostarttext
U finishjob
U firstofoneargument
U firstoftwoarguments
U gobbleoneargument
U goto
U iftrue
U input

U loadfoundtypescriptfile
U resetctxscanner
U rlap
U scratchcounter
U scratchdimen
U scratchmuskip
U scratchskip
U scratchtoken
U secondoftwoarguments
U setfalsevalue
U setsectionblock
U setupsystem
U startcolumns
U starttabulate
U starttitle
U startxtitle
U stopcolumns
U stoptabulate
U stoptitle
U stopxtitle
U texsetup
U xmlw

collectors table

T data
F defaultwords
F dowithwords
F flush
F install
F register
T registered
F show
F test

commands data table

compile function

constant function

converters table

S toboolean
S todimen
S toglue
S tonumber
S tostring

create function
defined function
egroup userdata
getters table

F box
F count
F dimen
F glue
F macro
F meaning
F skip
F token

hbox userdata
isdefined function
istoken function
letter function
letters function
new function
other function
pickup function
presets table

T 1 string
T 2 strings
T 3 strings
T 4 strings
T 5 strings
T 6 strings
T 7 strings
T 8 strings

printlist function
scanners table

F argument
F array
F boolean
F box
F char
F code
F conditional
F count
F csname
F dimen
F dimension
F float
F glue

F gluespec
F hash
F hbox
F integer
F ischar
F key
F keyword
F keywordcs
F list
F lxmlid
F number
F peek
F real
F scanclose
F scanopen
F skip
F string
F table
F token
F tokencode
F tokenlist
F tokens
F toks
F value
F vbox
F verbatim
F vtop
F whd
F word

setters table

F box
F char
F count
F dimen
F glue
F lua
F macro
F skip

shortcuts table

T bits
N active
N alignment
N begingroup
N character

| | |
|-------------------|-----------------|
| N close | F count |
| N comment | F csname |
| N endgroup | F dimen |
| N endofline | F dimension |
| N escape | F float |
| N ignore | F glue |
| N invalid | F gluespec |
| N letter | F hash |
| N mathshift | F hbox |
| N open | F integer |
| N other | F ischar |
| N parameter | F key |
| N space | F keyword |
| N subscript | F keywordcs |
| N superscript | F list |
| N whitespace | F lxmldid |
| N close | F number |
| F inspect | F peek |
| N open | F real |
| F report | F scanclose |
| F scanargument | F scanopen |
| F scanarray | F skip |
| F scanboolean | F string |
| F scanbox | F table |
| F scanclose | F token |
| F scancode | F tokencode |
| F scanconditional | F tokenlist |
| F scancsname | F tokens |
| F scandimen | F toks |
| F scandimension | F value |
| F scanhash | F vbox |
| F scanhbox | F verbatim |
| F scaninteger | F vtop |
| F scankeyword | F whd |
| F scankeywordcs | F word |
| F scanlist | F scannumber |
| T scanners | F scanopen |
| F argument | F scanstring |
| F array | F scantable |
| F boolean | F scantokenlist |
| F box | F scanvbox |
| F char | F scanverbatim |
| F code | F scanvtop |
| F conditional | F scanword |

| | |
|---------------------------|----------------|
| F toboolean | U xmlw |
| F todimen | T collectors |
| T tokens | F defaultwords |
| F astable | F dowithwords |
| U bgroup | F flush |
| T cache | F install |
| U NC | F register |
| U NR | F show |
| U bf | F test |
| U color | D commands |
| U colordefalc | F compile |
| U colordefflc | F constant |
| U colordefflt | T converters |
| U colordefrlt | S toboolean |
| U dofinishreference | S todimen |
| U dostarttext | S toglue |
| U finishjob | S tonumber |
| U firstofoneargument | S tostring |
| U firstoftwoarguments | F create |
| U gobbleoneargument | F defined |
| U goto | U egroup |
| U iftrue | T getters |
| U input | F box |
| U loadfoundtypescriptfile | F count |
| U resetctxscanner | F dimen |
| U rlap | F glue |
| U scratchcounter | F macro |
| U scratchdimen | F meaning |
| U scratchmuskip | F skip |
| U scratchskip | F token |
| U scratchtoken | U hbox |
| U secondoftwoarguments | F isdefined |
| U setfalsevalue | F istoken |
| U setsectionblock | F letter |
| U setupsystem | F letters |
| U startcolumns | F new |
| U starttabulate | F other |
| U starttitle | F pickup |
| U startxtitle | T presets |
| U stopcolumns | F printlist |
| U stoptabulate | T setters |
| U stoptitle | F box |
| U stopxtitle | F char |
| U texsetup | F count |

| | |
|-------------------|----------------------|
| F dimen | F scankeyword |
| F glue | F scankeywordcs |
| F lua | F scanlist |
| F macro | F scannumber |
| F skip | F scanopen |
| T shortcuts | F scanstring |
| N close | F scantable |
| F inspect | F scantokenlist |
| N open | F scanvbox |
| F report | F scanverbatim |
| F scanargument | F scanvtop |
| F scanarray | F scanword |
| F scanboolean | F toboolean |
| F scanbox | F todimen |
| F scanclose | F tonumber |
| F scancode | F tostring |
| F scanconditional | U vbox |
| F scanscname | U vtop |
| F scandimen | F tonumber |
| F scandimension | F tostring |
| F scanhash | vbox userdata |
| F scanhbox | vtop userdata |
| F scaninteger | |

tracers (context)

| | | | |
|------------------|----------|---------------------|----------|
| count | function | primitive | function |
| cs | function | printerror | function |
| dimen | function | printwarning | function |
| knownlist | function | showlines | function |
| lists | table | strings | table |
| T context | | S undefined | |
| T internals | | toks | function |
| T scratch | | type | function |
| name | function | | |

trackers (context)

| | |
|-----------------------|------------|
| data | data table |
| default | function |
| disable | function |
| done | table |
| dumphashtofile | function |
| enable | function |
| list | function |

| | |
|-----------------|----------|
| name | string |
| register | function |
| report | function |
| reset | function |
| savehash | function |
| show | function |
| value | function |

typesetters (context)

| | | | | | |
|-----------------------|-------|--|--|-------------------|------------------|
| alignments | table | | | | T handlers |
| F handler | | | | | F installhandler |
| F set | | | | | F processmath |
| breakpoints | table | | | | F set |
| F define | | | | | F setcolor |
| F handler | | | | | F setmath |
| D mapping | | | | | F tomode |
| T methods | | | | firstlines | table |
| T numbers | | | | T actions | |
| F set | | | | F default | |
| F setreplacement | | | | F line | |
| cases | table | | | F word | |
| T actions | | | | F handler | |
| F handler | | | | F set | |
| F register | | | | fontkerns | table |
| F set | | | | F handler | |
| characteralign | table | | | initials | table |
| F handler | | | | T actions | |
| F resetcharacteralign | | | | F default | |
| F setcharacteralign | | | | F addanchortoline | |
| characters | table | | | F addtoline | |
| F handler | | | | F calculatedelta | |
| T methods | | | | F checkline | |
| F replacenbsp | | | | F handler | |
| F replacenbspaces | | | | F moveinline | |
| checkers | table | | | F normalize | |
| F handler | | | | F set | |
| F reset | | | | injectors | table |
| F set | | | | F check | |
| cleaners | table | | | T list | |
| F handler | | | | F mark | |
| F set | | | | F reset | |
| digits | table | | | F set | |
| T actions | | | | F show | |
| F handler | | | | italics | table |
| F set | | | | F enablemath | |
| directions | table | | | F enabletext | |
| F getfences | | | | F forcevariant | |
| F getglobal | | | | F handler | |
| F getmethod | | | | F reset | |
| F handler | | | | F set | |

kerns table

D factors
F handler
F keepligature
D mapping
F set

manipulators table

F apply
F applyspecification
T methods
F Word
F Words
F abbreviatedjournal
F expandedjournal
F lowercase
F stripperperiod
F uppercase
T patterns
U list
U pair
F splitspecification

margins table

F finalhandler
F globalhandler
F localhandler
F save

marksuspects function

paragraphs table

F addanchortoline
F addtoline
F calculatedelta
F checkline
F handler
F moveinline
F normalize
F set

periodkerns table

D factors
F handler
D mapping
F set

processors table

F apply
F register
F reset
F split
F startapply
F stopapply
F stripped
F toString

rubies table

F attach
F check

showsuspects function

spacings table

F define
F handler
D mapping
T numbers
T frenchpunctuation
T characters
S name
N number

F reset

F set

F setup

wrappers table

F handler

xtables table

F cleanup
F construct
F create
F finish_row
F flush
F initialize_construct
F initialize_reflow_height
F initialize_reflow_width
F next_row
F reflow_height
F reflow_width
F set_construct
F set_reflow_height
F set_reflow_width

updaters (context)

apply function
register function

url (context)

| | |
|------------------|----------|
| addscheme | function |
| barepath | function |
| construct | function |
| decode | function |
| encode | function |
| escape | function |
| filename | function |

| | |
|--------------------|----------|
| hashed | function |
| hasscheme | function |
| query | function |
| split | function |
| toquery | function |
| unescape | function |
| unescapeget | function |

utf8 (basic lua)

char function
charpattern string
codepoint function

codes function
len function
offset function

utilities (context)

debugger

table

- F disable
- F enable
- F savestats
- F showstats
- F showtraceback

files

table

- F close
- F getposition
- F getsize
- F look
- F open
- F read2dot14
- F readbyte
- F readbytes
- F readbytetable
- F readcardinal
- F readcardinal1
- F readcardinal1le
- F readcardinal2
- F readcardinal2le
- F readcardinal3
- F readcardinal3le
- F readcardinal4
- F readcardinal4le
- F readcardinaltable
- F readchar
- F readfixed2
- F readfixed4
- F readinteger
- F readinteger1
- F readinteger1le
- F readinteger2
- F readinteger2le
- F readinteger3
- F readinteger3le
- F readinteger4
- F readinteger4le
- F readintegertable
- F readsignedbyte
- F readstring

- F readtag
- F setposition
- F size
- F skip
- F skiplong
- F skipposition
- F skipshort
- F writebyte
- F writecardinal1
- F writecardinal1le
- F writecardinal2
- F writecardinal2le
- F writecardinal3
- F writecardinal3le
- F writecardinal4
- F writecardinal4le
- F writeinteger1
- F writeinteger1le
- F writeinteger2
- F writeinteger2le
- F writeinteger3
- F writeinteger3le
- F writeinteger4
- F writeinteger4le
- F writestring

formatters

table

- F formatcolumns
- F list
- F stripzeros

garbagecollector

table

- F check
- N criterium
- B enabled

ghostscript

table

- F convert
- F statistics

graphicmagick

table

- F convert
- F statistics

graphicsmagick

table

- F convert

lua **table**

F statistics
 B alwaysstripcode
 F checkmemory
 F compile
 F loadedluacode
 F loadstring
 F loadstripped
 N nofstrippedbytes
 N nofstrippedchunks
 F registerfinalizer
 B stripcode
 T strippedchunks
 F strippedloadstring
 T suffixes
 S lua
 S luc
 S lui
 S luj
 S luv
 S tma
 S tmc
 S tua
 S tuc

packers **table**

F hashed
 F new
 F pack
 F simplehashed
 F strip
 F unpack
 N version

parsers **table**

F add_settings_to_array
 F arguments_to_table
 F array_to_string
 F csvsplitter
 F getparameters
 F groupedsplitat
 F hash_to_string
 T hashes
 T settings_to_set
 T min,max,fit,broad,auto
 B auto

B broad
 B fit
 B max
 B min
 T text,hidden,paper,page,leftpage,rightpage
 B hidden
 B leftpage
 B page
 B paper
 B rightpage
 B text
 F iterator
 F keq_to_hash
 F listitem
 F make_settings_to_hash_pattern
 F mergehashes
 F options_to_array
 F options_to_hash
 T patterns
 U settings_to_array
 U settings_to_hash_a
 U settings_to_hash_b
 U settings_to_hash_c
 U settings_to_hash_d
 U unittotex
 F process_stripped_settings
 F rfc4180splitter
 F runtime
 F settings_to_array
 F settings_to_array_obey_fences
 F settings_to_array_with_repeat
 F settings_to_hash
 F settings_to_hash_colon_too
 F settings_to_hash_strict
 F settings_to_hash_tolerant
 F settings_to_numbers
 F settings_to_set
 F simple_hash_to_string
 F splitmethod
 F splitthousands
 F stepper
 F stripped_settings_to_array
 F totime
 F unittotex

| | | | |
|--------------------|----------|---------------------|-------|
| F unittoxml | | F allocate | |
| randomizer | table | F checked | |
| F get | | F mark | |
| F getnumber | | F marked | |
| F getseed | | F setinitializer | |
| F popseed | | F sparse | |
| F pushseed | | streams | table |
| F reuseseed | | F close | |
| F setseed | | F getposition | |
| F setseedi | | F getsizes | |
| randomizers | table | F getstring | |
| F poisson | | F look | |
| report | function | F open | |
| sequencers | table | F openstring | |
| F appendaction | | F read2dot14 | |
| F appendgroup | | F read2dot4 | |
| F compile | | F readbyte | |
| F disableaction | | F readbytes | |
| F disablegroup | | F readbytetable | |
| F enableaction | | F readcardinal | |
| F enablegroup | | F readcardinal1 | |
| D functions | | F readcardinal2 | |
| F localize | | F readcardinal2le | |
| F new | | F readcardinal3 | |
| F nodeprocessor | | F readcardinal3le | |
| F prependaction | | F readcardinal4 | |
| F prependgroup | | F readcardinal4le | |
| F removeaction | | F readcardinaltable | |
| F replaceaction | | F readchar | |
| F setkind | | F readfixed2 | |
| F tostring | | F readfixed4 | |
| setters | table | F readinteger | |
| F disable | | F readinteger1 | |
| F enable | | F readinteger2 | |
| F initialize | | F readinteger2le | |
| F list | | F readinteger3 | |
| F new | | F readinteger3le | |
| F register | | F readinteger4 | |
| F report | | F readinteger4le | |
| F reset | | F readintegertable | |
| F show | | F readsignedbyte | |
| stacker | table | F readstring | |
| F new | | F setposition | |
| storage | table | F size | |

F skip
 F skipbytes
 F skiplong
 F skipshort
strings table
 F collapse
 F collapsecrlf
 T formatters
 F add
 F new
 F newcollector
 F newrepeater
 F nice
 T striplinepatterns
 U collapse
 U prune
 U prune and collapse
 U prune and no empty
 U prune and to space
 U retain
 U retain and collapse
 U retain and no empty
 F striplines
 F striplong
 F tabtospace
 T tracers

tables table
 F accesstable
 F definedtable
 F definetable
 F encapsulate
 F insertaftervalue
 F insertbeforevalue
 F migratetable
 F removevalue
 F replacevalue
templates table
 F load
 F replace
 F replacer
 F resolve
zipfiles table
 F close
 F found
 F gunzipfile
 F hash
 F list
 F open
 F unzip
 F unzipdir
 F zipdir

visualizers (context)

| | | | |
|------------------------------|------------|------------------------|------------|
| escapepatterns | data table | signal | string |
| getspecification | function | signalpattern | userdata |
| getvisualizer | function | specifications | data table |
| load | function | visualize | function |
| makenested | function | visualizebuffer | function |
| makepattern | function | visualizefile | function |
| newgrammar | function | visualizestring | function |
| newhandler | function | write | function |
| parsedxml | function | writeargument | function |
| pattern | function | writedefault | function |
| register | function | writeemptyline | function |
| registerescapecommand | function | writenewline | function |
| registerescapepline | function | writespace | function |
| registerescapepattern | function | | |

xcomplex (extra lua)

| | | | |
|----------------|----------|---------------|----------|
| I | function | F sqrt | |
| __add | function | F tan | |
| __div | function | F tanh | |
| __eq | function | F topair | |
| __index | table | F tostring | |
| F I | | F __mul | |
| F __add | | S __name | |
| F __div | | F __pow | |
| F __eq | | F __sub | |
| T __index | | F __tostring | |
| F I | | F __unm | |
| F __add | | F abs | |
| F __div | | F acos | |
| F __eq | | F acosh | |
| F __mul | | F arg | |
| S __name | | F asin | |
| F __pow | | F asinh | |
| F __sub | | F atan | |
| F __tostring | | F atanh | |
| F __unm | | F conj | |
| F abs | | F cos | |
| F acos | | F cosh | |
| F acosh | | F exp | |
| F arg | | F i | |
| F asin | | F imag | |
| F asinh | | F log | |
| F atan | | F new | |
| F atanh | | F pow | |
| F conj | | F proj | |
| F cos | | F real | |
| F cosh | | F sin | |
| F exp | | F sinh | |
| F i | | F sqrt | |
| F imag | | F tan | |
| F log | | F tanh | |
| F new | | F topair | |
| F pow | | F tostring | |
| F proj | | __mul | function |
| F real | | __name | string |
| F sin | | __pow | function |
| F sinh | | __sub | function |

| | | | |
|-------------------|----------|-----------------|----------|
| __tostring | function | i | function |
| __unm | function | imag | function |
| abs | function | log | function |
| acos | function | new | function |
| acosh | function | pow | function |
| arg | function | proj | function |
| asin | function | real | function |
| asinh | function | sin | function |
| atan | function | sinh | function |
| atanh | function | sqrt | function |
| conj | function | tan | function |
| cos | function | tanh | function |
| cosh | function | topair | function |
| exp | function | tostring | function |

xdecimal (context)

| | | |
|----------------|----------|----------------|
| __add | function | F min |
| __band | function | F minus |
| __bor | function | F new |
| __bxor | function | F plus |
| __div | function | F pow |
| __eq | function | F rotate |
| __index | table | F setprecision |
| F __add | | F shift |
| F __band | | F sqrt |
| F __bor | | F tonumber |
| F __bxor | | F tostring |
| F __div | | F trim |
| F __eq | | F __le |
| T __index | | F __lt |
| F __add | | F __mul |
| F __band | | S __name |
| F __bor | | F __pow |
| F __bxor | | F __shl |
| F __div | | F __shr |
| F __eq | | F __sub |
| F __le | | F __tostring |
| F __lt | | F __unm |
| F __mul | | F abs |
| S __name | | F band |
| F __pow | | F bor |
| F __shl | | F bxor |
| F __shr | | F conj |
| F __sub | | F copy |
| F __tostring | | F exp |
| F __unm | | F getprecision |
| F abs | | F ln |
| F band | | F log |
| F bor | | F max |
| F bxor | | F min |
| F conj | | F minus |
| F copy | | F new |
| F exp | | F plus |
| F getprecision | | F pow |
| F ln | | F rotate |
| F log | | F setprecision |
| F max | | F shift |

| | | | |
|-------------------------|----------|---------------------------|----------|
| <code>F sqrt</code> | | <code>copy</code> | function |
| <code>F tonumber</code> | | <code>exp</code> | function |
| <code>F tostring</code> | | <code>getprecision</code> | function |
| <code>F trim</code> | | <code>ln</code> | function |
| <code>__le</code> | function | <code>log</code> | function |
| <code>__lt</code> | function | <code>max</code> | function |
| <code>__mul</code> | function | <code>min</code> | function |
| <code>__name</code> | string | <code>minus</code> | function |
| <code>__pow</code> | function | <code>new</code> | function |
| <code>__shl</code> | function | <code>plus</code> | function |
| <code>__shr</code> | function | <code>pow</code> | function |
| <code>__sub</code> | function | <code>rotate</code> | function |
| <code>__tostring</code> | function | <code>setprecision</code> | function |
| <code>__unm</code> | function | <code>shift</code> | function |
| <code>abs</code> | function | <code>sqrt</code> | function |
| <code>band</code> | function | <code>tonumber</code> | function |
| <code>bor</code> | function | <code>tostring</code> | function |
| <code>bxor</code> | function | <code>trim</code> | function |
| <code>conj</code> | function | | |

xmath (extra lua)

| | | | |
|-----------------|----------|------------------|----------|
| acos | function | isnormal | function |
| acosh | function | j0 | function |
| asin | function | j1 | function |
| asinh | function | jn | function |
| atan | function | ldexp | function |
| atan2 | function | lgamma | function |
| atanh | function | log | function |
| cbrt | function | log10 | function |
| ceil | function | log1p | function |
| copysign | function | log2 | function |
| cos | function | logb | function |
| cosh | function | modf | function |
| deg | function | nan | number |
| erf | function | nearbyint | function |
| erfc | function | nextafter | function |
| exp | function | pi | number |
| exp2 | function | pow | function |
| expm1 | function | rad | function |
| fabs | function | remainder | function |
| fdim | function | remquo | function |
| floor | function | round | function |
| fma | function | scalbn | function |
| fmax | function | sin | function |
| fmin | function | sinh | function |
| fmod | function | sqrt | function |
| frexp | function | tan | function |
| gamma | function | tanh | function |
| hypot | function | tgamma | function |
| inf | number | trunc | function |
| isfinite | function | y0 | function |
| isinf | function | y1 | function |
| isnan | function | yn | function |

xml (context)

| | | | |
|-----------------------------|---------------------|------------------------|------------|
| addentitiesdoctype | function | F fontspecification | |
| addspecialcode | function | F mappedstylevalue | |
| after | function | F padding | |
| all | function | F size | |
| applylpath | function | F style | |
| applyselector | function | F stylevalue | |
| assign | function | F todimension | |
| attribute | function | F variant | |
| badinclusions | function | F weight | |
| before | function | defaulthandlers | table |
| body | function | D file | |
| builtinentities | table | D parsedxml | |
| B amp | | D string | |
| B apos | | D tex | |
| B gt | | D texline | |
| B lt | | D texspace | |
| B quot | | D verbose | |
| cdata | function | defaultprotocol | string |
| cdatatotext | function | delete | function |
| checkbom | function | delete_element | function |
| checkerror | function | despecialized | function |
| checknamespace | function | each | function |
| checkns | function | each_element | function |
| cleansed | function | elements | function |
| collect | function | elementtocdata | function |
| collect_elements | function | empty | function |
| collect_tags | function | entities | data table |
| collect_texts | function | erase | function |
| collected | function | errorhandler | function |
| collecttexts | function | escaped | function |
| compactelement | function | expressions | table |
| content | function | F attribute | |
| convert | function | F boolean | |
| copy | function | F child | |
| count | function | F contains | |
| cprint | function | F count | |
| css | table | F error | |
| F applyselector | | F find | |
| F colorspecification | | F hasclass | |
| F dimension | | F idstring | |
| F family | | F lower | |

| | | | |
|-------------------|----------|----------------------------|----------|
| F name | | F xml | |
| F number | | T xml | |
| F oneof | | F all | |
| F print | | F att | |
| F quit | | F attribute | |
| F tag | | F attributes | |
| F text | | F cdata | |
| F undefined | | F chainattribute | |
| F upper | | F count | |
| fillin | function | F default | |
| filter | function | F elements | |
| finalizers | table | F empty | |
| F paragraphs | | F first | |
| T tex | | F function | |
| F all | | F index | |
| F attribute | | F last | |
| F chainattribute | | F lowerall | |
| F chainpath | | F match | |
| F command | | F name | |
| F concat | | F position | |
| F concatrange | | F reverse | |
| F context | | F table | |
| F count | | F tag | |
| F ctxtext | | F tags | |
| F default | | F text | |
| F first | | F texts | |
| F function | | F upperall | |
| F index | | first | function |
| F last | | found | function |
| F lettered | | functions | table |
| F lower | | F classes | |
| F lowerall | | F hasclass | |
| F match | | getbuffer | function |
| F name | | gethandlers | function |
| F param | | gethandlersfunction | function |
| F parameter | | helpers | table |
| F position | | F recursetext | |
| F reverse | | include | function |
| F stripped | | inclusion | function |
| F tag | | inclusions | function |
| F tags | | index | function |
| F text | | inheritattributes | function |
| F upper | | inheritedconvert | function |
| F upperall | | inject | function |

| | | | |
|------------------------------|----------|----------------------------|----------|
| inject_element | function | process_attributes | function |
| inject_element_after | function | process_elements | function |
| inject_element_before | function | processattributes | function |
| injectafter | function | profiled | table |
| injectbefore | function | pure | function |
| insert | function | pushmatch | function |
| insert_element | function | raw | function |
| insert_element_after | function | registerentity | function |
| insert_element_before | function | registerns | function |
| insertafter | function | reindex | function |
| insertbefore | function | remap_name | function |
| insertcdata | function | remap_namespace | function |
| insertcomment | function | remap_tag | function |
| inspect | function | remapname | function |
| is_valid | function | remapnamespace | function |
| kind | function | remaptag | function |
| last | function | rename | function |
| lastmatch | function | renamespace | function |
| load | function | reparsedentitylpeg | userdata |
| lpath | function | replace | function |
| lpathcached | function | replace_element | function |
| lpathcalls | function | resetinjectors | function |
| lshow | function | resolvns | function |
| makestandalone | function | root | function |
| match | function | save | function |
| name | function | selection | function |
| newhandlers | function | separate | function |
| nodesettostring | function | serialize | function |
| originalload | function | serializetotext | function |
| package | function | setcdata | function |
| parent | function | setcomment | function |
| parsedentitylpeg | userdata | sethandlersfunction | function |
| pihandlers | table | setinjectors | function |
| F injector | | setproperty | function |
| F tex | | settings | function |
| placeholders | table | specialcodes | table |
| F unknown_any_entity | | S " | |
| F unknown_dec_entity | | S # | |
| F unknown_hex_entity | | S \$ | |
| popmatch | function | S % | |
| position | function | S & | |
| privatecodes | table | S ' | |
| privatetoken | function | S < | |
| process | function | S > | |

| | | | |
|---------------------------------|----------|----------------------------------|----------|
| <code>s \</code> | | <code>tocdata</code> | function |
| <code>s {</code> | | <code>toelement</code> | function |
| <code>s </code> | | <code>tostring</code> | function |
| <code>s }</code> | | <code>totable</code> | function |
| <code>s ~</code> | | <code>toxml</code> | function |
| <code>specialhandler</code> | table | <code>tprint</code> | function |
| <code>sprint</code> | function | <code>traverse</code> | function |
| <code>string</code> | function | <code>unescaped</code> | function |
| <code>strip</code> | function | <code>unescapedentitylpeg</code> | userdata |
| <code>strip_whitespace</code> | function | <code>unprivatized</code> | function |
| <code>stripelement</code> | function | <code>unspecialized</code> | function |
| <code>stripleadingspaces</code> | function | <code>wipe</code> | function |
| <code>table</code> | function | <code>withelement</code> | function |
| <code>text</code> | function | <code>withelements</code> | function |
| <code>textonly</code> | function | <code>wrap</code> | function |
| <code>texttocdata</code> | function | <code>xmlns</code> | table |

xzip (extra lua)

adler32 function
compress function
crc32 function

decompress function
expandsize function

zip (extra lua)

archives

table

closearchive

function

openarchive

function

registeredfiles

table

zlib (extra lua)

adler32 function
compress function
crc32 function

decompress function
expandsize function