

MP attributes backends **basexx** **bit32** blobs
boolean buffers builders caches **callback**
callbacks catcodes characters chemistry
commands containers context converters
coroutine ctxrunner **debug** dir directives
document documentdata drivers environment
experiments figures **file** **fio** floats **font** fonts
functions global graphics **gzip** images
interactions interfaces **io** job **language**
languages layouts **lfs** libraries lmx loaders
logs lpdf **lpeg** **lua** luatex lxml **math**
mathematics **md5** metapost **mime** moduledata
modules mp **mplib** noads **node** nodes number
objects optional **os** **package** pagebuilders
parametersets **pdf** **pdfdecode** **pdfe** physics
pngdecode publications regimes resolvers
sandbox scripts set **sha2** **sio** **socket** sorters
sparse statistics **status** storage streams
string structures **table** **tex** texconditionals
texconfig texconstants texifs **texio**
texisdefined texmodes texsystemmodes thirddata
token tokens tracers trackers typesetters
updaters url userdata **utf8** utilities
visualizers **xcomplex** **xdecimal** **xmath** xml **xzip**
zip **zlib**

ConT_EXt LMTX

global (alias: _G)

CONTEXTLMTXMODE	number	directives	table
FFISUPPORTED	boolean	document	table
LUAMAJORVERSION	number	documentdata	table
LUAMINORVERSION	number	dofile	function
LUATEXENGINE	string	drivers	table
LUATEXFORMATID	number	environment	table
LUATEXFUNCTIONALITY	number	error	function
LUATEXVERSION	number	experiments	table
LUAVERSION	number	figures	table
MP	function	file	table
arg	table	fio	table
asnumber_p	function	floats	table
assert	function	flushsimplerule	function
attributes	table	flushspecialrule	function
backends	table	font	table
basexx	table	fonts	table
bit32	table	functions	table
blobs	table	getmetatable	function
blockrequire	function	getscriptstatus	function
boolean	table	global	table
buffers	table	graphics	table
builders	table	gzip	table
caches	table	handledefinitions	function
callback	table	handletransformstring	function
callbacks	table	images	table
catcodes	table	inspect	function
characters	table	interactions	table
checkimage	function	interfaces	table
chemistry	table	io	table
collectgarbage	function	ipairs	function
commands	table	job	table
containers	table	language	table
context	function	languages	table
converters	table	layouts	table
coroutine	table	lfs	table
createmask	function	libraries	table
ctxrunner	table	lmx	table
data	table	load	function
debug	table	loaders	data table
dimen	function	loadfile	function
dir	table	loadstring	function

logs	table	regimes	table
lpdf	table	require	function
lpeg	table	required	function
lua	table	resolvers	table
luatex	table	ruledspace	function
lxml	table	sandbox	table
math	table	scripts	table
mathematics	table	select	function
md5	table	set	table
metapost	table	setinspector	function
mime	table	setmetatable	function
moduledata	table	setsplitlisthtdp	function
modules	table	sha2	table
mp	function	shipbox_ref_h	number
mplib	table	shipbox_ref_v	number
next	function	sio	table
noads	table	socket	table
node	table	sorters	table
nodes	table	sparse	table
number	table	statistics	table
objects	table	status	table
optional	table	storage	table
optionalrequire	function	streams	table
os	table	string	table
p_number_p	userdata	structures	table
p_number_u	userdata	table	table
package	table	tex	table
pagebuilders	table	texconditionals	data table
pairs	function	texconfig	table
parametersets	table	texconstants	data table
pcall	function	texifs	data table
pdf	table	texio	table
pdfdecode	table	texisdefined	data table
pdfe	table	texmodes	data table
physics	table	texsystemmodes	data table
pngdecode	table	thirddata	table
popleaderlevel	function	toboollean	function
print	function	todecimal	function
publications	table	token	table
pushleaderlevel	function	tokens	table
rawequal	function	tonumber	function
rawget	function	tostring	function
rawlen	function	tracers	table
rawset	function	trackers	table

type	function	warn	function
typesetters	table	xcomplex	table
unpack	function	xdecimal	table
updaters	table	xmath	table
url	table	xml	table
userdata	table	xpcall	function
utf	table	xzip	table
utf8	table	zip	table
utilities	table	zlib	table
visualizers	table		

attributes (context)

alternates table

N attribute
D data
F enable
F handler
F register
D registered
D values

applyoverloads function

colorintents table

N attribute
D data
F enable
F handler
F register
D registered

colors table

N attribute
F cmyk
F cmyktogray
F cmyktorgb
F colorcomponents
D counts
B couple
F currentmodel
F currentnamedmodel
D data
N default
F defineintermediatecolor
F definemultitonecolor
F defineprocesscolor
F defineprocesscolordirect
F definesimplegray
F definespotcolor
F definetransparency
F enable
F filter
N forced
F forcedmodel
F forcesupport
F formatcolor

F formatgray
F getpagecolormodel
F gray
F graytohsv
F handler
T helpers
F complement
F inbetween
F justone
F hsvtogray
F hsvtorgb
F hwbtorgb
F iccprofile
F isblack
F labtorgb
F labtoxyz
N main
S model
D models
F mpcolor
F mpnamedcolor
F mpoptions
F namedcolorattributes
N none
F popset
F processcolorcomponents
F pushset
F register
D registered
F registerspotcolor
F rgb
F rgbtocmyk
F rgbtogray
F rgbtohsv
F rgbtoxyz
N selector
F setlist
F setmodel
F setpagecolormodel
D sets
F spec

F spot		F disabletriggering	
F spotcolorname		F enabletriggering	
F spotcolorparent		F finalize	
F spotcolorvalue		F initialize	
B supported		F process	
F toattributes		F selective	
F transparencycomponents		F simple	
B triggering		F stacked	
F usecolors		F stacker	
D valid		system	function
F value		tooverloads	function
D values		transparencies	table
B weightgray		N attribute	
F xyztolab		D data	
F xyztorgb		F enable	
define	function	F forcesupport	
effects	table	F handler	
N attribute		T names	
D data		N color	
F enable		N colorburn	
F handler		N colordodge	
F register		N darken	
D registered		N difference	
D values		N exclusion	
handlers	table	N hardlight	
list	data table	N hue	
markasoverload	function	N lighten	
names	data table	N luminosity	
negatives	table	N multiply	
N attribute		N none	
D data		N normal	
F enable		N overlay	
F handler		N saturation	
F register		N screen	
D registered		N softlight	
F set		N none	
numbers	data table	F register	
ofnode	function	D registered	
private	function	B supported	
public	function	F toattribute	
restore	function	B triggering	
save	function	F value	
showcurrent	function	D values	
states	table	unsetvalue	number

viewerlayers table

N attribute
F cleanup
D data
F define
F definedlayoutcomponent
F enable
F forcesupport
F handler
B hasorder
D listwise
F register

D registered
F resolve_begin
F resolve_end
F resolve_reset
F resolve_step
D scopes
F setfeatures
F start
F stop
B supported
D values

backends (context)

closeout function

codeinjections table

F boxresourcedimensions

F registerboxresource

F restoreboxresource

current string

defaults table

T codeinjections

T nodeinjections

T registrations

D tables

getcallbackstate function

included table

B context

B date

B id

B metadata

B pdf

install function

latelua function

nodeinjections table

nothing function

openout function

pdf table

T codeinjections

F addbookmarks

F analyzenormalsymbol

F analyzesymbol

F attachmentid

F bitmap

F clonefield

F copyimage

F definefield

F definefieldset

F defineviewerlayer

F embedfile

F embedimage

F enabletags

F exportformdata

F fieldsurrounding

F flushmergelayer

F getbookmarks

F getdefaultfieldvalue

F getfieldcategory

F getfieldset

F getformatoption

F getidentityvariable

F getinfo

F getpreviewfigure

F insertrenderingwindow

F jp2

F jpg

F maptag

F mergebookmarks

F mergecomments

F mergefields

F mergereferences

F mergeviewerlayers

F newimage

F png

F prerollreference

F presetsymbol

F presetsymbollist

F processrendering

F registerdocumentcloseaction

F registerdocumentopenaction

F registeredsymbol

F registerpagecloseaction

F registerpageopenaction

F registerpattern

F registersymbol

F scanimage

F setattachmentsupport

F setfieldcalculationset

F setfigurealternative

F setfigurecolorspace

F setfiguremask

F setformat

F setformsmethod

F setpagetransition

F settaggingsupport

F setupidentity

F setxmpfile	F knockout	
F startlayer	F negative	
F startunicodetoactualtext	F overprint	
F startunicodetoactualtextdirect	F positive	
F stoplayer	F reference	
F stopunicodetoactualtext	F rgbcolor	
F stopunicodetoactualtextdirect	F spotcolor	
F supportedformats	F startalternate	
F unicodetoactualtext	F startlayer	
F useviewerlayer	F startstackedlayer	
F validfield	F stopalternate	
F validfieldcategory	F stoplayer	
F validfieldset	F stopstackedlayer	
F wrapimage	F transparency	
S comment	F typesetfield	
T nodeinjections	T registrations	
F addtags	F cmykindexcolor	
F annotation	F cmykspotcolor	
F attachfile	F getspotcolorreference	
F changestackedlayer	F grayindexcolor	
F cmykcolor	F grayspotcolor	
F comment	F rgbindexcolor	
F destination	F rgbspotcolor	
F effect	F spotcolorname	
F graycolor	F transparency	
F injectbitmap	T tables	
F insertmovie	registrations	table
F insertsound	tables	table
F insertu3d	writeout	function

basexx (extra lua)

decode16 function

decode64 function

decode85 function

decodeLZW function

decodeRL function

encode16 function

encode64 function

encode85 function

encodeLZW function

encodeRL function

bit32 (basic lua)

arshift function
band function
bnot function
bor function
btest function
bxor function

extract function
lrotate function
lshift function
replace function
rrotate function
rshift function

blobs (context)

append	function
dimensions	function
dispose	function
new	function
pack	function
strdp	function
strhd	function

strht	function
strwd	function
tohpack	function
tonodes	function
tovpack	function
write	function

boolean (context)

tocontext function

tonumber function

buffers (context)

append	function	F define	
assign	function	F hassomecontent	
collectcontent	function	F next	
erase	function	F place	
exists	function	F reset	
get	function	F save	
getcontent	function	prepend	function
getlines	function	raw	function
gettexbuffer	function	run	function
loadcontent	function	samplefile	function
parallel	table	undent	function

builders (context)

checkparcontext function
checksidefloat function
kernel table

- F collapsing
- F hyphenating
- F kerning
- F ligaturing
- F mlisttohlist

paragraphs table

- T constructors
 - N attribute
 - F define
 - F disable
 - F enable
 - F handler
- T methods
 - F basic
 - F default
 - F hpack
 - F oneline
- D names
- D numbers
- F set
- F start
- F stop
- T expansion
 - F trace
- F kepttogether
- F registertogether
- T solutions
 - T splitters
 - F define
 - F optimize
 - T registered
 - F reset
 - F set
 - F split
 - F start
 - F stop

F tag
profiling table

- F add
- F distance
- F fixedprofile
- F get
- F list
- F pagehandler
- F profilebox
- F set

vsparing table

- D categories
- F checkstrutdepth
- F collapsevbox
- T data
 - D map
 - D skip
 - D snapmethods
- F definesnapmethod
- B fixed
- F forcepageflush
- F forcestrutdepth
- F getnofpreviouslines
- F inject
- F injectdisable
- F injectpenalty
- F injectskip
- F pagehandler
- F pageoverflow
- F popatsame
- F pushatsame
- F setmap
- F setskip
- F snapbox
- F synchronizepage
- F tocategories
- F tocategory
- F vboxhandler

cache (context)

base	string	loadcontent	function
collapsecontent	function	loaddata	function
configfiles	function	more	string
contentstate	function	savecontent	function
defaults	table	savadata	function
getfirstreadablefile	function	setfirstwritablefile	function
getreadablepaths	function	setluanames	function
getwritablepath	function	treehash	function
hashed	function	usedpaths	function
is_writable	function		

callback (basic tex)

find function
known function
list function

register overloaded function
usage function

callbacks (context)

freeze function

functions table

F start_page_number

F stop_page_number

known function

list data table

pop function

push function

register function

report function

supported table

B append_to_vlist_filter

B begin_paragraph

B build_page_insert

B buildpage_filter

B contribute_filter

B define_font

B find_format_file

B find_log_file

B get_attribute

B glyph_run

B handle_overload

B hpack_filter

B hpack_quality

B hyphenate

B insert_par

B intercept_lua_error

B intercept_tex_error

B kerning

B ligaturing

B linebreak_filter

B make_extensible

B missing_character

B mlist_to_hlist

B open_data_file

B paragraph_context

B post_linebreak_filter

B pre_dump

B pre_linebreak_filter

B pre_output_filter

B process_jobname

B register_extensible

B show_error_message

B show_lua_call

B show_warning_message

B show_whatsit

B start_file

B start_run

B stop_file

B stop_run

B trace_memory

B vpack_filter

B vpack_quality

B wrapup_run

catcodes (context)

names data table

numbers data table

register function

characters (context)

adobename	function	T anudatta	
bidirectional	data table	T before_half	
blockrange	function	T before_main	
blocks	data table	T before_postscript	
casemap	table	T before_subscript	
categories	data table	T below_mark	
category	function	T consonant	
categorytags	data table	T dependent_vowel	
classifiers	table	T halant	
collapsed	data table	T independent_vowel	
combined	data table	T nukta	
contextname	function	T post_mark	
csletters	data table	T pre_mark	
data	data table	T ra	
decomposed	data table	T stress_tone_mark	
description	function	T twopart_mark	
descriptions	data table	T vowel_modifier	
detailltags	data table	initialize	function
directions	table	is_character	data table
emoji	table	is_command	data table
F compact		is_hyphenator	data table
F known		is_letter	data table
F resolve		is_mark	data table
emojized	function	is_punctuation	data table
encodes	data table	is_spacing	data table
entities	data table	is_symbol	data table
fallbacks	data table	lcchars	data table
filters	data table	lccode	function
fractions	table	lccodes	data table
fromnumber	function	lettered	function
fschars	data table	lhash	data table
fscodes	data table	linebreaks	data table
getrange	function	lower	function
graphemes	data table	mathlists	data table
hangul	data table	mirrors	table
indigroups	table	otfscripts	data table
T above_mark		private	table
T after_half		ranges	data table
T after_main		registerentities	function
T after_postscript		remap_hangul_syllable	function
T after_subscript		scripthash	table

setactivecatcodes	function	D accentmapping	
setlettercatcodes	function	D commandmapping	
setothercatcodes	function	F defineaccents	
shape	function	F safechar	
shaped	function	F strtoutf	
shash	data table	F strtoutfpattern	
shchars	data table	F toutf	
shcodes	data table	F toutfpattern	
showstring	function	textclasses	table
specialchars	data table	tonumber	function
specials	data table	ucchars	data table
splits	table	uccode	function
T char		uccodes	data table
T compat		uhash	data table
subscripts	table	unicodechar	function
superscripts	table	upper	function
synonyms	data table	verbosemarks	data table
tex	table		

chemistry (context)

component	function	method	string
define	function	molecule	function
definitions	data table	moleculeparser	userdata
format	string	start	function
inlinechemical	function	stop	function
instance	string	undefine	function

containers (context)

cleanname function
content function
define function
is_usable function

is_valid function
read function
usecache boolean
write function

converters (context)

A	function	cn-c	function
A:es	function	convert	function
A:ru	function	decimals	function
A:sl	function	define	function
AK	function	gregorian_to_hebrew	function
Alphabetic	function	gregorian_to_jalali	function
Alphabetic:es	function	hebrewnumerals	function
Alphabetic:ru	function	helpers	table
Alphabetic:sl	function	hexstringtonumber	function
Character	function	i	function
Characters	function	isleapyear	function
I	function	jalali_to_gregorian	function
KA	function	lchexnumber	function
KR	function	lchexnumbers	function
R	function	leapyear	function
RK	function	lower	function
Romannumerals	function	max	function
Russiannumerals	function	maxchrs	function
Sloveniannumerals	function	nicenumber	function
Spanishnumerals	function	nofdays	function
Word	function	number	function
Words	function	numbers	function
a	function	octnumber	function
a:es	function	octstringtonumber	function
a:ru	function	ordinal	function
a:sl	function	r	function
abjadnodotnumerals	function	rawcharacter	function
abjadnumerals	function	romannumerals	function
alphabetic	function	russiannumerals	function
alphabetic:es	function	sequences	data table
alphabetic:ru	function	settime	function
alphabetic:sl	function	sloveniannumerals	function
character	function	spaceddigits	function
characters	function	spanishnumerals	function
chineseallnumerals	function	textime	function
chinesecapnumerals	function	toabjad	function
chinesenumerals	function	tochinese	function
chr	function	tohebrew	function
chrs	function	toroman	function
cn	function	totime	function
cn-a	function	uchexnumber	function

uchexnumbers

upper

verbose

D data

function

function

table

F translate

weekday

word

words

function

function

function

coroutine (basic lua)

close function
create function
isyieldable function
resume function

running function
status function
wrap function
yield function

ctxrunner (context)

load	function	prepfiles	data table
preparedfile	function	resolve	function

data (context)

action	function	prerolled	string
depth	number	width	number
height	number		

debug (basic lua)

getinfo function

sethook function

traceback function

dir (context)

collectpattern	function
current	function
expandname	function
found	function
glob	function
globdirs	function
globfiles	function

globpattern	function
ls	function
makedirs	function
mkdirs	function
pop	function
push	function

directives (context)

data	data table
default	function
disable	function
done	table
enable	function
list	function
name	string

register	function
report	function
reset	function
show	function
value	function
values	function

document (context)

arguments	data table		D modes	
files	table		D modules	
functions	table	setargument		function
getargument	function	setcommandline		function
getfilename	function	setdefaultargument		function
options	table	setenvironments		function
T commandline		setfilename		function
D environments		setfilenames		function
D modes		setmodes		function
D modules		setmodules		function
T ctxfile		variables		data table
D environments				

documentdata (context)

variable function

drivers (context)

applyanchor	function	F wrapup
convert	function	T flushers
converters	table	F character
F analyze		F popleaderlevel
F engine		F pushleaderlevel
F lmtx		F rule
F resyncbox		F simplerule
enable	function	F specialrule
gethpos	function	F updatefontstate
getpos	function	T whatsit
getrpos	function	S name
getvpos	function	T json
helpers	table	T actions
install	function	F cleanup
instances	table	F convert
T default		F finalize
T actions		F initialize
F convert		F outputfilename
F outputfilename		F prepare
T flushers		F wrapup
F popleaderlevel		T flushers
F pushleaderlevel		F character
T whatsit		F popleaderlevel
S name		F pushleaderlevel
T empty		F rule
T actions		F simplerule
F convert		F specialrule
F prepare		F updatefontstate
T flushers		T whatsit
F popleaderlevel		S name
F pushleaderlevel		T lua
T whatsit		T actions
S name		F cleanup
T js		F convert
T actions		F finalize
F cleanup		F initialize
F convert		F outputfilename
F finalize		F prepare
F initialize		F wrapup
F outputfilename		T flushers
F prepare		F character

F popleaderlevel	F pushleaderlevel
F pushleaderlevel	T Whatsit
F rule	S name
F simplerule	T pdf
F specialrule	T actions
F updatefontstate	F cleanup
T Whatsit	F convert
S name	F finalize
T mpo	F initialize
T actions	F outputfilename
F finalize	F prepare
F initialize	F wrapup
T flushers	T flushers
F character	F character
F popleaderlevel	F fontchar
F pushleaderlevel	F group
F rule	F image
F simplerule	F literal
F specialrule	F popleaderlevel
T Whatsit	F poporientation
S name	F pushleaderlevel
T mps	F pushorientation
T actions	F restore
F cleanup	F rule
F convert	F save
F finalize	F setmatrix
F initialize	F setstate
F outputfilename	F simplerule
F prepare	F specialrule
F wrapup	F startclipping
T flushers	F startmatrix
F character	F startmirroring
F popleaderlevel	F startrotation
F pushleaderlevel	F startscaling
F rule	F stopclipping
F simplerule	F stopmatrix
F specialrule	F stopmirroring
F updatefontstate	F stoprotation
T Whatsit	F stopscaling
S name	F updatefontstate
T none	T Whatsit
T actions	S name
T flushers	lmtxversion number
F popleaderlevel	

outputfilename	function
report	function

environment (context)

argument	function	luafile	function
arguments	data table	luafilechunk	function
basicengines	data table	luatexengine	string
currentrun	number	luatexfunctionality	number
definefilefallback	function	luatexversion	number
definefilesynonym	function	maxnofruns	number
engineflags	data table	oldhome	string
filename	string	originalarguments	data table
filenames	table	outputfilename	string
files	table	ownbin	string
filesynonyms	data table	ownmain	string
forcedruns	number	ownname	string
getargument	function	ownpath	string
homedir	string	prerollrun	boolean
initex	boolean	rawarguments	data table
initexmode	boolean	reconstructcommandline	function
initializearguments	function	relativepath	function
initializefilenames	function	setargument	function
inputfilebarename	string	splitarguments	function
inputfilename	string	suffix	string
inputfilesuffix	string	texfile	function
jitsupported	boolean	texmfos	string
jobfilefullname	string	texos	string
jobfilename	string	texroot	string
jobfilesuffix	string	truefilename	function
jobname	string	uselua module	function
kindofrun	number	usemodules	function
lmtxmode	number	validengines	data table
loadexamodes	function	version	string
loadluafile	function		

experiments (context)

data	data table	register	function
default	function	report	function
disable	function	reset	function
done	table	show	function
enable	function	value	function
list	function	values	function
name	string		

figures (context)

applyratio	function	F scan	
badname	function	F serialize	
bases	data table	T sizes	
bitmapimage	function	B art	
boxnumber	number	B bleed	
cachepaths	data table	B crop	
check	function	B media	
checkers	data table	B none	
converters	data table	B trim	
current	function	F storedata	
defaultdepth	number	F totable	
defaultheight	number	T types	
defaultsearch	boolean	N jbig2	
defaultwidth	number	N jp2	
done	function	N jpg	
dummy	function	N none	
exists	data table	N pdf	
exists	function	N png	
formats	data table	N stream	
found	data table	F wrap	
get	function	include	function
getinfo	function	includers	data table
getpdfinfo	function	initialize	function
getrealpage	function	loaded	data table
guess	function	localpaths	data table
guessfromstring	function	magics	data table
hash	function	mergegoodies	function
identifiers	data table	nofmissing	number
identify	function	nofprocessed	number
images	table	order	data table
F check		paths	data table
F checksize		patterns	data table
F copy		pop	function
F create		preferquality	boolean
F embed		programs	data table
F embedfromstore		push	function
F fetchdata		registerpattern	function
T keys		registerresource	function
F print		registersuffix	function
F resetdata		remappers	data table
F resetstore		resources	data table

scale	function	setpaths	function
set	function	suffixes	data table
setlookups	function	used	data table
setorder	function		

file (basic lua)

addsuffix	function
basename	function
checksum	function
collapsepath	function
copy	function
dirname	function
expandname	function
extname	function
is_qualified_path	function
is_readable	function
is_rootbased_path	function
is_writable	function
isreadable	function
iswritable	function
join	function
joinpath	function
loadchecksum	function
nameonly	function
nametotable	function
needs Updating	function

needsupdating	function
pathpart	function
readdata	function
removesuffix	function
replacesuffix	function
reslash	function
robustname	function
savechecksum	function
savedata	function
size	function
splitbase	function
splitname	function
splitpath	function
strip	function
suffix	function
suffixes	function
suffixesonly	function
suffixonly	function
syncmtimes	function
withinbase	function

fio (extra lua)

getposition	function
read2dot14	function
readbytes	function
readbytetable	function
readcardinal1	function
readcardinal1le	function
readcardinal2	function
readcardinal2le	function
readcardinal3	function
readcardinal3le	function
readcardinal4	function
readcardinal4le	function
readcardinaltable	function
readcline	function
readcstring	function
readfixed2	function
readfixed4	function
readinteger1	function

readinteger1le	function
readinteger2	function
readinteger2le	function
readinteger3	function
readinteger3le	function
readinteger4	function
readinteger4le	function
readintegertable	function
setposition	function
skipposition	function
writecardinal1	function
writecardinal1le	function
writecardinal2	function
writecardinal2le	function
writecardinal3	function
writecardinal3le	function
writecardinal4	function
writecardinal4le	function

floats (context)

analysemethod	function	nofstacked	function
checkedpagefloat	function	pop	function
collect	function	push	function
consult	function	resave	function
flush	function	save	function
getvariable	function	stacked	function
hasstacked	function		

font (basic tex)

addcharacters	function
current	function
define	function
getfont	function
getfontdimen	function

id	function
max	function
nextid	function
setfont	function
setfontdimen	function

fonts (context)

analyzers	table	
D features		F currentfonthasfeature
D initializers		D designsizes
D methods		F enhanceparameters
F setstate		T enhancers
D states		T afm
B useunicodemarks		F apply
checkers	table	F patch
F getmissing		T patches
D mapping		F register
F missing		F report
F placeholder		F register
cid	table	F report
F getmap		T otf
F loadfile		F addfeature
collections	table	F apply
F checkenabled		F enhance
F clonevector		F patch
F define		T patches
T definitions		F register
F found		F report
F prepare		F register
F process		F report
F register		T tfm
F registermain		F apply
F report		F patch
F reset		T patches
T vectors		F register
constructors	table	F report
F addcharacters		F register
F addcoreunicodes		F report
F aftercopyingcharacters		N factor
F applyfinalizers		T features
F applymanipulators		D afm
F assignmathparameters		D otf
F beforecopyingcharacters		D tfm
D cache		F finalize
F calculatescale		F getfeatureaction
F checkedfeatures		F getmathparameter
F checkedfilename		F getprivate
F collectprocessors		T handlers
		T afm

B autoprefixed	F getalternate
D cache	F getgsub
D features	F getkern
F getkern	F getmultiple
T helpdata	F getstreamhash
D bothkerned	F getsubstitution
D leftkerned	T handlers
D ligatures	F ctx_camelcasing
D rightkerned	F devanagari_remove_joiners
D texligatures	F devanagari_reorder_matras
F load	F devanagari_reorder_pre_base_reordering_consonants
T readers	F devanagari_reorder_reph
F getinfo	F gpos_context
F loadfont	F gpos_contextchain
F loadshapes	F gpos_cursive
F setfeatures	F gpos_mark2base
B syncspace	F gpos_mark2ligature
N version	F gpos_mark2mark
T otf	F gpos_pair
F addfeature	F gpos_single
F basemodeinitializer	F gsub_alternate
D cache	F gsub_context
F collectlookups	F gsub_contextchain
T coverup	F gsub_ligature
T actions	F gsub_multiple
F alternate	F gsub_reversecontextchain
F chainposition	F gsub_single
F chainsubstitution	F trigger_space_kerns
F kern	T helpers
F ligature	F blockligatures
F multiple	F pardirstate
F pair	F txtfirststate
F single	F load
F substitution	F loadoutlinedata
F register	F loadstreamdata
S stepkey	F modeinitializer
F dataset	D mpscache
F datasetpositionprocessor	D pdfcache
S defaultbasealternate	F plugininitializer
S defaultnodealternate	F pluginprocessor
D features	T plugins
F featuresinitializer	T text
F featuresprocessor	D pngcache
F getactualtext	B pngenabled

T readers	F single
F addunicodetable	F gvar
F avar	F head
F cbdt	T helpers
F cblc	F axistofactors
F cff	F cleanname
F cff2	F getaxisscale
F cffcheck	F getfactors
T cffencoder	F getscales
F checkhash	F gotodatatable
F cmap	F normalizedaxis
F colr	T normalizedaxisishash
F compact	F readvariationdata
F cpal	F reportskippedtable
F ebdt	F setvariabledata
F eblc	F hhea
F ebsc	F hmtx
F expand	F hvar
F extend	F kern
F fvar	F loadfont
F gdef	F loadshapes
F getcomponents	F loca
F getinfo	F math
F glyf	F maxp
F gpos	F mvar
T gposhandlers	F name
F chainedcontext	F os/2
F context	F pack
F cursive	F parsecharstrings
F extension	F post
F marktobase	F registerextender
F marktoligature	F rehash
F marktomark	F sbix
F pair	F stat
F single	T streamreader
F gsub	F close
T gsubhandlers	F getposition
F alternate	F getsize
F chainedcontext	F look
F context	F open
F extension	F read2dot14
F ligature	F readbyte
F multiple	F readbytes
F reversechainedcontextsingle	F readbytetable

F readcardinal	F writeinteger1le
F readcardinal1	F writeinteger2
F readcardinal1le	F writeinteger2le
F readcardinal2	F writeinteger3
F readcardinal2le	F writeinteger3le
F readcardinal3	F writeinteger4
F readcardinal3le	F writeinteger4le
F readcardinal4	F writestring
F readcardinal4le	F stripredundant
F readcardinaltable	F svg
F readchar	N tableversion
F readcline	F unifymissing
F readcstring	F unpack
F readfixed2	F vhea
F readfixed4	F vmtx
F readinteger	F vorg
F readinteger1	F vvar
F readinteger1le	F woff2otf
F readinteger2	F registerpalette
F readinteger2le	F registerplugin
F readinteger3	F reorderlookups
F readinteger3le	F scriptandlanguage
F readinteger4	F setdynamics
F readinteger4le	F setfeatures
F readintegertable	T statistics
F readsignedbyte	D usedfeatures
F readstring	D svgcache
F readtag	B svgenabled
F setposition	T tables
F size	D baselines
F skip	D features
F skiplong	D featuretypes
F skipposition	D languages
F skipshort	D scripts
F writebyte	F texthandler
F writecardinal1	N version
F writecardinal1le	T pfb
F writecardinal2	F loadvector
F writecardinal2le	T tfm
F writecardinal3	D cache
F writecardinal3le	D features
F writecardinal4	N maxnestingdepth
F writecardinal4le	N maxnestingsize
F writeinteger1	T readers

F loadpk
 F loadtfm
 F loadtfmfvf
 F loadvfvf
 F pktopdf
 F showpk
 F reencode
 F setfeatures
 N version
 T vf
 T combinations
 F combine
 T combiner
 D commands
 D helpers
 D math
 N version
 D whatever
 F hashfeatures
 F hashinstance
 T hashmethods
 F normal
 F virtual
 F initializefeatures
 D loadedfonts
 N noffontsloaded
 N nofsharedfonts
 N nofsharedhashes
 N nofsharedvectors
 N privateoffset
 D privateslots
 F readanddefine
 F registerfeature
 F resetfeature
 B resolvevirtualtoo
 F scale
 F scaled
 F setfactor
 F setfeature
 F setmathparameter
 F setname
 B sharefonts
 F trytosharefont
 N version

current function
currentid function
definers table

F addlookup
 F analyze
 F applypostprocessors
 F checkedmode
 F checkedscript
 S defaultlookup
 F define
 F getspecification
 F internal
 F loadfont
 F makespecification
 T methods
 F install
 D variants
 F read
 F register
 F registered
 F registerfallbackfont
 F registersplit
 F resetnullfont
 F resolve
 T resolvers
 F file
 F name
 F spec

definetypface function
dropins table

F clone
 F getshape
 F getshapes
 F nextid
 F provide
 F registerglyph
 F registerglyphs
 F swap
 F swapone

encodings table

T agl
 D ctxcodes
 D extras
 D names

D synonyms		T bottomright	
D unicodes		S name	
D cache		S version	
F is_known		D designsizes	
D known		D filenames	
F load		F getcompositions	
F make_unicode_vector		T list	
D math		F load	
N version		F prepare_features	
enhanceid	function	F register	
expansions	data table	F registerpostprocessor	
formats	data table	F report	
getalternate	function	T suffixes	
getindices	function	handlers	table
getkern	function	hashes	table
getmultiple	function	D characters	
getsubstitution	function	D classes	
getters	table	D csnames	
T alternate		D descriptions	
F opentype		D dynamics	
T kern		D emwidths	
F opentype		D exheights	
F type1		D extensibles	
F type3		D features	
T multiple		D identifiers	
F opentype		D italics	
T substitution		D lastmathids	
F opentype		D marks	
goodies	table	D mathparameters	
D colorschemes		D modes	
T data		D originals	
T dejavu-math		D parameters	
S author		T processes	
S comment		D properties	
S copyright		D quads	
B initialized		D resources	
T mathematics		T setdynamics	
T alternates		T shapes	
T dotless		D spaces	
S comment		D spacings	
S feature		T streams	
N value		D unicodes	
T kerns		D variants	
T *:0x1D449		D xheights	

helpers table

F addextraprivate
F addprivate
F appendcommands
F appendcommandtable
F checkflags
F checkmerge
F checksteps
F collectanchors
F combineglyphs
D commands
F composecharacters
F descriptiontoslot
F dimenfactor
F expandglyph
T extraprivates
F fontpatternhassize
F getcoloredglyphs
F getdigitwidth
F getinstancespec
F getparameters
F getprivatecharornode
F getprivatenode
F getprivates
F getprivateslot
F hasprivate
F indextoslot
F mathscriptslots
F name
F nametoslot
F newprivateslot
F prependcommands
F prependcommandtable
F privateslot
F registerglyphbox
F scalecommands
F setboxdirectly
F setboxglyph
F setboxglyphs
F setdigitwidth
F setmetaglyph
F setmetaglyphs
F splitfontpattern
F tochar

T vfinjectors
F pdf
F startcolor
F stopcolor
T vfspecials
T backgrounds
T outlines

infofont function

iterators table

F characters
F descriptions
F glyphs

loggers table

F format
F onetimemessage
F register
F reportdefinedfonts
F reportusedfeatures

mappings table

F addtounicode
F fromunicode16
F getentry
F loadfile
F loadline
F makenameparser
D overloads
F reset
F tounicode
F tounicode16
F tounicode16sequence

metapost table

F boundingbox
F boxtomp
F draw
F fill
F glyph
F maxbounds
F paths
F widthline
F zeroline

names data table

nulldata data table

privateoffsets table

B keepnames

N mathbase		D methods	
N mathextrabase		D presets	
N textbase		F registerfallback	
N textextrabase		F registerfiles	
protrusions	data table	F registerfontalternative	
readers	table	F registerfontfamily	
F afm		F textfallback	
F check_lua		F typeface	
F check_tfm		F typescript	
F lua		F userdata	
F ofm		specifiers	table
F opentype		D contextmerged	
F otf		F contextnumber	
F pfb		D contextnumbers	
D sequence		D contextsetups	
F tfm		F contexttostring	
F ttc		F definecontext	
F ttf		F mergecontext	
F woff		F presetcontext	
reserveid	function	F registercontext	
select	table	F showcontext	
D alternatives		F splitcontext	
F bodyfont		D synonyms	
D data		D variants	
F default		symbols	table
D defaults		T emoji	
F definefallbackfamily		F checked	
F definefontfamily		F resolved	
F definefontfamilypreset		F uselibrary	
D extras		tables	table
F fallback		tracers	table
D fallbacks		treatments	table
F features		F applyfixes	
F filefallback		D data	
F fontdata		S filename	
F fontfallback		F ignoredfile	
F fontsynonym		F report	
F goodies		F trace	
F mathfallback		typefaces	table

functions (context)

dummy function

graphics (context)

backgrounds table

- F fetchmultipar
- F pair
- F path
- F point

bitmaps table

- F flush
- F new
- F placeholder
- F tocontext

identifiers table

- F bitmap
- F jp2
- F jpg
- F png

identify function

synchronizers table

- F collapse
- F collect
- F extend
- F getbottom
- F getd
- F geth
- F getkind
- F getsizes
- F gettask
- F gettop
- F getw
- F getx
- F gety
- F prune

gzip (extra lua)

compress function
compressed function
decompress function

load function
save function
suffix function

images (context)

check	function		B crop	
checksize	function		B media	
copy	function		B none	
create	function		B trim	
embed	function		storedata	function
embedfromstore	function		totable	function
fetchdata	function		types	table
keys	table		N jbig2	
print	function		N jp2	
resetdata	function		N jpg	
resetstore	function		N none	
scan	function		N pdf	
serialize	function		N png	
sizes	table		N stream	
B art			wrap	function
B bleed				

interactions (context)

attachments data table

fields table

- F clone
- F define
- F defineset
- F insert

general table

- F getidentity
- F setupidentity

help table

- F collect
- F reference
- F register

javascripts table

- F addtopreamble
- F code
- D codes
- F flushpreambles

D functions

D preambles

F setpreamble

F storecode

F storepreamble

F usepreamblenow

F usescripts

linkedslists data table

pages table

F setpagetransition

F setupcanvas

references table

F setcloseddocument

F setclosepage

F setopendocument

F setopenpage

renderings data table

soundclips data table

interfaces (context)

arrays	table	namesofscanners	table
cachedsetups	data table	namespaces	table
cachesetup	function	F define	
cardinals	table	F list	
checkedspecification	function	numbers	table
complete	data table	registernamespace	function
constants	data table	registerscanner	function
corenamespaces	data table	scanners	data table
currentinterface	string	setconstant	function
currentresponse	string	setcount	function
definecommand	function	setdimen	function
defined	function	setelement	function
doifelsemessage	function	setformat	function
elements	data table	setmacro	function
floats	table	setmessage	function
formats	data table	setmessages	function
getmessage	function	settranslation	function
getnamespace	function	setupstrings	data table
getsetupstring	function	setvariable	function
hashedsetups	data table	showmessage	function
implement	function	storedscanners	data table
integers	table	tolist	function
interfacedcommand	function	translations	data table
interfaces	table	usednamespaces	data table
knownscanner	function	variables	data table
message	function	writestatus	function
nameofscanner	function		

io (basic lua)

ask	function	output	overloaded function
bytes	function	pathseparator	string
characters	function	popen	overloaded function
close	function	read	function
copydata	function	readall	function
exists	function	readnumber	function
fileseparator	string	readstring	function
flush	function	savedata	function
input	overloaded function	size	function
lines	overloaded function	stderr	userdata
loadchunk	function	stdin	userdata
loaddata	function	stdout	userdata
loadlines	function	tmpfile	function
newreader	function	type	function
noflines	function	write	function
open	overloaded function		

job (context)

comment	function	D tobesaved	
datasets	table	parwrappers	table
D collected		D collected	
F extend		D tobesaved	
F getdata		passes	table
F setdata		F check	
D tobesaved		D collected	
disablesave	function	F count	
embedded	table	F define	
D collected		F find	
D tobesaved		F first	
fileobjreferences	table	F get	
D collected		F getcollected	
D tobesaved		F getdata	
files	table	F getfield	
D collected		F gettobesaved	
F context		F inlist	
B forcerun		F last	
F run		F list	
D tobesaved		F save	
getrandomseed	function	F savetagged	
initialize	function	D tobesaved	
load	function	positions	table
loadother	function	F b_column	
objects	table	F b_region	
D collected		F c	
F get		D collected	
F number		F column	
F page		F columnofpos	
F save		F copy	
F set		F depth	
D tobesaved		F e_column	
pack	boolean	F e_region	
packversion	number	F enhance	
pagestates	table	F extra	
D collected		F get	
F countervalue		F getfree	
F extend		F gethpos	
F realpage		F getpos	
F realpageorder		F getreserved	
F setstate		F getrpos	

F gettobesaved
F getvpos
F hangafter
F hangindent
F height
F hsize
N lastx
N lasty
F leftskip
F lowerleft
F lowerright
F markregionbox
F n
F onsamepage
F overlapping
F p
F page
T pagedata
F paragraph
F parindent
F position
F r
F region
F registerhandlers
F replace
F rightskip
F set
F setall
F setregionbox
F setspec

F settobesaved
D tobесaved
F upperleft
F upperright
F used
F whd
F width
F x
F xy
F y

register
save
structure

D collected
T components
T tobесaved
T branches
S name
S type

variables

D checksums
D collected
F getchecksum
F makechecksum
F restore
F save
F setchecksum
D tobесaved

version

function
function
table

table

number

language (basic tex)

clean	function
clearhyphenation	function
clearpatterns	function
current	function
gethjcode	function
has_language	function
hyphenate	function
hyphenation	function
hyphenationmin	function

id	function
new	function
patterns	function
postexhyphenchar	function
posthyphenchar	function
preexhyphenchar	function
prehyphenchar	function
sethjcode	function
setwordhandler	function

languages (context)

addgoodiesdata	function	F installmethod	
addgoodiesfile	function	F lasttrace	
appliedoptions	table	F loadpatterns	
associate	function	F registerexception	
associated	data table	F registerpattern	
association	function	F setfeatures	
counters	data table	installed	function
current	function	installhandler	function
data	data table	labels	table
decimals	data table	F define	
define	function	F split	
explicitthyphen	function	loadable	function
flatten	function	loadwords	function
frequencies	table	logger	table
F averagecharwidth		F report	
F getdata		nofflattened	function
getdata	function	numbers	data table
getnumber	function	postexhyphenchar	function
goodiefiles	function	posthyphenchar	function
hjcounts	table	preexhyphenchar	function
hyphenate	function	prehyphenchar	function
hyphenators	table	registered	data table
T dictionaries		registeredactions	table
D featuresets		replacements	table
F handler		F add	
T methods		F addlist	
F expanded		F handler	
B none		F set	
F original		serializediscretionary	function
F tex		setexceptions	function
F traditional		setgoodieshandler	function
F popmethod		setoptions	function
F pushmethod		setpatterns	function
F setmethod		setsynonym	function
F setup		setwordhandler	function
F showhyphenationtrace		showdiscretionaries	function
T traditional		strippedgoodiewords	function
F definefeatures		tolang	function
F gettrace		transliteration	table
F hyphenate		F define	
F injectthyphens		F handler	

F set		words	table
unload	function	F check	
urls	table	T data	
D characters		F disable	
N lefthyphenmin		F enable	
D mapping		T enablers	
B packslashes		B enables	
N righthyphenmin		F found	
F setcharacters		F load	
version	number	T methods	
visualizediscretionaries	function	N threshold	

layouts (context)

getcanvas	function	status	table
getpagedimensions	function	F isleftpage	
setupcanvas	function	F lefttorrightpageaction	

lfs (extra lua)

attributes	overloaded function
chdir	overloaded function
currentdir	function
dir	overloaded function
isdir	overloaded function
isfile	overloaded function
isfound	function
isreadabledir	function
isreadablefile	function
iswriteabledir	function

iswriteablefile	function
link	overloaded function
mkdir	overloaded function
makedirs	function
modification	function
readlink	function
rmdir	overloaded function
setexecutable	function
symlink	function
touch	overloaded function

libraries (context)

basiclua data table

basictex data table

builtin data table

extralua data table

extratex data table

functions data table

globals data table

lmx (context)

color	function
convert	function
convertfile	function
convertstring	function
einject	function
eprint	function
escape	function
finalized	function
finject	function
fprint	function
get	function
getvariables	function
htmfile	function
html	table
F a	
F td	
F th	
include	function
inherited	table
S color-background-four	
S color-background-one	
S color-background-three	
S color-background-two	
S title	
initialize	function
inject	function
lmxfile	function

loadedfile	function
make	function
new	function
overloaderror	function
popupfile	function
print	function
pv	function
report	function
reset	function
result	function
set	function
show	function
showerror	function
stripcss	function
tv	function
type	function
urlescape	function
variable	function
variables	table
S color-background-blue	
S color-background-body	
S color-background-green	
S color-background-main	
S color-background-purple	
S color-background-yellow	
S title-default	

logs (context)

application	function	setformatters	function
categories	function	setlogfile	function
direct	function	setmessenger	function
disable	function	setprocessor	function
enable	function	settarget	function
finalactions	function	settimedlog	function
flush	function	settranslations	function
loggingerrors	function	show	function
messenger	function	start_page_number	function
new	function	start_run	function
newline	function	starterrorlogging	function
poptarget	function	startfilelogging	function
private	table	status	function
F enablepagetiming		stop_page_number	function
F getpagetiming		stoperrorlogging	function
pushtarget	function	stopfilelogging	function
registerfinalactions	function	subdirect	function
report	function	subreport	function
reporter	function	texerrormessage	function
setformats	function	writer	function

lpdf (context)

action	function	delayedobject	function
adddocumentcolorspace	function	destinationspecification	function
adddocumenttextgstate	function	dictionary	function
adddocumentpattern	function	docstring	function
adddocumentshade	function	epdf	table
addtocatalog	function	F analyzefonts	
addtoinfo	function	F contenttotext	
addtonames	function	F expanded	
addtopageattributes	function	F getpagecontent	
addtopageresources	function	F getstructure	
addtopagesattributes	function	T image	
addxmpinfo	function	F close	
annotationspecification	function	F copy	
array	function	F new	
attachmentsymbols	function	F open	
boolean	function	F query	
border	function	F load	
checkedkey	function	F parsecontent	
checkedvalue	function	F plugin	
circularshade	function	T resolvers	
cmykcode	function	F destinations	
collectedresources	function	F embeddedfiles	
color	function	F javascripts	
colorspace	function	F layers	
colorspaceconstants	data table	F pages	
colorspec	function	F structure	
colorvalue	function	F widgets	
colorvalues	function	F stripcontent	
commentsymbols	function	F unload	
compresslevel	function	escaped	function
constant	function	finalizeddocument	function
copyarray	function	finalizefonts	function
copyboolean	function	finalizepage	function
copyconstant	function	finishtransparencycode	function
copydictionary	function	flags	table
copyfloat	function	T annotations	
copyinteger	function	N AutoView	
copynumber	function	N Hidden	
copystring	function	N Invisible	
copyunicode	function	N Locked	
deferredobject	function	N LockedContents	

N NoRotate		F color_indirect	
N NoView		formats	data table
N NoZoom		frombytes	function
N Print		fromeight	function
N Printable		frompdfdoc	function
N ReadOnly		fromsixteen	function
N ToggleNoView		getcatalog	function
N auto		getcompression	function
N hidden		getfontname	function
N printable		getfontobjectnumber	function
T widgets		getinfo	function
N Comb		getmatrix	function
N CommitOnSelChange		getmetadata	function
N DoNotScroll		getnofpages	function
N DoNotSpellCheck		getpageproperties	function
N Edit		getpagereference	function
N FileSelect		getpagetags	function
N MultiLine		getpos	function
N NoExport		getversion	function
N NoToggleToOff		getxformname	function
N Password		graycode	function
N PopUp		hasmatrix	function
N PushButton		id	function
N Radio		immediateobject	function
N RadiosInUnison		includeimage	function
N ReadOnly		injectors	table
N Required		F bitmap	
N RichText		F jp2	
N Sort		F jpg	
N file		F png	
N fixed		injectxmpinfo	function
N nocheck		insertxmpinfo	function
N protected		lastreferredpage	function
N readonly		layerreference	function
N required		limited	function
N sorted		linearshade	function
N unavailable		literal	function
flushfonts	function	majorversion	function
flushgroup	function	makenametree	function
flushobject	function	minorversion	function
flushstreamfileobject	function	nofpages	function
flushstreamobject	function	null	function
fonts	table	number	function
F color_direct		object	function

objectcompresslevel	function	T characters
pagereference	function	T descriptions
patternstream	function	T fonts
pdfcolor	function	T goodies
pdftimestamp	function	S original
pdfvfimage	function	T parameters
permitdetail	function	N ascender
print	function	N descender
procset	function	N designsize
protectresources	boolean	T expansion
rectangle	function	N shrink
reference	function	N step
registerannotation	function	N stretch
registerdestination	function	N extendfactor
registerdocumentfinalizer	function	N extra_space
registerfont	function	N extrafactor
registerpagefinalizer	function	N factor
registerpattern	function	N forcedsize
reserveobject	function	N hfactor
rgbcode	function	N mathsize
rotationcm	function	N maxsize
setcompression	function	N minsize
setpageorder	function	N mode
setpagetag	function	N quad
settime	function	N scaledpoints
setversion	function	N size
sharedobject	function	N slant
shareobject	function	N slantfactor
shareobjectreference	function	N space
spotcode	function	N space_shrink
stream	function	N space_stretch
string	function	N squeezefactor
toeight	function	N textsize
topdfdoc	function	N units
tosixteen	function	N vfactor
transparency	function	N width
transparencycode	function	N x_height
transparencygroups	table	T properties
B none		S filename
transparencyvalue	function	B finalized
unicode	function	S fontname
usedcharacters	table	S format
usedfontstreams	table	S fullname
T dejavusansmonoboldttf-1		S hash

B hasmath	T camelcasing
N id	T *
S language	B *
S mode	T char-ligatures
S name	T *
S psname	B *
S script	T collapse
S sharedwith	T *
N subfont	B *
S writingmode	T compat-ligatures
T resources	T *
T alreadydone	B *
T classes	T dlig
T duplicates	T latn
T features	B dflt
T gpos	B ism
T mark	B ksm
T arab	B lsm
B dflt	B mol
T cyrl	B nsm
B dflt	B rom
B srb	B sks
T grek	B ssm
B dflt	T locl
T lao	T cyrl
B dflt	B srb
T latn	T latn
B dflt	B ism
B ism	B ksm
B ksm	B lsm
B lsm	B nsm
B mol	B sks
B nsm	B ssm
B rom	T lowercasing
B sks	T *
B ssm	B *
T mkmk	T primes
T arab	T *
B dflt	B *
T gsub	T tlig
T anum	T *
T arab	B *
B dflt	T trep
B urd	T *

B *
T uppercasing
T *
B *
S filename
S foundfilename
T foundtables
T markclasses
T marks
T marksets
N private
T sequences
T sublookups
T unicodes
N .null
N A
N AE
N AEacute
N Aacute
N Abreve
N Acircumflex
N Acute
N Adieresis
N Agrave
N Alpha
N Alphonos
N Amacron
N Aogonek
N Aring
N Atilde
N B
N Beta
N C
N Cacute
N Caron
N Ccaron
N Ccedilla
N Ccircumflex
N Cdotaccent
N Chi
N Circumflex
N D
N Dcaron
N Dcroat

N Delta
N Dieresis
N E
N Eacute
N Ebreve
N Ecaron
N Ecircumflex
N Edieresis
N Edotaccent
N Egrave
N Emacron
N Eng
N Eng.alt
N Eogonek
N Epsilon
N Epsilontonos
N Eta
N Etatonos
N Eth
N Euro
N F
N G
N Gamma
N Gbreve
N Gcaron
N Gcircumflex
N Gcommaaccent
N Gdotaccent
N Grave
N H
N Hbar
N Hcircumflex
N I
N IJ
N Iacute
N Ibreve
N Icircumflex
N Idieresis
N Idotaccent
N Igrave
N Imacron
N Iogonek
N Iota
N Iotadieresis

N Iotatonos
N Itilde
N J
N Jcircumflex
N K
N Kappa
N Kcommaaccent
N L
N Lacute
N Lambda
N Lcaron
N Lcommaaccent
N Ldot
N Lslash
N M
N Mu
N N
N Nacute
N Ncaron
N Ncommaaccent
N Ntilde
N Nu
N O
N OE
N Oacute
N Obreve
N Ocircumflex
N Odieresis
N Ograve
N Ohorn
N Ohungarumlaut
N Omacron
N Omega
N Omegatonos
N Omicron
N Omicrontonos
N Oslash
N Oslashacute
N Otilde
N P
N Phi
N Pi
N Psi
N Q

N R
N Racute
N Rcaron
N Rcommaaccent
N Rho
N S
N Sacute
N Scaron
N Scedilla
N Scircumflex
N Scommaaccent
N Sigma
N T
N Tau
N Tbar
N Tcaron
N Tcommaaccent
N Theta
N Thorn
N Tilde
N U
N Ugrave
N Uhorn
N Uhungarumlaut
N Umacron
N Uogonek
N Upsilon
N Upsilonl1
N Upsilonondieresis
N Upsilonontonos
N Uring
N Utilde
N V
N W
N Wacute
N Wcircumflex
N Wdieresis
N Wgrave
N X
N Xi
N Y
N Yacute
N Ycircumflex
N Ydieresis

N Ygrave	N arrowupdn
N Z	N arrowupdnbse
N Zacute	N asciicircum
N Zcaron	N asciitilde
N Zdotaccent	N asterisk
N Zeta	N asteriskmath
N a	N at
N aacute	N atilde
N abreve	N b
N acircumflex	N backslash
N acute	N bar
N acutecomb	N beta
N adieresis	N block
N ae	N braceleft
N aeacute	N braceright
N agrave	N bracketleft
N alpha	N bracketright
N alphanos	N breve
N amacron	N brokenbar
N ampersand	N bullet
N angle	N c
N anoteleia	N cacute
N aogonek	N caron
N approxequal	N carriagereturn
N arabic_2dots	N ccaron
N arabic_2dots_a	N ccedilla
N arabic_3dots	N ccircumflex
N arabic_3dots_a	N cdotaccent
N arabic_4dots	N cedilla
N arabic_dot	N cent
N arabic_gaf_bar	N chi
N arabic_gaf_bar_a	N circle
N arabic_ring	N circlemultiply
N aring	N circleplus
N arrowboth	N circumflex
N arrowdblboth	N club
N arrowdbldown	N colon
N arrowdblleft	N colonmonetary
N arrowdblright	N comma
N arrowdblup	N congruent
N arrowdown	N copyright
N arrowleft	N currency
N arrowright	N d
N arrowup	N dagger

N daggerdbl	N eth
N dcaron	N exclam
N dcroat	N exclamdbl
N degree	N exclamdown
N delta	N existential
N diaeresis.symbols	N f
N diamond	N female
N dieresis	N fi
N dieresistonos	N figuredash
N divide	N filledbox
N dkshade	N filledrect
N dLlTcaron	N five
N dnblock	N fiveeighths
N dollar	N fl
N dong	N florin
N dotaccent	N four
N dotbelowcomb	N fractionslash
N dotlessi	N franc
N dotlessj	N g
N dotmath	N gamma
N e	N gbreve
N eacute	N gcaron
N ebreve	N gcircumflex
N ecaron	N gcommaaccent
N ecircumflex	N gdotaccent
N edieresis	N germandbls
N edotaccent	N gradient
N egrave	N grave
N eight	N gravecomb
N element	N greater
N ellipsis	N greaterequal
N emacron	N guillemotleft
N emdash	N guillemotright
N emptyset	N guilsinglleft
N endash	N guilsinglright
N eng	N h
N eogonek	N hbar
N epsilon	N hcircumflex
N epsilonontonos	N heart
N equal	N hookabovcomb
N equivalence	N house
N estimated	N hungarumlaut
N eta	N hyphen
N etatonos	N i

N iacute	N ltshade
N ibreve	N m
N icircumflex	N macron
N idieresis	N male
N igrave	N minus
N ij	N minute
N imacron	N mu
N infinity	N multiply
N integral	N musicalnote
N integralbt	N musicalnotedbl
N integraltp	N n
N intersection	N nacute
N invbullet	N napostrophe
N invcircle	N ncaron
N invsmileface	N ncommaaccent
N iogonek	N nine
N iota	N nonbreakingspace
N iotadieresis	N nonmarkingreturn
N iotadieresis-tonos	N notdef
N iotatonos	N notelement
N itilde	N notequal
N j	N notsubset
N jcircumflex	N ntilde
N jot	N nu
N k	N numbersign
N kappa	N o
N kcommaaccent	N oacute
N kgreenlandic	N obreve
N l	N ocircumflex
N lacute	N odieresis
N lambda	N oe
N lcaron	N ogonek
N lcommaaccent	N ograve
N ldot	N ohorn
N less	N ohungarumlaut
N lessequal	N omacron
N lfblock	N omega
N lira	N omegal
N logicaland	N omegatonos
N logicalnot	N omicron
N logicalor	N omicrontonos
N longs	N one
N lozenge	N oneeighth
N lslash	N onehalf

N onequarter
N onesuperior
N onethird
N openbullet
N ordfeminine
N ordmasculine
N orthogonal
N oslash
N oslashacute
N otilde
N p
N paragraph
N parenleft
N parenright
N partialdiff
N percent
N period
N periodcentered
N perpendicular
N perthousand
N peseta
N phi
N phil
N pi
N plus
N plusminus
N product
N propersubset
N propersuperset
N proportional
N psi
N q
N question
N questiondown
N quotedbl
N quotedblbase
N quotedblleft
N quotedblright
N quoteleft
N quotereversed
N quoteright
N quotesinglbase
N quotesingle
N r

N racute
N radical
N rcaron
N rcommaaccent
N reflexsubset
N reflexsuperset
N registered
N revlogicalnot
N rho
N ring
N rtblock
N s
N sacute
N scaron
N scedilla
N scircumflex
N scommaaccent
N second
N section
N semicolon
N seven
N seveneighths
N sfthyphen
N shade
N sigma
N signal
N similar
N six
N slash
N smileface
N space
N spade
N sterling
N suchthat
N summation
N sun
N t
N tau
N tbar
N tcaron
N tcommaaccent
N therefore
N theta
N theta1

N thinquestion
N thorn
N three
N threeeighths
N threequarters
N threesuperior
N tilde
N tildecomb
N tonos
N trademark
N triagdn
N triaglf
N triagrt
N triagup
N two
N twosuperior
N twothirds
N u
N ugrave
N uhorn
N uhungarumlaut
N umacron
N underbar
N underbar.small
N underbar.wide
N underscore
N underscoredbl
N union
N universal
N uogonek
N upblock
N upsilon
N upsilondieresis
N upsilondieresis-tonos
N upsilontonos
N uring
N utilde
N v
N w
N wacute
N wcircumflex
N wdieresis
N wgrave
N x

N xi
N y
N yacute
N ycircumflex
N ydieresis
N yen
N ygrave
N z
N zacute
N zcaron
N zdotaccent
N zero
N zeta
S version
T shared
T dynamics
T features
B analyze
B checkmarks
B devanagari
B dummies
B extensions
B extrafeatures
B extraprivates
B features
B mathrules
S mode
N number
B spacekern
B visuals-space
T processes
T rawdata
S cache_uuid
N cache_version
B compacted
S creator
T descriptions
B expanded
S format
T goodies
T lookuphash
T metadata
N ascender
N averagewidth

T boundingbox	B hasitalics
N defaultvheight	B hasspacekerns
N descender	N size
S family	N tableversion
S familyname	N time
S fontname	T specification
S fullname	S cs
T horizontalmetrics	S detail
N ascender	S fallbacks
N descender	T features
N linegap	T normal
N maxadvanceheight	B features
N maxadvancewidth	S mode
N maxextent	N number
N minbottomsidebearing	S filename
N mintopsidebearing	S forced
N version	S forcedname
N italicangle	B global
B monospaced	S goodies
S panoseweight	S hash
S panosewidth	N id
N pfmweight	S lookup
N pfmwidth	N mathsize
S subfamily	S method
S subfamilyname	S name
N subfontindex	S resolved
N units	N scalemode
S version	N size
T verticalmetrics	S source
N ascender	S specification
N descender	N textsize
N linegap	T unscaled
N maxadvanceheight	N cache_version
N maxadvancewidth	T changed
N maxextent	T characters
N minbottomsidebearing	T descriptions
N mintopsidebearing	T mathparameters
N version	T parameters
S weight	N ascender
S width	N charwidth
N nofglyphs	N descender
N private	N designsize
T properties	N extra_space
B hascolor	N italicangle

N maxsize	B hasmath	
N minsize	N id	
N quad	S mode	
N slant	B monospaced	
N space	S name	
N space_shrink	N private	
N space_stretch	S psname	
N units	B setitalics	
N vheight	S space	
N x_height	N subfont	
T properties	S writingmode	
S filename	usedindices	table
S fontname	T dejavusansmonoboldttf-1	
S format	verbose	function
S fullname		

lpeg (basic lua)

B	function	firstofsplit	function
C	function	frontstripper	function
Carg	function	instringchecker	function
Cb	function	is_lpeg	function
Cc	function	keeper	function
Cf	function	locale	function
Cg	function	match	function
Cmt	function	oneof	function
Cp	function	patterns	data table
Cs	function	pcode	function
Ct	function	print	function
P	function	ptree	function
R	function	replacer	function
S	function	secondofsplit	function
UP	function	setmaxstack	function
UR	function	setutfcasers	function
US	function	split	function
V	function	splitat	function
afterprefix	function	splitter	function
anywhere	function	stripper	function
append	function	times	function
balancer	function	tsplitat	function
beforesuffix	function	tsplitter	function
checkedsplit	function	type	function
containsws	function	utfchartabletopattern	function
counter	function	utfreplacer	function
endstripper	function	version	function
finder	function		

lua (basic tex)

bytecode	table	macros	table
bytedata	data table	B enabled	
bytdone	table	F loaded	
callbytecode	function	F required	
delay	function	F reset	
finalizeinitex	function	F resolvestring	
firstbytecode	number	F resolving	
flush	function	F showdefinitions	
flushdelayed	function	messages	data table
get_functions_table	function	newindex	function
getbytecode	function	newtable	function
getcurrenttime	function	numbers	data table
getdebuginfo	function	registercode	function
getfunctionstable	overloaded function	registeredcodes	function
getpreciseseconds	function	registerinitexfinalizer	function
getpreciseticks	function	registername	function
getruntime	function	setbytecode	function
getstacktop	function	setexitcode	function
getstartupfile	function	startupfile	string
getversion	function	version	string
lastbytecode	number		

luatex (context)

abort	function	F enable	
cleanup	function	F finish	
cleanuptempfiles	function	F pause	
currentfile	function	F popline	
poprunstate	function	F pushline	
pushrunstate	function	F registerdisabler	
registerdumpactions	function	F registerenabler	
registerpageactions	function	F resetfilename	
registerstartactions	function	F resume	
registerstopactions	function	F setfilename	
registertempfile	function	F setup	
starttime	number	F start	
synctex	table	F stop	
F blockfilename		F wrapup	
F collect		wrapup	function
F disable			

lxml (context)

addindex	function	first	function
all	function	flush	function
applyfunction	function	flushlinewise	function
applyselectors	function	flushsetups	function
att	function	flushspacewise	function
attribute	function	get_id	function
badinclusions	function	getid	function
chainattribute	function	getindex	function
checkindex	function	id	function
collected	function	idsplitter	userdata
command	function	ifatt	function
concat	function	ifattempty	function
concatrange	function	include	function
content	function	inclusion	function
context	function	inclusions	function
convert	function	index	function
count	function	inlineverbatimim	function
delete	function	installsetup	function
depth	function	last	function
direct	function	lastatt	function
directives	table	lastmatch	function
F after		lastpar	function
F before		load	function
F handle		loadbuffer	function
F load		loaddata	function
F setup		loaded	table
displayverbatimim	function	main	function
doif	function	match	function
doifelse	function	name	function
doifelseempty	function	namespace	function
doifelsetext	function	nonspace	function
doifempty	function	par	function
doifnot	function	param	function
doifnotempty	function	parameter	function
doifnottext	function	path	function
doiftext	function	popmatch	function
element	function	pos	function
elements	function	position	function
entities	data table	pure	function
filter	function	pushmatch	function
filterlist	function	raw	function

rawroot	function
rawtex	function
refatt	function
register	function
registerentity	function
removesetup	function
replace	function
resetcdata	function
resetsetups	function
resolvedentity	function
root	function
save	function
serialize	function
setaction	function
setatt	function
setattribute	function
setcdata	function
setcommandtonone	function
setcommandtotext	function
setpar	function
setparam	function
setparameter	function
setsetup	function
snippet	function

sorters	table
F add	
F compare	
F flush	
F reset	
F show	
F sort	
splitid	function
startraw	function
startunesescaped	function
stopraw	function
stopunesescaped	function
store	function
strip	function
stripped	function
tag	function
text	function
tobuffer	function
tofile	function
toparameters	function
toverbatim	function
verbatim	function
withindex	function
xmltexhandler	data table

math (basic lua)

abs	function	min	function
acos	function	mininteger	number
asin	function	mod	function
atan	function	modf	function
atan2	function	odd	function
ceil	function	pi	number
ceiling	function	pow	function
cos	function	rad	function
cosd	function	random	overloaded function
cosh	function	randomseed	function
deg	function	round	function
div	function	setrandomseedi	function
even	function	sin	function
exp	function	sind	function
floor	function	sinh	function
fmod	function	sqrt	function
huge	number	tan	function
initialseed	number	tand	function
ldexp	function	tanh	function
log	function	tointeger	function
log10	function	type	function
max	function	ult	function
maxinteger	number		

mathematics (context)

addfallbacks	function	mapremap	data table
alphabets	data table	overloadparameters	function
alternatives	data table	privatebase	number
big	function	registerdomain	function
boldmap	data table	registerfallbackid	function
categories	table	remapalphabets	function
D functions		renderings	table
charactersets	data table	D mappings	
checkaccentbaseheight	function	D numbers	
checkprivateparameters	function	D sets	
classes	data table	renderset	function
codes	data table	resetattributes	function
collected	function	resetitalics	function
define	function	resolvefallbacks	function
dimensions	function	scaleparameters	function
domains	table	setdomain	function
extensiblecode	function	setitalics	function
extensibles	data table	setridofprime	function
extrabase	number	sets	data table
extras	table	startcollecting	function
F add		stopcollecting	function
F copy		styles	data table
fallbacks	table	syncboth	function
F apply		syncname	function
F install		syncstyle	function
fallbackstyleattr	function	toname	function
families	data table	tostyle	function
finishfallbacks	function	tweakaftercopyingfont	function
gaps	data table	tweakbeforecopyingfont	function
getboth	function	tweaks	table
getdomain	function	utfmathaccent	function
getitalics	function	utfmathclass	function
getridofprime	function	utfmathcommand	function
getstyle	function	utfmathfiller	function
horizontalcode	function	utfmathstretch	function
initializeparameters	function	virtualize	function
makefont	function	virtualized	data table

md5 (extra lua)

HEX	function
dec	function
hex	function

sum	function
sumHEXA	function
sumhexa	function

metapost (context)

checkformat	function	N newinternal
cm	function	N nullary
codes	table	N numeric
N addto		N of
N ampersand		N ofbinary
N and		N outertag
N assignment		N parametertype
N atleast		N plus_or_minus
N begingroup		N primarybinary
N btex		N primarydef
N capsule		N protection
N colon		N randomseed
N comma		N relax
N controls		N repeat_loop
N curl		N rightbrace
N cycle		N rightbracket
N declare		N rightdelimiter
N def		N runscript
N definedmacro		N save
N delimiters		N scantokens
N endgroup		N scope
N equals		N secondarybinary
N etex		N secondarydef
N everyjob		N semicolon
N exitif		N setbounds
N expandafter		N shipout
N fi_or_else		N show
N if		N skip
N input		N slash
N interim		N step
N internal		N stop
N iteration		N str
N join		N string
N leftbrace		N tag
N leftbracket		N tension
N leftdelimiter		N tertiarybinary
N let		N tertiarydef
N macrospecial		N thingstoadd
N maketext		N to
N message		N unary
N mode		N undefinedcs

N until		includesvgbuffer	function
N void		includesvgfile	function
N with		installplugin	function
N within		isobject	function
N write		knownparameters	table
colorinitializer	function	lastlog	string
convert	function	load	function
currentmpx	function	maketext	function
currentmpxstatus	function	metafonts	table
defaultformat	string	metafun	table
defaultinstance	string	F interpolate	
defaultmethod	string	F topath	
directrun	function	mptopdf	table
escaped	function	F convertmpstopdf	
exectime	table	N nofconverted	
extensiondata	data table	n	number
filterclippath	function	nofruns	number
flush	function	nofscriptruns	function
flushers	table	nvformat	function
T pdf		pdfliterals	function
F flushfigure		pluginactions	function
F startfigure		popformat	function
F stopfigure		popscriptrunner	function
F textfigure		popvariable	function
F tocomment		popvariables	function
flushnormalpath	function	preparetexttextsdata	function
fonts	table	process	function
F define		processing	function
format_number	function	processplugins	function
format_string	function	properties	table
formatnumber	function	pushformat	function
getbendtolerance	function	pushscriptrunner	function
getclippath	function	pushvariable	function
getextensions	function	pushvariables	function
getextradata	function	reducetogray	boolean
gethashentries	function	registerdirect	function
getinstancenames	function	registerscript	function
getjobdata	function	registertokens	function
getparameter	function	remappedtext	function
getparameterset	function	remaptext	function
getstatistics	function	reporterror	function
gettext	function	reportsvgfonts	function
graphic	function	reset	function
graphic_base_pass	function	resetlastlog	function

resetplugins	function
run	function
runinternal	function
runscript	function
scanparameters	function
scripterror	function
scriptindex	function
setbendtolerance	function
setextensions	function
setoutercolor	function
setparameterset	function
settext	function
setvariable	function
showlog	boolean
showsvgpage	function
simple	function
splitprescript	function
startgraphic	function
startsvghashing	function
stopgraphic	function
stopsvghashing	function
svformat	function
svgcolorremapper	function
svgfactors	table
N %	
N bp	
N cm	
N em	
N ex	
N in	
N mm	
N pc	
N pt	
N px	
svgglyphtomp	function
svgshapestomp	function
svgshapestopdf	function
svgsplitcolor	function
svgtomp	function
svgtopdf	function
sxsy	function

tex	table
F get	
F reset	
F set	
F setfrombuffer	
texerrors	boolean
texexp	function
theclippath	function
tographic	function
totable	function
types	table
N boolean	
N cmykcolor	
N color	
N dependent	
N independent	
N known	
N numeric	
N pair	
N path	
N pen	
N picture	
N protodependent	
N script	
N string	
N structured	
N suffixedmacro	
N tokenlist	
N transform	
N unknownboolean	
N unknownpath	
N unknownpen	
N unknownpicture	
N unknownstring	
N unsuffixedmacro	
N vacuumous	
typesvgpage	function
unload	function
untagvariable	function
variables	table

mime (extra lua)

b64 function

decode function

decodet table

F base64

F quoted-printable

dot function

encode function

encodet table

F base64

F quoted-printable

eol function

normalize function

qp function

qpwrp function

report function

stuff function

unb64 function

unqp function

wrap function

wrapt table

F base64

F default

F quoted-printable

F text

wrp function

mp (context)

autoinject	function	direct3	function
aux	table	direct4	function
F boolean		disposehash	function
F color		draw	function
F direct		expandtex	function
F direct1		fill	function
F direct2		flatten	function
F direct3		flush	function
F direct4		format	function
F draw		formatted	function
F fill		fprint	function
F flush		fromhash	function
F fprint		get	table
F integer		F hashentry	
F number		graphformat	function
F numeric		inhash	function
F pair		inject	function
F pairpoints		F boolean	
F path		F cmykcolor	
F pathpoints		F color	
F points		F integer	
F print		F number	
F quadruple		F numeric	
F quadruplepoints		F pair	
F quoted		F path	
F size		F quadruplet	
F string		F string	
F transform		F transform	
F triplet		F triplet	
F tripletpoints		F whatever	
F vprint		integer	function
boolean	function	isarray	function
cleaned	function	isobject	function
color	function	lmt_color_functions	table
dataset	function	F shade	
datasets	function	F step	
F load		lmt_contours_bitmap_get	function
dimension	function	lmt_contours_bitmap_set	function
direct	function	lmt_contours_cleanup	function
direct1	function	lmt_contours_color	function
direct2	function	lmt_contours_edge_get_band	function

lmt_contours_edge_get_cell	function	mf_graphic_text	function
lmt_contours_edge_paths	function	mf_inject_blob	function
lmt_contours_edge_set	function	mf_map_move	function
lmt_contours_edge_set_by_band	function	mf_map_text	function
lmt_contours_edge_set_by_cell	function	mf_named_color	function
lmt_contours_format	function	mf_outline_text	function
lmt_contours_function	function	mf_save_data	function
lmt_contours_maxmean	function	mf_script_index	function
lmt_contours_maxz	function	mf_start_saving_data	function
lmt_contours_minmean	function	mf_stop_saving_data	function
lmt_contours_minz	function	mf_tb_dimensions	function
lmt_contours_nofvalues	function	mf_tt_dimensions	function
lmt_contours_nx	function	mf_tt_initialize	function
lmt_contours_ny	function	mode	function
lmt_contours_range	function	n	function
lmt_contours_shade_paths	function	newhash	function
lmt_contours_shade_set	function	number	function
lmt_contours_shape_paths	function	numeric	function
lmt_contours_start	function	pair	function
lmt_contours_stop	function	pairpoints	function
lmt_contours_value	function	path	function
lmt_contours_xrange	function	pathpoints	function
lmt_contours_yrange	function	points	function
lmt_function_x	function	positionanchor	function
lmt_mesh_set	function	positionbox	function
lmt_mesh_update	function	positioncurve	function
lmt_poisson_generate	function	positionpage	function
lmt_surface_do	function	positionpath	function
lmt_svg_include	function	positionpxy	function
mf_blob_add	function	positionregion	function
mf_blob_dimensions	function	positionwhd	function
mf_blob_index	function	positionxy	function
mf_blob_new	function	prefix	function
mf_blob_raw_content	function	print	function
mf_blob_raw_dimensions	function	processingmode	function
mf_blob_raw_reset	function	quadruple	function
mf_blob_raw_toutf	function	quadruplepoints	function
mf_blob_raw_wipe	function	quoted	function
mf_blob_size	function	report	function
mf_blob_width	function	scan	table
mf_external_figure	function	F boolean	
mf_finish_saving_data	function	F cmykcolor	
mf_formatted_text	function	F color	
mf_get_outline_text	function	F expression	

F integer	set	table
F next	size	function
F number	skip	table
F numeric	F token	
F pair	solve	function
F path	string	function
F pen	systemmode	function
F property	texstr	function
F string	texvar	function
F symbol	tohash	function
F token	transform	function
T tokenscanners	triplet	function
F transform	tripletpoints	function
T typescanners	vprint	function

mplib (extra tex)

execute	function	injecttransform	function
expandtex	function	injectwhatever	function
finder	function	new	overloaded function
finders	table	peninfo	function
F file		propertycodes	table
F mpstemplate		realtime logging	boolean
finish	function	scanboolean	function
getcallbackstate	function	scanbmykcolor	function
getcodes	function	scanbcolor	function
getfields	function	scanexpression	function
gethashentries	function	scaninteger	function
gethashentry	function	scannext	function
getstates	function	scannumber	function
getstatistics	function	scannumeric	function
getstatus	function	scanpair	function
gettolerance	function	scanpath	function
gettype	function	scanpen	function
gettypes	function	scanproperty	function
injectboolean	function	scanstring	function
injectbmykcolor	function	scansymbol	function
injectbcolor	function	scantoken	function
injectinteger	function	scantransform	function
injectnumber	function	settolerance	function
injectnumeric	function	showcontext	function
injectpair	function	skiptoken	function
injectpath	function	solvepath	function
injectstring	function	version	function

noads (context)

handlers	table		F render
F align			F resize
F alternates			F showtree
F autofences			F tags
F classes			F unscript
F collapse			F unstack
F domains			F variants
F export		process	function
F families		processnested	function
F fixscripts		processors	table
F italics		F mlisttohtml	
F kernpairs		T unscript	
F makeup		T unstack	
F relocate		processouter	function

node (basic tex)

checkdiscretionaries	function	F flushlist
checkdiscretionary	function	F flushnode
copy	function	F free
copy_list	function	F get_attribute
copylist	function	F get_attributes
count	function	F getattribute
current_attributes	function	F getattributelist
currentattributes	function	F getattributes
dimensions	function	F getboth
direct	table	F getbox
F addmargins		F getchar
F addxoffset		F getcharspec
F addxymargins		F getdata
F addyoffset		F getdepth
F appendaftertail		F getdirection
F checkdiscretionaries		F getdisc
F checkdiscretionary		F getdiscpart
F collapsing		F getexpansion
F copy		F getfam
F copy_list		F getfield
F copylist		F getfont
F copyonly		F getglue
F count		F getglyphdata
F current_attributes		F getglyphdimensions
F currentattributes		F getheight
F dimensions		F getid
F effective_glue		F getindex
F effectiveglue		F getkern
F end_of_math		F getkerndimension
F endofmath		F getlanguage
F exchange		F getleader
F fields		F getlist
F find_node		F getnext
F findattribute		F getnormalizedline
F findattributerange		F getnucleus
F findnode		F getoffsets
F first_glyph		F getoptions
F firststglyph		F getorientation
F flattendiscretionaries		F getparstate
F flush_list		F getpenalty
F flush_node		F getpost

F getpre	F isglyph
F getprev	F isnextchar
F getpropertystable	F isnextglyph
F getproperty	F isnode
F getreplace	F isprevchar
F getscale	F isprevglyph
F getscales	F isvalid
F getscrip	F iszeroglue
F getshift	F kerning
F getstate	F length
F getsub	F ligaturing
F getsubpre	F makeextensible
F getsubtype	F migrate
F getsup	F mlist_to_hlist
F getsuppre	F mlistttohlist
F getsynctexfields	F naturalhsize
F gettotal	F naturalwidth
F getwhd	F new
F getwidth	F prependbeforehead
F getxscale	F protect_glyph
F getxyscales	F protect_glyphs
F getyscale	F protectglyph
F has_attribute	F protectglyphs
F has_field	F protrusionskipable
F has_glyph	F rangedimensions
F hasattribute	F remove
F hasdimensions	F reverse
F hasfield	F set_attribute
F hasglyph	F set_attributes
F hasglyphoption	F setattribute
F hpack	F setattributelist
F hyphenating	F setattributes
F id	F setboth
F ignoremathskip	F setbox
F insert_after	F setchar
F insert_before	F setdata
F insertafter	F setdepth
F insertbefore	F setdirection
F is_char	F setdisc
F is_glyph	F setdiscpart
F is_node	F setexpansion
F is_valid	F setfam
F is_zero_glue	F setfield
F ischar	F setfont

F setglue	F tovaliddirect	
F setglyphdata	F traverse	
F setheight	F traverse_char	
F setindex	F traverse_content	
F setkern	F traverse_glyph	
F setlanguage	F traverse_id	
F setleader	F traverse_list	
F setlink	F traversechar	
F setlist	F traversecontent	
F setnext	F traverseglyph	
F setnucleus	F traverseid	
F setoffsets	F traverselist	
F setoptions	F type	
F setorientation	F types	
F setpenalty	F unprotect_glyph	
F setpost	F unprotect_glyphs	
F setpre	F unprotectglyph	
F setprev	F unprotectglyphs	
F setproperty	F unset_attribute	
F setreplace	F unset_attributes	
F setscales	F unsetattribute	
F setscript	F unsetattributes	
F setshift	F usedlist	
F setsplit	F uses_font	
F setstate	F usesfont	
F setsub	F values	
F setsubpre	F verticalbreak	
F setsubtype	F vpack	
F setup	F write	
F setsuppre	F xscaled	
F setsynctexfields	F yscaled	
F settotal	effective_glue	function
F setwhd	effectiveglue	function
F setwidth	end_of_math	function
F show	endofmath	function
F slide	family_font	function
F softenhyphens	fields	function
F start_of_par	findattribute	function
F startofpar	first_glyph	function
F subtypes	firstglyph	function
F tail	flattendiscretionaries	function
F todirect	flush_list	function
F tonode	flush_node	function
F toString	flushlist	function

flushnode	function	new	function
free	function	protect_glyph	function
get_attribute	function	protect_glyphs	function
getattribute	function	protectglyph	function
getfield	function	protectglyphs	function
getglue	function	protrusionskipable	function
getpropertystable	function	rangedimensions	function
getproperty	function	remove	function
has_attribute	function	set_attribute	function
has_field	function	setattribute	function
has_glyph	function	setfield	function
hasattribute	function	setglue	function
hasfield	function	setproperty	function
hasglyph	function	show	function
hpack	function	slide	function
hyphenating	function	subtypes	function
id	function	tail	function
insert_after	function	tostring	function
insert_before	function	traverse	function
insertafter	function	traverse_id	function
insertbefore	function	traverseid	function
instock	function	type	function
inuse	function	types	function
is_node	function	unprotect_glyph	function
is_zero_glue	function	unprotect_glyphs	function
isnode	function	unprotectglyph	function
iszeroglue	function	unprotectglyphs	function
kerneling	function	unset_attribute	function
last_node	function	unsetattribute	function
lastnode	function	usedlist	function
length	function	usesfont	function
ligaturing	function	values	function
makeextensible	function	vpack	function
mlist_to_hlist	function	write	function
mlisttohlist	function		

nodes (context)

accentcodes	data table	fields	function
aligned	function	fieldtypes	table
append	function	fillcodes	data table
apply	function	fillvalues	data table
applyvisuals	function	firstcharacter	function
astable	function	firstcharinbox	function
basepoints	function	firstdirinbox	function
boundarycodes	data table	flush	function
boxes	table	flush_list	function
F count		flush_node	function
F dimensions		flushlist	function
F direct		flushnode	function
F dispose		fullhpack	function
F found		getattr	function
F reset		getattribute	function
F restore		getboth	function
F save		getbox	function
F savenode		getchar	function
builders	table	getfield	function
F buildpage_filter		getfont	function
F vpack_filter		getid	function
concat	function	getleader	function
copy	function	getlist	function
copy_list	function	getnext	function
copylist	function	getprev	function
countall	function	getproperty	function
current_attributes	function	getsubtype	function
currentattributes	function	gluecodes	data table
delete	function	glyphcodes	data table
destinations	table	handlers	table
N attribute		F accessibility	
T done		F backgrounds	
F handler		F backgroundspage	
T stack		F backgroundsvbox	
dircodes	data table	F characters	
directioncodes	data table	F checkglyphs	
directionvalues	data table	F checkparcounter	
dirvalues	data table	F cleanupbox	
disccodes	data table	F cleanuppage	
discretionarycodes	data table	F export	
fencecodes	data table	F finalizebox	

F finalizelist		is_node	function
F flatten		isnode	function
F flattenline		kerncodes	data table
F migrate		leftmarginwidth	function
F protectglyphs		linefillers	table
F show		D data	
F showhyphenation		F define	
F stripping		F enable	
F textbackgrounds		F filler	
F unprotectglyphs		F handler	
F visualizehyphenation		lines	table
F wipe		T boxed	
has_attribute	function	F addlinenumbers	
has_field	function	F register	
hasattribute	function	F setup	
hasfield	function	D data	
hpack	function	F finalize	
idsandsubtypes	function	F number	
idtostring	function	link	function
injections	table	linked	function
F copy		list	function
F getligaindex		listcodes	data table
F getthreshold		listtoutf	function
F handler		literalvalues	data table
F installgetspaceboth		locate	function
F installnewkern		markers	table
F isspace		F get	
F keepcounts		mathcodes	data table
F reset		mathvalues	data table
F resetcounts		maxboxwidth	function
F setcursive		migrations	table
F setkern		F setinserts	
F setligaindex		F setmarks	
F setmark		new	function
F setmove		noadcodes	data table
F setposition		noadoptions	table
F setspacekerns		N axis	
insert_after	function	N exact	
insert_before	function	N left	
insertafter	function	N middle	
insertbefore	function	N no_axis	
insertlistafter	function	N right	
installattributehandler	function	N set	
is_display_math	function	N unused_1	

N unused_2		F exchange
nodecodes	data table	F find_attribute
nopts	function	F findattribute
nuts	table	F findnode
F addmargins		F first_glyph
F addxoffset		F firstcharacter
F addxymargins		F firstcharinbox
F addyoffset		F firstglyph
F append		F flattendiscretionaries
F appendaftertail		F flush
F apply		F flush_list
F applyvisuals		F flush_node
F checkdiscretionaries		F flushlist
F collapsing		F flushnode
T colors		F free
F set		F fullhpack
T components		F get_attribute
F copynocomponents		F get_synctex_fields
F copyonlyglyphs		F getattr
F count		F getattribute
F flush		F getattributelist
F get		F getattributes
F set		F getattrlist
F concat		F getattrrs
F copy		F getboth
F copy_list		F getbox
F copy_node		F getboxglue
F copy_only		F getchar
F copy_properties		F getcharspec
F copylist		F getcomponents
F copynode		F getdata
F copyonly		F getdepth
F copyvisual		F getdirection
F count		F getdisc
F countall		F getdiscpart
F current_attr		F getdiscretionary
F currentattributes		F getexpansion
F delete		F getfam
F dimensions		F getfield
F dirdimensions		F getfont
F effective_glue		F getglue
F effectiveglue		F getglyphdata
F end_of_math		F getglyphdimensions
F endofmath		F getheight

F getid	F hasattribute
F getindex	F hasdimensions
F getkern	F hasfield
F getkerndimension	F hasglyph
F getlang	F hasglyphoption
F getlanguage	F hpack
F getleader	F hyphenating
F getlist	F ignoremathskip
F getnext	F insert_after
F getnormalizedline	F insert_before
F getnucleus	F insertafter
F getoffsets	F insertbefore
F getoptions	F insertlistafter
F getorientation	F is_display_math
F getpenalty	F is_node
F getpost	F is_zero_glue
F getpre	F ischar
F getprev	F isdone
F getprop	F isglyph
F getreplace	F isnextchar
F getruledata	F isnextglyph
F getscale	F isnode
F getscales	F isprevchar
F getscrip	F isprevglyph
F getshift	F iszeroglue
F getstate	F kerning
F getsub	F length
F getsubpre	F ligaturing
F getsubtype	F link
F getsup	F linked
F getsuppre	F locate
F getsurround	F migrate
F getsyntexfields	F mlist_to_hlist
F gettotal	F mlisttohlist
F getvalue	F naturalhsize
F getwhd	F naturalwidth
F getwidth	F nestedtracedslide
F getxscale	F new
F getxyscales	T pool
F getyscale	F accent
F has_attribute	F baselineskip
F has_dimensions	F boundary
F has_field	F choice
F has_glyph	F cleanup

F delim	F startrotation
F delimiter	F stock
F direction	F stretch
F directliteral	F subbox
F disc	F sublist
F emptyrule	F temp
F fence	F usage
F fontkern	F userdefined
F fraction	T userids
F glue	F usernode
F gluespec	F userrule
F glyph	F vlist
F hlist	F wordboundary
F indentskip	F prepend
F italicern	F prependbeforehead
F kern	F processranges
F latelua	F processwords
F leader	F protect_glyph
F lefthangskip	F protect_glyphs
F leftmarginkern	F protectglyph
F leftskip	F protectglyphs
F lineskip	F protrusionskipable
F literal	F rangedimensions
F mathchar	F rawprop
F mathtextchar	F reference
F negatedglue	F rehpac
F noad	F remove
F originliteral	F repackhlist
F outlinerule	F replace
F pageliteral	F reverse
F penalty	T rules
F radical	T ruleactions
F rawliteral	F box
F register	F draw
F restore	F fill
F righthangskip	F mp
F rightmarginkern	F stroke
F rightskip	F userrule
F rule	F set_attribute
F save	F setattr
F savepos	F setattribute
F setmatrix	F setattributelist
F setstate	F setattrrlist
F shrink	F setattrrs

F setboth	F setsubpre
F setbox	F setsubtype
F setboxglue	F setup
F setchar	F setsuppre
F setcomponents	F setsurround
F setdata	F setsyntexfields
F setdepth	F setvalue
F setdirection	F setvisual
F setdisc	F setvisuals
F setdiscpart	F setwhd
F setdiscretionary	F setwidth
F setexpansion	F show
F setfam	F slide
F setfield	F softenhyphens
F setfont	F somepenalty
F setglue	F somespace
F setglyphdata	F splitbox
F setheight	F start_of_par
F setkern	F startofpar
F setlang	F striprange
F setlanguage	F tail
F setleader	F takeattr
F setlink	F takebox
F setlist	F takelist
F setnext	F theprop
F setnucleus	F tonode
F setoffsets	F tonodes
F setoptions	F tonut
F setorientation	F tosequence
F setparproperty	F toString
F setpenalty	F tracedslide
F setpost	F traverse
F setpre	F traverse_char
F setprev	F traverse_glyph
F setprop	F traverse_id
F setreplace	F traverse_list
F setruledata	F traverseuchar
F setscale	F traversecontent
F setscales	F traverseglyph
F setscript	F traverseid
F setshift	F traverselist
F setsplit	T traversers
F setstate	F boundary
F setsub	F char

F content		D data	
F dir		F enable	
F disc		F handler	
F glue		F register	
F glyph		D registered	
F hlist		D values	
F list		F processor	
F next		points	function
F node		pool	table
F vlist		F baselineskip	
F whatsit		F cleanup	
T typesetters		F directliterate	
F tohbox		F glyph	
F tohpack		F hlist	
F tonodes		F latelua	
F toinbox		F lineskip	
F toinbox		F literal	
F unprotect_glyph		F originliterate	
F unprotect_glyphs		F register	
F unprotectglyph		F restore	
F unprotectglyphs		F rule	
F unset_attribute		F save	
F unsetattribute		F savepos	
F unsetattributes		F setmatrix	
F untracedslide		F stock	
F usedlist		F usage	
F uses_font		F usernode	
F usesfont		F vlist	
F verticalbreak		prepend	function
F vianodes		print	function
F vianuts		processors	table
F vpack		F contribute_filter	
F write		F glyph_run	
F xscaled		F post_linebreak_filter	
F yscaled		F pre_linebreak_filter	
packlist	function	F trace_glyph_run_a	
parcodes	data table	F trace_glyph_run_b	
penaltycodes	data table	properties	table
plugindata	table	T data	
F finalizer		pts	function
F initializer		radicalcodes	data table
S name		references	table
T namespace		N attribute	
N attribute		T done	

F handler		F resetsamples	
T stack		F takesample	
rehpack	function	somepenalty	function
remove	function	somespace	function
repackhlist	function	specialskipcodes	table
replace	function	splitbox	function
report	function	startofpar	function
rightmarginwidth	function	stripdiscretionaries	function
rulecodes	data table	stripping	table
rules	table	T glyphs	
D data		F set	
F define		subtypes	data table
F enable		tail	function
F handler		takeattr	function
F process		takebox	function
F userrule		tasks	table
serialize	function	F actions	
serializebox	function	F appendaction	
set_attribute	function	F disableaction	
setattr	function	F disablegroup	
setattribute	function	F enableaction	
setboth	function	F enablegroup	
setbox	function	F freeze	
setboxtonaturalwd	function	F freezegroup	
setchar	function	F new	
setfield	function	F prependaction	
setfont	function	F removeaction	
setleader	function	F replaceaction	
setlink	function	F restart	
setlist	function	F setaction	
setnext	function	F showactions	
setprev	function	F table	
setproperty	function	tobasepoints	function
shifts	table	tocentimeters	function
D data		toxiceros	function
F define		todidots	function
F enable		todimen	function
F handler		toinches	function
showboxes	function	tomillimeters	function
showlist	function	tonode	function
showsimplelist	function	tonodes	function
skipcodes	data table	tonut	function
snapshots	table	topicas	function
F getsamples		topoints	function

toscaledpoints	function	F stop	
tosequence	function	T transparencies	
tostring	function	F reset	
totable	function	F set	
totree	function	F setlist	
toutf	function	traverse	function
tracers	table	traverse_id	function
T colors		traverseid	function
F reset		typesetters	table
F set		F hbox	
F setlist		F hpack	
F directions		F tohbox	
F fontchar		F tohpack	
T frequencies		F tonodes	
F register		F tovbox	
T pool		F tovpack	
T nodes		F vpack	
F rule		unset_attribute	function
T nuts		unsetattribute	function
F rule		usedlist	function
F resetproperties		vianodes	function
F rule		vianuts	function
F setlist		visualizebox	function
F setproperties		visualizers	table
F start		F attribute	
T steppers		T attributes	
F check		F box	
F codes		F handler	
F features		F markfonts	
F font		F register	
F glyphs		F setfont	
F message		F setlayer	
F messages		F setruledglyph	
F nofsteps		F setvisual	
F register		vpack	function
F reset		whatsitcodes	data table
F start		write	function
F stop			

number (context)

	function	tol6dot16	function
basepoints	function	tobasepoints	function
bytetodecimal	function	tobitstring	function
compactfloat	function	tocentimeters	function
decimaltobyte	function	tociceros	function
dimenfactors	data table	tocontext	function
formatted	function	todidots	function
formattedfloat	function	todimen	function
idiv	function	toevenhex	function
maxdimen	number	toinches	function
nopts	function	tomillimeters	function
nubasepoints	function	tonumberf	function
nupoints	function	tonumberg	function
percent	function	topicsas	function
points	function	topoints	function
pts	function	toscaled	function
signed	function	toscaledpoints	function
sparseexponent	function	valid	function
splitdimen	function		

objects (context)

data	table	page	function
dimensions	function	reference	function
found	function	register	function
n	number	restore	function

optional (context)

curl table

F escape
F fetch
F getversion
F initialize
F unescape

foreign table

F abivalues
F getbuffer
F initialize
F load
F newbuffer
F totable
F types

ghostscript table

F execute
F initialize

graphicsmagick table

F execute
F initialize

hb table

F getshapers
F getversion
F initialize
F loadfont
F shapestring

kpse table

F expand_braces
F expand_path
F expand_var
F find_file
F find_files
F get_file_types
F initialize
F readable_file
F set_program_name
F var_value

loaded table

lz4 table

F compress
F decompresssize

F framecompress
F framedecompress
F initialize

lzma table

F compress
F decompress
F initialize

lzo table

F compress
F decompresssize
F initialize

mujs table

F dofile
F execute
F initialize
F reset
F setclosefile
F setconsole
F setfindfile
F setopenfile
F setreadfile
F setseekfile

mysql table

F close
F execute
F getmessage
F initialize
F open

postgres table

F close
F execute
F getmessage
F initialize
F open

sqlite table

F close
F execute
F getmessage
F initialize
F open

zint table

F execute	F compress
F initialize	F decompress
zstd	F initialize
table	

os (basic lua)

<code>__getenv__</code>	function	<code>remove</code>	overloaded function
<code>__setenv__</code>	function	<code>rename</code>	overloaded function
<code>binsuffix</code>	string	<code>resultof</code>	function
<code>binsuffixes</code>	table	<code>runtime</code>	function
<code>bits</code>	string	<code>selfarg</code>	table
<code>clock</code>	function	<code>selfbase</code>	string
<code>converttime</code>	function	<code>selfbin</code>	string
<code>date</code>	overloaded function	<code>selfcore</code>	string
<code>difftime</code>	function	<code>selfdir</code>	string
<code>enableansi</code>	function	<code>selfname</code>	string
<code>env</code>	data table	<code>selfpath</code>	string
<code>execute</code>	overloaded function	<code>setenv</code>	overloaded function
<code>exit</code>	overloaded function	<code>setexitcode</code>	function
<code>fulltime</code>	function	<code>setlocale</code>	overloaded function
<code>getcodepage</code>	function	<code>sleep</code>	function
<code>getenv</code>	overloaded function	<code>time</code>	function
<code>gettimeofday</code>	function	<code>timezone</code>	function
<code>isleapyear</code>	function	<code>tmpname</code>	function
<code>launch</code>	function	<code>today</code>	function
<code>libsuffix</code>	string	<code>type</code>	string
<code>localtime</code>	function	<code>uname</code>	function
<code>name</code>	string	<code>uuid</code>	function
<code>newline</code>	string	<code>validdatetime</code>	function
<code>nofdays</code>	function	<code>weekday</code>	function
<code>now</code>	function	<code>where</code>	function
<code>pipeto</code>	function	<code>which</code>	function
<code>platform</code>	string		

package (basic lua)

config	string	loadlib	function
cpath	string	luapaths	function
extralibpath	function	path	string
extralibpaths	function	poplibpath	function
extralupath	function	popluapath	function
extralupaths	function	preload	table
helpers	table	pushlibpath	function
libpaths	function	pushluapath	function
loaded	table	searchers	table
loaders	table	searchpath	function

pagebuilders (context)

columnsets table

- F add
- F block
- F check
- F currentcolumn
- F define
- F finishflush
- F flushareas
- F flushcolumn
- F flushrest
- F goto
- F noto
- F prepareflush
- F put
- F registerarea
- F reset
- F setarea

- F sethsize
- F sethspace
- F setlines
- F setproperties
- F setstart
- F setvsize

injections table

- F flushafter
- F flushbefore
- F save

mixedcolumns table

- F cleanup
- F finalize
- F getlist
- F getrest
- F getsplit
- F setsplit

pdf (basic tex)

immediateobj function

pdfe (extra tex)

arraytotable	function	getnumber	function
close	function	getpage	function
closestream	function	getpages	function
dictionarytotable	function	getsize	function
encryptioncodes	data table	getstatus	function
getarray	function	getstream	function
getboolean	function	getstring	function
getbox	function	gettrailer	function
getcatalag	function	getversion	function
getdictionary	function	new	function
getfromarray	function	objectcodes	data table
getfromdictionary	function	open	function
getfromreference	function	openfile	function
getfromstream	function	openstream	function
getinfo	function	pagestotable	function
getinteger	function	readfromstream	function
getmemoryusage	function	readwholestream	function
getname	function	type	function
getnofobjects	function	unencrypt	function
getnofpages	function		

physics (context)

units table

F registerunit

D tables

pngdecode (extra tex)

applyfilter function

expand function

interlace function

splitmask function

tocmyk function

tomask function

publications (context)

addtexentry	function	converttoxml	function
analyze	function	currentspecification	table
anywhere	function	S author	
authorcache	data table	T categories	
authorcollapsers	data table	T article	
authorhashers	table	S category	
F invertedshort		T extra	
F normal		T fields	
F normalinverted		S author	
F normalshort		S editor	
F sequential		S journal	
F sequentialshort		S keywords	
F short		S note	
authormap	data table	S number	
authortoregister	function	S pages	
casters	table	S title	
F author		S volume	
F keyword		S year	
F pagenumber		T optional	
F range		T required	
checkeddataset	function	T sets	
citevariants	table	T author	
F author		T virtual	
F authornum		T book	
F authoryear		S category	
F authoryears		T extra	
F category		T fields	
F default		S address	
F entry		S author	
F index		S edition	
F keywords		S editor	
F num		S keywords	
F page		S note	
F short		S number	
F tag		S publisher	
F textnum		S subtitle	
F year		S title	
collected	data table	S volume	
components	table	S year	
F author		T optional	
concatstate	function	T required	

T sets	S pages	
T author	S volume	
T editionset	S version	
T virtual	D virtual	
T demo-a	T virtualfields	
S category	B authornum	
T extra	B authoryear	
T fields	B authoryears	
S author	B num	
S institution	B suffix	
S organization	datasets	table
S subtitle	detailed	table
S title	endnotes_to_btx	function
S year	enhancer	table
T optional	S arguments	
T required	T askip	
T sets	B dirty	
T author	T gskip	
T virtual	T kind	
T demo-b	T list	
S category	T system	
T extra	T order	
T fields	N steps	
S author	enhancers	table
S institution	F details	
S organization	F order	
S subtitle	F suffixes	
S title	finder	function
S year	firstofrange	function
T optional	found	function
T required	get	function
T sets	getcasted	function
T authors	getdetail	function
T virtual	getdirect	function
S comment	getfaster	function
S copyright	getfield	function
T fields	getfuzzy	function
S name	getindex	function
T types	inspectors	data table
S author	journals	table
S editor	F abbreviated	
S keywords	F add	
S number	F expanded	
S page	F load	

F save		F lua	
lastofrange	function	F refman	
lists	table	F registercleaner	
F collectentries		F xml	
F combiinlist		loadreplacementfile	function
F fetchentries		new	function
F filterall		okay	function
F flushcombi		oneorange	function
F flushentry		parenttag	function
F flushtag		permitted	function
T methods		prerollcmdstring	function
F dataset		refman_to_btx	function
F force		resolvedname	function
F global		save	function
F local		savers	table
F nofregistered		F bib	
F prepareentries		F lua	
F register		F xml	
F sameasprevious		search	function
T sorters		setcategory	function
F cite		setspecification	function
F dataset		singularorplural	function
F default		sortedentries	function
F index		sortmethods	table
F list		T authoryear	
F reference		T sequence	
F short		specifications	table
F used		T default	
F uservariable		S author	
listvariants	table	S comment	
F default		S copyright	
F index		S name	
F num		S version	
F short		D virtual	
F tag		splitauthor	function
load	function	splitoneauthor	function
loadbibdata	function	statistics	table
loaddefinitionfile	function	N nofbytes	
loaders	table	N nofdatasets	
F bbl		N nofdefinitions	
F bib		N nofshortcuts	
F buffer		tables	table
F endnote		D implicits	
F json		D origins	

D	privates		F	showtables	
D	sets		F	showvariants	
D	specials		typesetters		table
D	types		F	author	
D	virtuals		F	string	
tags		function	usedataset		function
tracers		table	usedentries		function
F	showdatasetauthors		writers		table
F	showdatasetcompleteness		F	author	
F	showdatasetfields		F	keyword	
F	showentry		F	pagenumber	
F	showfields		F	range	
F	showhashedauthors				

regimes (context)

backmapping	data table
cleanup	function
disable	function
enable	function
fromregime	function
list	function

mapping	data table
pop	function
process	function
push	function
toregime	function
translate	function

resolvers (context)

allprefixes	function	findgivenfiles	function
appendhash	function	findlib	function
automount	function	findpath	function
booleanvariable	function	findtexfile	function
cacheversion	string	findwildcardfile	function
checkedvariable	function	findwildcardfiles	function
cleanedpathlist	function	formatofsuffix	function
cleanpath	function	formatofvariable	function
cleanpathlist	function	formats	data table
concatinators	data table	foundintree	function
configbanner	string	foundintrees	function
configurationfiles	function	generators	data table
dangerous	data table	get_from_content	function
datastate	function	getenv	function
decompressors	table	getextrapaths	function
F register		getfilehashes	function
F unregister		gethashes	function
defaultsuffixes	table	getownpath	function
dirstatus	function	getreadfilename	function
dowithfilesandreport	function	hashers	data table
dowithfilesintree	function	homedir	string
dowithpath	function	initialized	function
dowithvariable	function	installinputfilehandler	function
executers	table	installinputlinehandler	function
expandbraces	function	jobpath	function
expandedpathfromlist	function	jobs	table
expandedpathlist	function	F currentcomponent	
expandedpathlistfromvariable	function	F currentenvironment	
expandpath	function	F currentproduct	
expandpathfromvariable	function	F currentproject	
expansion	function	F justacomponent	
extendtexmfvariable	function	D processors	
filtered_from_content	function	F productcomponent	
find_file	function	F usefile	
find_files	function	joinpath	function
findbinfile	function	knownvariables	function
findctxfile	function	libraries	table
finders	data table	F optionalloaded	
findfile	function	F validoptional	
findfiles	function	load	function
findgivenfile	function	loadbinfile	function

loaders	data table	repath	function
loadlualib	function	reset	function
loadtexfile	function	resetextrapaths	function
loadtime	function	resetresolve	function
locateformat	function	resolve	function
locators	data table	savers	data table
luacnffallback	string	scandata	function
luacnfname	string	scanfiles	function
luacnfspec	string	schemes	table
luacnfstate	string		
macros	table	T cleaners	
F convertfile		F md5	
F decodecomment		F none	
F enablecomment		F strip	
F encodecomment		F cleanname	
F preprocessed		F fetchstring	
F processmk		F fetchtable	
F processmklx		F install	
F processmkvi			
F version		setdynamic	function
maxreadlevel	number	setenv	function
methodhandler	function	showpath	function
openbinfile	function	simplescanfiles	function
openers	data table	splitconfigurationpath	function
openfile	function	splitexpansions	function
opentexfile	function	splitmethod	function
ownpath	string	splitpath	function
popextrapath	function	stackpath	function
popinputname	function	starttiming	function
poppath	function	stoptiming	function
prefixes	data table	suffixes	data table
prependhash	function	suffixmap	data table
pushextrapath	function	suffixofformat	function
pushinputname	function	texdatablob	function
pushpath	function	toppath	function
registerextrapath	function	unexpandedpath	function
registerfile	function	unexpandedpathlist	function
registerfilehash	function	unresolve	function
registerintrees	function	updaterelations	function
registermethod	function	updatescript	function
registerzipfile	function	uselibrary	function
relations	data table	usertypes	data table
renew	function	usezipfile	function
renewcache	function	validatedpath	function
		variable	function
		variableofformat	function

variableofformatorsuffix	function
wildcardpattern	function

sandbox (context)

disablelibraries	function
disablerunners	function
enable	function
filehandlerone	function
filehandlertwo	function
finalizer	function
getrunner	function
initializer	function
iohandler	function
logcalls	function
logfiles	function
original	function
overload	function

possiblepath	function
redefine	function
register	function
registerbinary	function
registerlibrary	function
registerroot	function
registerrunner	function
report	function
setfilenamelogger	function
setlogger	function
setreporter	function
settrace	function
validfilename	function

scripts (context)

autofontfeature table

F disable
F enable
F handler

colors data table

decomposehangul function

defaults table

N inter_char_half_shrink_factor
N inter_char_half_stretch_factor
N inter_char_hangul_penalty
N inter_char_quarter_shrink_factor
N inter_char_quarter_stretch_factor
N inter_char_shrink_factor
N inter_char_stretch_factor
N inter_word_stretch_factor

getdata function

getinjector function

getsplitter function

getstatus function

handlers data table

helpers data table

injectors data table

inserters table

F nobreakspace_after

F nobreakspace_before

F space_after

F space_before

F zerowidthspace_after

F zerowidthspace_before

installdataset function

installmethod function

numbertodataset data table

numbertohandler data table

reset function

set function

setstatus function

splitters data table

set (context)

contains function

create function

tolist function

tonumber function

totable function

sha2 (extra lua)

HASH256	function
HASH384	function
HASH512	function
HEX256	function
HEX384	function
HEX512	function
digest256	function
digest384	function
digest512	function

hash256	function
hash384	function
hash512	function
hex256	function
hex384	function
hex512	function
sum256	function
sum384	function
sum512	function

sio (extra lua)

read2dot14	function
readbytes	function
readbytetable	function
readcardinal1	function
readcardinal1le	function
readcardinal2	function
readcardinal2le	function
readcardinal3	function
readcardinal3le	function
readcardinal4	function
readcardinal4le	function
readcardinaltable	function
readcline	function
readcstring	function
readfixed2	function
readfixed4	function
readinteger1	function

readinteger1le	function
readinteger2	function
readinteger2le	function
readinteger3	function
readinteger3le	function
readinteger4	function
readinteger4le	function
readintegertable	function
tocardinal1	function
tocardinal1le	function
tocardinal2	function
tocardinal2le	function
tocardinal3	function
tocardinal3le	function
tocardinal4	function
tocardinal4le	function

socket (extra lua)

BLOCKSIZE	number	S content-md5
_DATAGRAMSIZE	number	S content-range
_SETSIZE	number	S content-transfer-encoding
_SOCKETINVALID	number	S content-type
bind	function	S cookie
choose	function	S date
connect	function	S diagnostic-code
connect4	function	S dsn-gateway
connect6	function	S etag
dns	table	S expect
F getaddrinfo		S expires
F gethostname		S final-log-id
F getnameinfo		S final-recipient
F tohostname		S from
F toip		S host
gettime	function	S if-match
headers	table	S if-modified-since
T canonic		S if-none-match
S accept		S if-range
S accept-charset		S if-unmodified-since
S accept-encoding		S in-reply-to
S accept-language		S keywords
S accept-ranges		S last-attempt-date
S action		S last-modified
S age		S location
S allow		S max-forwards
S alternate-recipient		S message-id
S arrival-date		S mime-version
S authorization		S original-envelope-id
S bcc		S original-recipient
S cache-control		S pragma
S cc		S proxy-authenticate
S comments		S proxy-authorization
S connection		S range
S content-description		S received
S content-disposition		S received-from-mta
S content-encoding		S references
S content-id		S referer
S content-language		S remote-mta
S content-length		S reply-to
S content-location		S reporting-mta

S resent-bcc
 S resent-cc
 S resent-date
 S resent-from
 S resent-message-id
 S resent-reply-to
 S resent-sender
 S resent-to
 S retry-after
 S return-path
 S sender
 S server
 S smtp-remote-recipient
 S status
 S subject
 S te
 S to
 S trailer
 S transfer-encoding
 S upgrade
 S user-agent
 S vary
 S via
 S warning
 S will-retry-until
 S www-authenticate
 S x-mailer
 F lower
 F normalize
http table
 N TIMEOUT
 S USERAGENT
 F genericform
 F open
 F request
newtry function

protect function
report function
select function
sink function
sinkt table
 F close-when-done
 F default
 F http-chunked
 F keep-open
skip function
sleep function
source function
sourcet table
 F by-length
 F default
 F http-chunked
 F until-closed
tcp function
tcp4 function
tcp6 function
tp table
 N TIMEOUT
 F connect
try function
udp function
udp4 function
udp6 function
url table
 F absolute
 F build
 F build_path
 F escape
 F parse
 F parse_path
 F unescape

sorters (context)

basicsorter	function	B pm	
comparers	table	B uc	
F basic		B zc	
constants	table	B zm	
S defaultdigits		definitions	data table
S defaultlanguage		firstofsplit	function
S defaultmethod		packch	function
N digitmaximum		packuc	function
N digitoffset		replacementlist	function
N ignoredoffset		setlanguage	function
N replacementoffset		sort	function
T validmethods		splitters	table
B ch		F utf	
B mc		strip	function
B mm		tracers	data table
B pc		update	function

sparse (context)

concat	function
get	function
max	function
min	function
new	function

range	function
restore	function
set	function
traverse	function
wipe	function

statistics (context)

benchmarktimer	function	resettiming	function
checkfmtstatus	function	runtime	function
currenttime	function	savefmtstatus	function
elapsed	function	show	function
elapsedindeed	function	showmemory	function
elapsedseconds	function	showusage	function
elapsedtime	function	starttiming	function
enable	boolean	stoptiming	function
formatruntime	function	threshold	number
hastiming	function	timed	function
memused	function	tracefunction	function
register	function		

status (basic tex)

getbufferstate	function	getmarkstate	function
getcallbackstate	function	getneststate	function
getconstants	function	getnodestate	function
geterrorlinestate	function	getparameterstate	function
geterrorstate	function	getpoolstate	function
getexpandstate	function	getreadstate	function
getextrastate	function	getsavestate	function
getfilestate	function	getsparsestate	function
getfontstate	function	getstringstate	function
gethalferrorlinestate	function	gettexstate	function
gethashstate	function	gettokenstate	function
getinputstate	function	getwarningstate	function
getinsertstate	function	iocodes	table
getlanguagestate	function	list	function
getlookupstate	function	resetmessages	function
getluastate	function		

storage (context)

allocate	function	noftables	number
data	table	register	function
mark	function	shared	data table
marked	function	storedfunctions	data table
max	number	strip	boolean
min	number	tofmodules	number
nofmodules	number	toftables	number

streams (context)

collect	function
disable	function
enable	function
flush	function
initialize	function

push	function
start	function
stop	function
synchronize	function

string (basic lua)

autodouble	function	nspaces	table
autosingle	function	optionalquoted	function
booleanstring	function	pack	function
byte	function	packsize	function
bytepairs	function	quote	function
bytes	function	quoted	function
bytetable	function	rep	function
char	function	replacenewlines	function
characterpairs	function	reverse	function
characters	function	split	function
checkedsplit	function	splitlines	function
collapsespaces	function	splitup	function
containsws	function	strip	function
count	function	sub	function
dawson	function	tformat	function
dump	function	toHEX	function
erf	function	toboollean	function
erfc	function	tobytes	function
erfcx	function	tocontext	function
erfi	function	todec	function
escapedpattern	function	todimen	function
escapedquotes	function	tohex	function
explode	function	tonodes	function
f6	function	topattern	function
find	function	totable	function
format	function	tounicode16	function
formatter	function	toutf	function
formatters	function	toutf32	function
fullstrip	function	toutf8	function
gmatch	function	tracedchar	function
gsub	function	tracedchars	table
is_boolean	function	unpack	function
is_empty	function	unquote	function
itself	function	unquoted	function
len	function	upper	function
limit	function	utfcharacter	function
linetable	function	utfcharacters	function
longtostring	function	utfcharacteratable	function
lower	function	utflength	function
match	function	utfpadd	function
nspaces	function	utfpadding	function

utfvalue	function	valid	function
utfvalues	function	voigt	function
utfvaluetable	function	voigt_hwhm	function

structures (context)

atlocation	function	F next
blocks	table	F prev
D collected		F previous
F define		F raw
F print		F record
F save		F reset
F select		F restart
F setstate		F restore
D states		F save
D tobesaved		F set
F uservariable		F setlevel
bookmarks	table	F setoffset
T extras		F setown
F get		F setstate
F mergesections		F setvalue
F register		T specials
F reset		F userpage
F tosections		F subs
F finalize		D tobesaved
F flatten		F value
F installhandler		F way
F merge		currentsectionnumber function
S method		descriptions table
F overload		documents table
F place		D data
F register		F initialize
F setopened		F preset
F setup		F reset
counters	table	floats table
F add		formulas table
F analyze		helpers table
F check		F analyze
D collected		F formulanumber
F compact		F merged
F converted		F page
F currentvalue		F pageofinternal
D data		F prefix
F define		F prefixlastpage
F first		F prefixpage
F get		F simplify
F last		F title

F touserdata		F reordered	
inserts	table	T result	
D data		F savedlistnumber	
F define		F savedlistprefixednumber	
F getdata		F savedlisttitle	
F getlocation		D sectionblocks	
F getname		F sectionnumber	
F getnumber		F size	
F setlocation		F title	
F setup		D tobesaved	
D stored		F userdata	
itemgroups	table	F uservalue	
lists	table	marks	table
F addto		D data	
F analyze		F define	
B autoreorder		F exists	
D cached		F fetch	
D collected		F fetchallmarks	
F discard		F fetched	
F enhance		F fetchonemark	
T enhancers		F fetchtwomarks	
F filter		F get	
F formulainumber		F number	
F getresult		F relate	
F groupindex		F reset	
F hasnumberdata		F set	
F haspagedata		F show	
F hastitledata		F synchronize	
F iscached		F title	
D kinds		T tracers	
F label		F showtable	
F location		notes	table
D names		F check_spacing	
F number		F checkpagechange	
D ordered		F define	
F page		F doifonsamepageasprevious	
F popnesting		F get	
F prefix		F getdeltapage	
F prefixednumber		F getinternal	
F prefixedpage		F getn	
F process		F getstate	
D pushed		F hascontent	
F pushnesting		F internal	
F realpage		F internalid	

- F listindex
- D numbers
- F ordered
- F postpone
- F resetpostponed
- F restore
- F save
- F setstate
- D states
- F store

pages table

- F allmarked
- F analyze
- D collected
- F fraction
- F has_changed
- F in_body
- F is_odd
- F mark
- F marked
- F markedlist
- N nopages
- F number
- F on_right
- F save
- D tobesaved
- F toranges

references table

- F analyze
- F checkedfile
- F checkedfileorurl
- F checkedprogram
- F checkedrealpage
- F checkedurl
- D collected
- U componentsplitter
- F currentmetadata
- F currentorder
- D currentset
- F define
- D defined
- D derived
- F enhance
- D executers

- F expandcurrent
- F export
- T files
 - T data
- F define
- F found
- F get
- F filter
- F filterdefault
- D filters
- D flaginternals
- F from
- D functions
- F get
- F getcurrentmetadata
- F getcurrentprefixspec
- F getinnermethod
- F getinternalcachedlistreference
- F getinternallistreference
- F getinternalreference
- F getoutermethod
- D handlers
- F identify
- F import
- F inject
- F injectcurrentset
- S innermethod
- D internals
- F load
- F loadpresets
- F mark
- S outermethod
- D pages
- U prefixsplitter
- D productdata
- T programs
 - T data
- F define
- F get
- F realpageofpage
- U referencesplitter
- D referred
- F referredpage
- F registerfinalizer

- F registerinitializer
- F registerpage
- F reset
- D runners
- F set
- F setandgetattribute
- F setcomponent
- F setinternalreference
- F setlinkmethod
- F setnextinternal
- F setnextorder
- F setreferencerealpage
- D specials
- F splitcomponent
- F splitprefix
- F splitreference
- F synchronizepage
- T testrunners
 - F inner
 - F special
 - F special operation
 - F special operation with arguments
- T testspecials
 - F deltapage
 - F i
 - F internal
 - F page
 - F realpage
 - F section
 - F userpage
- D tobereferred
- D tobesaved
- D tracedpages
- T urls
 - T data
 - F define
 - F found
 - F get
 - F untex
- D usedinternals
- D usedviews
- F valid

registers

- F analyze

table

- D collected
- F compare
- F define
- F enhance
- F extend
- F filter
- F filtercollected
- F finalize
- F findinternal
- F flush
- F get
- F prepare
- F process
- F setmethod
- F sort
- F store
- D tobesaved
- F unique
- F userdata

sections

- F autodepth
- F cct
- D collected
- F current
- F currentblock
- F currentid
- F currentlevel
- F currentsectionindex
- F depthnumber
- F finddata
- F findnumber
- F fullnumber
- F getcurrentlevel
- F getlevel
- F getnumber
- F internalreference
- D levelmap
- D levels
- F matchingtilldepth
- F numberatdepth
- F numbers
- F popblock
- F prefixedconverted
- F pushblock

table

- F register
- D registered
- F reportstructure
- F save
- T sectionblockdata
 - T bodypart
 - S bookmark
- F set
- F setblock
- F setchecker
- F setentry
- F setinitialblock
- F setlevel
- F setnumber
- F showstructure
- F structuredata
- F title
- D tobesaved
- F typesetnumber
- F userdata
- B verbose

sets table

- F define
- F get
- F getall
- D setlist

specials table

- D collected
- F retrieve
- F store
- D tobesaved

synonyms table

- F analyzed
- D collected
- F compare
- F define
- F filter
- F finalize
- F flush
- F isshown
- F isused
- F meaning
- F prepare
- F process

- F register
- F registershown
- F registerused
- F resetshown
- F resetused
- F sort
- F synonym
- D tobesaved

tags table

- T backend
- T checks
 - F marginanchor
 - F margintext
 - F math
 - F mrow
 - F mtable
- T destinationhash
- T extras
 - F adddestination
 - F addimplicit
 - F addinternal
 - F addreference
 - F combination
 - F delimitedsymbol
 - F description
 - F descriptionsymbol
 - F document
 - F float
 - F formulacontent
 - F image
 - F item
 - F itemgroup
 - F link
 - F listitem
 - F mi
 - F msub
 - F msup
 - F paragraph
 - F publication
 - F reference
 - F registerlocation
 - F registerpages
 - F registerseparator
 - F section

F sorting	U splitter
F subsentencesymbol	D properties
F synonym	F registerextradata
F tablecell	F registermetadata
F tabulate	F restart
F tabulatecell	F setaspect
T finalizers	F setattributehash
F descriptions	F setcombination
T fixes	F setconstruct
F linenumber	F setfigure
T listdata	F setfloat
T referencehash	F setformulacontent
F setattribute	F sethighlight
T usedimages	F setitem
T image	F setitemgroup
T usedstyles	F setlist
T construct	F setnotation
T highlight	F setnotationsymbol
F current	F setparagraph
F elementtag	F setproperty
F enabled	F setpublication
F exportbox	F setregister
F finishexport	F setsorting
F getextradata	F setsynonym
F getid	F settablecell
F getmetadata	F settabulatecell
F gettablecell	F settagdelimitedsymbol
F gettabulatecell	F settagsubsentencesymbol
F handler	F setupexport
F initializeexport	F setuserproperties
D labels	D specifications
F last	F start
F lastinchain	F stop
F localexport	F strip
F locatedtag	D taglist
T patterns	T usewithcare

table (basic lua)

allkeys	function	pack	function
append	function	prepend	function
are_equal	function	print	function
collapsed	function	remove	function
collapsedhash	function	reverse	function
compact	function	reversed	function
concat	function	save	function
contains	function	sequenced	function
copy	function	serialize	function
count	function	setmetatablecall	function
derive	function	setmetatableindex	function
deserialize	function	setmetatableindices	function
drop	function	setmetatablekey	function
fastcopy	function	setmetatablenewindex	function
fastserialize	function	sort	function
filtered	function	sorted	function
flattened	function	sortedhash	function
fromhash	function	sortedhashkeys	function
getmetatablekey	function	sortedhashonly	function
getn	function	sortedindexonly	function
has_one_entry	function	sortedkeys	function
hashed	function	sortedpairs	function
identical	function	sparse	function
imerge	function	strip	function
imerged	function	sub	function
insert	function	swapped	function
is_empty	function	tocontext	function
is_simple_table	function	tocsv	function
keys	function	tofile	function
load	function	tohandle	function
loweredkeys	function	tohash	function
makewweak	function	toxml	function
merge	function	twowaymapper	function
merged	function	unique	function
mirrored	function	unnest	function
move	function	unpack	function
ordered	function	values	function
orderedhash	function		

tex (basic tex)

attribute	table	getboxresourcebox	function
badness	function	getboxresourcedimensions	function
box	table	getcatcode	function
boxresources	table	getcount	function
F getbox		getdelcode	function
F getdimensions		getdelcodes	function
F save		getdelimtermodevalues	function
F use		getdimen	function
catcode	table	getdimensionvalue	function
chardef	function	getdiscoptionvalues	function
codes	table	getdiscstatevalues	function
conditionals	data table	geterrorvalues	function
constants	data table	getflagvalues	function
count	table	getfontoffamily	function
cprint	function	getfrozenparvalues	function
ctdcatcodes	number	getglue	function
ctxcatcodes	number	getglyphdata	function
definefont	function	getglyphoptionvalues	function
delcode	table	getglyphscript	function
dimen	table	getglyphstate	function
dimensiondef	function	getgroupvalues	function
directives	data table	gethelptext	function
discoptioncodes	data table	gethyphenationvalues	function
enableprimitives	function	getinsertcontent	function
error	function	getinsertdepth	function
expandasvalue	function	getinsertdistance	function
experiments	data table	getinsertheight	function
extraprimitives	function	getinsertlimit	function
fatalerror	function	getinsertmultiplier	function
flagcodes	data table	getinsertwidth	function
fontidentifier	function	getintegervalue	function
fontname	function	getinteraction	function
forcehmode	function	getiovalues	function
forcesynctexline	function	getlargestusedmark	function
forcesynctextag	function	getlccode	function
fprint	function	getlinedir	function
frozenparcodes	data table	getlist	function
get	function	getlocallevel	function
getattribute	function	getmark	function
getbox	function	getmath	function
getboxdir	function	getmathcode	function

getmathcodes	function	isdimen	overloaded function
getmathcontrolvalues	function	isglue	function
getmathdir	function	ismuglua	function
getmathflattenvalues	function	ismuskip	overloaded function
getmathoptionvalues	function	isprintable	function
getmathparametervalues	function	isskip	overloaded function
getmathstylenamevalues	function	istoken	function
getmathstylevalues	function	istoks	function
getmathvariantvalues	function	lastnodetype	function
getmodevalues	function	lccode	table
getmuglua	function	linebreak	function
getmuskip	function	lists	table
getnest	function	luacatcodes	number
getnormalizevalues	function	magicconstants	table
getoutputactive	function	N maxdimen	
getpacktypevalues	function	N running	
getpagestate	function	N trueinch	
getparbeginvalues	function	mathchardef	function
getparcontextvalues	function	mathcode	table
getpardir	function	mathcontrolcodes	data table
getparmodevalues	function	mathflattenvalues	data table
getprimitiveorigins	function	mathoptioncodes	data table
getregisterindex	function	modelevels	table
getrunstatevalues	function	N horizontal	
getsfcode	function	N math	
getskip	function	N unset	
getsyntexline	function	N vertical	
getsyntexmode	function	modes	data table
getsyntextag	function	mprint	function
gettextdir	function	muglua	table
gettoks	function	muskip	table
getuccode	function	nest	table
glue	table	nilcatcodes	number
glyphoptioncodes	data table	normalizecodes	data table
groupcodes	data table	notcatcodes	number
hashtokens	function	number	function
hyphenationcodes	data table	poplocal	function
ifs	data table	primitives	function
inimatcodes	number	print	function
integerdef	function	prtcodes	number
isattribute	function	pushlocal	function
isbox	function	quitlocal	function
iscount	overloaded function	quittoks	function
isdefined	function	resetparagraph	function

rlncatcodes	number	setrunstate	overloaded function
romannumeral	function	setsfcode	function
round	function	setskip	function
runlocal	function	setsynctexline	function
runtoks	function	setsynctexmode	function
saveboxresource	function	setsynctextag	function
scale	function	settexdir	function
scantoks	function	settoks	function
set	function	setuccode	function
setattribute	function	sfcode	table
setbox	function	shiftparshape	function
setboxdir	function	shipout	function
setcatcode	function	showcontext	function
setcount	function	skip	table
setdelcode	function	sp	function
setdimen	function	splitbox	function
setdimensionvalue	function	sprint	function
setglue	function	stringtocodesbitmap	function
setglyphdata	function	systemmodes	data table
setglyphscript	function	takebox	function
setglyphstate	function	texcatcodes	number
setinsertcontent	function	toks	table
setinsertdistance	function	tonumber	function
setinsertlimit	function	toscaled	function
setinsertmultiplier	function	tpacatcodes	number
setintegervalue	function	tpbcacodes	number
setinteraction	function	tprint	function
setlccode	function	trackers	data table
setlinedir	function	triggerbuildpage	function
setlist	function	txtcatcodes	number
setmath	function	type	function
setmathcode	function	uccode	table
setmathdir	function	uprint	function
setmuglue	function	useboxresource	function
setmuskip	function	vrbcacodes	number
setnest	function	write	function
setpardir	function		

texconfig (basic tex)

buffer size	table	language size	table
N size		N size	
N step		N step	
error line size	table	mark size	table
N size		N size	
expand size	table	N step	
N size		nest size	table
file size	table	N size	
N size		N step	
N step		node size	table
first line	string	N size	
font size	table	N step	
N size		param eter size	table
N step		N size	
format name	string	N step	
function size	number	pool size	table
half error line size	table	N size	
N size		N step	
hash size	table	prop erti ess ize	number
N size		save size	table
N step		N size	
init	overloaded function	N step	
input size	table	shell_ escape	string
N size		string size	table
N step		N size	
insert size	table	N step	
N size		token size	table
N step		N size	
kpse_ init	boolean	N step	

texio (basic tex)

closeinput

function

terminal

function

write

function

write_nl

function

writeln

function

writeselector

function

writeselectorlf

function

writeselectornl

function

token (basic tex)

create	function	getexpandable	function
expand	function	getfields	function
expand_macro	function	getflags	function
expandmacro	function	getfrozen	function
future_expand	function	getfunctionvalues	function
futureexpand	function	getid	function
get_active	function	getimmutable	function
get_cmdchrscs	function	getindex	function
get_cmdname	function	getinstance	function
get_command	function	getinteger	function
get_csname	function	getmacro	function
get_cstoken	function	getmeaning	function
get_dimension	function	getnoaligned	function
get_expandable	function	getparameters	function
get_fields	function	getpermanent	function
get_flags	function	getprimitive	function
get_frozen	function	getprimitives	function
get_id	function	getprotected	function
get_immutable	function	getrange	function
get_index	function	gettok	function
get_instance	function	gettolerant	function
get_integer	function	gobble	function
get_macro	function	gobble_dimen	function
get_meaning	function	gobble_integer	function
get_noaligned	function	gobbledimen	function
get_parameters	function	gobbleinteger	function
get_permanent	function	is_defined	function
get_primitive	function	is_next_char	function
get_protected	function	is_token	function
get_range	function	isdefined	function
get_tok	function	isnextchar	function
get_tolerant	function	istoken	function
getactive	function	new	function
getcmdchrscs	function	peek_next	function
getcmdname	function	peek_next_char	function
getcommand	function	peek_next_expanded	function
getcommandid	function	peeknext	function
getcommandvalues	function	peeknextchar	function
getcsname	function	peeknextexpanded	function
getcstoken	function	pop_macro	function
getdimension	function	popmacro	function

<code>push_macro</code>	<code>function</code>	<code>scanbox</code>	<code>function</code>
<code>pushmacro</code>	<code>function</code>	<code>scancardinal</code>	<code>function</code>
<code>put_back</code>	<code>function</code>	<code>scanchar</code>	<code>function</code>
<code>put_next</code>	<code>function</code>	<code>scancmdchr</code>	<code>function</code>
<code>putback</code>	<code>function</code>	<code>scancmdchrexploded</code>	<code>function</code>
<code>putnext</code>	<code>function</code>	<code>scancode</code>	<code>function</code>
<code>save_lua</code>	<code>function</code>	<code>scancsname</code>	<code>function</code>
<code>savelua</code>	<code>function</code>	<code>scandelimited</code>	<code>function</code>
<code>scan_argument</code>	<code>function</code>	<code>scandimen</code>	<code>function</code>
<code>scan_box</code>	<code>function</code>	<code>scandimenargument</code>	<code>function</code>
<code>scan_cardinal</code>	<code>function</code>	<code>scanfloat</code>	<code>function</code>
<code>scan_char</code>	<code>function</code>	<code>scan glue</code>	<code>function</code>
<code>scan_cmdchr</code>	<code>function</code>	<code>scaninteger</code>	<code>function</code>
<code>scan_cmdchr_exploded</code>	<code>function</code>	<code>scanintegerargument</code>	<code>function</code>
<code>scan_code</code>	<code>function</code>	<code>scankey</code>	<code>function</code>
<code>scan_csname</code>	<code>function</code>	<code>scankeyword</code>	<code>function</code>
<code>scan_delimited</code>	<code>function</code>	<code>scankeywordcs</code>	<code>function</code>
<code>scan_dimen</code>	<code>function</code>	<code>scanletters</code>	<code>function</code>
<code>scan_dimen_argument</code>	<code>function</code>	<code>scanluacardinal</code>	<code>function</code>
<code>scan_float</code>	<code>function</code>	<code>scanluainteger</code>	<code>function</code>
<code>scan glue</code>	<code>function</code>	<code>scanluanumber</code>	<code>function</code>
<code>scan_integer</code>	<code>function</code>	<code>scannext</code>	<code>function</code>
<code>scan_integer_argument</code>	<code>function</code>	<code>scannextchar</code>	<code>function</code>
<code>scan_key</code>	<code>function</code>	<code>scannextexploded</code>	<code>function</code>
<code>scan_keyword</code>	<code>function</code>	<code>scanreal</code>	<code>function</code>
<code>scan_keyword_cs</code>	<code>function</code>	<code>scanscale</code>	<code>function</code>
<code>scan_letters</code>	<code>function</code>	<code>scanskip</code>	<code>function</code>
<code>scan_luacardinal</code>	<code>function</code>	<code>scanstring</code>	<code>function</code>
<code>scan_luainteger</code>	<code>function</code>	<code>scantoken</code>	<code>function</code>
<code>scan_luanumber</code>	<code>function</code>	<code>scantokencode</code>	<code>function</code>
<code>scan_next</code>	<code>function</code>	<code>scantokenlist</code>	<code>function</code>
<code>scan_next_char</code>	<code>function</code>	<code>scantoks</code>	<code>function</code>
<code>scan_next_exploded</code>	<code>function</code>	<code>scanvalue</code>	<code>function</code>
<code>scan_real</code>	<code>function</code>	<code>scanword</code>	<code>function</code>
<code>scan_scale</code>	<code>function</code>	<code>serialize</code>	<code>function</code>
<code>scan_skip</code>	<code>function</code>	<code>set_char</code>	<code>function</code>
<code>scan_string</code>	<code>function</code>	<code>set_dimension</code>	<code>function</code>
<code>scan_token</code>	<code>function</code>	<code>set_integer</code>	<code>function</code>
<code>scan_token_code</code>	<code>function</code>	<code>set_lua</code>	<code>function</code>
<code>scan_tokenlist</code>	<code>function</code>	<code>set_macro</code>	<code>function</code>
<code>scan_toks</code>	<code>function</code>	<code>setchar</code>	<code>function</code>
<code>scan_value</code>	<code>function</code>	<code>setdimension</code>	<code>function</code>
<code>scan_word</code>	<code>function</code>	<code>setinteger</code>	<code>function</code>
<code>scanargument</code>	<code>function</code>	<code>setlua</code>	<code>function</code>

setmacro	function	skipnextexpanded	function
skip_next	function	type	function
skip_next_expanded	function	undefine_macro	function
skipnext	function	undefinemacro	function

tokens (context)

accessors table

- F active
- F cmd
- F cmdchrcs
- F cmdname
- F command
- F csname
- F expandable
- F frozen
- F index
- F name
- F protected
- F range

astable function

bits table

- N active
- N alignment
- N begingroup
- N character
- N close
- N comment
- N endgroup
- N endofline
- N escape
- N ignore
- N invalid
- N letter
- N mathshift
- N open
- N other
- N parameter
- N space
- N subscript
- N superscript
- N whitespace

cache table

- U NC
- U NR
- U bf
- U buff_finish
- U c_font_compact

- U color
- U colordefalc
- U colordefflc
- U colordefflt
- U colordefrlt
- U dofinishreference
- U dostarttext
- U finishjob
- U firstofoneargument
- U firstoftwoarguments
- U gobbleoneargument
- U goto
- U iftrue
- U input
- U loadfoundtypescriptfile
- U resetctxscanner
- U rlap
- U secondoftwoarguments
- U setfalsevalue
- U setsectionblock
- U setupsystem
- U startcolumns
- U starttabulate
- U starttitle
- U startxtitle
- U stopcolumns
- U stoptabulate
- U stoptitle
- U stopxtitle
- U texsetup
- U xmlw

commands data table

compile function

constant function

converters table

- S toboolean
- S todimen
- S toglue
- S tonumber
- S tostring

create function

defined	function	F cmdchrexploded
flags	function	F code
getinteger	function	F conditional
getters	table	F count
	F box	F csname
	F count	F delimited
	F ctoken	F dimen
	F dimen	F dimenargument
	F glue	F dimension
	F macro	F float
	F meaning	F glue
	F skip	F gluespec
	F token	F gluevalues
gobble	function	F hash
isdefined	function	F hbox
istoken	function	F integer
new	function	F integerargument
pickup	function	F ischar
popmacro	function	F key
presets	table	F keyword
	T 1 argument	F keywordcs
	T 1 string	F letters
	T 2 arguments	F list
	T 2 strings	F luacardinal
	T 3 arguments	F luainteger
	T 3 strings	F luanumber
	T 4 arguments	F lxmlid
	T 4 strings	F next
	T 5 strings	F nextchar
	T 6 strings	F nextexpanded
	T 7 strings	F number
	T 8 strings	F optional
pushmacro	function	F peek
scanners	table	F peekchar
	F argument	F peekexpanded
	F argumentasis	F real
	F array	F scanclose
	F boolean	F scanopen
	F box	F skip
	F bracketed	F skipexpanded
	F bracketedasis	F string
	F cardinal	F table
	F char	F token
	F cmdchr	F tokencode

F tokenlist
 F tokens
 F toks
 F value
 F vbox
 F verbatim
 F vtop
 F whd
 F word
setinteger function
setters table

F box
 F char
 F count
 F dimen
 F glue
 F lua
 F macro
 F skip

shortcuts table

T bits
 N active
 N alignment
 N begingroup
 N character
 N close
 N comment
 N endgroup
 N endofline
 N escape
 N ignore
 N invalid
 N letter
 N mathshift
 N open
 N other
 N parameter
 N space
 N subscript
 N superscript
 N whitespace
 N close
 F inspect
 N open

F report
 F scanargument
 F scanargumentasis
 F scanarray
 F scanboolean
 F scanbox
 F scanbracketed
 F scanbracketedasis
 F scancardinal
 F scanclose
 F scancode
 F scanconditional
 F scanscsname
 F scandelimited
 F scandimen
 F scandimenargument
 F scandimension
 F scanglue
 F scangluespec
 F scangluevalues
 F scanhash
 F scanhbox
 F scaninteger
 F scanintegerargument
 F scankeyword
 F scankeywordcs
 F scanletters
 F scanlist
 T scanners
 F argument
 F argumentasis
 F array
 F boolean
 F box
 F bracketed
 F bracketedasis
 F cardinal
 F char
 F cmdchr
 F cmdchrexploded
 F code
 F conditional
 F count
 F csname

F delimited	F verbatim
F dimen	F vtop
F dimenargument	F whd
F dimension	F word
F float	F scannumber
F glue	F scanopen
F gluespec	F scanoptional
F gluevalues	F scanstring
F hash	F scantable
F hbox	F scantokenlist
F integer	F scantoks
F integerargument	F scanvbox
F ischar	F scanverbatim
F key	F scanvtop
F keyword	F scanword
F keywordcs	F toboolean
F letters	F todimen
F list	T tokens
F luacardinal	T accessors
F luainteger	F active
F luanumber	F cmd
F lxmlid	F cmdchrsc
F next	F cmdname
F nextchar	F command
F nextexpanded	F csname
F number	F expandable
F optional	F frozen
F peek	F index
F peekchar	F name
F peekexpanded	F protected
F real	F range
F scanclose	F astable
F scanopen	T cache
F skip	U NC
F skipexpanded	U NR
F string	U bf
F table	U buff_finish
F token	U c_font_compact
F tokencode	U color
F tokenlist	U colordefalc
F tokens	U colordefflc
F toks	U colordefflt
F value	U colordefrlt
F vbox	U dofinishreference

U dostarttext	F macro
U finishjob	F meaning
U firstofoneargument	F skip
U firstoftwoarguments	F token
U gobbleoneargument	F gobble
U goto	F isdefined
U iftrue	F istoken
U input	F new
U loadfoundtypescriptfile	F pickup
U resetctxscanner	F popmacro
U rlap	T presets
U secondoftwoarguments	F pushmacro
U setfalsevalue	F setinteger
U setsectionblock	T setters
U setupsystem	F box
U startcolumns	F char
U starttabulate	F count
U starttitle	F dimen
U startxtitle	F glue
U stopcolumns	F lua
U stoptabulate	F macro
U stoptitle	F skip
U stopxtitle	T shortcuts
U texsetup	N close
U xmlw	F inspect
D commands	N open
F compile	F report
F constant	F scanargument
T converters	F scanargumentasis
S toboolean	F scanarray
S todimen	F scanboolean
S toglue	F scanbox
S tonumber	F scanbracketed
S tostring	F scanbracketedasis
F create	F scancardinal
F defined	F scanclose
F flags	F scancode
F getinteger	F scanconditional
T getters	F scanscname
F box	F scandelimited
F count	F scandimen
F cstoken	F scandimenargument
F dimen	F scandimension
F glue	F scanglue

F scangluespec
F scangluevalues
F scanhash
F scanhbox
F scaninteger
F scanintegerargument
F scankeyword
F scankeywordcs
F scanletters
F scanlist
F scannumber
F scanopen
F scanoptional
F scanstring
F scantable

F scantokenlist

F scantoks

F scanvbox

F scanverbatim

F scanvtop

F scanword

F toboolean

F todimen

F tonumber

F tostring

D values

F tonumber

F tostring

values data table

tracers (context)

printerror function
printwarning function

showlines function

trackers (context)

data	data table	register	function
default	function	report	function
disable	function	reset	function
done	table	savehash	function
dumphashtofile	function	show	function
enable	function	value	function
list	function	values	function
name	string		

typesetters (context)

alignments	table		
F handler			T handlers
F set			F installhandler
breakpoints	table		F processmath
F define			F set
F handler			F setcolor
D mapping			F setmath
T methods			F tomode
T numbers			firstlines
F set			table
F setreplacement			T actions
cases	table		F default
T actions			F line
F handler			F word
F register			F handler
F set			F set
characteralign	table		fontkerns
F handler			table
F resetcharacteralign			F handler
F setcharacteralign			initials
characters	table		table
F handler			T actions
T methods			F default
F replacensp			F addanchortoline
F replacenspaces			F addtoline
checkers	table		F calculatedelta
F handler			F checkline
F reset			F handler
F set			F moveinline
cleaners	table		F set
F handler			injectors
F set			table
digits	table		F check
T actions			T list
F handler			F mark
F set			F reset
directions	table		F set
F getfences			F show
F getglobal			italics
F getmethod			table
F handler			F enablemath
			F enabletext
			F forcevariant
			F handler
			F reset
			F set
			kerns
			table

D factors		F register	
F handler		F reset	
F keepligature		F split	
D mapping		F startapply	
F set		F stopapply	
manipulators	table	F stripped	
F apply		F toString	
F applyspecification		rubies	table
T methods		F attach	
F Word		F check	
F Words		showsuspects	function
F abbreviatedjournal		spacings	table
F expandedjournal		F define	
F lowercase		F handler	
F stripperperiod		D mapping	
F uppercase		T numbers	
T patterns		T frenchpunctuation	
U list		T characters	
U pair		S name	
F splitspecification		N number	
margins	table	F reset	
F finalhandler		F set	
F globalhandler		F setup	
F localhandler		wrappers	table
F save		F handler	
marksuspects	function	xtables	table
paragraphs	table	F cleanup	
F addanchortoline		F construct	
F addtoline		F create	
F calculatedelta		F finish_row	
F checkline		F flush	
F handler		F initialize_construct	
F moveinline		F initialize_reflow_height	
F set		F initialize_reflow_width	
periodkerns	table	F next_row	
D factors		F reflow_height	
F handler		F reflow_width	
D mapping		F set_construct	
F set		F set_reflow_height	
processors	table	F set_reflow_width	
F apply			

updaters (context)

apply function

register function

url (context)

addscheme	function
barepath	function
construct	function
decode	function
encode	function
escape	function
filename	function

hashed	function
hasscheme	function
query	function
split	function
toquery	function
unescape	function
unescapeget	function

utf8 (basic lua)

char function
charpattern string
codepoint function

codes function
len function
offset function

utilities (context)

debugger table

F disable
F enable
F savestats
F showstats
F showtraceback

files table

F close
F getposition
F getsize
F look
F open
F read2dot14
F readbyte
F readbytes
F readbytetable
F readcardinal
F readcardinal1
F readcardinal1le
F readcardinal2
F readcardinal2le
F readcardinal3
F readcardinal3le
F readcardinal4
F readcardinal4le
F readcardinaltable
F readchar
F readcline
F readcstring
F readfixed2
F readfixed4
F readinteger
F readinteger1
F readinteger1le
F readinteger2
F readinteger2le
F readinteger3
F readinteger3le
F readinteger4
F readinteger4le
F readintegertable

F readsignedbyte
F readstring
F readtag
F setposition
F size
F skip
F skiplong
F skipposition
F skipshort
F writebyte
F writecardinal1
F writecardinal1le
F writecardinal2
F writecardinal2le
F writecardinal3
F writecardinal3le
F writecardinal4
F writecardinal4le
F writeinteger1
F writeinteger1le
F writeinteger2
F writeinteger2le
F writeinteger3
F writeinteger3le
F writeinteger4
F writeinteger4le
F writestring

formatters table

F formatcolumns
F list
F stripzeros

ghostscript table

F convert
F statistics

graphicmagick table

F convert
F statistics

graphicsmagick table

F convert
F statistics

lua table

- B alwaysstripcode
- F checkmemory
- F compile
- F loadedluacode
- F loadstring
- F loadstripped
- N nofstrippedbytes
- N nofstrippedchunks
- F registerfinalizer
- B stripcode
- T strippedchunks
- F strippedloadstring
- T suffixes
 - S lua
 - S luc
 - S lui
 - S luj
 - S luv
 - S tma
 - S tmc
 - S tua
 - S tuc

packers table

- F hashed
- F new
- F pack
- F simplehashed
- F strip
- F unpack
- N version

parsers table

- F add_settings_to_array
- F arguments_to_table
- F array_to_string
- F csvsplitter
- F getparameters
- F groupedsplitat
- F hash_to_string
- T hashes
 - T settings_to_set
 - T text,hidden,paper,page,leftpage,rightpage
 - B hidden
 - B leftpage
 - B page

- B paper
- B rightpage
- B text
- F iterator
- F keq_to_hash
- F listitem
- F make_settings_to_hash_pattern
- F mergehashes
- F options_to_array
- F options_to_hash
- T patterns
 - U settings_to_array
 - U settings_to_hash_a
 - U settings_to_hash_b
 - U settings_to_hash_c
 - U settings_to_hash_d
 - U unittotex
- F process_stripped_settings
- F rfc4180splitter
- F runtime
- F settings_to_array
- F settings_to_array_obey_fences
- F settings_to_array_with_repeat
- F settings_to_hash
- F settings_to_hash_colon_too
- F settings_to_hash_strict
- F settings_to_hash_tolerant
- F settings_to_numbers
- F settings_to_set
- F simple_hash_to_string
- F splitmethod
- F splitthousands
- F stepper
- F stripped_settings_to_array
- F totime
- F unittotex
- F unittoxml

randomizer table

- F get
- F getnumber
- F getseed
- F popseed
- F pushseed
- F reuseseed

- F setseed
- F setseedi
- randomizers** table
- F poisson
- sequencers** table
- F appendaction
- F appendgroup
- F compile
- F disableaction
- F disablegroup
- F enableaction
- F enablegroup
- D functions
- F localize
- F new
- F nodeprocessor
- F prependaction
- F prependgroup
- F removeaction
- F replaceaction
- F setkind
- F toString
- setters** table
- F disable
- F enable
- F initialize
- F list
- F new
- F register
- F report
- F reset
- F show
- stacker** table
- F new
- storage** table
- F allocate
- F checked
- F mark
- F marked
- F setinitializer
- F sparse
- streams** table
- F close
- F getposition

- F getsize
- F getstring
- F look
- F open
- F openstring
- F read2dot14
- F readbyte
- F readbytes
- F readbytetable
- F readcardinal
- F readcardinal1
- F readcardinal11e
- F readcardinal12e
- F readcardinal2
- F readcardinal21e
- F readcardinal3
- F readcardinal31e
- F readcardinal4
- F readcardinal41e
- F readcardinaltable
- F readchar
- F readcline
- F readcstring
- F readfixed2
- F readfixed4
- F readinteger
- F readinteger1
- F readinteger11e
- F readinteger2
- F readinteger21e
- F readinteger3
- F readinteger31e
- F readinteger4
- F readinteger41e
- F readintegertable
- F readsignedbyte
- F readstring
- F setposition
- F size
- F skip
- F skipbytes
- F skiplong
- F skipshort
- F tocardinal1
- F tocardinal11e

- F tocardinal2
- F tocardinal2le
- F tocardinal3
- F tocardinal3le
- F tocardinal4
- F tocardinal4le

strings table

- F collapse
- F collapsecrlf
- T formatters
 - F add
 - F new
- F newcollector
- F newrepeater
- F nice
- T striplinepatterns
 - U collapse
 - U prune
 - U prune and collapse
 - U prune and no empty
 - U prune and to space
 - U retain
 - U retain and collapse
 - U retain and no empty
- F striplines
- F striplong
- F tabtospace
- T tracers

tables table

- F accesstable
- F definedtable
- F definetable
- F encapsulate
- F insertaftervalue
- F insertbeforevalue
- F migratetable
- F removevalue
- F replacevalue

tar table

- T archives
- F closearchive
- T files
 - F fetch
 - F hash
 - F list
 - F pack
 - F unpack
- F openarchive
- T registeredfiles
- T streams
 - F fetch
 - F hash
 - F list
 - F pack
 - F unpack
- T strings
 - F fetch
 - F hash
 - F list
 - F pack
 - F unpack

templates table

- F load
- F replace
- F replacer
- F resolve

zipfiles table

- F close
- F found
- F gunzipfile
- F hash
- F list
- F open
- F unzip
- F unzipdir
- F zipdir

visualizers (context)

escapepatterns	data table	signal	string
getspecification	function	signalpattern	userdata
getvisualizer	function	specifications	data table
load	function	visualize	function
makenested	function	visualizebuffer	function
makepattern	function	visualizefile	function
newgrammar	function	visualizestring	function
newhandler	function	write	function
parsedxml	function	writeargument	function
pattern	function	writedefault	function
register	function	writeemptyline	function
registerescapecommand	function	writenewline	function
registerescapepline	function	writespace	function
registerescapepattern	function		

xcomplex (extra lua)

I	function	F sqrt	
__add	function	F tan	
__div	function	F tanh	
__eq	function	F topair	
__index	table	F tostring	
F I		F totable	
F __add		F __mul	
F __div		S __name	
F __eq		F __pow	
T __index		F __sub	
F I		F __tostring	
F __add		F __unm	
F __div		F abs	
F __eq		F acos	
F __mul		F acosh	
S __name		F arg	
F __pow		F asin	
F __sub		F asinh	
F __tostring		F atan	
F __unm		F atanh	
F abs		F conj	
F acos		F cos	
F acosh		F cosh	
F arg		F exp	
F asin		F i	
F asinh		F imag	
F atan		F log	
F atanh		F new	
F conj		F pow	
F cos		F proj	
F cosh		F real	
F exp		F sin	
F i		F sinh	
F imag		F sqrt	
F log		F tan	
F new		F tanh	
F pow		F topair	
F proj		F tostring	
F real		F totable	
F sin		__mul	function
F sinh		__name	string

__pow	function	i	function
__sub	function	imag	function
__tostring	function	log	function
__unm	function	new	function
abs	function	pow	function
acos	function	proj	function
acosh	function	real	function
arg	function	sin	function
asin	function	sinh	function
asinh	function	sqrt	function
atan	function	tan	function
atanh	function	tanh	function
conj	function	topair	function
cos	function	tostring	function
cosh	function	totable	function
exp	function		

xdecimal (extra lua)

__add	function	F getprecision
__band	function	F ln
__bor	function	F log
__bxor	function	F max
__div	function	F min
__eq	function	F minus
__idiv	function	F new
__index	table	F plus
F __add		F pow
F __band		F rotate
F __bor		F setprecision
F __bxor		F shift
F __div		F sqrt
F __eq		F toengstring
F __idiv		F tonumber
T __index		F tostring
F __add		F trim
F __band		F __le
F __bor		F __lt
F __bxor		F __mod
F __div		F __mul
F __eq		S __name
F __idiv		F __pow
F __le		F __shl
F __lt		F __shr
F __mod		F __sub
F __mul		F __tostring
S __name		F __unm
F __pow		F abs
F __shl		F band
F __shr		F bor
F __sub		F bxor
F __tostring		F conj
F __unm		F copy
F abs		F exp
F band		F getprecision
F bor		F ln
F bxor		F log
F conj		F max
F copy		F min
F exp		F minus

F new		band	function
F plus		bor	function
F pow		bxor	function
F rotate		conj	function
F setprecision		copy	function
F shift		exp	function
F sqrt		getprecision	function
F toengstring		ln	function
F tonumber		log	function
F tostring		max	function
F trim		min	function
__le	function	minus	function
__lt	function	new	function
__mod	function	plus	function
__mul	function	pow	function
__name	string	rotate	function
__pow	function	setprecision	function
__shl	function	shift	function
__shr	function	sqrt	function
__sub	function	toengstring	function
__tostring	function	tonumber	function
__unm	function	tostring	function
abs	function	trim	function

xmath (extra lua)

acos	function	isnormal	function
acosh	function	j0	function
asin	function	j1	function
asinh	function	jn	function
atan	function	ldexp	function
atan2	function	lgamma	function
atanh	function	log	function
cbrt	function	log10	function
ceil	function	log1p	function
copysign	function	log2	function
cos	function	logb	function
cosh	function	modf	function
deg	function	nan	number
erf	function	nearbyint	function
erfc	function	nextafter	function
exp	function	pi	number
exp2	function	pow	function
expm1	function	rad	function
fabs	function	remainder	function
fdim	function	remquo	function
floor	function	round	function
fma	function	scalbn	function
fmax	function	sin	function
fmin	function	sinh	function
fmod	function	sqrt	function
frexp	function	tan	function
gamma	function	tanh	function
hypot	function	tgamma	function
inf	number	trunc	function
isfinite	function	y0	function
isinf	function	y1	function
isnan	function	yn	function

xml (context)

addentitiesdoctype	function	F family	
addspecialcode	function	F fontspecification	
after	function	F mappedstylevalue	
all	function	F padding	
applylpath	function	F size	
applyselector	function	F style	
assign	function	F stylevalue	
attribute	function	F todimension	
badinclusions	function	F variant	
before	function	F weight	
body	function	defaulthandlers	table
builtinentities	table	D file	
B amp		D parsedxml	
B apos		D string	
B gt		D tex	
B lt		D texline	
B quot		D texspace	
CDATA	function	D verbose	
CDATATOTEXT	function	defaultprotocol	string
checkbom	function	delete	function
checkedempty	function	delete_element	function
checkerror	function	despecialized	function
checknamespace	function	each	function
checkns	function	each_element	function
cleansed	function	elements	function
collect	function	elementtocdata	function
collect_elements	function	empty	function
collect_tags	function	entities	data table
collect_texts	function	erase	function
collected	function	errorhandler	function
collecttexts	function	escaped	function
compactelement	function	expressions	table
content	function	F attribute	
convert	function	F boolean	
copy	function	F child	
count	function	F contains	
cprint	function	F count	
CSS	table	F error	
F applyselector		F find	
F colorspecification		F hasclass	
F dimension		F idstring	

F lower		F upper	
F name		F upperall	
F number		F xml	
F oneof		T xml	
F print		F all	
F quit		F att	
F tag		F attribute	
F text		F attributes	
F undefined		F cdata	
F upper		F chainattribute	
fillin	function	F count	
filter	function	F default	
finalizers	table	F elements	
F paragraphs		F empty	
T tex		F first	
F all		F function	
F attribute		F index	
F chainattribute		F last	
F chainpath		F lowerall	
F command		F match	
F concat		F name	
F concatrange		F position	
F context		F reverse	
F count		F table	
F ctxtext		F tag	
F default		F tags	
F depth		F text	
F first		F texts	
F function		F upperall	
F index		first	function
F last		found	function
F lettered		functions	table
F lower		F classes	
F lowerall		F hasclass	
F match		getbuffer	function
F name		gethandlers	function
F param		gethandlersfunction	function
F parameter		helpers	table
F position		F recursetext	
F reverse		include	function
F stripped		inclusion	function
F tag		inclusions	function
F tags		index	function
F text		inheritattributes	function

inheritedconvert	function	privatetoken	function
inject	function	process	function
inject_element	function	process_attributes	function
inject_element_after	function	process_elements	function
inject_element_before	function	processattributes	function
injectafter	function	profiled	table
injectbefore	function	pure	function
insert	function	pushmatch	function
insert_element	function	raw	function
insert_element_after	function	registerentity	function
insert_element_before	function	registerns	function
insertafter	function	reindex	function
insertbefore	function	remap_name	function
insertcdata	function	remap_namespace	function
insertcomment	function	remap_tag	function
inspect	function	remapname	function
is_valid	function	remapnamespace	function
kind	function	remaptag	function
last	function	rename	function
lastmatch	function	renamespace	function
load	function	reparsedentitylpeg	userdata
lpath	function	replace	function
lpathcached	function	replace_element	function
lpathcalls	function	resetinjectors	function
lshow	function	resolvns	function
makestandalone	function	root	function
match	function	save	function
name	function	selection	function
newhandlers	function	separate	function
nodesettostring	function	serialize	function
originalload	function	serializetotext	function
package	function	setcdata	function
parent	function	setcomment	function
parsedentitylpeg	userdata	sethandlersfunction	function
pihandlers	table	setinjectors	function
F injector		setproperty	function
F tex		settings	function
placeholders	table	specialcodes	table
F unknown_any_entity		S "	
F unknown_dec_entity		S #	
F unknown_hex_entity		S \$	
popmatch	function	S %	
position	function	S &	
privatecodes	table	S '	

<code>S <</code>		<code>texttocdata</code>	function
<code>S ></code>		<code>tocdata</code>	function
<code>S \</code>		<code>toelement</code>	function
<code>S {</code>		<code>tostring</code>	function
<code>S </code>		<code>totable</code>	function
<code>S }</code>		<code>toxml</code>	function
<code>S ~</code>		<code>tprint</code>	function
<code>specialhandler</code>	table	<code>traverse</code>	function
<code>sprint</code>	function	<code>unescaped</code>	function
<code>string</code>	function	<code>unescapedentitylpeg</code>	userdata
<code>strip</code>	function	<code>unprivatized</code>	function
<code>strip_whitespace</code>	function	<code>unspecialized</code>	function
<code>stripelement</code>	function	<code>wipe</code>	function
<code>stripleadingspaces</code>	function	<code>withelement</code>	function
<code>table</code>	function	<code>withelements</code>	function
<code>text</code>	function	<code>wrap</code>	function
<code>textonly</code>	function	<code>xmlns</code>	table

xzip (extra lua)

adler32 function

compress function

compresssize function

crc32 function

decompress function

decompresssize function

zip (extra lua)

archives

table

closearchive

function

openarchive

function

registeredfiles

table

zlib (extra lua)

adler32 function

compress function

compresssize function

crc32 function

decompress function

decompresssize function